


LANDSCAPE PLAN  
1:200

PLANT LIST


BOTANICAL NAME	COMMON NAME	QUANTITY	CALIPER @ DBH	HEIGHT / SPREAD	CONDITION
<b>TREES</b>					
Acer x freemanii 'Jeffersred'	Autumn Blaze Maple	3	60mm		WB
Gleditsia triacanthos f. inermis Skyline ('Skycole')	Skyline Honeylocust	3	60mm		WB
<b>SHRUBS</b>					
Sorbaria sorbifolia 'Sem'	False Spirea	22		60cm ht	pot
Juniperus sabina	Savin Juniper	48		60cm ht	pot
<b>PERENNIALS AND GRASSES</b>					
Nepeta faassenii 'Walkers Low'	Walkers Low Catmint	53			1 gal/pot
Hemerocallis Stella D'Oro	Stella D'Oro Daylily	50			1 gal/pot
Calamagrostis acutiflora 'Karl Foerster'	Feather Reed Grass	68			1 gal/pot

- NOTES:
- Plant material to conform to the Canadian Nursery Trades association metric Guide Specifications for Nursery Stock, latest edition.
  - Contractor to verify quantities listed: plant quantities to be supplied as shown in plan in case of discrepancies between plan and quantities listed.
  - All plant material to be sourced from nurseries with an 800km radius.
  - Provide 1 year warranty for all plant material.

DECIDUOUS TREE CALIPER TO BE MEASURED AT BREAST HEIGHT (1.3m ABOVE GROUND LEVEL)



LONGITUDINAL SECTION




CROSS SECTION


- TYPICAL NOTES FOR DUFFERIN COLOURED CONCRETE
- Dosages noted on the inside chart are per 340 kg/M<sup>3</sup> of Portland
  - Colours shown on the chart are approximate, matched to concrete lab samples made with Type 10 Portland gray cement
  - Pigments conform to ASTM C 979
  - Consistency of colour of cement, aggregates, slump, finishing techniques and curing methods are critical in achieving uniformity of colour. A job site sample using fully cured concrete with the desired colour should be done for customer approval. Non-colour accelerators may be used with Dufferin Coloured Concrete.
  - Concrete should be batched, placed, cured and finished in accordance with CSA current standards.
  - To ensure that the colour consistency is maintained, a minimum load size of 3m<sup>3</sup> per truck is strongly recommended.

- CONCRETE SPECIFICATIONS
- Concrete materials and methods of construction to comply with Can3-A23.1-M77
  - Contractor to verify accuracy of concrete details and reinforcement prior to installation
  - Provide the following materials accordingly:
    - Cement - to Can3-A5-M77M Normal Type 10
    - Aggregates (for concrete) - to Can3-A23.1-M77
    - Reinforcing Steel (if specified) - to CSA G30.12-1972
    - Wire Ties (if specified) - to CSA G30.3-1972 (R1979) Plain, cold drawn annealed steel wire
    - Form Stripping Agent - Colourless mineral oil, free of kerosene
    - Latex Bonding Agent - Sika Bond by Sikamix Ltd. or approved equal
    - Form Lumber - Clean, free of loose knots, splits and with repairs made smoothly and securely.
    - Joint Fillers - 20 mm thick, preformed, non-extruding, resilient bituminous type
    - Add mixtures - to be used only when approved by engineer
    - Aggregates (for base) - 19mm Crusher Run limestone shall be produced by crushing limestone to OPSS 1010.05.03.06 physical requirements
    - Water (for mixing and curing) - to be reasonably clean and free of oil, salt, acid, alkali, sugar, organic matter, or other substances injurious to the finished product and shall meet the requirement of CSA A23.1M
  - Class C-2 exposure concrete mix to provide a compressive strength of 32 Mpa at 28 days, entrained air of 5 to 7 percent and a slump at point of discharge of 60 mm for curbs and footings
  - Granular base to be compacted to 95 percent maximum dry density to ASTM D698-78 and to depths as detailed
  - Pour concrete in favourable weather conditions
  - Apply surface finishes as detailed
  - Provide expansion and contraction joints as detailed
  - Repair defective areas while concrete is still plastic, or remove defective work and replace with new concrete
  - Concrete areas will not be accepted under the following conditions:
    - Failure to meet requirements of this specification
    - Excessive honeycombing or embedded debris
    - Average strength in any area is less than 95 percent of the specified minimum
    - Surface irregularities
    - Cosmetic and structural damage (e.g., cracks, chipped edges)
    - Poor quality workmanship
  - It is the contractor's responsibility to maintain and protect concrete areas until time of final acceptance

CONCRETE PAVING  
1:20




ACCESSIBLE SIGNAGE  
N.T.S




NOTES:

- For planting in poorly drained soils install plant material so that root collar is 75-100mm above grade
- Remove container and maintain soil ball intact. Container to be cut carefully away from root system so as not disturb soil ball.



NOTES:


- For planting in poorly drained soils install plant material so that root collar is 75-100mm above grade
- Remove container and maintain soil ball intact. Container to be cut carefully away from root system so as not disturb soil ball.



NOTES:

- No tree pits shall be left open over night.
- Sides surfaces of all tree pits to be scarified.
- For planting in poorly drained soils install plant material so that root collar is 75-100mm above grade
- Trees to be planted by hand or backhoe. No tree spades or augering permitted.
- Remove stakes at close of second growing season or upon expiry of warranty period.

PLANTING DETAILS AND SPECIFICATION  
N.T.S



- Specifications  
Planting
- Coordinate shipping of plants and excavation of holes to ensure minimum time lapse between digging and planting.
  - Tie branches of tree and shrubs securely and protect plant material against abrasion, exposure, and extreme temperature during transit. Avoid binding of planting stock with rope or wire which would damage bark, break branches or destroy natural shape of plant. Give full support to root ball of large trees during lifting.
  - Cover plant foliage with tarpaulin and protect bare roots by means to prevent loss of moisture during transit and storage.
  - Provide one year warranty for plant material as itemized on plant list. At end of warranty inspection, all plant material will be in vigorous growing condition, free of pests and disease and true to natural form.
  - During warranty period, remove from site any plant material that has died or failed to grow satisfactorily as determined by owner/architect/landscape architect. Extend warranty on replacement plant material for a period equal to the length of original warranty period. Remove trunk wrapping, tree stakes and guy wired at the end of the warranty period. Upon request, remove trunk wrapping for visual inspection and rewrap.
  - Plant material: comply with metric guide - specification for nursery stock, 1994 edition of Canadian Nursery Trades Association referring to size and development of plant material and root ball. Measure plants when branches are in their natural position. Height and spread dimensions refer to main body of plant and not from branch tip to branch tip. Use trees and shrubs of no. 1 grade.
  - Stake out all tree locations and planting beds and obtain approval from architect/landscape architect/owner before excavation. The location of trees and planting areas where shown on drawings is approximate only and may require adjustment due to site conditions or as directed by the consultant.
  - Plant only under conditions that are conducive to health and physical conditions of plants.
  - Provide planting schedule, extending planting operations over a long period. Using limited crew will not be accepted.
  - Excavate planting pits and beds to depth indicated on details. Fill with a planting mixture of one part peat moss, six parts topsoil with commercial bonemeal for planting holes in heavy soils if natural drainage does not exist. Have method approved.
  - Immediately following any planting operations, remove all debris and excess material from site, leaving the site neat and tidy.
  - It is the contractor's responsibility to maintain plant material for 30 days following planting or until time of final acceptance. Maintenance of plant material during warranty period is the owners responsibility.
  - Maintenance tasks until time of final acceptance to include all of the following:
    - Watering
    - Fertilizing
    - Weed Control
    - Insect and Fungus Control
    - Pruning
  - Submit separate maintenance cost for consideration by owner during warranty period only. Refer to maintenance specifications.

Note: All Drawings by Baker Turner inc. to be Printed in Colour.

REVISIONS

DATE	DESCRIPTION
14 Jan 19	Reissued for SPA
01 Oct 18	Issued for SPA

NOTE: Contractor is to check and verify all dimensions and conditions on the project, and is to immediately report any discrepancies to the landscape architect before proceeding with the work.



**B.T.I.**  
Landscape Architecture | Site Design  
Suite 300  
8501 Mississauga Road  
Brampton Ontario L6Y 5G8  
Tel: (905) 453-9398  
Fax: (905) 453-9376  
email: tba@bakerturner.com

Project Title

**Dorval Crossing East**  
200-240 NORTH SERVICE ROAD WEST  
OAKVILLE, ON

LANDSCAPE PLAN & DETAILS

Date	Issued
JUNE 2018	

Job Number	Drawn By
BTI-1406	NT/SL

Scale	Checked By
As shown	TT

Sheet Number	File Number
L1 of 1	