


# Warren Drive Park


Woodland is healthy with no obvious forest health issues

1



## Warren Drive Park

0.75 hectares



### Forest Health Rating Legend


- 1 Healthy; no obvious forest health issues
- 2 Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of willow due to imported willow leaf beetle.
- Low level of understory disturbance caused by off-trail trampling and yard waste dumping.
- Tar spot present and causing light damage to Norway maple.
- Anthracnose present and causing trace damage to red oak.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|                              |                                   |                                 |                           |                          |                                   |
|------------------------------|-----------------------------------|---------------------------------|---------------------------|--------------------------|-----------------------------------|
| moderate<br><p>buckthorn</p> | moderate<br><p>garlic mustard</p> | moderate<br><p>honey suckle</p> | low<br><p>English ivy</p> | low<br><p>periwinkle</p> | low<br><p>dog-strangling vine</p> |
|------------------------------|-----------------------------------|---------------------------------|---------------------------|--------------------------|-----------------------------------|

**Other species:**  
 wild grape (low)  
 euonymus (low)  
 purple loosestrife (low)






# Colborne Park


2

Woodland is moderately healthy; some minor issues but less than 30% tree mortality



## Colborne Park

0.92 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings







- Light defoliation due to gypsy moth affecting red oak, willow, and black cherry.
- Light defoliation of willow due to imported willow leaf beetle.
- Scattered pockets of yard waste dumping.
- Low level of understory disturbance due to off-trail trampling.
- Tar spot present and causing light damage to Norway maple.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **10** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|  |   |   |  |   |   |
|--|---|---|--|---|---|
| moderate<br><br>garlic mustard | moderate<br><br>euonymus | low<br><br>honeysuckle | low<br><br>phragmites | low<br><br>periwinkle | low<br><br>Japanese knotweed |
|--|---|---|--|---|---|

**Other species:**  
purple loosestrife (low)  
goutweed (low)  
etc.






# Pinewood Park


Woodland is moderately healthy; some minor forest health issues but less than 30% mortality

2



## Pinewood Park

0.81 hectares



### Forest Health Rating Legend


- 1 Healthy; no obvious forest health issues
- 2 Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of red oak due to gypsy moth.
- Light defoliation of willow due to imported willow leaf beetle.
- Moderate defoliation of Siberian elms due to elm leaf beetle.
- Scattered pockets of yard waste dumping.
- Some storm damage.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 12 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|                              |                                   |                             |                                |                        |                                  |
|------------------------------|-----------------------------------|-----------------------------|--------------------------------|------------------------|----------------------------------|
| moderate<br><p>buckthorn</p> | moderate<br><p>garlic mustard</p> | moderate<br><p>euonymus</p> | moderate<br><p>honeysuckle</p> | low<br><p>goutweed</p> | low<br><p>purple loosestrife</p> |
|------------------------------|-----------------------------------|-----------------------------|--------------------------------|------------------------|----------------------------------|

**Other species:**  
 periwinkle (low)  
 phragmites (low)  
 wild grape (low)






# Cornwall Woods


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

**2**



## Cornwall Woods

1.05 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings







- Light defoliation of English oak due to gypsy moth.
- Several dead and declining basswood.
- Low levels of yard waste dumping.
- Tar spot is present and causing light to moderate damage to Norway maple.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 10 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|   |  |  |  |   |  |
|---|--|--|--|---|--|
|  moderate |  moderate |  moderate |  moderate |  moderate |  moderate |
| buckthorn   | garlic mustard   | honeysuckle  | phragmites   | purple loosestrife  | dog strangling vine  |


Other species:  
periwinkle (low)  
euonymus (low)



# Cornwall Road Buffer


Woodland is healthy with no obvious forest health issues

1



## Cornwall Road Buffer

0.58 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Understory comprised of mostly non-native species.
- Imported willow leaf beetle feeding causing light damage.
- Minor yard waste dumping and encroachment from private gardens along southern edge of woodland.
- Tar spot present and causing light damage to Norway maple.
- Some blowdown of canopy level trees.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|                              |  |                                   |                                |                        |                          |
|------------------------------|--|-----------------------------------|--------------------------------|------------------------|--------------------------|
| moderate<br><p>buckthorn</p> | moderate<br><p>dog strangling vine</p> | moderate<br><p>garlic mustard</p> | moderate<br><p>honeysuckle</p> | low<br><p>bindweed</p> | low<br><p>phragmites</p> |
|------------------------------|--|-----------------------------------|--------------------------------|------------------------|--------------------------|


Other species:  
 periwinkle (low)  
 purple loosestrife (low)



# Valleybrook Park


Woodland is healthy with no obvious forest health issues

1



## Valleybrook Park

1.16 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings







- Light defoliation of willow due to imported willow leaf beetle.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 3 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|  |  |  |   |  |  |
|--|--|--|---|--|--|
|  <p>bindweed</p> |  <p>buckthorn</p> |  <p>honeysuckle</p> |  <p>purple loosestrife</p> |  <p>garlic mustard</p> |  <p>Russian olive</p> |
| moderate   | moderate   | moderate   | moderate  | moderate   | low  |



# East Joshua Creek Trail - 1


Woodland is healthy with no obvious forest health issues

1



## East Joshua Creek Trail - 1

1.55 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of swamp white oak due to gypsy moth.
- Light defoliation of willow due to imported willow leaf beetle.
- Isolated pocket of yard waste dumping.
- Low level of understory disturbance due to off-trail trampling.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **2** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|           |                |             |            |                    |             |
|-----------|----------------|-------------|------------|--------------------|-------------|
| moderate  | moderate       | moderate    | moderate   | moderate           | low         |
|           |                |             |            |                    |             |
| buckthorn | garlic mustard | honeysuckle | phragmites | purple loosestrife | English ivy |

Other species: bindweed (low)



# Cornwall Road Buffer


Woodland is healthy with no obvious forest health issues

1



## Cornwall Road Buffer

1.93 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings







- Light defoliation of willow due to imported willow leaf beetle.
- Tar spot present and causing light damage to Norway maple.
- Scattered pockets of yard waste dumping, and minor encroachment from private gardens.
- Understory comprised of predominantly non-native species.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **11** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|   |   |  |   |   |  |
|---|---|--|---|---|--|
| <b>moderate</b><br><br>bindweed | <b>moderate</b><br><br>buckthorn | <b>moderate</b><br><br>garlic mustard | <b>moderate</b><br><br>honeysuckle | <b>moderate</b><br><br>periwinkle | <b>moderate</b><br><br>phragmites |
|---|---|--|---|---|--|

**Other species:**  
purple loosestrife (mod)  
dog strangling vine (low)  
goutweed (low)  
euonymus (low)  
etc.






# Chamberlain Walk Park


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

**2**



## Chamberlain Walk Park

0.39 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings







- Light defoliation of Siberian elm due to elm leaf beetle.
- Light defoliation of willow due to imported willow leaf beetle.
- One isolated pocket of yard waste dumping.
- Tar spot is present and causing light damage to Norway maple.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 2 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|   |  |  |  |   |   |
|---|--|--|--|---|---|
| <b>moderate</b><br> | <b>moderate</b><br> | <b>moderate</b><br> | <b>moderate</b><br> | <b>moderate</b><br> | <b>low</b><br> |
| garlic mustard  | buckthorn  | honeysuckle  | periwinkle   | euonymus  | wild grape  |

Other species:  
purple loosestrife (low)  
English ivy (low)







# Ford Woods


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Ford Woods

1.35 hectares



### Forest Health Rating Legend


- 1 Healthy; no obvious forest health issues
- 2 Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings







- Understory is dominated by invasive species, mostly buckthorn.
- Several dead elms and Scots pine.
- One isolated pocket of yard waste dumping.
- Tar spot is present and causing trace damage to Norway maple.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 7 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|  |   |   |   |  |   |
|--|---|---|---|--|---|
| <span style="color: red;">●</span> <b>high</b>                                     | <span style="color: orange;">●</span> <b>moderate</b>                               | <span style="color: orange;">●</span> <b>moderate</b>                               | <span style="color: orange;">●</span> <b>moderate</b>                               | <span style="color: orange;">●</span> <b>moderate</b>                                | <span style="color: green;">●</span> <b>low</b>                                       |
|  |  |  |  |  |  |
| buckthorn  | colts foot  | garlic mustard  | purple loosestrife  | phragmites   | bindweed  |

Other species: wild grape (low)



# Sheridan Valley Park North


Woodland is healthy with no obvious forest health issues

1



## Sheridan Valley Park North

3.13 hectares









### Forest Health Rating Legend

- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation due to gypsy affecting various hardwoods.
- Light defoliation of willow due to imported willow leaf beetle.
- Isolated pockets of yard waste dumping and minor to moderate off-trail trampling throughout woodland.
- Dutch elm disease causing light damage to American elm.
- Oak leaf blister disease and anthracnose causing trace damage to oak.


### Invasive plant presence

|   |  |  |  |  |   |
|---|--|--|--|--|---|
|  moderate |  moderate |  moderate |  moderate |  low |  low |
| buckthorn   | garlic mustard   | honeysuckle  | periwinkle   | colts foot   | purple loosestrife  |

Other species:  
 euonymus (low)  
 wild grape (low)

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 6 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.





# Sheridan Valley Park South


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Sheridan Valley Park South

4.19 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation due to gypsy moth affecting oak, hickory, and basswood.
- Anthracnose and oak leaf blister disease affecting red oak, causing minor damage.
- Tar spot present and causing light damage to Norway maple.
- Moderate off-trail trampling and scattered pockets of yard waste dumping throughout woodland.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 5 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|             |                 |                 |                 |                    |                 |
|-------------|-----------------|-----------------|-----------------|--------------------|-----------------|
| <b>high</b> | <b>moderate</b> | <b>moderate</b> | <b>moderate</b> | <b>moderate</b>    | <b>moderate</b> |
|             |                 |                 |                 |                    |                 |
| buckthorn   | English ivy     | garlic mustard  | honeysuckle     | purple loosestrife | coltsfoot       |


Other species: goutweed (low)



# Iroquois Shoreline Wood


**2**

Woodland is moderately healthy; some minor issues but less than 30% tree mortality



## Iroquois Shoreline Wood

34.21 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings







- Light defoliation of oak and hickory due to gypsy moth.
- Light defoliation of willow due to imported willow leaf beetle.
- Moderate off-trail trampling and scattered yard waste dumping.
- Leaf miner on American elm causing minor damage.
- Beech erineum mite causing light damage to American beech.
- Leaf spot causing light damage to hawthorn.
- Pockets of maple and oak mortality/decline; cause unknown.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **14** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|  |  |   |  |  |   |
|--|--|---|--|--|---|
| <b>high</b><br><br>buckthorn | <b>moderate</b><br><br>purple loosestrife | <b>moderate</b><br><br>honeysuckle | <b>moderate</b><br><br>garlic mustard | <b>moderate</b><br><br>dog-strangling vine | <b>low</b><br><br>phragmites |
|--|--|---|--|--|---|

**Other species:**  
 colts foot (low)  
 euonymus (low)  
 black alder (low)  
 periwinkle (low)







# Morrison Valley South U.M.R.


1

Woodland is healthy with no obvious forest health issues



## Morrison Valley South U.M.R.

22.19 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings







- Light defoliation due to gypsy moth affecting oak, basswood, and hickory.
- Light defoliation of willow due to imported willow leaf beetle.
- Oak leaf blister disease and anthracnose causing minor damage to oaks.
- Moderate off-trail trampling and scattered pockets of yard waste dumping.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 5 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|   |  |  |  |   |   |
|---|--|--|--|---|---|
|  moderate |  moderate |  moderate |  moderate |  moderate |  low |
| buckthorn   | colts foot   | honeysuckle  | garlic mustard   | periwinkle  | English ivy   |


Other species:  
 purple loosestrife (low)  
 Russian olive (low)  
 euonymus (low)



# Oakville Woods


Woodland is healthy with no obvious forest health issues

1



## Oakville Woods

6.88 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings







- Light defoliation due to gypsy moth affecting oak, basswood, and cherry.
- Beech scale present.
- European elm scale present.
- Light defoliation of willow due to imported willow leaf beetle.
- Anthracnose causing light damage to oaks, hickory, and hawthorn.
- Scattered pockets of yard waste dumping and moderate off-trail trampling throughout woodland.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **2** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|   |  |  |  |   |   |
|---|--|--|--|---|---|
|  moderate |  moderate |  moderate |  moderate |  moderate |  low |
| buckthorn   | garlic mustard   | honeysuckle  | purple loosestrife   | wild grape  | English ivy   |

Other species:  
 periwinkle (low)  
 goutweed (low)  
 bindweed (low)  
 coltsfoot (low)







# Ontario Hydro/College Park - 1


Woodland is healthy with no obvious forest health issues

1



## Ontario Hydro/College Park - 1

0.89 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of willow due to imported willow leaf beetle and gypsy moth.
- Light defoliation of Siberian elm due to elm leaf beetle.
- Scattered pockets of yard waste dumping, minor off-trail trampling, and encroachment from back yards.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|                         |                         |                         |                    |                    |
|-------------------------|-------------------------|-------------------------|--------------------|--------------------|
| <br><b>moderate</b><br> | <br><b>moderate</b><br> | <br><b>moderate</b><br> | <br><b>low</b><br> | <br><b>low</b><br> |
| garlic mustard          | buckthorn               | euonymus                | English ivy        | periwinkle         |



# Oakdale Park

Woodland is healthy with no obvious forest health issues

1



## Oakdale Park

0.60 hectares

### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of willow due to gypsy moth and imported willow leaf beetle.
- Tar spot present and causing light damage to Norway maple.
- Moderate to heavy off-trail trampling.
- Isolated pockets of yard waste dumping.
- Understory is dominated by garlic mustard.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|                     |                         |                         |                    |
|---------------------|-------------------------|-------------------------|--------------------|
| <br><b>high</b><br> | <br><b>moderate</b><br> | <br><b>moderate</b><br> | <br><b>low</b><br> |
| garlic mustard      | buckthorn               | euonymus                | bindweed           |



# Oakdale Park

Woodland is healthy with no obvious forest health issues

1



## Oakdale Park

0.86 hectares

### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of willow due to gypsy moth and imported willow leaf beetle.
- Light defoliation of Siberian elm due to elm leaf beetle.
- Tar spot present and causing light damage to Norway maple.
- Heavy off-trail trampling.
- Isolated pocket of yard waste dumping.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|                              |                                   |                             |                             |                           |
|------------------------------|-----------------------------------|-----------------------------|-----------------------------|---------------------------|
| moderate<br><p>buckthorn</p> | moderate<br><p>garlic mustard</p> | moderate<br><p>euonymus</p> | moderate<br><p>goutweed</p> | low<br><p>honeysuckle</p> |
|------------------------------|-----------------------------------|-----------------------------|-----------------------------|---------------------------|



# Winston Woods

Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



PLYMOUTH DR



WINSTON PARK DR

BUCKINGHAM RD

LONDON LANE

## Winston Woods

4.18 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Heavy defoliation due to gypsy moth affecting oak and hickory.
- Dutch elm disease present and causing elm mortality.
- Oak leaf blister disease causing light damage to red oak.
- Minor off-trail trampling.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|           |                |             |           |          |
|-----------|----------------|-------------|-----------|----------|
| moderate  | moderate       | moderate    | low       | low      |
|           |                |             |           |          |
| buckthorn | garlic mustard | honeysuckle | coltsfoot | euonymus |



# Avonhead Ridge Trail South - 2


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

**2**



## Avonhead Ridge Trail South - 2

2.01 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Several dead white pine in northeast compartment.
- Light defoliation due to gypsy moth affecting oak and basswood.
- Anthracnose and oak leaf blister disease causing light damage on oaks.
- Scattered pockets of yard waste dumping and light to moderate off-trail trampling.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 3 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|                     |                     |                     |                |
|---------------------|---------------------|---------------------|----------------|
| <b>moderate</b><br> | <b>moderate</b><br> | <b>moderate</b><br> | <b>low</b><br> |
| buckthorn           | garlic mustard      | honeysuckle         | wild grape     |



# Avonhead Ridge Trail South - 2


Woodland is healthy with no obvious forest health issues

1



## Avonhead Ridge Trail South - 2

0.60 hectares



### Forest Health Rating Legend


- 1 Healthy; no obvious forest health issues
- 2 Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation caused by gypsy moth affecting oak and basswood.
- Light defoliation of willow due to imported willow leaf beetle.
- Leaf spot on apple species.
- Isolated pockets of yard waste dumping.
- Understory dominated by buckthorn and garlic mustard.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|                 |                 |                 |            |            |
|-----------------|-----------------|-----------------|------------|------------|
| <p>moderate</p> | <p>moderate</p> | <p>moderate</p> | <p>low</p> | <p>low</p> |
| buckthorn       | garlic mustard  | honeysuckle     | wild grape | bindweed   |



# Joshua Valley Park - 1


**2**

Woodland is moderately healthy; some minor issues but less than 30% tree mortality



## Joshua Valley Park - 1

0.89 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings







- Light defoliation of oak due to gypsy moth.
- Dutch elm disease causing moderate damage to elm.
- Oak leaf blister disease causing light damage to oak.
- Anthracnose causing light damage to red oak.
- Moderate off-trail trampling.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **30** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence



|   |  |  |   |  |   |
|---|--|--|---|--|---|
| <b>moderate</b><br> | <b>moderate</b><br> | <b>moderate</b><br> | <b>low</b><br> | <b>low</b><br> | <b>low</b><br> |
| buckthorn   | garlic mustard   | honeysuckle  | wild grape  | bindweed   | phragmites  |



# Ardleigh Park


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Ardleigh Park

0.34 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of oak due to gypsy moth.
- Tar spot present on Norway maple, causing light damage.
- Understory fairly sparse, patches of invasive species.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 4 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|                 |                 |                 |                 |                    |
|-----------------|-----------------|-----------------|-----------------|--------------------|
| <b>moderate</b> | <b>moderate</b> | <b>moderate</b> | <b>moderate</b> | <b>low</b>         |
|                 |                 |                 |                 |                    |
| buckthorn       | garlic mustard  | euonymus        | honeysuckle     | purple loosestrife |



# Annapolis Park


Woodland is healthy with no obvious forest health issues

1



## Annapolis Park

0.75 hectares



### Forest Health Rating Legend

- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings


- Light defoliation of oak due to gypsy moth.
- Oak leaf blister disease causing light damage to oaks.
- Moderate off-trail trampling.
- Isolated pockets of yard waste dumping and moderate off-trail trampling throughout park.
- Mature ash have been harvested; has allowed invasive species in understory to thrive.

### Invasive plant presence

|                |           |             |             |          |            |
|----------------|-----------|-------------|-------------|----------|------------|
| moderate       | moderate  | moderate    | moderate    | moderate | low        |
|                |           |             |             |          |            |
| garlic mustard | buckthorn | English ivy | honeysuckle | euonymus | periwinkle |

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.






# Aspen Forest Park


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Aspen Forest Park

0.06 hectares



### Forest Health Rating Legend


- 1 Healthy; no obvious forest health issues
- 2 Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings







- No biotic or abiotic disturbances recorded.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 7 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|  |   |   |   |  |   |
|--|---|---|---|--|---|
| <span style="color: red;">●</span> high  | <span style="color: orange;">●</span> moderate                                      | <span style="color: orange;">●</span> moderate                                      | <span style="color: orange;">●</span> moderate                                      | <span style="color: orange;">●</span> moderate                                       | <span style="color: green;">●</span> low  |
|  |  |  |  |  |  |
| buckthorn  | garlic mustard  | honeysuckle   | phragmites  | wild grape   | purple loosestrife  |



# Interprovincial Pipeline (R.O.) - 2


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Interprovincial Pipeline (R.O.) - 2

0.88 hectares



### Forest Health Rating Legend


- 1 Healthy; no obvious forest health issues
- 2 Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings





- Light defoliation caused by gypsy moth affecting oak, hickory, and basswood.
- Dutch elm disease present and causing elm mortality and decline.
- Scattered pockets of yard waste dumping.
- Dense understory dominated by buckthorn.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|  |   |   |   |
|--|---|---|---|
| <span style="color: red;">●</span> high  | <span style="color: orange;">●</span> moderate                                      | <span style="color: orange;">●</span> moderate                                      | <span style="color: orange;">●</span> moderate                                      |
|  |  |  |  |
| buckthorn  | garlic mustard  | periwinkle  | phragmites  |



# Munn's Creek Trail - 1


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Munn's Creek Trail - 1

5.66 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings







- Light defoliation due to gypsy moth affecting oak and linden.
- Light defoliation of willow due to imported willow leaf beetle.
- Dutch elm disease present and causing elm mortality and decline.
- Scattered pockets of yard waste dumping, moderate off-trail trampling, and encroachment from back yards.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 7 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|  |  |   |  |  |   |
|--|--|---|--|--|---|
| <br>purple loosestrife | <br>buckthorn | <br>garlic mustard | <br>honeysuckle | <br>phragmites | <br>wild grape |
|--|--|---|--|--|---|

**Other species:**  
 English ivy (low)  
 goutweed (low)  
 bindweed (low)






# Crosstown Trail (R.O.) - 3


Woodland is healthy with no obvious forest health issues

1



## Crosstown Trail (R.O.) - 3

0.80 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of willow due to imported willow leaf beetle.
- Light defoliation of elm due to elm leaf beetle.
- Anthracnose present on maple, causing light damage.
- Heavy off-trail trampling and bike ramps built from soil.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|   |  |  |                                      |
|---|--|--|--------------------------------------|
| <br><b>moderate</b><br><p>buckthorn</p> | <br><b>moderate</b><br><p>garlic mustard</p> | <br><b>moderate</b><br><p>purple loosestrife</p> | <br><b>low</b><br><p>honeysuckle</p> |
|---|--|--|--------------------------------------|



# River Oaks Park

Woodland is healthy with no obvious forest health issues

1



## River Oaks Park

0.09 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation due to gypsy moth affecting hickory and oak.
- Oak leaf blister disease and anthracnose causing light damage to oak.
- Moderate off-trail trampling.
- Understory dominated by buckthorn and garlic mustard.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|                                  |                                       |                                    |
|----------------------------------|---------------------------------------|------------------------------------|
| <p>moderate</p> <p>buckthorn</p> | <p>moderate</p> <p>garlic mustard</p> | <p>moderate</p> <p>honeysuckle</p> |
|----------------------------------|---------------------------------------|------------------------------------|



# McCraney Creek Trail North – 2 (1)


Woodland is healthy with no obvious forest health issues

1



## McCraney Creek Trail North - 2

0.65 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Tar spot present and causing minor damage to Norway maple.
- Isolated pocket of yard waste dumping.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


- purple loosestrife
- garlic mustard
- buckthorn



# McCraney Creek Trail North – 2 (2)


Woodland is healthy with no obvious forest health issues

1



## McCraney Creek Trail North - 2

0.91 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of oak due to gypsy moth.
- Minor level of encroachment from private gardens adjacent to woodland.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|                         |                         |                         |                         |                    |
|-------------------------|-------------------------|-------------------------|-------------------------|--------------------|
| <br><b>moderate</b><br> | <br><b>moderate</b><br> | <br><b>moderate</b><br> | <br><b>moderate</b><br> | <br><b>low</b><br> |
| garlic mustard          | buckthorn               | honeysuckle             | purple loosestrife      | black alder        |



# McCraney Creek Trail North - 2


Woodland is healthy with no obvious forest health issues

1



## McCraney Creek Trail North - 2

3.46 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of willow due to imported willow leaf beetle.
- Isolated pocket of yard waste dumping and minor off-trail trampling.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|                           |                                |                             |                                    |                     |                       |
|---------------------------|--------------------------------|-----------------------------|------------------------------------|---------------------|-----------------------|
| moderate<br><br>buckthorn | moderate<br><br>garlic mustard | moderate<br><br>honeysuckle | moderate<br><br>purple loosestrife | low<br><br>bindweed | low<br><br>periwinkle |
|---------------------------|--------------------------------|-----------------------------|------------------------------------|---------------------|-----------------------|



# Glen Oak Creek Trail North – 1 (1)


Woodland is healthy with no obvious forest health issues

1



## Glen Oak Creek Trail North - 1

1.41 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of oak due to gypsy moth
- Anthracnose affecting silver maple, hackberry, and oak, causing minor damage.
- Oak leaf blister disease present on oak, causing minor damage.
- Scattered pockets of yard waste dumping.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 4 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|                       |                            |                         |                                |                      |                    |
|-----------------------|----------------------------|-------------------------|--------------------------------|----------------------|--------------------|
| moderate<br>buckthorn | moderate<br>garlic mustard | moderate<br>honeysuckle | moderate<br>purple loosestrife | moderate<br>bindweed | low<br>black alder |
|-----------------------|----------------------------|-------------------------|--------------------------------|----------------------|--------------------|

Other species:  
English ivy (low)



# Glen Oak Creek Trail North – 1 (2)


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Glen Oak Creek Trail North - 1

2.71 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings







- Light defoliation of willow due to imported willow leaf beetle.
- Oak leaf blister disease present on oak, causing minor damage.
- Isolated patch of yard waste dumping.
- Minor encroachment from private gardens.
- Moderate damage to cedar trees due to fort construction and vandalism.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 7 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|   |  |  |  |   |  |
|---|--|--|--|---|--|
|  moderate |  moderate |  moderate |  moderate |  moderate |  moderate |
| buckthorn   | garlic mustard   | honeysuckle  | phragmites   | purple loosestrife  | periwinkle   |

Other species: goutweed (low)



# Glen Oak Creek Trail North - 1


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Glen Oak Creek Trail North - 1

1.33 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings







- Light defoliation of oak due to gypsy moth.
- Anthracnose affecting oak and silver maple, causing minor damage.
- Minor off-trail trampling.
- Scattered pockets of yard waste dumping.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 3 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|   |  |  |  |   |   |
|---|--|--|--|---|---|
|  moderate |  moderate |  moderate |  moderate |  moderate |  low |
| buckthorn   | garlic mustard   | honeysuckle  | phragmites   | purple loosestrife  | goutweed  |



# Oakhaven Pond


**2**

Woodland is moderately healthy; some minor issues but less than 30% tree mortality



## Oakhaven Pond

3.29 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings


- Light defoliation of willow due to imported willow leaf beetle.
- Minor off-trail trampling.
- Isolated pocket of yard waste dumping and encroachment from private gardens adjacent to woodland.


### Ash mortality update


Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 7 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.





### Invasive plant presence


- 

bindweed
- 

phragmites
- 

purple loosestrife
- 

English ivy
- 

buckthorn
- 

honeysuckle


Other species: phragmites (low)



# Glen Valley Pond


Woodland is healthy with no obvious forest health issues

1



## Glen Valley Pond

0.76 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- No biotic disturbances recorded.
- Minor off-trail trampling.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 3 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|   |  |   |                                   |
|---|--|---|-----------------------------------|
| <br><b>moderate</b><br><p>buckthorn</p> | <br><b>moderate</b><br><p>garlic mustard</p> | <br><b>moderate</b><br><p>honeysuckle</p> | <br><b>low</b><br><p>euonymus</p> |
|---|--|---|-----------------------------------|



# Kestell Pond


Woodland is healthy with no obvious forest health issues

1



## Kestell Pond

1.46 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of willow due to imported willow leaf beetle.
- Anthracnose present and causing moderate damage to silver maple and poplar.
- Fire blight present on pear, causing minor damage.
- Oak leaf blister disease causing minor damage to oak.
- Isolated pocket of yard waste dumping and light off-trail trampling.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|                              |                                   |                                       |                                |                          |                                   |
|------------------------------|-----------------------------------|---------------------------------------|--------------------------------|--------------------------|-----------------------------------|
| moderate<br><p>buckthorn</p> | moderate<br><p>garlic mustard</p> | moderate<br><p>purple loosertrife</p> | moderate<br><p>honeysuckle</p> | low<br><p>phragmites</p> | low<br><p>dog-strangling vine</p> |
|------------------------------|-----------------------------------|---------------------------------------|--------------------------------|--------------------------|-----------------------------------|


Other species:  
periwinkle (low)  
goutweed (low)



# Cornwall Road Sports Park (1)


Woodland is healthy with no obvious forest health issues

1



## Cornwall Road Sports Park

0.96 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- No biotic disturbances observed.
- Minor off-trail trampling.
- Understory is a mix of native and non-native species.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 9 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|                              |                                   |                                |                               |                                       |                                   |
|------------------------------|-----------------------------------|--------------------------------|-------------------------------|---------------------------------------|-----------------------------------|
| moderate<br><p>buckthorn</p> | moderate<br><p>garlic mustard</p> | moderate<br><p>honeysuckle</p> | moderate<br><p>phragmites</p> | moderate<br><p>purple loosestrife</p> | low<br><p>dog-strangling vine</p> |
|------------------------------|-----------------------------------|--------------------------------|-------------------------------|---------------------------------------|-----------------------------------|


Other species:  
bindweed (low)



# Cornwall Road Sports Park (2)


2

Woodland is moderately healthy; some minor issues but less than 30% tree mortality



## Cornwall Road Sports Park

0.16 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Anthracnose present on oak, causing minor damage.
- Understory is dominated by buckthorn.
- No abiotic disturbances observed.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 16 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|             |                |             |            |
|-------------|----------------|-------------|------------|
| <b>high</b> | <b>low</b>     | <b>low</b>  | <b>low</b> |
|             |                |             |            |
| buckthorn   | garlic mustard | honeysuckle | phragmites |



# Cornwall Road Buffer Block


Woodland is healthy with no obvious forest health issues

1



## Cornwall Road Buffer Block

0.10 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- No biotic disturbances observed.
- Isolated pocket of yard waste dumping.
- Understory is dominated by garlic mustard.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|                    |                     |                       |                |                 |
|--------------------|---------------------|-----------------------|----------------|-----------------|
| <br><b>high</b>    | <br><b>moderate</b> | <br><b>low</b>        | <br><b>low</b> | <br><b>low</b>  |
| <br>garlic mustard | <br>honeysuckle     | <br>Japanese knotweed | <br>buckthorn  | <br>English ivy |



# Perkin's Passage


Woodland is healthy with no obvious forest health issues

1



## Perkin's Passage

0.87 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of willow due to gypsy moth.
- Light defoliation of elm due to elm leaf beetle.
- Tar spot present on Norway maple, causing moderate damage.
- Isolated pocket of yard waste dumping.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|                         |                         |                         |                    |                    |                    |
|-------------------------|-------------------------|-------------------------|--------------------|--------------------|--------------------|
| <br><b>moderate</b><br> | <br><b>moderate</b><br> | <br><b>moderate</b><br> | <br><b>low</b><br> | <br><b>low</b><br> | <br><b>low</b><br> |
| buckthorn               | garlic mustard          | honeysuckle             | purple loosestrife | periwinkle         | euonymus           |




# Post Park

Woodland is healthy with no obvious forest health issues

1



**Post Park**  
1.40 hectares



## Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

## Key findings

- Severe off-trail trampling in west side due to dog park.
- Light damage due to anthracnose on silver maples.
- Tar spot present on Norway maple, causing minor damage.

## Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



## Invasive plant presence

|                              |                                |                                   |                                |                             |                          |
|------------------------------|--------------------------------|-----------------------------------|--------------------------------|-----------------------------|--------------------------|
| moderate<br><p>buckthorn</p> | moderate<br><p>English ivy</p> | moderate<br><p>garlic mustard</p> | moderate<br><p>honeysuckle</p> | moderate<br><p>euonymus</p> | low<br><p>wild grape</p> |
|------------------------------|--------------------------------|-----------------------------------|--------------------------------|-----------------------------|--------------------------|

**Other species:**  
goutweed (low)  
dog-strangling vine (low)  
etc.






# Westgate Park


Woodland is healthy with no obvious forest health issues

1



## Westgate Park

1.61 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of oak due to gypsy moth.
- Light defoliation of willow due to imported willow leaf beetle.
- Butternut canker on hybrid butternut, causing minor damage.
- Scattered pockets of yard waste dumping and moderate encroachment from private gardens .
- Mature silver maples declining along Fourth Line; cause unknown but potentially just age.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|                           |                                |                             |                          |                     |
|---------------------------|--------------------------------|-----------------------------|--------------------------|---------------------|
| moderate<br><br>buckthorn | moderate<br><br>garlic mustard | moderate<br><br>honeysuckle | moderate<br><br>euonymus | low<br><br>goutweed |
|---------------------------|--------------------------------|-----------------------------|--------------------------|---------------------|



# Glen Oak Park


Woodland is healthy with no obvious forest health issues

1



## Glen Oak Park

0.47 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of willow due to imported willow leaf beetle.
- Tar spot present on Norway maple, causing minor damage.
- Moderate off-trail trampling and scattered pockets of yard waste dumping, affecting health of understory.
- Understory dominated by invasive species.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|              |                |              |                    |              |              |
|--------------|----------------|--------------|--------------------|--------------|--------------|
| moderate<br> | moderate<br>   | moderate<br> | moderate<br>       | moderate<br> | moderate<br> |
| buckthorn    | garlic mustard | goutweed     | purple loosestrife | English ivy  | periwinkle   |


Other species:  
honeysuckle (mod)



# 480 Wycroft Road Buffer Block


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## 480 Wycroft Road Buffer Block

0.62 hectares



### Forest Health Rating Legend


- 1 Healthy; no obvious forest health issues
- 2 Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of willow due to imported willow leaf beetle.
- Some willows declining; cause unknown.
- No abiotic disturbances observed.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 3 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|   |  |  |                                      |
|---|--|--|--------------------------------------|
| <br><b>moderate</b><br><p>buckthorn</p> | <br><b>moderate</b><br><p>garlic mustard</p> | <br><b>moderate</b><br><p>purple loosestrife</p> | <br><b>low</b><br><p>honeysuckle</p> |
|---|--|--|--------------------------------------|



# 465 Wyecroft Road Buffer Block


Woodland is healthy with no obvious forest health issues

1



## 465 Wyecroft Road Buffer Block

0.23 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of willow due to imported willow leaf beetle.
- Understory is dominated by buckthorn.
- No abiotic disturbances observed.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|             |                 |                 |                    |            |
|-------------|-----------------|-----------------|--------------------|------------|
| <b>high</b> | <b>moderate</b> | <b>moderate</b> | <b>moderate</b>    | <b>low</b> |
|             |                 |                 |                    |            |
|             |                 |                 |                    |            |
| buckthorn   | garlic mustard  | honeysuckle     | purple loosestrife | phragmites |



# Sixteen Mile Creek South QEW - 2


2

Woodland is moderately healthy; some minor issues but less than 30% tree mortality



## Sixteen Mile Creek South QEW - 2

0.04 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings


- Moderate to severe decline and some mortality in sugar maple; cause unknown.
- Tar spot present on Norway maple, causing minor damage.
- Isolated pockets of yard waste and garbage dumping.
- Understory is a mix of native and non-native species.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence






# Birch Hill Promenade


**2**

Woodland is moderately healthy; some minor issues but less than 30% tree mortality



## Birch Hill Promenade

0.56 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of red oak due to gypsy moth.
- Light defoliation of willow due to imported willow leaf beetle.
- Tar spot present on Norway maple, causing light damage.
- Some decline of poplars; cause unknown.
- Isolated pockets of yard waste dumping.
- Butternut canker causing butternut mortality.
- Decline of one large white pine; cause unknown.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 4 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|                |             |                   |             |            |                    |
|----------------|-------------|-------------------|-------------|------------|--------------------|
| moderate       | moderate    | moderate          | low         | low        | low                |
| garlic mustard | honeysuckle | Japanese knotweed | English ivy | wild grape | purple loosestrife |

**Other species:**  
goutweed (low)  
oriental bittersweet (low)






# Thornlea Park


Woodland is healthy with no obvious forest health issues

1



## Thornlea Park

0.13 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings






- Anthracnose present on ash, causing minor damage.
- Scattered pockets of yard waste dumping.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 2 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|   |  |  |   |  |
|---|--|--|---|--|
| <b>moderate</b><br> | <b>moderate</b><br> | <b>moderate</b><br> | <b>low</b><br> | <b>low</b><br> |
| honey-suckle  | buckthorn  | purple loosestrife   | garlic mustard  | coltsfoot  |



# Bronte Beach Park


Woodland is healthy with no obvious forest health issues

1



## Bronte Beach Park

0.14 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of willow due to imported willow leaf beetle.
- No abiotic disturbances recorded.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|  |                 |  |             |
|--|-----------------|--|-------------|
|  | <b>moderate</b> |  | <b>low</b>  |
|  | buckthorn       |  | honeysuckle |



# Bronte Beach Park


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

1



## Bronte Beach Park

1.87 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings






- Light defoliation of willow due to imported willow leaf beetle.
- Tar spot present on Norway maple, causing minor damage.
- Isolated patch of yard waste dumping and moderate off-trail trampling.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|   |  |  |   |  |
|---|--|--|---|--|
|  moderate |  moderate |  moderate |  low |  low |
| garlic mustard  | honeysuckle  | buckthorn  | euonymus  | periwinkle   |



# Bronte Harbour


Woodland is healthy with no obvious forest health issues

1



## Bronte Harbour

0.10 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of oak due to gypsy moth.
- Anthracnose present on red oak, causing trace damage.
- Tar spot on Norway maple, causing minor damage.
- No abiotic disturbances recorded.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|                 |                 |                 |
|-----------------|-----------------|-----------------|
| <b>moderate</b> | <b>moderate</b> | <b>moderate</b> |
|                 |                 |                 |
| buckthorn       | garlic mustard  | honeysuckle     |



# Riverview Park


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Riverview Park

4.87 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of oak, birch, cherry, and hickory due to gypsy moth.
- Numerous white birch and black cherry in moderate decline; some mortality.
- Moderate off-trail trampling and scattered pockets of yard waste dumping.
- Encroachment from private gardens into woodland.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **37** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|                |             |           |                    |          |            |
|----------------|-------------|-----------|--------------------|----------|------------|
| moderate       | moderate    | moderate  | moderate           | low      | low        |
|                |             |           |                    |          |            |
| garlic mustard | honeysuckle | buckthorn | purple loosestrife | bindweed | periwinkle |



# Village Wood Park


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Village Wood Park

5.19 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of oak, beech, and basswood due to gypsy moth.
- Anthracnose present on oak, causing light damage.
- White pine mortality observed, possibly due to root rot.
- Scattered pockets of yard waste dumping and light off-trail trampling.
- Beech scale present and causing light damage.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **25** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|              |                |              |              |            |                    |
|--------------|----------------|--------------|--------------|------------|--------------------|
| moderate<br> | moderate<br>   | moderate<br> | moderate<br> | low<br>    | low<br>            |
| buckthorn    | garlic mustard | honeysuckle  | euonymus     | wild grape | purple loosestrife |



# Chalmers Park


Woodland is healthy with no obvious forest health issues

1



## Chalmers Park

1.27 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- All mature ash trees have been harvested, resulting in a sparse canopy.
- Anthracnose present on red oak and silver maple, causing light damage.
- Fire blight present on pear, causing light damage.
- Isolated pocket of yard waste dumping and minor off-trail trampling.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|             |                 |                    |                 |            |
|-------------|-----------------|--------------------|-----------------|------------|
| <b>high</b> | <b>moderate</b> | <b>moderate</b>    | <b>moderate</b> | <b>low</b> |
|             |                 |                    |                 |            |
| buckthorn   | garlic mustard  | purple loosestrife | honeysuckle     | coltsfoot  |



# Nautical Woods


**3**

Woodland health is affected by obvious forest health issues, greater than 30% mortality



## Nautical Woods

10.12 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings






- Light defoliation of oak, hickory, and basswood due to gypsy moth.
- Dutch elm disease present, causing elm decline and mortality.
- Anthracnose present at low levels on oak and hickory.
- Some mature ash trees have been harvested, but many dead standing ash remain.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **57** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|   |  |  |  |  |
|---|--|--|--|--|
|  moderate |  moderate |  moderate |  moderate |  low |
| buckthorn   | garlic mustard   | honeysuckle  | purple loosestrife   | black alder  |



# Sheldon Creek Park

Woodland is healthy with no obvious forest health issues


1



|    |    |    |    |    |    |    |
|----|----|----|----|----|----|----|
| 24 | 23 | 22 | 21 | 20 | 19 | 18 |
| 17 | 16 | 15 | 14 | 13 | 12 | 11 |
| 10 | 9  | 8  | 7  | 6  | 5  | 4  |
| 3  | 2  | 1  |    |    |    |    |

## Sheldon Creek Park

0.60 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of willow due to imported willow leaf beetle.
- Tar spot present on Norway maple, causing light damage.
- Some storm damage to canopy.
- Isolated pocket of yard waste dumping.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 3 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|                |           |          |             |          |             |
|----------------|-----------|----------|-------------|----------|-------------|
| moderate       | moderate  | low      | low         | low      | low         |
|                |           |          |             |          |             |
| garlic mustard | buckthorn | bindweed | honeysuckle | euonymus | English ivy |



# Creek Path Woods


Woodland is healthy with no obvious forest health issues

1



## Creek Path Woods

0.62 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of oak and basswood due to gypsy moth.
- Light defoliation of willow due to imported willow leaf beetle.
- Understory is dominated by buckthorn.
- No abiotic disturbances recorded.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 11 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|             |                 |                 |                    |
|-------------|-----------------|-----------------|--------------------|
| <b>high</b> | <b>moderate</b> | <b>moderate</b> | <b>low</b>         |
|             |                 |                 |                    |
| buckthorn   | garlic mustard  | honeysuckle     | purple loosestrife |



# Brook Valley Park


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Brook Valley Park

4.58 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings







- Light defoliation of oak due to gypsy moth.
- Tar spot present on Norway maple, causing light damage.
- Scattered pockets of yard waste dumping and light to moderate off-trail trampling.
- Majority of mature ash have been removed, some remain.
- Understory dominated by invasive species.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **21** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|  |  |   |  |  |  |
|--|--|---|--|--|--|
| <br>bindweed | <br>buckthorn | <br>garlic mustard | <br>honeysuckle | <br>purple loosestrife | <br>coltsfoot |
|--|--|---|--|--|--|


**Other species:**  
wild grape (mod)  
euonymus (low)  
goutweed (low)



# Red Oak Trail


Woodland is healthy with no obvious forest health issues

1



## Red Oak Trail

3.37 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings







- Light defoliation caused by gypsy moth affecting white and bur oak.
- Trace amount of anthracnose observed on bur oak and silver maple.
- Oak leaf blister disease present on bur oak, causing minor damage.
- No abiotic disturbances observed.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **18** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|   |  |  |  |   |   |
|---|--|--|--|---|---|
|  moderate |  moderate |  moderate |  moderate |  moderate |  low |
| bindweed  | wild grape   | buckthorn  | purple loosestrife   | Russian olive   | garlic mustard  |

**Other species:**  
 honeysuckle (low)  
 phragmites (low)  
 autumn olive (low)






# McPherson Road Buffer Block


Woodland is healthy with no obvious forest health issues

1



## McPherson Road Buffer Block

0.28 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings







- No biotic or abiotic disturbances observed.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|  |   |   |
|--|---|---|
| <b>high</b>  | <b>moderate</b>   | <b>low</b>  |
|  |  |  |
|  |  |  |
| phragmites   | purple loosestrife  | honeysuckle   |



# Arbourview Pond


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Arbourview Pond

11.48 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings







- Light defoliation of oak and hickory due to gypsy moth.
- Light defoliation of willow due to imported willow leaf beetle.
- Dutch elm disease present causing elm decline and mortality.
- Anthracnose affecting oak and poplar, causing minor damage.
- Oak leaf blister disease causing minor damage to red oak.
- Leaf roller affecting ironwood, causing minor damage.
- Isolated pocket of yard waste dumping and moderate off-trail trampling.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 17 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|   |  |  |  |   |  |
|---|--|--|--|---|--|
|  moderate |  moderate |  moderate |  moderate |  moderate |  moderate |
| bindweed  | buckthorn  | purple loosestrife   | garlic mustard   | honeysuckle   | periwinkle   |

**Other species:**  
 euronymus (mod)  
 phragmites (low)  
 dog-strangling vine (low)  
 etc.






# Fourteen Mile Creek Trail - 1


1

Woodland is healthy with no obvious forest health issues



## Fourteen Mile Creek Trail - 1

6.20 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings








- Light defoliation due to gypsy moth affecting oak, hawthorn, and basswood.
- Moderate defoliation of willow due to imported willow leaf beetle..
- Light defoliation of Siberian elm due to elm leaf beetle.
- Minor to moderate off-trail trampling throughout woodland.
- Scattered pockets of yard waste dumping.
- Minor encroachment from private gardens into woodland.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **19** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|  |  |   |   |   |   |   |
|--|--|---|---|---|---|---|
|  <p><b>moderate</b><br/>bindweed</p> |  <p><b>moderate</b><br/>buckthorn</p> |  <p><b>moderate</b><br/>colts foot</p> |  <p><b>moderate</b><br/>garlic mustard</p> |  <p><b>moderate</b><br/>honeysuckle</p> |  <p><b>moderate</b><br/>purple loosestrife</p> | <p><b>Other species:</b><br/>wild grape (low)<br/>dog strangling vine (low)<br/>goutweed (low)<br/>phragmites (low)<br/>euonymus (low)<br/>etc.</p>  |
|--|--|---|---|---|---|---|



# Crosstown Trail (W.O.T.) - 4


Woodland is healthy with no obvious forest health issues

1



## Crosstown Trail (W.O.T.) - 4

3.01 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings







- Light defoliation due to gypsy moth affecting oak and basswood.
- Light defoliation of willow due to imported willow leaf beetle.
- Anthracnose affecting oak causing minor damage.
- Scattered pockets of yard waste dumping and light off-trail trampling.
- Minor encroachment from private gardens into woodland.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|   |  |  |  |   |  |
|---|--|--|--|---|--|
|  moderate |  moderate |  moderate |  moderate |  moderate |  moderate |
| buckthorn   | garlic mustard   | honeysuckle  | phragmites   | purple loosestrife  | bindweed   |

Other species: black alder (low)



# Arbourview Trail - 1



Woodland is healthy with no obvious forest health issues

1



## Arbourview Trail - 1

1.25 hectares



### Forest Health Rating Legend


- 1 Healthy; no obvious forest health issues
- 2 Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of oak and hickory due to gypsy moth.
- Light defoliation of willow due to imported willow leaf beetle.
- Leaf roller present on hickory, causing minor damage.
- Isolated patch of yard waste dumping.
- Minor off-trail trampling.
- One mature white pine declining; cause unknown.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|                         |                         |                         |                    |
|-------------------------|-------------------------|-------------------------|--------------------|
| <br><b>moderate</b><br> | <br><b>moderate</b><br> | <br><b>moderate</b><br> | <br><b>low</b><br> |
| buckthorn               | garlic mustard          | honeysuckle             | wild grape         |



# Falling Green Pond


Woodland is healthy with no obvious forest health issues

1



## Falling Green Pond

2.89 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings







- Anthracnose present on red oak, causing trace damage.
- Scattered pockets of yard waste dumping.
- Minor off-trail trampling.
- Minor encroachment from private gardens into woodland.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|   |  |   |  |  |  |
|---|--|---|--|--|--|
| <b>moderate</b><br><br>bindweed | <b>moderate</b><br><br>purple loosestrife | <b>moderate</b><br><br>buckthorn | <b>moderate</b><br><br>garlic mustard | <b>moderate</b><br><br>black alder | <b>low</b><br><br>honeysuckle |
|---|--|---|--|--|--|

**Other species:**  
phragmites (low)  
English ivy (low)



# McCraney Creek Trail North - 1


Woodland is healthy with no obvious forest health issues

1



## McCraney Creek Trail North - 1

1.33 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings







- Light defoliation of bur oak due to gypsy moth.
- Anthracnose affecting silver maple, causing minor damage.
- Isolated pocket of yard waste dumping and minor off-trail trampling.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 5 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|   |  |  |  |   |   |
|---|--|--|--|---|---|
|  moderate |  moderate |  moderate |  moderate |  moderate |  low |
| garlic mustard  | buckthorn  | honeysuckle  | phragmites   | purple loosestrife  | bindweed  |

**Other species:**  
English ivy (low)  
black alder (low)





# McCraney Creek Trail North - 1


Woodland is healthy with no obvious forest health issues

1



## McCraney Creek Trail North - 1

0.83 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings







- Light defoliation of red oak due to gypsy moth.
- Isolated pockets of yard waste dumping.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|   |  |   |   |  |  |
|---|--|---|---|--|--|
| <b>moderate</b><br><br>bindweed | <b>moderate</b><br><br>purple loosestrife | <b>moderate</b><br><br>Russian olive | <b>moderate</b><br><br>black alder | <b>moderate</b><br><br>buckthorn | <b>moderate</b><br><br>garlic mustard |
|---|--|---|---|--|--|

**Other species:**  
honeysuckle (low)  
euonymus (low)



# Crosstown Trail (W.O.T.) - 6


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Crosstown Trail (W.O.T.) - 6

1.91 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings













- Light defoliation of red oak due to gypsy moth.
- Light defoliation of willow due to imported willow leaf beetle.
- Oak leaf blister disease and anthracnose present on red oak, causing minor damage.
- Scattered pockets of yard waste dumping and minor off-trail trampling.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **12** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|   |  |  |  |   |   |
|---|--|--|--|---|---|
|  moderate |  moderate |  moderate |  moderate |  moderate |  low |
|           |           |           |           |           |      |
| bindweed  | black alder  | purple loosestrife   | buckthorn  | garlic mustard  | phragmites  |


Other species: honeysuckle (low)



# Woodgate Woods


Woodland is healthy with no obvious forest health issues

1



## Woodgate Woods

2.92 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings






- Light defoliation due to gypsy moth affecting hickory, hawthorn, basswood, and oak.
- Light defoliation of willow due to imported willow leaf beetle.
- Anthracnose affecting bur oak, causing minor damage.
- Some decline of mature white and bur oak.
- Moderate off-trail trampling, affecting health of understory.
- Isolated pocket of yard waste dumping.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **2** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|   |  |  |  |   |
|---|--|--|--|---|
|  moderate |  moderate |  moderate |  moderate |  moderate |
| buckthorn   | garlic mustard   | purple loosestrife   | honeysuckle  | black alder   |



# McCraney Creek Trail North - 2


Woodland is healthy with no obvious forest health issues

1



## McCraney Creek Trail North - 2

0.60 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of willow due to imported willow leaf beetle.
- Isolated pocket of yard waste dumping.
- Moderate level of encroachment from back gardens into woodland.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|   |  |  |                                      |                                      |
|---|--|--|--------------------------------------|--------------------------------------|
| <br><b>moderate</b><br><p>buckthorn</p> | <br><b>moderate</b><br><p>purple loosestrife</p> | <br><b>moderate</b><br><p>garlic mustard</p> | <br><b>low</b><br><p>black alder</p> | <br><b>low</b><br><p>honeysuckle</p> |
|---|--|--|--------------------------------------|--------------------------------------|



# Colonel Williams Trail


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Colonel Williams Trail

0.64 hectares



### Forest Health Rating Legend


- 1 Healthy; no obvious forest health issues
- 2 Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of willow due to gypsy moth and imported willow leaf beetle.
- Poplar mortality due to hypoxylon canker.
- Anthracnose affecting red oak, causing minor damage.
- Minor encroachment from back gardens into woodland.
- Isolated pocket of yard waste dumping and minor off-trail trampling.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|           |                |             |                    |            |            |
|-----------|----------------|-------------|--------------------|------------|------------|
| moderate  | moderate       | moderate    | moderate           | moderate   | low        |
|           |                |             |                    |            |            |
| buckthorn | garlic mustard | honeysuckle | purple loosestrife | colts foot | periwinkle |



# Fourteen Mile Creek Trail - 1


Woodland is healthy with no obvious forest health issues

1



## Fourteen Mile Creek Trail - 1

11.36 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings







- Light defoliation due to gypsy moth affecting oak, basswood, and poplar.
- Light defoliation of willow due to imported willow leaf beetle.
- Anthracnose affecting silver maple, poplar, and oak, causing minor damage.
- Several dead Scots pine and some decline of sugar maple.
- Minor to moderate off-trail trampling and scattered pockets of yard waste dumping.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **4** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|   |  |  |   |  |   |
|---|--|--|---|--|---|
|  moderate |  moderate |  moderate |  low |  low |  low |
| buckthorn   | garlic mustard   | honeysuckle  | phragmites  | black alder  | bindweed  |


**Other species:**  
 purple loosestrife (low)  
 wild grape (low)  
 English ivy (low)  
 goutweed (low)



# Colonel Williams Trail


2

Woodland is moderately healthy; some minor issues but less than 30% tree mortality



## Colonel Williams Trail

0.96 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Hypoxylon canker affecting poplar, causing varying stages of decline and mortality.
- Anthracnose affecting silver maple, causing minor damage.
- Oak leaf blister disease affecting red oak, causing minor damage.
- Scattered pockets of yard waste dumping.
- Minor encroachment from private gardens adjacent to woodland.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|          |                |             |            |           |                    |
|----------|----------------|-------------|------------|-----------|--------------------|
| moderate | moderate       | moderate    | moderate   | moderate  | low                |
| bindweed | garlic mustard | honeysuckle | phragmites | buckthorn | purple loosestrife |

Other species:  
periwinkle (low)  
euonymus (low)




# Woodlot 278

Woodland is healthy with no obvious forest health issues



## Woodlot 278

0.05 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings


- Minor off-trail trampling.
- Understory dominated by garlic mustard.
- No biotic disturbances recorded.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence






# St. Jude's Cemetery


Woodland is healthy with no obvious forest health issues

1



## St. Jude's Cemetery

0.11 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Oak leaf blister disease present on red oak, causing trace damage.
- Anthracnose present on oak and cherry, causing minor damage.
- No abiotic disturbances observed.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|                                   |                                       |                              |                                |                             |                        |
|-----------------------------------|---------------------------------------|------------------------------|--------------------------------|-----------------------------|------------------------|
| moderate<br><p>garlic mustard</p> | moderate<br><p>purple loosestrife</p> | moderate<br><p>buckthorn</p> | moderate<br><p>honeysuckle</p> | moderate<br><p>goutweed</p> | low<br><p>euonymus</p> |
|-----------------------------------|---------------------------------------|------------------------------|--------------------------------|-----------------------------|------------------------|




# Woodlot 280

Woodland is healthy with no obvious forest health issues

1



**Woodlot 280**  
0.17 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of willow due to imported willow leaf beetle.
- No abiotic disturbances recorded.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|   |  |                                      |   |                                   |
|---|--|--------------------------------------|---|-----------------------------------|
| <br><b>moderate</b><br><p>buckthorn</p> | <br><b>moderate</b><br><p>purple loosestrife</p> | <br><b>low</b><br><p>honeysuckle</p> | <br><b>low</b><br><p>garlic mustard</p> | <br><b>low</b><br><p>bindweed</p> |
|---|--|--------------------------------------|---|-----------------------------------|



# Brook Valley Park


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

**2**



## Brook Valley Park

0.12 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of willow due to imported willow leaf beetle.
- No abiotic disturbances recorded.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **2** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

|                         |                    |                    |
|-------------------------|--------------------|--------------------|
| <br><b>moderate</b><br> | <br><b>low</b><br> | <br><b>low</b><br> |
| garlic mustard          | buckthorn          | euonymus           |



# Sunningdale Public School


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Sunningdale Public School

0.11 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of apple and poplar due to gypsy moth.
- Light defoliation of willow due to imported willow leaf beetle.
- Several declining and dead poplar; cause unknown.
- Moderate off-trail trampling throughout woodland.
- Understory dominated by buckthorn.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 5 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

|             |                 |                 |                    |
|-------------|-----------------|-----------------|--------------------|
| <b>high</b> | <b>moderate</b> | <b>moderate</b> | <b>low</b>         |
|             |                 |                 |                    |
|             |                 |                 |                    |
| buckthorn   | garlic mustard  | honeysuckle     | purple loosestrife |




# Woodlot 285

Woodland is healthy with no obvious forest health issues



## Woodlot 285

0.02 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of willow due to imported willow leaf beetle.
- Tar spot present on Norway maple, causing minor damage.
- No abiotic disturbances recorded.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|   |  |                                    |
|---|--|------------------------------------|
| <br><b>moderate</b><br><p>honeysuckle</p> | <br><b>moderate</b><br><p>garlic mustard</p> | <br><b>low</b><br><p>buckthorn</p> |
|---|--|------------------------------------|



# Brook Valley Park


2

Woodland is moderately healthy; some minor issues but less than 30% tree mortality



## Brook Valley Park

0.40 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light defoliation of willow due to imported willow leaf beetle.
- No abiotic disturbances observed.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 3 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


|                           |                                |                           |                               |
|---------------------------|--------------------------------|---------------------------|-------------------------------|
| moderate<br><br>buckthorn | moderate<br><br>garlic mustard | moderate<br><br>coltsfoot | low<br><br>purple loosestrife |
|---------------------------|--------------------------------|---------------------------|-------------------------------|




# Oxford Park

Woodland is healthy with no obvious forest health issues

1



**Oxford Park**  
0.08 hectares



## Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

## Key findings




- Tar spot present on Norway maple, causing minor damage.
- Anthracnose present on apple, causing trace damage.
- Isolated pocket of yard waste dumping and minor off-trail trampling.
- Understory is dominated by buckthorn.

## Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



## Invasive plant presence


|  |   |   |
|--|---|---|
| <span style="color: red;">●</span> <b>high</b>                                     | <span style="color: orange;">●</span> <b>moderate</b>                               | <span style="color: orange;">●</span> <b>moderate</b>                               |
|  |  |  |
| buckthorn  | garlic mustard  | honeysuckle   |



# Queens Parkette


Woodland is healthy with no obvious forest health issues

1



## Queens Parkette

0.14 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- No biotic or abiotic disturbances observed.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

|                 |                |                |                |
|-----------------|----------------|----------------|----------------|
| <br><b>high</b> | <br><b>low</b> | <br><b>low</b> | <br><b>low</b> |
|                 |                |                |                |
| buckthorn       | bindweed       | garlic mustard | honeysuckle    |




# Woodlot 290

Woodland is healthy with no obvious forest health issues



## Woodlot 290

0.01 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Moderate defoliation of Siberian elm due to elm leaf beetle.
- Tar spot present on Norway maple, causing minor damage.
- No abiotic disturbances observed.

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

|                              |                                   |                             |
|------------------------------|-----------------------------------|-----------------------------|
| moderate<br><p>buckthorn</p> | moderate<br><p>garlic mustard</p> | moderate<br><p>euonymus</p> |
|------------------------------|-----------------------------------|-----------------------------|




# Woodlot 961

Woodland is healthy with no obvious forest health issues



**Woodlot 961**  
0.04 hectares



## Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

## Key findings

- Tar spot present on Norway maple, causing moderate damage.
- No abiotic disturbances observed.

## Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



## Invasive plant presence

low

buckthorn

low

garlic mustard

low

wild grape