

THE CORPORATION OF THE TOWN OF OAKVILLE


BY-LAW NUMBER 2024-XX

A by-law to amend the Town of Oakville's Zoning Bylaw 2014-014, as amended, to permit the construction of three mixed use buildings on lands described as 590 Argus Road (File Z.1614.81 & 24T-23001/1614)

COUNCIL ENACTS AS FOLLOWS:

- That Schedule "19(8b)" to By-law 2014-014, as amended, is hereby further amended by rezoning lands municipally described as 590 Argus Road in the Town of Oakville, Regional Municipality of Halton from the "MTC" and "MTE" Zones to the "MU4 – (XXX)" Zone as identified on Schedule A attached hereto.
- 2. Section 15, Special Provisions, of By-law 2014-014, as amended, is amended by adding new Sections 15.XX.1, 15.XX.2, 15.XX.3 and 15.XX.4 with respect to the lands municipally known as 590 Argus Road:

	XX	590 Argus Road	Parent Zone: MU4			
Map 19(8b)			(2024-XXX)			
15.X	15.XX.1 Zone Provisions					
The	The following regulations apply:					
a)	Maximun	n residential <i>gross floor area</i>	147,500 q.m			
b)	Maximun	n non-residential <i>gross floor area</i>	2,800 sq.m			
c)	Minimum	m yards, all yards, are shown on Special Site Figure 15.XX.5				
d)	Minimum	ım separation distances are shown on Special Site Figure 15.XX.5				
e)	Minimum	yards, all yards, below established grade	0.0 metres			






f)	Maximum height excluding mechanical penthouse (Tower A)	151 metres			
g)	Maximum height excluding mechanical penthouse (Tower B)	166 metres			
h)	Maximum height excluding mechanical penthouse (Tower C)	187.5 metres			
i)	Maximum height of a <i>mechanical penthouse</i> , including equipment used for the functional operation of the buildings including electrical, utility, mechanical and ventilation equipment, enclosed stairwells, roof access, maintenance equipment storage, elevator shafts, chimneys, and vents, architectural features, parapets, and elements and structures associated with a green roof, building maintenance units and window washing equipment, planters, landscaping features, guard rails, and divider screens on a balcony and/or terrace, trellises, pergolas, and unenclosed structures providing safety or wind protection to rooftop amenity space, and parapets.	9.0 metres			
j)	The maximum encroachment of a balcony into the minimum yards and building separation distance	2.5 metres			
k)	The maximum encroachment of an architectural feature into the minimum <i>yards</i> and building separation distance	0.5 metres			
15.X	XX.3 Parking Provisions				
The	following parking provisions apply:				
a)	Minimum number parking spaces for dwelling units:	0 spaces for studio units 0.5 spaces per all other dwelling unit			
b)	Minimum number of visitor parking spaces	0.15 spaces per dwelling unit			
c)	Minimum number of parking spaces for non- residential uses	1.08 spaces per 100 square metres of <i>gross</i> floor area			
d)	Visitor parking spaces may be counted towards required parking for non-residential uses				
e)	For the purposes of this By-law, the number of required parking spaces for dwelling units as set out in (a) above, may be reduced by 4 parking spaces for every car-share parking spaces provided, up to a reduction of 40 parking spaces				






For the purpose of this By-law, "car-share" means the practice where a number of people share the use of one or more cars that are owned by a profit or non-profit car-sharing organization and where such organization may require that use of cars to be reserved in advance, charge fees based on time and/or kilometres driven, and set membership requirements of the car-sharing organization, including the payment of a membership fee that may or may not be refundable				
For the purpose of this By-law, "car-share parking space" means a parking space that is reserved and actively used for car-sharing and must be for the exclusive use of the dwelling units of the building				
A maximum of 10 percent of the required parking spaces may be small car parking spaces with the following dimensions: i) a minimum length of 5.3 metres; ii) a minimum width of 2.4 metres; and i) a minimum vertical clearance of 2.0 metres				
The minimum dimensions of a <i>loading space</i> are 3.5 metres in width and 6.0 metres in length, with a minimum vertical clearance of 4.2 metres				
X.4 Special Site Provisions				
For the purposes of this By-law, the <i>established grade</i> of Tower A shall be a Canadian Geodetic Datum of 104.96 metres				
For the purposes of this By-law, the <i>established grade</i> of Tower B shall be a Canadian Geodetic Datum of 104.96 metres				
For the purposes of this By-law, the <i>established grade</i> of Tower C shall be a Canadian Geodetic Datum of 104.96 metres				
A tower floor plate may not exceed a maximum <i>gross floor area</i> of 850 square metres.				
For the purposes of this By-law, a "tower" is the portions of a building which collectively enclose the entirety of a storey higher than 42.0 metres above the established grade.				
Notwithstanding any severance, partition or division of the lands subject to this Special Provision, all lands subject to this by-law shall be considered to be one lot for the purposes of this By-law.				





3. This By-law comes into force in accordance with Section 34 of the *Planning Act*, R.S.O. 1990, c. P.13, as amended.





PASSED this	day of, 2024		
	MAYOR	CL	.ERK





