

Phase One Environmental Site Assessment

Part of Lot 31 Concession 1 Trafalgar, Parts 3, 5 & 10,
20R16040, Oakville, Ontario

Revision 1

Prepared For:

Palermo Village Corp (PVC)
4900 Palladium Way, Suite 105
Burlington, Ontario
L7M 0W7

DS Project No : 19-323-100
Date: 2023-05-08



DS CONSULTANTS LTD.
6221 Highway 7, Unit 16
Burlington, Ontario, L4H 0K8
Telephone: (905) 264-9393
www.dsconsultants.ca

Executive Summary

DS Consultants Ltd. (DS) was retained by Palermo Village Corp (PVC) to complete a Phase One Environmental Site Assessment (ESA) of the property described as Part of Lot 31 Concession 1 Trafalgar, Parts 3, 5 & 10, 20R16040 located at the northeast corner of Bronte Road and Dundas Street West, Oakville, Ontario, herein referred to as the “Phase One Property” or “Site”. DS understands that this Phase One ESA has been requested for the purposes of pre-purchase due diligence and in support of future re-zoning and site plan approval applications. It is further understood that the intended future use of the Site would be for mixed residential and commercial purposes.

The Phase One ESA was completed in general accordance with the requirements, methodology and practices for a Phase One ESA as described in Ontario Regulation 153/04 (as amended). The objective of the Phase One ESA is to identify the presence or absence of potentially contaminating activities (PCAs) on the Phase One Property and/or within the Phase One Study Area, and to determine if the PCAs identified within the Phase One Study Area are likely to result in an Area of Potential Environmental Concern (APEC) on the Phase One Property. The information obtained by the Phase One ESA will be used to assess whether further investigation in the form of a Phase Two ESA is merited. It should be noted that this Phase One ESA does not include any sampling or testing and is based solely on a review of readily available data, and observations made during the Phase One Site Reconnaissance.

The Phase One Property is located at the northeast corner intersection of Dundas Street West and Bronte Road (Regional Road 25) with an area of 1.9-hectares (4.7 acres). The Phase One Property was comprised of vacant agricultural fields at the time of this assessment.

Based on the records reviews as part of the Phase One ESA, DS presents the following findings:

- ◆ The Phase One Property has been used for agricultural purposes from the 1800s present day. There is no indication of any structures ever being developed on the Site.
- ◆ The topography of the Phase One Property is generally sloped to the southeast, with a surface elevation of 155 to 160 masl. Bronte Road traverses a local watershed, whereby drainage to the west of Bronte Road is inferred to follow the topography in a southwestern direction, whereas drainage to the east of Bronte Road is inferred to follow the topography in a southeasterly direction. The Phase One Property is located to the east of Bronte Road, and the topography within the Site generally slopes to the southeast. The nearest body of water is Fourteen Mile Creek, located approximately 480 m to the west of the Phase One Property. Based on a review of the MECP well records, the depth to groundwater in the vicinity of the Phase One Property is approximately 0.8 to 2.1 mbgs. The shallow groundwater flow direction within the Phase One Study Area is inferred to be southerly towards the tributaries of Fourteen Mile Creek. Additionally, it is noted that the shallow groundwater flow direction

on the Phase One Property is inferred to be in a southeasterly direction based on the local topography, and as reported in the RSC filed for the former Shell Retail Fuel Outlet located at 3005 Dundas Street West (south neighbouring property).

- ◆ Based on the observation collected in the Site reconnaissance and review of the MNR database, the Phase One Property may provide a viable habitat for the Northern Bobwhite. As a result, the Phase One Property is considered under O.Reg 153/04 (as amended) to be an area of natural significance.
- ◆ Based on a review of the OGS Earth database, the northern portion of the Site is situated within a till moraine physiographic region and the southern portion of the Site is situated within a drumlinized till plain physiographic region. The surficial geology within the Phase One Study area is described as “till, clay to silt-textures till (derived from glaciolacustrine deposits or shale)”, and the bedrock is described as “shale, limestone, dolostone, siltstone, Queenston Formation”. Based on a review of the MECP Well Records, and available well records and previous ESAs completed in properties located at the Phase One Study Area the bedrock in the Phase One Study Area is anticipated to be encountered at an approximate depth range of 3.6 to 4.5 mbgs;
- ◆ The neighbouring properties within the Phase One Study Area generally appear to have been used for agricultural purposes and developed for residential purposes circa 1877.
- ◆ The potentially contaminating activities identified within the Phase One Study Area included:
 - A former Shell RFO occupied 3005 Dundas St. W, located 100 m east of the Phase One Property (**PCA-1**). It is noted that a Record of Site Condition (RSC), RSC # 206406 was filed for RFO on December 20, 2012 for commercial use.
 - P.G. Noble Enterprises, a contractor, formerly located at 3015 Dundas Street West, south adjacent to the Phase One Property, was registered in 2009 for waste oils and lubricants. Historical imagery indicates that twelve (12) parked cars, one truck and miscellaneous refuse was located at the east adjacent property (3015 Dundas St W) from 2005 to up to 2015 (**PCA-2**).
 - Potential use of environmentally persistent pesticides/herbicides for the cultivation of a historical orchard located approximately 180 m west of the Site and 100 m southwest of the Site (**PCA-3** and **PCA-4**).

All of the PCAs identified were noted to be situated down-gradient of the Phase One Property with respect to groundwater flow direction. Based on this consideration and the nature of the potentially contaminating activities identified, none of the PCAs are considered to be contributing to an Area of Potential Environmental Concern (APEEC) on the Phase One Property.

Based on the findings of this Phase One ESA, it is concluded that a Phase Two ESA is not required at this time. A Record of Site Condition may be filed based on the findings of the Phase One ESA.

Table of Contents

1.0	INTRODUCTION	1
1.1	PHASE ONE PROPERTY INFORMATION.....	1
1.2	SITE DESCRIPTION	2
2.0	SCOPE OF INVESTIGATION	2
3.0	RECORDS REVIEW.....	5
3.1	GENERAL	5
3.1.1	Phase One Study Area Determination	5
3.1.2	First Developed Use Determination	5
3.1.3	Fire Insurance Plans	5
3.1.4	Chain of Title.....	6
3.1.5	Environmental Reports.....	6
3.1.6	City Directories	6
3.2	ENVIRONMENTAL SOURCE INFORMATION.....	6
3.2.1	Ecolog Eris Report.....	6
3.2.2	Ministry of the Environment- Freedom of Information	10
3.2.3	Technical Standards and Safety Authority	11
3.2.4	Areas of Natural and Scientific Interest.....	11
3.2.5	Conservation Halton.....	12
3.3	PHYSICAL SETTING SOURCES	12
3.3.1	Aerial Photographs and Historical Mapping.....	12
3.3.2	Topography, Hydrology, Geology	14
3.3.3	Fill Materials	15
3.3.4	Water Bodies and Areas of Natural Significance	15
3.3.5	Well Records.....	16
3.4	SITE OPERATING RECORDS	16
4.0	INTERVIEWS	16
4.1	PERSONNEL INTERVIEWED	16
4.2	INTERVIEWEE RATIONALE	16
4.3	RESULTS OF INTERVIEW	17
5.0	SITE RECONNAISSANCE	17
5.1	GENERAL REQUIREMENTS.....	17
5.2	SPECIFIC OBSERVATIONS AT PHASE ONE PROPERTY	18
5.3	WRITTEN DESCRIPTION OF INVESTIGATION	20
6.0	REVIEW AND EVALUATION OF INFORMATION	21
6.1	CURRENT AND PAST USES	21
6.2	POTENTIALLY CONTAMINATING ACTIVITY.....	21
6.3	AREAS OF POTENTIAL ENVIRONMENTAL CONCERN	22
6.4	PHASE ONE CONCEPTUAL SITE MODEL.....	22
6.4.1	Potentially Contaminating Activity Affecting the Phase One Property.....	23
6.4.2	Contaminants of Potential Concern	23
6.4.3	Underground Utilities and Contaminant Distribution and Transport	23
6.4.4	Geological and Hydrogeological Information.....	23
6.4.5	Uncertainty and Absence of Information.....	24
7.0	CONCLUSIONS.....	24
7.1	PHASE TWO ENVIRONMENTAL SITE ASSESSMENT REQUIREMENT	24
7.2	RSC BASED ON PHASE ONE ENVIRONMENTAL SITE ASSESSMENT	25
7.3	LIMITATIONS.....	25

7.4	QUALIFICATIONS OF THE ASSESSORS	26
7.5	SIGNATURES.....	27
8.0	REFERENCES.....	28

TABLES

Table 1-1: Phase One Property Information	1
Table 3-1: Summary of Environmental Databases Reviewed.....	6
Table 3-2: Summary of ERIS Report Findings on Phase One Property.....	7
Table 3-3: Summary of ERIS Report Findings within Phase One Study Area.....	7
Table 3-4: Summary of TSSA records.....	11
Table 3-5: Summary of Aerial Photographs	13
Table 4-1: Summary of Personnel Interviewed	16
Table 5-1: Site Reconnaissance Notes.....	17
Table 5-2: Summary of Site Reconnaissance Observations	18
Table 5-3: Summary of Site Reconnaissance Observations within Phase One Study Area	20
Table 6-1: Summary of PCAs.....	21

Enclosures

FIGURES

- Figure 1 – Site Location Plan
- Figure 2 – Phase One Property Site Plan
- Figure 3 – Phase One Study Area
- Figure 4 – PCA within Phase One Study Area

APPENDICES

- Appendix A – Plan of Survey
- Appendix B – ERIS Report
- Appendix C – Regulatory Requests
- Appendix D – Aerial Photographs
- Appendix E – Site Photographs

1.0 Introduction

DS Consultants Ltd. (DS) was retained by Palermo Village Corp (PVC) to complete a Phase One Environmental Site Assessment (ESA) of the property described as Part of Lot 31 Concession 1 Trafalgar, Parts 3, 5 & 10, 20R16040 located at the northeast corner of Bronte Road and Dundas Street West, Oakville, Ontario, herein referred to as the “Phase One Property” or “Site”. DS understands that this Phase One ESA has been requested for the purposes of pre-purchase due diligence and in support of future re-zoning and site plan approval applications. It is further understood that the intended future use of the Site would be for mixed residential and commercial purposes.

The intended mixed residential and commercial future property uses are not considered to be more sensitive property uses as defined under O.Reg. 153/04 (as amended) than the current agricultural land use; therefore, the filing of a Record of Site Condition (RSC) with the Ontario Ministry of Environment, Conservation and Parks (MECP) is not required under O.Reg. 153/04.

The Phase One ESA was completed in general accordance with the requirements, methodology and practices for a Phase One ESA as described in Ontario Regulation 153/04 (as amended). The objectives of the Phase One ESA are to identify the presence or absence of potentially contaminating activities (PCAs) on the Phase One Property and/or within the Phase One Study Area, and to determine if the PCAs identified within the Phase One Study Area are likely to result in an Area of Potential Environmental Concern (APEC) on the Phase One Property. The information obtained by the Phase One ESA will be used to assess whether further investigation in the form of a Phase Two ESA is merited. It should be noted that this Phase One ESA does not include any sampling or testing and is based solely on a review of readily available data, and observations made during the Phase One Site Reconnaissance.

1.1 Phase One Property Information

The information for the Phase One Property is provided in the following Table.

Table 1-1: Phase One Property Information

Criteria	Information	Source
Legal Description	PART LOT 31 CONCESSION 1 TRAF NDS PARTS 3, 5 & 10 20R16040 EXCEPT PARTS 2 & 5 EXPROPRIATION PLAN HR1094409, PARTS 1, 2, 4, 5, 6 & 8 20R19486 SUBJECT TO AN EASEMENT OVER PARTS 3 & 5 20R16040 IN FAVOUR OF PARTS 1 & 7 20R16040 AS IN HR390695, SUBJECT TO AN EASEMENT OVER PARTS 3 & 5 20R16040 IN FAVOUR OF PARTS 1 & 7 20R16040 AS IN HR392261, TOWN OF OAKVILLE	Geowarehouse
Property Identification Number (PIN)	249270176	Geowarehouse

Criteria	Information	Source
Municipal Address	No municipal address	City of Oakville online mapping
Zoning	ED: Existing Development	City of Oakville Zoning By-Law 2009-189
Property Owner	Palermo Village Corp (PVC)	Geowarehouse
Property Owner Contact Information	Palermo Village Corp (PVC) 4900 Palladium Way, Suite 105 Burlington, Ontario, L7M 0W7 Email: adrian@argoland.com	Client
Current Site Occupants	Vacant land	Site Reconnaissance
Site Area	1.9 hectares (4.7 acres)	Geowarehouse
Centroid UTM Coordinates	Northing: 4810010.97m N Easting: 598840.59m E Zone: 17T	Google Earth

1.2 Site Description

The Phase One Property is an irregular shaped parcel of land located at the northeast corner intersection of Dundas Street West and Bronte Road (Regional Road 25) with an area of 1.9-hectares (4.7 acres). The Phase One Property is situated within a mixed residential, commercial and agricultural neighbourhood in the City of Oakville, Ontario. A Site Location Plan depicting the general location of the Phase One Property is provided in Figure 1.

For the purposes of this report, Dundas Street West is assumed to be aligned in an east-west orientation, and Bronte Road (Regional Road 25) in a north-south orientation. A Plan of Survey of the Phase One Property dated February 20, 2019 and prepared by Speight, Van Nostrand & Gibson Limited, an Ontario Land Surveyor, has been provided under Appendix A.

At the time of the Phase One ESA site reconnaissance, the property consisted of vacant agricultural land with no structures. A Site Plan depicting the approximate property boundary and site features is provided in Figure 2.

2.0 Scope of Investigation

The Phase One ESA was completed in general accordance with the requirements, methodology and practices for a Phase One ESA as described in Ontario Regulation 153/04, as amended (Phase One ESA requirements). This included:

- ◆ A review of reasonably ascertainable records and reports regarding historical and current use, regulatory information, occupancy, and activities for the Phase One Property, including:
 - Physical setting information such as aerial photographs, topographic mapping, available historical maps and drawings;

- Company records (e.g., site plans, building plans, permit records, production and maintenance records, asbestos surveys, site utility drawings, emergency response and contingency plans, spill reporting plans and records, inventories of chemicals and their usage (e.g. WHMIS), environmental monitoring data, waste management records, inventory of underground and aboveground tanks, environmental audit reports) provided to DS;
 - Geological and hydrogeological information in published government maps and/or reports;
 - A review of information on file with Ecolog ERIS, a commercial database that provides information from numerous private, provincial, and federal environmental databases/registries;
 - Review of fire insurance plans, municipal directory documentation and available environmental reports that are pertinent to the Phase One Property;
 - Regulatory Information, including such as Permits or Certificates of Approval (pertaining to activities that may impact the condition of the property, orders, control orders, or complaints related to environmental compliance that may impact the condition of the property, and violations of environmental statutes, regulations, by-laws, and permits that may impact the condition of the property);
 - Environmental source information including published and online records from Ministry of Environment, Conservation and Parks (MECP), Environment Canada, Technical Standards and Safety Authority (TSSA), and the City of Toronto; and
 - The Ontario Ministry of Natural Resources (MNR) Natural Heritage Information Centre database and the Conservation Authority website for information specific to natural areas, such as locations of environmentally sensitive areas or species.
- ◆ Interviews with available individuals having knowledge of current and/or past site activities;
- ◆ An inspection of the Phase One Property, and the activities on the adjacent properties, including and assessment of the following:
- The site operations, processes, and waste management currently carried out on the Phase One Property.
 - The neighbouring land uses (i.e. identification of environmentally sensitive neighbours, as well as an assessment of potential off-site sources of contamination);
 - The source of potable water for the Phase One Property and properties within the Phase One Study Area;
 - The potential presence of existing or former above-ground or underground fuel storage tanks (ASTs or USTs);
 - Possible cut and fill operations that may resulted in the importation of fill material of unknown quality;

- The presence/absence of floor cracks, hydraulic hoists, elevators, sumps and drains;
 - Areas suspected to contain evidence of surficial and sub-surface impacts (e.g. areas of staining);
 - The potential presence of various Designated Substances and building materials including:
 - Friable and non-friable asbestos
 - Urea formaldehyde foam insulation (UFFI)
 - Chlorofluorocarbons (CFCs) in air conditioning and refrigeration equipment
 - PCB-containing materials and electrical equipment
 - Lead-based paint
 - Mould
 - The presence/absence of wells, pits and lagoons, drainage sumps and floor drains, sewage and wastewater disposal pipelines; and
 - General site conditions, including topography and drainage, standing water, right-of-ways, presence of underground utilities, evidence of stained or odorous soils, and stressed vegetation.
- ◆ Evaluation of the information and documentation of the results in the form of a Phase One ESA Report.

The objectives of the Phase One ESA are:

1. To assess the environmental condition of the Phase One Property to develop a preliminary determination of the likelihood that one or more contaminants have affected any land or water on, in, or under the Phase One Property;
2. To identify potentially contaminating activities within the Study Area (i.e., areas within 250 m of the Property), and to assess if Areas of Potential Environmental Concern (APECs) exist on the Phase One Property;
3. To identify the Potential Contaminants of Concern associated with the PCAs identified; and
4. To provide a basis for subsequent investigation, if required, based on the findings of the Phase One ESA.

3.0 Records Review

3.1 General

3.1.1 Phase One Study Area Determination

Based on a review of the available historical records and the observations made during the Phase One Site Reconnaissance, no heavy industrial properties or other relevant potentially contaminating activities were observed which were considered to merit expanding the Phase One Study Area. As such the Phase One Study Area was defined by a 250 metre radius around the Phase One Property boundary, in accordance with O.Reg. 153/04 (as amended).

The properties within 250 m of the Phase One Property generally consist of residential, commercial and agricultural land uses. An assessment of the historical and current use of all properties within the Phase One Study Area was conducted in order to assess for the presence/absence of potentially contaminating activities. A summary of the potentially contaminating activities identified within the Phase One Study Area is provided under Section 6.2. A plan depicting the Phase One Study Area limits as well as the current land uses is presented in Figure 3.

3.1.2 First Developed Use Determination

The first developed use of the Phase One Property is considered under O.Reg. 153/04 (as amended) to be either the first use of the Phase One Property in or after 1875 that resulted in the development of a building or structure on the property, or the first potentially contaminating use or activity on the Phase One Property.

The determination of the first developed use of the Phase One Property was based on a review of available aerial photographs, historical maps, and interviews. Based on the information obtained (historic mapping from 1877 and 1934, and phase one questionnaire), the Phase One Property has never been developed, and has been used for agricultural purposes from the late 1800s until present day.

3.1.3 Fire Insurance Plans

Fire Insurance Plans (FIPs) were prepared between 1875 and 1923 and revised in some areas until the 1970s. Opta Information Intelligence (Opta) was retained to obtain copies of available FIPs for the Site and adjoining properties. FIPs were reviewed to confirm the building construction, occupancy, and potential fire hazardous with details regarding storage tanks, boilers, transformers, electrical room, etc.

The search found no FIPs for the Phase One Property, or any other properties within the Phase One Study Area.

3.1.4 Chain of Title

A Chain of Title search was not provided by the Client at the time of the investigation. The Chain of Title will need to be obtained prior to the submission of a Record of Site Condition. Information regarding the historical site use was obtained from other sources including, aerial photographs, interviews and Phase One Site Reconnaissance.

3.1.5 Environmental Reports

No environmental reports were available for DS to review.

3.1.6 City Directories

Due to government mandated closures of the municipal libraries associated with COVID-19, the applicable City Directories were not accessible for review by DS at the time of this assessment. Additionally, the Phase One Property was not located within the City Directory database managed internally by Ecolog ERIS. A search of the municipal city directories will be conducted when permissible. This report will be updated should the city directory search yield pertinent information which would affect the findings or conclusions of the Phase One ESA.

3.2 Environmental Source Information

3.2.1 Ecolog Eris Report

DS contacted EcoLog Environmental Risk Information Services Ltd. (EcoLog ERIS), an environmental database and information service company, to request a search of government and private records for information pertaining to the Phase One Property and Phase One Study Area. EcoLog searched 15 Federal databases, 37 Provincial databases and 10 private databases. A summary of the databases provide by ERIS is provided in the Table below:

Table 3-1: Summary of Environmental Databases Reviewed

Federal Government Source Databases	Private Source Databases
Contaminated Sites on Federal Land; Environmental Effects Monitoring; Environmental Issues Inventory System; Federal Convictions; Fisheries & Oceans Fuel Tanks; Indian & Northern Affairs Fuel Tanks; National Analysis of Trends in Emergencies System (NATES); National Defense & Canadian Forces Fuel Tanks; National Defense & Canadian Forces Spills; National Defense & Canadian Forces Waste Disposal Sites; National Environmental Emergencies System (NEES); National PCB Inventory;	Anderson's Storage Tanks; Anderson's Waste Disposal Sites; Automobile Wrecking & Supplies; Canadian Mine Locations; Canadian Pulp and Paper; Chemical Register; ERIS Historical Searches; Oil and Gas Wells; Retail Fuel Storage Tanks; and Scott's Manufacturing Directory.

National Pollutant Release Inventory; Parks Canada Fuel Storage Tanks; and Transport Canada Fuel Storage Tanks.	
Provincial Government Source Databases	
Abandoned Aggregate Inventory; Abandoned Mine Information System; Aggregate Inventory; Borehole; Certificates of Approval; Certificates of Property Use; Commercial Fuel Oil Tanks; Compliance and Convictions; Drill Hole Database; Environmental Activity and Sector Registry; Environmental Compliance Approval; Environmental Registry; Fuel Storage Tank; Fuel Storage Tank – Historic; Inventory of Coal Gasification Plants and Coal Tar Sites; TSSA Historic Incidents; TSSA Incidents; TSSA Pipeline Incidents; TSSA Variances for Abandonment of Underground Storage Tanks;	Inventory of PCB Storage Sites; Landfill Inventory Management Ontario; List of TSSA Expired Facilities; Mineral Occurrences; Non-Compliance Reports; Ontario Oil and Gas Wells; Ontario Regulation 347 waste Generators Summary; Ontario Spills; Orders; Permit to Take Water; Pesticide Register; Private and Retail Fuel Storage Tanks; Record of Site Condition; Waste Disposal Sites – MECP 1991 Historical Approval Inventory; Waste Disposal Sites – MECP CA Inventory; Wastewater Discharger Registration Database; and Water Well Information System

The ERIS report indicated that there were two (2) listings for the Phase One Property, and 221 listings for the remaining properties within the Phase One Study Area. A copy of the ERIS report has been provided under Appendix B. A summary of the potentially contaminating activities identified in the ERIS report and other pertinent information is provided in the Table below:

Table 3-2: Summary of ERIS Report Findings on Phase One Property

Database/Date	Entry Details	PCA ID No.
Water Well Information System (WWIS)	<p>One (1) abandoned well was listed as being present on the Phase One Property. The abandonment listing is dated 2008.</p> <p>One (1) active well was listed as being present on the Phase One Property in 2008, with the primary use listed as being monitoring. The borehole was reportedly advanced to a depth of 7.6 metres below ground surface (mbgs), with a screen installed with an end depth of 3.8 mbgs.</p> <p>The soil is described as silty clay, sand and gravel up to a depth of 3.8 mbgs. No detail pertaining to soil stratigraphy is provided below a depth of 3.8 mbgs, and no detail is provided as to the depth of the bedrock at this location.</p>	No PCA

Table 3-3: Summary of ERIS Report Findings within Phase One Study Area

Database/Date	Entry Details	PCA ID No.
Certificates of Approval (CA)	One CA for a Former Shell Gas station at 3005 Dundas St. W – the south adjacent property - was listed in 1992 due to a gasoline sub-surface gasoline leak. The incident was reportedly cleaned-up. It is noted that the footprint of the Former Shell Gas station was located approximately 50m south of the Site with vacant land in-between the RFO and the Phase One Property.	PCA-1
Delisted Fuel Tanks (DTNK)	Two (2) listings, an expired fuel service facility and fuel service piping, located at 3005 Dundas Street West – the south adjacent property - was registered for Anthony Ibrahim in 2012, and 2149120 Ontario Inc. O/A Gas Station in 2009.	PCA-1
List of TSSA Expiry Registry (EXP)	Antony Ibrahim was registered at 3005 Dundas Street West – the south adjacent property - with five (5) expired liquid fuel tanks in 2009.	PCA-1
Fuel Storage Tanks (FST)	Antony Ibrahim was registered at 3005 Dundas Street West – the south adjacent property - with five (5) liquid fuel, fiberglass and single wall USTs, installed in 1984. All USTs had a capacity of 22,700 litres.	PCA-1
Ontario Regulation 347 Waste Generator Summary (GEN)	P.G. Noble Enterprises was a contractor formerly located at 3015 Dundas Street West – the south adjacent property - and was registered in 2009 as a generator of waste oils and lubricants.	PCA-2
	Shell Canada Products, a former RFO located at 3005 Dundas Street West (the south adjacent property) was registered from 2007 to 2016 for the generation of oil skimmings and sludges and from 2007 to 2020 for the generation of light fuels.	PCA-1
	Westoak Animal Hospital Professional Corporation located at 3 – 2512 Old Bronte Rd was registered from 2016 to 2020 for the generation of pathological wastes.	No PCA
	Various medical, dental and pharmacies located at 2525 Old Bronte Rd, a multi-tenant commercial building, were registered from 2014 to 2020 with waste generation of pharmaceuticals, pathological wastes and waste inorganic chemicals.	No PCA
	Aebex Contracting, located 2488 Old Bronte Road – approximately 200 m south of the Site - was registered in 2012 with the waste generation of speciality trade contractors.	No PCA
Pipeline Incidents (PINC)	One natural gas pipeline strike was registered at 2525 Old Bronte Road in 2015.	No PCA
Private and Retail Fuel Storage Tanks (PRT)	One retail fuel storage tank was registered in 1996 for the Shell gasoline service station located on the south adjacent property.	PCA-1

Database/Date	Entry Details	PCA ID No.
Record of Site Condition (RSC)	<p>A Record of Site Condition (RSC), RSC # 206406 was filed for the south adjacent property located at 3005 Dundas Street West on December 20, 2012 associated with the former Shell RFO.</p> <p>The Phase Two CSM indicated that the property operated as a retail fuel facility with an automotive garage from 1998 to 2007. Since 2008 the property has been vacant, with the property use designated as commercial. The future intended use was commercial.</p> <p>The property contained PHC (F1-F3) and BTEX impacts in soil, and PHCs (F1-F2) and BTEX impacts in groundwater. A remedial excavation was performed in 2008-2009 removing all impacted soil. Confirmatory soil and groundwater sampling was performed in 2010.</p> <p>Quarterly groundwater monitoring was completed post remediation from December 9, 2010 to June 26, 2012 with seven (7) sampling events. The sampling events conducted between September 9, 2011 and June 26, 2012 indicated that the groundwater quality met the applicable Table 2 Site Condition Standards (SCS) of 2004. An RSC supporting intended commercial use was filed on December 20, 2012 for this property.</p> <p>The calculated groundwater flow direction reported by the Phase Two CSM was to the east and south (away from the Phase One Property).</p>	No PCA
	<p>RSC # 209908 was filed for the property located at 2495 Old Bronte Road on August 30, 2013, located approximately 230 m south of the Site. 2495 Old Bronte Road was used for commercial purposes and its future intended use was for commercial purposes.</p> <p>Based on the Phase Two CSM, the soil in the property was contaminated with lead. A remedial excavation was performed between December 2012 and January 2013, and confirmatory soil samples were collected from the excavation limits. All confirmatory samples collected met the MECP Table 2 SCS; verifying that all impacted soil was removed from the site.</p>	No PCA
Ontario Spills (SPL)	<p>One diesel leak (of unknown quantity) from a transport truck was reported in 1999 at the intersection of Dundas Street West and Bronte Road. The leak was reportedly cleaned up and did not impact the environment -the leak was likely discharged into the municipal sewer or catch basin. Thus, is not considered to be a significant risk to the Phase One Property.</p>	No PCA

Database/Date	Entry Details	PCA ID No.
	<p>One 9.1 L spill of sodium dichromate to the road at the intersection of Dundas Street West and Bronte Road was registered in 1999.</p> <p>The spill was associated with the truck line leak and occurred in the roadway. The spill was reportedly cleaned up and the listing indicated that no environmental impact was anticipated. Thus, representing no risk to the Site.</p>	No PCA
	<p>100 litres of gasoline were leaked into the ground due to equipment failure in 2001. The incident was contained and cleaned-up. The spill occurred at 3005 Dundas Street West – the south adjacent property.</p>	PCA-1
	<p>One (1) pipe/hose leak of gasoline into the ground occurred at the RFO located at 3005 Dundas Street West (the south adjacent property) in 1993.</p>	PCA-1
	<p>A UST gasoline leak was reported in 1991 as a result of corrosion at the RFO located at 3005 Street West – the south adjacent property. It was noted that the leak may have impacted the soil and groundwater at the Shell RFO.</p>	PCA-1
	<p>One container leak of 2 litres of gasoline occurred at 3005 Dundas Street West in 1998.</p>	PCA-1
	<p>One natural gas pipeline hit was registered at 2525 Old Bronte Road, was registered in 2015.</p>	No PCA
Water Well Information System (WWIS)	<p>A total of 46 records were registered within the Phase One Study Area of which, 35 were used for domestic purposes, four for commercial, four for monitoring, one for industrial purposes, and two had an unlisted purpose.</p> <p>Five (5) of the monitoring wells registered are located at 3005 Dundas Street West, location of the RSC listed above (well ID: 7105545, 7107062, 7151820, 7151820, 2805217).</p>	No PCA

3.2.2 Ministry of the Environment- Freedom of Information

A request was submitted to the MECP Freedom of Information and Protection of Privacy Office (Appendix C) to determine if there were any environmental incidents or violations associated with the Phase One Property; whether any Control Orders have been issued; whether there have been any other environmental concerns associated with the property such as complaints, inspections, etc.; whether any environmental investigations have been carried out regarding the subject property; and, to determine if the Ministry’s Spills Action Centre’s (SAC’s) files contain any reported spills that had occurred in the site vicinity. Note that the SAC’s database dates back only to 1988 and many of the occurrences on file have only been reported voluntarily. In addition, the MECP was requested to search their files (all years) regarding the following parameters: air emissions, water, sewage, wastewater and pesticides.

Files pertinent to this investigation would include, though are not limited to: regulatory permits, records; material safety data sheets; underground utility drawings; inventories of chemicals,

chemical usage and chemical storage areas; inventory of aboveground storage tanks and underground storage tanks; monitoring data, including that done at the request of the MECP; historical and current waste management, receiver and generator records; process, production and maintenance documents related to areas of potential environmental concern; spills/discharge records; emergency and contingency plans; environmental audit reports; site plan of facility showing areas of production and manufacturing.

A response has not yet been received from the MECP. The client will be made aware of any records identified by the MECP file search, when a response is received from the Ministry.

3.2.3 Technical Standards and Safety Authority

The Technical Standards and Safety Authority (TSSA) maintain records related to storage tanks for petroleum related products. The TSSA was contacted to review records related to the Property and Study Area.

According to the response received on January 28, 2021 from Sherees Thompson and Gaya of TSSA, the following records were identified on properties located within the Phase One Study Area:

Table 3-4: Summary of TSSA records

Inst Number	Context	Address	Status	PCA ID No.
9472388	FS Facility – FS Gasoline station – Self Serve	3005 Dundas St W, Oakville, ON, L6M 4J4	Expired	PCA-1
16377854	FS Facility – FS Cylinder Exchange	3005 Dundas St W, Oakville, ON, L6M 4J4	Inactive	No PCA
11300259	FS Liquid Fuel Tank	3005 Dundas St W, Oakville, ON, L6M 4J4	Expired	PCA-1
11373679	FS Liquid Fuel Tank	3005 Dundas St W, Oakville, ON, L6M 4J4	Expired	PCA-1
11373686	FS Liquid Fuel Tank	3005 Dundas St W, Oakville, ON, L6M 4J4	Expired	PCA-1
11373695	FS Liquid Fuel Tank	3005 Dundas St W, Oakville, ON, L6M 4J4	Expired	PCA-1
11373702	FS Liquid Fuel Tank	3005 Dundas St W, Oakville, ON, L6M 4J4	Expired	PCA-1

A copy of the correspondence with the TSSA has been appended under Appendix C.

3.2.4 Areas of Natural and Scientific Interest

The Natural Heritage Areas database published by the Ministry of Natural Resources and Forestry (MNR) was reviewed in order to identify the presence/absence of areas of natural significance including provincial parks, conservation reserves, areas of natural and scientific interest, wetlands, environmentally significant areas, habitats of threatened or endangered species, and wilderness areas. The regional and municipal Official Plans were also reviewed as part of this assessment.

A review of MNR database indicated that the northwest portion of the Site is located within a Natural Heritage Site (NHS) – as identified in the *Growth Plan for the Greater Golden Horseshoe*, and the *Urban*

River Valleys Area land use designation (Greenbelt Reference Square 99) of the *Greenbelt Area*, O. Reg 59-05 (as amended).

A review of the above-listed databases also indicated that Redside Dace, and Northern Bobwhite (endangered species), and the Eastern Meadowlark and Bobolink (threatened species) were located within 1 km of the Site. According to the MECP, the Redside Dace is an aquatic species found in pools and slow-moving areas of small streams, and the Northern Bobwhite is a small quail found in abandoned farm fields, savannahs and grasslands. It is noted that Fourteen Mile Creek is present approximately 480 metres west of the Site; thus, the Site likely does not provide a viable habitat for aquatic species. The entirety of the Site was historically utilized as farm fields as observed in the Site reconnaissance; thus, it is anticipated that the Phase One Property may provide a viable habitat for the Northern Bobwhite, Eastern Meadowlark and Bobolink.

As defined in Section 1 (1) of O.Reg. 153/04 an area of natural significance is “*An area identified by the Ministry of Natural Resources as significant habitat of a threatened or endangered species*” or “*An area which is habitat of a species that is classified under section 7 of the Endangered Species Act, 2007 as a threatened or endangered species*”; as a result, the Phase One Property is considered under O.Reg 153/04 (as amended) to be an area of natural significance.

If required, an environmental specialist could be retained to undertake a site-specific ecological assessment; however, at this time further assessment is not warranted.

3.2.5 Conservation Halton

According to Conservation Halton online mapping system, Fourteen Mile Creek is present 480 m west of the Phase One Property, and the Phase One Property is not located within a regulated area. The Phase One Property is located in the Fourteen Mile Creek watershed. A Site Plan depiction the Regulated area is provided in Figure 2.

3.3 Physical Setting Sources

3.3.1 Aerial Photographs and Historical Mapping

The County Atlas of Halton was reviewed in order to provide a more historic image from the year 1877. ERIS was retained to obtain Aerial Photographs for the years 1934, 1954, 1974, 1985 and 1995. The University of Toronto 1954 Air Photos of Southern Ontario was used to review the 1954 Aerial Photograph. The Town of Oakville Air Photo History Mapping was reviewed to obtain the 1995 Aerial Photograph. Google Earth was used to review satellite imagery from the years 2005, 2015 and 2018. A summary of pertinent information obtained from the aerial photographs reviewed is presented in the Table below. The supporting documents have been appended under Appendix D.

Table 3-5: Summary of Aerial Photographs

Location	Observations	PCA ID No.
1877		
Phase One Property	According to the Halton County Atlas from 1877, the Phase One Property is owned by Jonathan Hager. The majority of the Property appears to be undeveloped.	No PCA
North of the Site	The north adjacent properties appear to be undeveloped.	No PCA
West of the Site	The west adjacent property appears to be undeveloped, and an orchard is observed approximately 180 m west of the Site.	PCA-3
South of the Site	The south adjacent property appears to have been developed, and an orchard is observed approximately 100 m southwest of the Site.	PCA-4
East of the Site	Developed parcels of land are visible at the intersection of Old Bronte Road and Dundas Street West, located to the southeast of the Site.	No PCA
1934		
Phase One Property	The Property appears to have been used for agricultural purposes.	No PCA
North of the Site	The north adjacent property appears to be undeveloped and used for agricultural purposes.	No PCA
South of the Site	The south adjacent property located at 3015 Dundas Street West has been developed, it is inferred to have been developed for residential purposes.	No PCA
East of the Site	The Properties located at the current intersection of Old Bronte Road and Dundas Street West appear to have been developed into residential dwellings.	No PCA
West of the Site	The west adjacent properties appear to be undeveloped and used for agricultural purposes.	No PCA
1954		
Phase One Property	No significant changes.	No PCA
North and West of the Site	No significant changes.	No PCA
East of the Site	Additional residential dwellings have been constructed to the east of Old Bronte Road.	No PCA
South of the Site	The southeastern portion of the south adjacent property appears to have undergone grading in preparation for development.	No PCA
1965		
Phase One Property	No significant changes.	No PCA
East of the Site	More residential dwellings have been developed along Old Bronte Road.	No PCA
South of the Site	One structured has been developed at 3005 Dundas Street West, it is inferred to be the gas station identified in the various databases of the Ecolog ERIS Report.	PCA-1
North and West of the Site	No significant changes.	No PCA
1974		
Phase One Property	No significant changes.	No PCA
North, South, East and West of the Site	No significant changes.	No PCA
1985		
Phase One Property	No significant changes.	No PCA
North, South, East, West of the Site	No significant changes.	No PCA
1995		

Location	Observations	PCA ID No.
Phase One Property	No significant changes.	No PCA
North, South, East, West of the Site	No significant changes.	No PCA
2005		
Phase One Property	No significant changes.	No PCA
South of the Property	Twelve (12) parked cars, one truck and miscellaneous refuse is located on the south adjacent property (3015 Dundas Street West).	PCA-2
North, East and West of the Site	No significant changes.	No PCA
2015		
Phase One Property	No significant changes.	No PCA
North of the Site	The north adjacent road, William Halton Parkway West is under construction, depicting its current configuration.	No PCA
South of the Property	The structures, truck and trailers previously observed at 3015 Dundas Street West have been demolished and the property appears to be vacant. The gasoline service station located at 3005 Dundas Street West, has been demolished and the property is now vacant.	No PCA
West of the Property	Bronte Road (located along the west Phase One Property line) has been constructed, depicting its current configuration.	No PCA
East West of the Site	No significant changes.	No PCA
2018		
Phase One Property	No significant changes.	No PCA
North, South, East and West of the Site	No significant changes.	No PCA

3.3.2 Topography, Hydrology, Geology

The topography of the Phase One Property is generally sloped to the southeast, with a surface elevation of 155 to 160 masl. Bronte Road traverses a local watershed, whereby drainage to the west of Bronte Road is inferred to follow the topography in a southwestern direction, whereas drainage to the east of Bronte Road is inferred to follow the topography in a southeasterly direction. The Phase One Property is located to the east of Bronte Road, and the topography within the Site generally slopes to the southeast. The nearest body of water is Fourteen Mile Creek, located approximately 480 m to the west of the Phase One Property. Based on a review of the MECP well records, the depth to groundwater in the vicinity of the Phase One Property is approximately 0.8 to 2.1 mbgs. The shallow groundwater flow direction within the Phase One Study Area is inferred to be southerly towards the tributaries of Fourteen Mile Creek. Additionally, it is noted that the shallow groundwater flow associated with the Phase One Property is inferred to be in a southeasterly direction – as indicated by the topography, and as reported in the RSC filed for the former Shell Retail Fuel Outlet located at 3005 Dundas Street West (south adjacent property).

Based on a review of the OGS Earth database, the northern portion of the Site is situated within a till moraine physiographic region and the southern portion of the Site is situated within a drumlinized till plain physiographic region. The surficial geology within the Phase One Study area is described as “till, clay to silt-textures till (derived from glaciolacustrine deposits or shale)”, and the bedrock is

described as “shale, limestone, dolostone, siltstone, Queenston Formation”. Based on a review of the MECP Well Records, and available well records and previous ESAs completed in properties located at the Phase One Study Area the bedrock in the Phase One Study Area is anticipated to be encountered at an approximate depth range of 3.6 to 4.5 mbgs.

3.3.3 Fill Materials

Based on the review of the obtained documents, there was no indication of fill material of unknown quality being imported to the site.

3.3.4 Water Bodies and Areas of Natural Significance

During the site visit, no water bodies were observed on the Phase One Property. The nearest body of water to the Phase One Property is Fourteen Mile Creek, located approximately 480 m west of the Phase One Property. Environmentally Significant Areas are natural areas that have been identified as significant and worthy of protection on three criteria – ecology, hydrology and geology. Municipalities has developed policies to protect natural heritage features. The Region uses Environmentally Significant Areas as a means to protect natural areas like wetlands, fish habitat, woodlands, habitat of rare species, groundwater recharge and discharge areas, and Areas of Natural and Scientific Interest.

A review of the MNRF database indicated that that the Redside Dace, and the Northern Bobwhite as endangered, and the Eastern Meadowlark and Bobolink as threatened species within 1 km of the Site. According to the MNRF. The Redside Dace is an aquatic species found in pools and slow-moving areas of small streams, and the Northern Bobwhite is a small quail found in abandoned farm fields, savannahs and grasslands. The Eastern Meadowlark is a medium-sized, migratory song-bird that breeds primarily in moderately tall grasslands, but also can be found in weedy borders of croplands, and the Bobolink is a song-bird found in grasslands and hayfields. Fourteen Mile Creek is present approximately 480 metres west of the Site; thus, it does not provide a viable habitat for aquatic species. However, The Site has been used for agricultural purposes (farmland) as observed in the Site reconnaissance and historical aerial photographs; thus, it is anticipated that the Phase One Property may provide a viable habitat for the Redside Dace and Northern Bobwhite. As defined in Section 1 (1) of O.Reg. 153/04 an area of natural significant is “*An area identified by the Ministry of Natural Resources as significant habitat of a threatened or endangered species* “ or “ *An area which is habitat of a species that is classified under section 7 of the Endangered Species Act, 2007 as a threatened or endangered species*”; as a result, the Phase One Property is considered under O.Reg 153/04 (as amended) to be an area of natural significance.

Per Section 41 of O.Reg. 153/04 (as amended), a property is considered to be environmentally sensitive under the following circumstances:

- ◆ The Site is within an area of natural significance

- ◆ The Site includes or is adjacent to an area of natural significance of part of such an area, or
- ◆ The Site includes land that is within 30 metres of an area of natural significance or part of such an area.

Based on the presence of the areas of natural significance within the Phase One Property, the Phase One Property is considered under O.Reg. 153/04 (as amended) to be environmentally sensitive.

3.3.5 Well Records

Water well records were also searched as part of the EcoLog ERIS database query. Two (2) well records were available for the Phase One Property. The two (2) records were monitoring wells (Wells IDs: 7113891, 7128691). A total of 46 records were registered within the Phase One Study Area. No wells were observed on the Phase One Property.

Additional detail regarding the well construction, lithology encountered, and well purpose is included in the ERIS report provided under Appendix B.

3.4 Site Operating Records

The Property includes no structures and has been used for agricultural purposes. No operating records were available.

4.0 Interviews

4.1 Personnel Interviewed

The following persons with the knowledge of the Property were interviewed or provided the required information.

Table 4-1: Summary of Personnel Interviewed

Date	Name	Affiliation	Position	Method of Interview
January 21, 2021	Adrian Marsili	ARGO Development Corporation	Property Owner Representative/ Site Manager	e-mail

4.2 Interviewee Rationale

Mr. Marsili is the current manager of the Site and have been responsible for site operations since 2020. Mr. Marsili is considered to be the most knowledgeable person regarding the historical Site operations. The Phase One Interview was conducted by Ms. Kirstin Olsen, M.Sc., under the supervision of Mr. Patrick Fioravanti, B.Sc., P.Geo., QP_{ESA}.

4.3 Results of Interview

The following summarizes the information that was provided by the site representative, based on their knowledge of site activities.

- ◆ The Phase One Property has been owned by Palermo Village Corp (PVC) since 2020.
- ◆ Mr. Marsili indicated that the Site has been use for farming, but he was not aware that any pesticides had been used.
- ◆ It was indicated to the knowledge of Mr. Marsili that no one has lived on the Site.
- ◆ Mr. Marsili was not aware of fill materials brought on the Property, and no septic or water wells were present on the Property.
- ◆ No information was available for the Property if cited for violations of any provincial or federal environmental laws or regulations.
- ◆ No information for individuals with additional knowledge of the Property was available to interview.

DS compared the information obtained through the Phase One Interview with the information obtained from the historical records for the Site. The information provided by the interviewee was corroborated by the historical records, as such DS has no concern regarding the accuracy of the information provided.

5.0 Site Reconnaissance

5.1 General Requirements

A Site Reconnaissance was completed as part of the Phase One ESA to assess the current conditions of the property, and to identify any possible changes in land use which could have the potential to adversely affect the soil and/or groundwater quality on Site from last visit on Site in 2021. Details pertaining to the Site Reconnaissance are provided in the following table:

Table 5-1: Site Reconnaissance Notes

Information	Details	
Date of Investigation:	January 26, 2021	January 24, 2023
Time of Investigation:	9:00 am	11:00 am
Weather Conditions:	Cold, Snowy, -1.0 °C	Cloudy, -5.0 °C
Duration of Investigation:	1.5 hours	1.5 hours
Facility Operation:	Vacant	Vacant
Name and Qualification of Person(s) conducting the assessment	John Gaviria-Ballen, B. Eng., EIT under the supervision of Mr. Patrick Fioravanti, B.Sc., P.Geo., QP _{ESA} .	Madineh Ghazili, M.Sc., under the supervision of Mr. Patrick Fioravanti, B.Sc., P.Geo., QP _{ESA} .

Information	Details	
Limitations	Snow cover on ground.	Snow cover on ground.

At the time of the site inspection the Phase One Property was vacant. No structures were present on the Site. One (1) monitoring well was observed on Site. No new PCAs were identified during the Site Reconnaissance.

5.2 Specific Observations at Phase One Property

The Site Reconnaissance involved a visual assessment of the Phase One Property for the purpose of identifying potential PCAs, and associated APECs. Photographs of the Phase One Property were taken at the time of the Site Reconnaissance, and have been included under Appendix E.

Table 5-2: Summary of Site Reconnaissance Observations

General		
i.	Description of structures and other improvements, including the number and age of buildings	None observed.
ii.	Description of the number, age and depth of below-ground structures	None observed.
iii.	Details of all tanks, above and below ground at the Phase One Property, including the material and method of construction of the tank, tank age, tank contents, tank volume, and whether in use or not	None observed.
iv.	Potable and non-potable water sources	None observed.
Underground Utilities and Corridors		
i.	Type and location of underground utility and service corridors, such as sewer, water, electrical or gas lines located on, in or under the Phase One Property.	None observed.
Features of Structures and Buildings at the Phase One Property		
i.	Entry and exit points	None observed.
ii.	Details of existing and former heating systems, including type and fuel source	None observed.
iii.	Details of cooling systems, including type and fuel source, if any	None observed.
iv.	Details of any drains, pits and sumps, including their current use, if any, and former use	None observed.
v.	Details of any unidentified substances	None observed.
vi.	Details, including locations of stains or corrosion on floors other than from water, where located near a drain, pit, sump, crack or other potential discharge location	None observed.

vii.	Details, including locations, of current and former wells, including all wells described or defined in or under the <i>Ontario Water Resources Act</i> and the <i>Oil, Gas and Salt Resources Act</i>	None observed.
viii.	Details of sewage works, including their location	None observed.
ix.	Details of ground surface, including type of ground cover, such as grass, gravel, soil or pavement	The Site is covered entirely by grass and shrubbery.
x.	Details of current or former railway lines or spurs and their locations	None observed.
xi.	Areas of stained soil, vegetation or pavement	None observed.
xii.	Stressed vegetation	None observed.
xiii.	Areas where fill and debris materials appear to have been placed or graded	None observed.
xiv.	Potentially contaminating activity	None observed.
xv.	Details of any unidentified substances found at the Phase One Property	None observed.
Enhanced Investigation Property		
	Where subsection 13(3) applies to the Phase One Property, provide the documentation referred to in subsection 13(3)	<p>In order to be classified as an enhanced investigation property, the Phase One Property must be used or have been used in whole or in part for any of the following uses:</p> <ul style="list-style-type: none"> ◆ Any industrial use ◆ As a garage ◆ As a bulk liquid dispensing facility, including a gasoline outlet ◆ For the operation of dry cleaning equipment <p>There is no indication in the historical records of the Phase One Property being used for any of the aforementioned uses, and as such the Phase One Property is not considered an enhanced investigation property.</p>
Hazardous Materials		
i.	Asbestos containing materials	None observed.
ii.	Lead containing materials	None observed.
iii.	PCB materials and equipment	None observed.
iv.	Urea Formaldehyde Foam Insulation (UFFI)	None observed.
v.	Ozone Depleting Substances (ODS)	None observed.
vi.	Herbicides and Pesticides	None observed.
vii.	Mould	None observed.
viii.	Mercury	None observed.
ix.	Acrylonitrile, arsenic, benzene, coke oven emissions, ethylene oxide, isocyanates, silica, vinyl chloride	None observed.
x.	Pits and Lagoons	None observed.
xi.	Air Emissions	None observed.

xii. Radioactive Materials & Radon Gas	Based on local geological formations in the area, it is unlikely the site is exposed to natural sources of radiation such as radon or uranium. Manmade sources of radioactive materials were not observed during the site inspection. A radiometric survey was not conducted during this investigation.
--	---

5.3 Written Description of Investigation

The site reconnaissance included a visual inspection of the Phase One Property to confirm current conditions and identify any current land uses or activities, which may have or may cause environmental impacts. The adjoining and neighbouring properties were observed from the Phase One Property and publicly accessible areas.

At the time of the Site Reconnaissance the land use within the Phase One Study Area was primarily residential, commercial, parkland and agricultural.

Table 5-3: Summary of Site Reconnaissance Observations within Phase One Study Area

Observation	Details
Phase One Property	The Phase One Property was vacant at the time of the site reconnaissance, but it seems the land was used for agricultural purposes.
North Adjacent Property	The north adjacent property was vacant land and surrounded by municipal roads.
East Adjacent Property	The east adjacent properties to the east of Old Bronte Road were used for residential and commercial purposes and were occupied by various dwellings at the time of the site reconnaissance.
South Adjacent Property	The south adjacent properties were vacant at the time of the site reconnaissance.
West Adjacent Property	The west adjacent properties were vacant land at the time of the site reconnaissance.
Water Bodies	None observed.
Areas of Natural Significance	The Phase One Property may provide a viable habitat for the Northern Bobwhite. As defined in Section 1 (1) of O.Reg. 153/04 an area of natural significant is “An area identified by the Ministry of Natural Resources as significant habitat of a threatened or endangered species” or “An area which is habitat of a species that is classified under section 7 of the Endangered Species Act, 2007 as a threatened or endangered species”

Photographs illustrating the Phase One Property and adjacent properties are provided under Appendix E. A summary of the potentially contaminating activities observed is provided in Section 6.2. A visual depiction of the PCAs identified within the Phase One Study Area is provided under Figure 4.

6.0 Review and Evaluation of Information

6.1 Current and Past Uses

Current and past uses of the Phase One Property have been inferred based on the information provided in the aerial photographs and an e-mail questionnaire with the Site representative. The Phase One Property was historically used for agricultural purposes from the 1800s until present day.

6.2 Potentially Contaminating Activity

According to the Table 2, Schedule D, O. Reg. 153/04 as amended, potentially contaminating activities are activities that may be contributing to areas of potential environmental concern on the Phase One Property. The PCAs identified on the Phase One Property and within the Phase One Study Area are summarized in the table below and are illustrated on Figure 4.

Table 6-1: Summary of PCAs

PCA ID No.	PCA Description (Per. Table 2, Schedule D of O.Reg. 153/04)	Description	Contributing to APEC (Y/N)
PCA-1	#28 – Gasoline and associated products storage in fixed tanks	A former Shell RFO occupied 3005 Dundas St. W, 100 m east of the Phase One Property.	No – A Record of Site Condition (RSC), RSC # 206406 was filed for RFO on December 20, 2012 for commercial use.
PCA-2	#52 – Storage, maintenance, fueling and repair of equipment, vehicles, and material used to maintain transportation systems	P.G. Noble Enterprises, a contractor, formerly located at 3015 Dundas Street West, south adjacent to the Phase One Property, was registered in 2009 for waste oils and lubricants. Historical imagery indicates that twelve (12) parked cars, one truck and miscellaneous refuse was located at the east adjacent property (3015 Dundas St W) from 2005 to up to 2015. Source: ERIS Report – GEN Database and Aerial 2005	No – The PCA is located down-gradient from the Phase One Property
PCA-3	#40 – Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-Scale Applications	An orchard was historically cultivated approximately 180 m west of the Site. It is inferred that pesticides may have historically been applied to this orchard.	No – The PCA is located down-gradient from the Phase One Property
PCA-4	#40 – Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing,	An orchard was historically cultivated approximately 100 m southwest of the Site. It is inferred	No – The PCA is located down-gradient from the

PCA ID No.	PCA Description (Per. Table 2, Schedule D of O.Reg. 153/04)	Description	Contributing to APEC (Y/N)
	Processing, Bulk Storage and Large-Scale Applications	that pesticides may have historically been applied to this orchard.	Phase One Property

N/S – not specified in Table 2, Schedule D, of O.Reg. 153/04

6.3 Areas of Potential Environmental Concern

As indicated in section 6.2 above, a total of four (4) PCAs were identified within the Phase One Study Area. Based on either the hydraulic orientation of the PCAs relative to the Phase One Property, and/or the distance from the Phase One Property, none of the PCAs identified are considered by the QP_{ESA} to be contributing to an APEC on the Phase One Property.

The rationale used by the QP_{ESA} in assessing the information obtained through the course of this investigation to determine whether PCAs exist and/or are contributing to an APEC on the Phase One Property has been provided in the proceeding sections. In general, the potential for a PCA to be contributing to an APEC on the Phase One Property was assessed using the likelihood of the source to contaminate the Phase One Property, the possibility of the contaminants to migrate to the Phase One Property based on the hydraulic and geologic conditions, and the inherent properties of the contaminants of concern.

This investigation was conducted based on the assumption that all information provided to DS was factual and accurate. DS is not aware of any uncertainty factors which would affect the conclusions of this investigation.

6.4 Phase One Conceptual Site Model

A Conceptual Site Model was developed for the Phase One Property, located at the northeast corner of Bronte Road and Dundas Street West, Oakville, Ontario. The Phase One Conceptual Site Model is presented in Drawings 3 and 4 and visually depict the following:

- ◆ Any existing buildings and structures
- ◆ Water bodies located in whole, or in part, on the Phase One Study Area
- ◆ Areas of natural significance located in whole, or in part, on the Phase One Study Area
- ◆ Water wells at the Phase One Property or within the Phase One Study Area
- ◆ Roads, including names, within the Phase One Study Area
- ◆ Uses of properties adjacent to the Phase One Property
- ◆ Areas where any PCAs have occurred, including location of any tanks
- ◆ Areas of Potential Environmental Concern

6.4.1 Potentially Contaminating Activity Affecting the Phase One Property

All PCAs identified within the Phase One Study Area are presented on Figure 4, and discussed in Section 6.2 above. The PCAs identified are not considered to contribute to APECs on, in or under the Phase One Property.

6.4.2 Contaminants of Potential Concern

Not applicable – no APECs were identified on the Phase One Property.

6.4.3 Underground Utilities and Contaminant Distribution and Transport

Underground utilities can affect contaminant distribution and transport. Trenches excavated to install utility services, and the associated granular backfill may provide preferential pathways for horizontal contaminant migration in the shallow subsurface.

It is not anticipated that underground utilities are present as the Site has only ever been undeveloped land.

6.4.4 Geological and Hydrogeological Information

The topography of the Phase One Property is generally sloped to the southeast, with a surface elevation of 155 to 160 masl. Bronte Road traverses a local watershed, whereby drainage to the west of Bronte Road is inferred to follow the topography in a southwestern direction, whereas drainage to the east of Bronte Road is inferred to follow the topography in a southeasterly direction. The Phase One Property is located to the east of Bronte Road, and the topography within the Site generally slopes to the southeast. The nearest body of water is Fourteen Mile Creek, located approximately 480 m to the west of the Phase One Property. Based on a review of the MECP well records, the depth to groundwater in the vicinity of the Phase One Property is approximately 0.8 to 2.1 mbgs. The shallow groundwater flow direction within the Phase One Study Area is inferred to be southerly towards the tributaries of Fourteen Mile Creek. Additionally, it is noted that the shallow groundwater flow direction on the Phase One Property is inferred to be in a southeasterly direction based on the local topography, and as reported in the RSC filed for the former Shell Retail Fuel Outlet located at 3005 Dundas Street West (south neighbouring property).

Based on a review of the OGS Earth database, the northern portion of the Site is situated within a till moraine physiographic region and the southern portion of the Site is situated within a drumlinized till plain physiographic region. The surficial geology within the Phase One Study area is described as “till, clay to silt-textures till (derived from glaciolacustrine deposits or shale)”, and the bedrock is described as “shale, limestone, dolostone, siltstone, Queenston Formation”. Based on a review of the MECP Well Records, and available well records and previous ESAs completed in properties located at the Phase One Study Area the bedrock in the Phase One Study Area is anticipated to be encountered at an approximate depth range of 3.6 to 4.5 mbgs.

6.4.5 Uncertainty and Absence of Information

DS has relied upon information obtained from federal, provincial, municipal, and private databases, in addition to records and summaries provided by EcoLog ERIS. All information obtained was reviewed and assessed for consistency, however the conclusions drawn by DS are subject to the nature and accuracy of the records reviewed.

All reasonable inquiries were made to obtain reasonably accessible information, as mandated by O.Reg.153/04 (as amended). All responses to database requests were received prior to completion of this report, with the exception of the MECP FOI and City Directory request. If the MECP FOI request and City Directory Search produces information which may alter the conclusions of this report, an addendum will be provided to the Client. This report reflects the best judgement of DS based on the information available at the time of the investigation.

Information used in this report was evaluated based on proximity to the Phase One Property, anticipated direction of local groundwater flow, and the potential environmental impact on the Phase One Property as a result of potentially contaminating activities.

The QP has determined that the uncertainty does not affect the validity of the Phase One ESA Conceptual Site Model or the conclusions of this report.

7.0 Conclusions

DS conducted a Phase One ESA for the property located at the northeast corner of Bronte Road and Dundas Street West, Oakville, Ontario. The Phase One ESA was completed in general accordance with the requirements, methodology and practices for a Phase One ESA as described in Ontario Regulation 153/04 (as amended). The objective of the Phase One ESA was to identify the presence or absence of potentially contaminating activities (PCAs) on the Phase One Property and/or within the Phase One Study Area, and to determine if the PCAs identified within the Phase One Study Area are likely to result in an Area of Potential Environmental Concern (APEC) on the Phase One Property.

Based on the information obtained as part of this investigation, it is concluded that four (4) PCAs were identified within the Phase One Study Area. All of the PCAs identified were noted to be situated down-gradient of the Phase One Property with respect to groundwater flow direction. Based on this consideration and the nature of the potentially contaminating activities identified, none of the PCAs are considered to be contributing to an Area of Potential Environmental Concern (APEC) on the Phase One Property.

7.1 Phase Two Environmental Site Assessment Requirement

No further environmental investigation is recommended at this time.

7.2 RSC Based on Phase One Environmental Site Assessment

A Record of Site Condition can be filed on the basis of the Phase One ESA due to the identification of no Areas of Potential Environmental Concern on the Phase One Property.

7.3 Limitations

This report was prepared for the sole use of Palermo Village Corp (PVC) and is intended to provide an assessment of the environmental condition on the property Part of Lot 31 Concession 1 Trafalgar, Parts 3, 5 & 10 located at the northeast corner of Bronte Road and Dundas Street West, Oakville, Ontario. The information presented in this report is based on information collected during the completion of the Phase One Environmental Site Assessment by DS Consultants Ltd. The material in this report reflects DS' judgment in light of the information available at the time of report preparation. This report may not be relied upon by any other person or entity without the written authorization of DS Consultants Ltd. The scope of services performed in the execution of this investigation may not be appropriate to satisfy the needs of other users, and any use or reuse of this documents or findings, conclusions and recommendations represented herein, is at the sole risk of said users.

The information and conclusions presented in this report are professional opinions in accordance with generally accepted engineering and scientific practices based on a cursory historical search, visual observations and limited information provided by persons knowledgeable about past and current activities on this site. The work completed as per the scope of work is considered sufficient in detail to form a reasonable basis for the findings presented in this report. As such, DS Consultants Ltd. cannot be held responsible for environmental conditions at the site that was not apparent from the available information.

7.4 Qualifications of the Assessors

John Gaviria-Ballen, B. Eng., EIT

Mr. Gaviria-Ballen is an Environmental Technician with DS Consultants Ltd. John holds a bachelor's degree in Environmental Engineering from Carleton University and a Post Graduate Certificate in Environmental Engineering Applications from Conestoga College. John is a registered Engineer in Training (EIT) with Professional Engineers of Ontario (PEO) and has experience in conducting Phase One and Two Environmental Site Assessments, soil and groundwater remediation projects.

Ms. Kirstin Olsen, MSc.

Ms. Olsen is a Project Manager in the Environmental Services Department at DS Consultants Limited. Ms. Olsen has a bachelor's degree in Animal, Plant and Environmental Science, as well as a Master of Science Degree in Environmental Science, Ecology and Conservation from the University of the Witwatersrand (Johannesburg, South Africa). Ms. Olsen has personally completed over three hundred detailed environmental assessments across a wide array of scientific disciplines including: Phase One & Two Environmental Site Assessments, Remedial Excavation & Injection Oversight, Hydrogeological Investigations, EASR Registration/PTTW Application, Aquatic Ecological Delineation, Assessment & Planning, Toxicological, Soil & Water Impact and Risk Assessment, as well as Environmental Construction Monitoring & Performance Auditing.

Mr. Patrick (Rick) Fioravanti, B.Sc., P.Geo., QP_{ESA}

Mr. Fioravanti is the Manager of Environmental Services with DS Consultants Limited. Patrick holds an Honours Bachelor of Science with distinction in Toxicology from the University of Guelph and is a practicing member of the Association of Professional Geoscientists of Ontario (APGO). Patrick has over eight years of environmental consulting experience and has conducted and/or managed over 100 projects in his professional experience. Patrick has extensive experience conducting Phase One and Phase Two Environmental Site Assessments in support of brownfields redevelopment in urban settings, and been involved in numerous remediation projects, supported many risk assessments, and successfully filed Records of Site Condition with the Ministry of Environment, Conservation and Parks. He has conducted work across southern and eastern Ontario, and Quebec in his professional experience. Patrick is considered a Qualified Person to conduct Environmental Site Assessments as defined by Ontario Regulation 153/04 (as amended).

7.5 Signatures

DS Consultants Ltd. conducted this Phase One Environmental Site Assessment and confirms the findings and conclusions contained within this report.

Yours truly,

DS Consultants Ltd.

Prepared by:



John Gaviria-Ballen, B. Eng., EIT
Environmental EIT

Reviewed by:



Kirstin Olsen, M.Sc.
Project Manager – Environmental Services



Patrick Fioravanti, B.Sc., P.Geo., QP_{ESA}
Manager – Environmental Services




8.0 References

- Ontario Regulation 153/04 Records of Site Condition — Part Xv.1 of The Act
- Natural Resources Canada Toporama <http://atlas.gc.ca/toporama/en/index.html>
- Environment Canada, National Pollutant Release Inventory
- Ontario Ministry of the Environment Hazardous Waste Information Network
<https://www.hwin.ca/hwin/>
- Ontario Ministry of the Environment, Certificate of Approval search
- Ontario Ministry of the Environment, Brownfields Environmental Site Registry
<https://www.ontario.ca/page/ministry-environment-and-climate-change>
- Ontario Ministry of the Environment, Inventory of Coal Gasification Plan Waste Sites in Ontario, 1987
- Ontario Ministry of the Environment, Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario, 1998
- Ontario Ministry of the Environment, Inventory of PCB Storage Sites, 1994-2004
- Waste Disposal Site Inventory, 1991
- Ministry of Environment, Conservation and Parks-Freedom of Information
- Technical Standards and Safety Authority – Fuel Safety Division inquiry
- Ontario Geological Survey, 2013. Quaternary Geology of Ontario. Ontario Geological Survey, scale 1:100,000.
- Ontario Ministry of Northern Development and Ontario Geological Survey, 1991. Bedrock Geology of Ontario, Southern Sheet; Ontario Geological Survey, Map 2544, scale 1:1,000,000.
- Ontario Ministry of Natural Resources. Quaternary Geology of Toronto and Surrounding Area. Scale 1:100,000. Map number 2204.
- Historical Maps, aerial photos and Ontario Base Map
- City Directories from 2001 back to 1900
- City of Toronto online-services
- Environmental Risk Information Services (Ecolog ERIS Report)



Figures



Legend

 Approx Property Boundary



DS CONSULTANTS LTD.

6221 Highway 7, Unit 116
 Vaughan, Ontario L4H 0K8
 Telephone: (905) 264-9393
 www.dsconsultants.ca

Project: PHASE ONE ENVIRONMENTAL SITE ASSESSMENT
 Part of Lot 31 Concession 1 Trafalgar, Parts 3, 5 & 10 Oakville, ON

Title: **SITE LOCATION PLAN**



Client:
ARGO DEVELOPMENT CORP.

Size: 8.5 x 11	Approved By: K.O	Drawn By: S.Y	Date: June 2021
-------------------	---------------------	------------------	--------------------

Rev: 0	Scale: As Shown	Project No.: 19-323-100	Figure No.: 1
-----------	--------------------	----------------------------	-------------------------

Image/Map Source: Google Street Map



Legend

- Approx Property Boundary
- Region of Halton Regulation Limit
- River Valley Area



DS CONSULTANTS LTD.

6221 Highway 7, UNIT 16
 Vaughan, Ontario L4H 0K8
 Telephone: (905) 264-9393
 www.dsconsultants.ca

Client:
ARGO DEVELOPMENT CORP.

Project: **PHASE ONE ENVIRONMENTAL SITE ASSESSMENT**
 Part of Lot 31 Concession 1 Trafalgar, Parts 3, 5 & 10 Oakville, ON


Title: **PHASE ONE PROPERTY SITE PLAN**



Size: 8.5 x 11	Approved By: K.O	Drawn By: S.Y	Date: June 2021
-------------------	---------------------	------------------	--------------------


Rev: 0	Scale: As Shown	Project No.: 19-323-100	Figure No.: 2
-----------	--------------------	----------------------------	-------------------------



Image/Map Source: Google Satellite Image





Legend

- Approx Property Boundary
- 250m Buffer
- Residential
- Commercial
- Institutional
- Parkland/Open Space
- Agricultural





 <p>DS CONSULTANTS LTD. 6221 Highway 7, UNIT 16 Vaughan, Ontario L4H 0K8 Telephone: (905) 264-9393 www.dsconsultants.ca</p>	Project: PHASE ONE ENVIRONMENTAL SITE ASSESSMENT Part of Lot 31 Concession 1 Trafalgar, Parts 3, 5 & 10 Oakville, ON			
	Title: PHASE ONE STUDY AREA			
Client: ARGO DEVELOPMENT CORP.	Size: 8.5 x 11 Rev: 0	Approved By: K.O Scale: As Shown	Drawn By: S.Y Project No.: 19-323-100	Date: June 2021 Figure No.: 3
Image/Map Source: Google Satellite Image				




Legend

- Approx Property Boundary
- 250m Buffer
- ➔ Inferred Groundwater Flow Direction
- PCA not contributing to APEC
- MECP-250

 <p>DS CONSULTANTS LTD. 6221 Highway 7, UNIT 16 Vaughan, Ontario L4H 0K8 Telephone: (905) 264-9393 www.dsconsultants.ca</p>	Project: PHASE ONE ENVIRONMENTAL SITE ASSESSMENT Part of Lot 31 Concession 1 Trafalgar, Parts 3, 5 & 10 Oakville, ON			
	Title: PCA WITHIN PHASE ONE STUDY AREA			
Client: ARGO DEVELOPMENT CORP.	Size: 8.5 x 11	Approved By: K.O	Drawn By: S.Y	Date: June 2021
	Rev: 0	Scale: As Shown	Project No.: 19-323-100	Figure No.: 4
Image/Map Source: Google Satellite Image				



Appendix A



SURVEYOR'S REAL PROPERTY REPORT

**PART 1 - PLAN OF SURVEY OF
PART OF LOT 31, CONCESSION 1
NORTH OF DUNDAS STREET**
(GEOGRAPHIC TOWNSHIP OF TRAFALGAR,
MUNICIPALITY OF HALTON)

SCALE 1 : 1500
75 0 25 50 75 100 125 metres

SPEIGHT, VAN NOSTRAND & GIBSON LIMITED
ONTARIO LAND SURVEYORS
2019

(C) THE REPRODUCTION, ALTERATION OR USE OF THIS PLAN,
IN WHOLE OR IN PART, WITHOUT THE WRITTEN CONSENT OF
SPEIGHT, VAN NOSTRAND & GIBSON LIMITED IS STRICTLY PROHIBITED.


PART 2 - REPORT SUMMARY

DESCRIPTION OF LAND
BEING PART OF LOT 31, CONCESSION 1, NORTH OF DUNDAS STREET,
GEOGRAPHIC TOWNSHIP OF TRAFALGAR, LYING SOUTHEAST OF LANDS
EXCEPTED BY FE-143, SAKE AND EXCEPT PARTS 1, 3, 5, 7 AND 10,
PLAN 20R-16040.

REGISTERED EASEMENTS AND/OR RIGHTS OF WAY
SUBJECT TO EASEMENT OVER PARTS 2, 4, 6, 8 AND 9, PLAN 20R-16040
IN FAVOUR OF PARTS 1 AND 7, PLAN 20R-16040 AS IN INST. NO.
H939095 AND H939221.

ADDITIONAL REMARKS
PLEASE NOTE IN RELATION TO PARCEL BOUNDARIES AS RE-ESTABLISHED:
- THE CHAIN LINK FENCE ALONG THE NORTHWEST SUBJECT PARCEL LIMIT;
- THE RETAINING WALL AND METAL TRAILER AT THE NORTHWEST CORNER
OF NO. 3278 BRONITE ROAD;
- THE METAL TRAILER, HEDGE AND ASPHALT DRIVEWAY ALONG THE SOUTHWEST
LIMIT OF NO. 3278 BRONITE ROAD;
- THE METAL WALL AND METAL CONTAINER ALONG THE NORTHEAST LIMIT OF
LIMIT OF NO. 3111 DUNDAS STREET WEST.

Detail 'A'
(Not to Scale)



INTEGRATION NOTE

BEARINGS SHOWN HEREON ARE UTM GRID AND ARE DERIVED FROM THE SMARTNET
NETWORK AND ARE REFERRED TO UTM ZONE 17, CENTRAL MERIDIAN 81°07'
LONGITUDE, NAD 83 (CSRS) (2010).

(OBSERVED REFERENCE POINTS (ORP) DERIVED FROM GPS OBSERVATIONS USING THE
SMARTNET NETWORK, AND ARE REFERRED TO UTM ZONE 17, CENTRAL MERIDIAN 81°07'
WEST LONGITUDE, NAD 83 (CSRS) (2010).

COORDINATES ARE TO AN URBAN ACCURACY AS PER SEC. 14 (2) OF ONT. REG. 216/10

POINT ID	NORTHING	EASTING
ORP ①	4810528.03	597791.44
ORP ②	4810786.66	598068.56
ORP ③	480796.40	598048.93
ORP ④	4809605.07	598752.70

COORDINATES CANNOT, IN THEMSELVES, BE USED TO
RE-ESTABLISH CORNERS OR BOUNDARIES SHOWN ON THIS PLAN.
DISTANCES ARE GIVEN AND CAN BE CONVERTED TO GRID BY
MULTIPLYING BY THE COMBINED SCALE FACTOR OF 0.9997004.

METRIC

DISTANCES SHOWN ON THIS PLAN ARE IN METRES
AND CAN BE CONVERTED TO FEET BY DIVIDING BY 0.3048.

LEGEND

- DENOTES SURVEY MONUMENT FOUND
- WIT DENOTES WITNESS MONUMENT
- STB DENOTES STANDARD IRON BAR
- SSB DENOTES SHORT STANDARD IRON BAR
- CB DENOTES CEMENT CONCRETE MONUMENT
- CM DENOTES CUT CROSS
- CSLW DENOTES CONCRETE MONUMENT, SOUTH, WEST
- OZ DENOTES ORIGIN UNKNOWN
- 824 DENOTES K. H. MCDONNELL, O.L.S.
- 825 DENOTES A. T. MCCLAREN, O.L.S.
- CHD DENOTES CUNNINGHAM MCDONNELL LIMITED
- CHD DENOTES DEPARTMENT OF HIGHWAYS/ONTARIO
- MMH DENOTES MARSHALL MACKER MONAHAN LIMITED, O.L.S.
- Y1 DENOTES YOUNG & YOUNG SURVEYING, O.L.S.
- OZ DENOTES ORIGIN UNKNOWN
- P1 DENOTES PLAN 20R-16040
- P2 DENOTES PLAN 20R-21049
- P3 DENOTES PLAN 20R-13148
- P4 DENOTES PLAN EX-143
- P5 DENOTES PLAN OF SURVEY BY FRED G. CUNNINGHAM INC., O.L.S.
- P6 DENOTES PLAN 20R-20174
- P7 DENOTES PLAN 20R-20173
- ATS DENOTES AUTOMATIC TRAFFIC SIGNAL
- MLS DENOTES METAL LIGHT STANDARD
- MT DENOTES METAL TRAILER
- OH DENOTES OVERHEAD WIRE
- WHP DENOTES WOODEN HYDRO POLE

NOTE

THIS REPORT CAN BE UPDATED BY THIS OFFICE, HOWEVER NO ADDITIONAL PRINTS OF
THIS ORIGINAL REPORT WILL BE ISSUED SUBSEQUENT TO THE DATE OF CERTIFICATION.
THIS REPORT WAS PREPARED FOR RISK INVESTMENT AND DEVELOPMENT LIMITED
AND ALL OTHER PARTIES TO THE TRANSACTION.

SURVEYOR'S CERTIFICATE

1. I CERTIFY THAT:
1. THIS SURVEY AND PLAN ARE CORRECT AND IN ACCORDANCE WITH THE SURVEYS ACT,
THE SURVEYS ACT AND THE REGULATIONS MADE UNDER THEM.
2. THE SURVEY WAS COMPLETED ON FEBRUARY 5, 2019.

DATE: FEBRUARY 20, 2019

Michael Demarco
MICHAEL DEMARCO
ONTOARIO LAND SURVEYORS

SPEIGHT, VAN NOSTRAND & GIBSON LIMITED
ONTOARIO LAND SURVEYORS
750 GARDALE ROAD, UNIT 65 & 66
TORONTO, ONTARIO M6M 2Z2
TEL 416 749-5967/7864 FAX 416 749-7866
E-MAIL: info@svngibson.com

ASSOCIATION OF ONTARIO
LAND SURVEYORS
PLAN 20R-20174
2078801

DRAWN BY: M.D. FILE NAME: A1800317.DWG
CHECKED BY: M.D. PLOT SCALE: MET:1=1.5
JOB No.: 180-0317 PLOTTED BY:
REF. No.: 6-Con 1 Trafalgar NDS UPDATED:



Appendix B



DATABASE REPORT

Project Property: *Palermo (Bronte Rd and Dundas St W,
Oakville, ON)
Bronte Rd and Dundas St W.
Oakville ON*

Project No: *P21-01-017*

Report Type: *Quote - Custom-Build Your Own Report*

Order No: *21012100298*

Requested by: *DS Consultants Ltd.*

Date Completed: *January 26, 2021*

Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	6
Executive Summary: Site Report Summary - Surrounding Properties.....	7
Executive Summary: Summary By Data Source.....	25
Map.....	48
Aerial.....	49
Topographic Map.....	50
Detail Report.....	51
Unplottable Summary.....	417
Unplottable Report.....	419
Appendix: Database Descriptions.....	446
Definitions.....	455

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: *Palermo (Bronte Rd and Dundas St W, Oakville, ON)
Bronte Rd and Dundas St W. Oakville ON*

Project No: *P21-01-017*

Order Information:

Order No: *21012100298*

Date Requested: *January 21, 2021*

Requested by: *DS Consultants Ltd.*

Report Type: *Quote - Custom-Build Your Own Report*

Historical/Products:

Aerial Photographs *Aerials - National Collection*

City Directory Search *CD - Subject Site plus 250m Radius*

ERIS Xplorer *[ERIS Xplorer](#)*

Insurance Products *Fire Insurance Maps/Inspection Reports/Site Plans*

Executive Summary: Report Summary

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
AAGR	<i>Abandoned Aggregate Inventory</i>	Y	0	0	0
AGR	<i>Aggregate Inventory</i>	Y	0	0	0
AMIS	<i>Abandoned Mine Information System</i>	Y	0	0	0
ANDR	<i>Anderson's Waste Disposal Sites</i>	Y	0	0	0
AST	<i>Aboveground Storage Tanks</i>	Y	0	0	0
AUWR	<i>Automobile Wrecking & Supplies</i>	Y	0	0	0
BORE	<i>Borehole</i>	Y	0	4	4
CA	<i>Certificates of Approval</i>	Y	0	1	1
CDRY	<i>Dry Cleaning Facilities</i>	Y	0	0	0
CFOT	<i>Commercial Fuel Oil Tanks</i>	Y	0	1	1
CHEM	<i>Chemical Manufacturers and Distributors</i>	Y	0	0	0
CHM	<i>Chemical Register</i>	Y	0	0	0
CNG	<i>Compressed Natural Gas Stations</i>	Y	0	0	0
COAL	<i>Inventory of Coal Gasification Plants and Coal Tar Sites</i>	Y	0	0	0
CONV	<i>Compliance and Convictions</i>	Y	0	0	0
CPU	<i>Certificates of Property Use</i>	Y	0	0	0
DRL	<i>Drill Hole Database</i>	Y	0	0	0
DTNK	<i>Delisted Fuel Tanks</i>	Y	0	2	2
EASR	<i>Environmental Activity and Sector Registry</i>	Y	0	2	2
EBR	<i>Environmental Registry</i>	Y	0	2	2
ECA	<i>Environmental Compliance Approval</i>	Y	0	1	1
EEM	<i>Environmental Effects Monitoring</i>	Y	0	0	0
EHS	<i>ERIS Historical Searches</i>	Y	0	24	24
EIIS	<i>Environmental Issues Inventory System</i>	Y	0	0	0
EMHE	<i>Emergency Management Historical Event</i>	Y	0	0	0
EPAR	<i>Environmental Penalty Annual Report</i>	Y	0	0	0
EXP	<i>List of Expired Fuels Safety Facilities</i>	Y	0	5	5
FCON	<i>Federal Convictions</i>	Y	0	0	0
FCS	<i>Contaminated Sites on Federal Land</i>	Y	0	0	0
FOFT	<i>Fisheries & Oceans Fuel Tanks</i>	Y	0	0	0
FRST	<i>Federal Identification Registry for Storage Tank Systems (FIRSTS)</i>	Y	0	0	0
FST	<i>Fuel Storage Tank</i>	Y	0	6	6
FSTH	<i>Fuel Storage Tank - Historic</i>	Y	0	0	0
GEN	<i>Ontario Regulation 347 Waste Generators Summary</i>	Y	0	44	44
GHG	<i>Greenhouse Gas Emissions from Large Facilities</i>	Y	0	0	0
HINC	<i>TSSA Historic Incidents</i>	Y	0	0	0

Database	Name	Searched	Project Property	Boundary to 0.25km	Total
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0
INC	Fuel Oil Spills and Leaks	Y	0	4	4
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System (NATES)	Y	0	0	0
NCPL	Non-Compliance Reports	Y	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Y	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal Sites	Y	0	0	0
NEBI	National Energy Board Pipeline Incidents	Y	0	0	0
NEBP	National Energy Board Wells	Y	0	0	0
NEES	National Environmental Emergencies System (NEES)	Y	0	0	0
NPCB	National PCB Inventory	Y	0	0	0
NPRI	National Pollutant Release Inventory	Y	0	0	0
OGWE	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Y	0	0	0
OPCB	Inventory of PCB Storage Sites	Y	0	0	0
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	0	0
PINC	Pipeline Incidents	Y	0	3	3
PRT	Private and Retail Fuel Storage Tanks	Y	0	1	1
PTTW	Permit to Take Water	Y	0	0	0
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	0	0
RSC	Record of Site Condition	Y	0	2	2
RST	Retail Fuel Storage Tanks	Y	0	0	0
SCT	Scott's Manufacturing Directory	Y	0	2	2
SPL	Ontario Spills	Y	1	10	11
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR	Variances for Abandonment of Underground Storage Tanks	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Y	0	0	0
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Y	0	0	0
WWIS	Water Well Information System	Y	3	107	110
Total:			4	221	225

Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
1	SPL	Terratec Environmental Ltd.	Concession 1 Oakville ON	NE/0.0	-0.15	51
2	WWIS		3005 DUNDAS ST. W. Oakville ON <i>Well ID:</i> 7113891	ESE/0.0	-5.10	51
2	WWIS		3005 DUNDAS ST. W. Oakville ON <i>Well ID:</i> 7128691	ESE/0.0	-5.10	56
3	WWIS		DUNDAS W _ VALLEY RIDGE DR Oakville ON <i>Well ID:</i> 7180770	SE/0.0	-9.66	67

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
4	WWIS		3015 DUNDAS ST. WEST lot 31 con 1 Oakville ON Well ID: 7129277	ESE/5.0	-6.69	69
5	WWIS		DUNDAS ST AT VALLEY RIDGE DRIVE Burlington ON Well ID: 7290240	SE/10.8	-8.55	71
6	EHS		3015 Dundas street west Oakville ON L6M 4J4	ESE/15.2	-6.10	74
6	GEN	P.G. Noble Enterprises	3015 Dundas St W Oakville ON L6M 4J4	ESE/15.2	-6.10	74
7	EHS		3044 & 3054 Dundas St. W Oakville ON	ESE/28.0	-7.36	74
8	SPL	TRANSPORT TRUCK	INTERSECTION HWY 5 AND HWY 25 TRANSPORT TRUCK (CARGO) OAKVILLE TOWN ON	ESE/28.0	-7.10	74
8	SPL	TRANSPORT TRUCK	BRONEY RD. AND #5 HWY MOTOR VEHICLE (OPERATING FLUID) OAKVILLE TOWN ON	ESE/28.0	-7.10	75
8	EHS		Bronte Rd && Dundas St W Oakville ON	ESE/28.0	-7.10	75
9	GEN	R.B. SMITH EXCAVATING LTD.	3278 HWY 25, R.R. # 2 OAKVILLE ON L6J 4Z3	NNW/33.1	2.29	76
9	GEN	R.B. SMITH EXCAVATING LTD. 33-770	3278 HWY 25 C/O R.R.#2 OAKVILLE ON L6J 4Z3	NNW/33.1	2.29	76
9	GEN	R.B. SMITH EXCAVATING LTD.	3278 HIGHWAY 25 R.R. 2 OAKVILLE ON L6J 4Z3	NNW/33.1	2.29	76
10	INC		3195 BRONTE RD, OAKVILLE ON	NNE/33.4	-0.57	76

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
10	SPL		3195 Bronte Rd. Oakville ON	NNE/33.4	-0.57	77
10	GEN	Carmen Cirasella	3195 Bronte Road Oakville ON L6M 4J3	NNE/33.4	-0.57	77
10	GEN	Carmen Cirasella	3195 Bronte Road Oakville ON L6M 4J3	NNE/33.4	-0.57	78
11	WWIS		3195 Bronte RD Oakville ON Well ID: 7289381	NNE/36.8	-0.65	78
12	WWIS		3054 DOUDAS ST.W HWY#5 lot 31 con 1 PALERMO ON Well ID: 2809880	SE/37.1	-8.36	80
13	WWIS		lot 31 con 1 ON Well ID: 2802173	ESE/38.0	-6.10	81
14	WWIS		BRONTE RD lot 30 con 1 Oakville ON Well ID: 7338740	NNE/39.7	-0.36	84
15	WWIS		3005 DUNDADS ST. W. Oakville ON Well ID: 7105545	ESE/39.9	-6.10	86
15	WWIS		3005 DUNDAS ST. W Oakville ON Well ID: 7113897	ESE/39.9	-6.10	90
16	EHS		3087 Old Bronte Road Oakville ON L6M 4J2	E/40.8	-3.10	92
17	WWIS		3195 BRONTE ROAD Oakville ON Well ID: 7291664	NNE/41.2	-0.83	93
18	WWIS		3015 DUNDAS ST. W. Oakville ON Well ID: 7105546	ESE/42.7	-6.10	95
19	WWIS		3005 DUNDAS STREET WEST Oakville ON	ESE/43.4	-6.10	102

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 7139558			
20	EHS		3073 Old Bronte Road Oakville ON L6M 4J2	E/43.7	-3.10	104
21	WWIS		lot 31 con 1 ON Well ID: 2802174	ESE/44.0	-6.10	104
22	WWIS		lot 31 con 1 ON Well ID: 2803928	ESE/44.5	-6.86	106
23	WWIS		lot 30 con 1 ON Well ID: 2806344	ESE/44.6	-5.10	109
24	WWIS		3104 DUNDAS ST. lot 31 con 1 OAKVILLE ON Well ID: 7176197	SE/45.0	-10.11	113
25	INC		3249 Regional Road 25, Oakville ON	N/45.6	0.96	115
26	WWIS		3087 OLD BRONTE RD lot 30 con 1 Oakville ON Well ID: 7122505	E/45.8	-3.10	115
27	WWIS		ON Well ID: 7294763	NNE/45.9	-0.89	118
28	WWIS		DUNDAS ST BURLINGTON ON Well ID: 7180050	SE/46.0	-8.82	119
29	WWIS		lot 31 con 1 ON Well ID: 2802341	ESE/47.2	-7.47	121
30	WWIS		3065 BRONTE ROAD lot 30 con 1 OAKVILLE ON Well ID: 7047696	E/48.8	-4.10	123
31	WWIS		3195 BRONTE ROAD OAKVILLE ON Well ID: 7304078	NNE/50.2	-1.08	125
32	WWIS		lot 30 con 1 ON	ESE/52.1	-5.10	127

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 2806416			
33	WWIS		lot 32 con 1 ON Well ID: 2802351	SE/52.6	-10.03	130
34	WWIS		3005 DUNDAS ST. WEST OAKVILLE ON Well ID: 7151820	ESE/52.6	-6.10	132
35	WWIS		lot 31 con 1 ON Well ID: 2802339	SE/52.9	-10.10	140
36	WWIS		3195 BRONTE ROAD Oakville ON Well ID: 7291666	NNE/53.2	-0.80	142
37	CA	BARENCO INC. - LOT 31, CONC. 2	3005 DUNDAS ST. W., SHELL STA. OAKVILLE TOWN ON L6M 4J4	ESE/53.4	-6.10	145
37	SPL	SHELL CANADA PRODUCTS LTD.	3005 DUNDAS WEST SERVICE STATION OAKVILLE TOWN ON L6M 4J4	ESE/53.4	-6.10	145
37	SPL	SHELL CANADA PRODUCTS LTD.	HWY 5 AND 25 SERVICE STATION OAKVILLE TOWN ON	ESE/53.4	-6.10	146
37	PRT	PALERNO SHELL	3005 DUNDAS W HWYS 5 & 25 OAKVILLE ON	ESE/53.4	-6.10	146
37	SPL	HARMAC TRANSPORTATION	3005 DUNDAS ST WEST. TANK TRUCK (CARGO) OAKVILLE TOWN ON L6M 4J4	ESE/53.4	-6.10	146
37	GEN	Shell Canada Products	3005 Dundas Street West Oakville ON L6M 4J4	ESE/53.4	-6.10	147
37	EHS		3005 Dundas Street West Oakville ON L6M 4J4	ESE/53.4	-6.10	147
37	DTNK	2149120 ONTARIO INC O/A GAS STN	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE ON L6M 4J4	ESE/53.4	-6.10	147
37	DTNK	ANTONY IBRAHIM	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE ON	ESE/53.4	-6.10	148

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
37	GEN	Shell Canada Products	3005 Dundas Street West Oakville ON L6M 4J4	ESE/53.4	-6.10	148
37	GEN	Shell Canada Products	3005 Dundas Street West Oakville ON L6M 4J4	ESE/53.4	-6.10	148
37	GEN	Shell Canada Products	3005 Dundas Street West Oakville ON L6M 4J4	ESE/53.4	-6.10	149
37	GEN	Shell Canada Products	3005 Dundas Street West Oakville ON	ESE/53.4	-6.10	149
38	SPL	SHELL CANADA PRODUCTS LTD.	3005 DUNDAS ST WEST. SERVICE STATION OAKVILLE TOWN ON L6M 4J4	ESE/53.4	-6.10	149
38	RSC	Shell Canada Limited	3005 DUNDAS STREET WEST, OAKVILLE, ONTARIO L6M 4J4 Oakville ON	ESE/53.4	-6.10	150
38	GEN	Shell Canada Products	3005 Dundas Street West Oakville ON L6M 4J4	ESE/53.4	-6.10	151
38	EXP	ANTONY IBRAHIM	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA ON	ESE/53.4	-6.10	151
38	EXP	ANTONY IBRAHIM	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA ON	ESE/53.4	-6.10	152
38	EXP	ANTONY IBRAHIM	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA ON	ESE/53.4	-6.10	152
38	EXP	ANTONY IBRAHIM	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA ON	ESE/53.4	-6.10	153
38	EXP	ANTONY IBRAHIM	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA ON	ESE/53.4	-6.10	153

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
38	GEN	Shell Canada Products	3005 Dundas Street West Oakville ON L6M 4J4	ESE/53.4	-6.10	153
38	GEN	Shell Canada Products	3005 Dundas Street West Oakville ON L6M 4J4	ESE/53.4	-6.10	154
38	GEN	Shell Canada Products	3005 Dundas Street West Oakville ON L6M 4J4	ESE/53.4	-6.10	154
38	GEN	Shell Canada Products	3005 Dundas Street West Oakville ON L6M 4J4	ESE/53.4	-6.10	154
38	GEN	Shell Canada Products	3005 Dundas Street West Oakville ON L6M 4J4	ESE/53.4	-6.10	155
38	FST	ANTONY IBRAHIM	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA ON	ESE/53.4	-6.10	155
38	FST	ANTONY IBRAHIM	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA ON	ESE/53.4	-6.10	155
38	FST	ANTONY IBRAHIM	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA ON	ESE/53.4	-6.10	156
38	FST	ANTONY IBRAHIM	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA ON	ESE/53.4	-6.10	156
38	FST	ANTONY IBRAHIM	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA ON	ESE/53.4	-6.10	157
39	EHS		3005 Dundas St W Oakville ON L6M 4J4	ESE/53.4	-6.10	157
40	WWIS		3005 DUNDAS ST. WEST Oakville ON Well ID: 7120486	ESE/53.9	-6.10	157
41	WWIS		3195 BRONTE ROAD OAKVILLE ON	NNE/54.5	-1.15	160

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 7304082			
42	WWIS		Bronte Rd lot 30 con 1 Oakville ON Well ID: 7338741	N/55.2	0.90	162
43	WWIS		lot 30 con 1 ON Well ID: 2802163	NNE/56.4	0.15	163
44	WWIS		3195 BRONTE ROAD OAKVILLE ON Well ID: 7304081	NNE/57.9	-1.15	165
45	WWIS		lot 30 con 1 ON Well ID: 2802166	E/58.4	-3.10	167
46	GEN	Heart and Stroke Foundation	3259 Bronte Road Oakville ON L6M 4J3	N/58.5	0.85	170
47	WWIS		3195 BRONTE ROAD OAKVILLE ON Well ID: 7304077	NNE/58.8	-1.09	170
48	WWIS		lot 30 con 1 ON Well ID: 7333527	NNE/59.3	-1.15	172
49	INC		3195 HWY 25, OAKVILLE ON	NNE/60.6	-1.14	172
50	WWIS		3195 BRONTE RD. OAKVILLE ON Well ID: 7291663	NNE/60.9	-1.10	173
51	WWIS		lot 31 con 1 ON Well ID: 2805218	ESE/61.2	-6.10	176
52	WWIS		lot 30 con 1 ON Well ID: 2802158	E/61.8	-3.10	179
53	WWIS		3195 BRONTE ROAD OAKVILLE ON Well ID: 7304079	NNE/62.2	-1.14	181
54	WWIS		BRONTE RD OAKVILLE ON	NNW/63.5	2.91	183

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 7302553			
55	WWIS		lot 30 con 1 ON Well ID: 2802170	NE/64.7	-1.42	186
56	WWIS		3195 BRONTE ROAD OAKVILLE ON Well ID: 7304080	NNE/65.0	-1.18	189
57	WWIS		lot 30 con 1 ON Well ID: 2808038	NNW/65.4	1.65	191
58	WWIS		3005 DUNDAS ST. W. Oakville ON Well ID: 7107062	ESE/65.7	-6.10	194
59	CFOT	ANNA SEQUEIRA	3171 REGIONAL ROAD 25 OAKVILLE L6J 4Z3 ON CA ON	ENE/65.8	-2.10	203
59	FST	ANNA SEQUEIRA	3171 REGIONAL ROAD 25 OAKVILLE L6J 4Z3 ON CA ON	ENE/65.8	-2.10	204
60	WWIS		lot 31 con 1 ON Well ID: 2807864	ESE/66.4	-6.36	204
61	WWIS		lot 30 con 1 ON Well ID: 2802161	E/66.7	-4.66	205
62	WWIS		3915 BRONTE ROAD Oakville ON Well ID: 7291665	NNE/67.4	-1.04	208
63	WWIS		3114 DUNDAS ST. WEST lot 32 con 1 OAKVILLE ON Well ID: 7253706	SE/67.9	-10.74	210
64	WWIS		lot 31 con 1 ON Well ID: 2807863	ESE/67.9	-6.36	212
65	WWIS		lot 30 con 1 ON Well ID: 2802159	E/68.0	-4.10	215

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
66	WWIS		lot 30 con 1 ON Well ID: 2802160	ESE/68.5	-6.10	217
67	WWIS		3015 DUNDAS ST. W. lot 31 con 1 Oakville ON Well ID: 7129278	ESE/68.8	-6.36	220
68	WWIS		lot 30 con 1 ON Well ID: 2802157	E/68.9	-2.10	221
69	WWIS		lot 30 con 1 ON Well ID: 2802171	ESE/69.4	-5.10	224
70	WWIS		3249 HIGHWAY 25 Oakville ON Well ID: 7201765	N/69.8	0.83	226
71	WWIS		lot 30 con 1 ON Well ID: 2803037	NNE/70.4	-0.37	230
72	WWIS		lot 30 con 1 ON Well ID: 2806373	ESE/72.4	-6.10	232
73	WWIS		lot 31 con 1 ON Well ID: 2805217	ESE/78.7	-6.10	235
74	WWIS		lot 30 con 1 ON Well ID: 2802164	E/79.4	-3.10	237
75	WWIS		3005 DUNDAS ST. WEST Oakville ON Well ID: 7122832	ESE/80.0	-6.10	239
76	EHS		2527 Dundas Street West Oakville ON L6M 4J4	ESE/80.8	-6.10	249
77	WWIS		DUNDAS + OLD BRONTE Oakville ON Well ID: 7180773	ESE/81.6	-6.10	249
78	WWIS		3005 DUNDAS ST. WEST Oakville ON Well ID: 7113789	ESE/82.8	-8.18	252

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
79	WWIS		lot 31 con 1 ON Well ID: 2804851	ESE/85.9	-6.10	254
80	WWIS		3005 DUNDAS ST W Oakville ON Well ID: 7132472	ESE/86.5	-8.21	257
81	WWIS		ON Well ID: 7270746	ESE/87.1	-6.10	265
82	WWIS		lot 30 con 1 ON Well ID: 2802156	ESE/87.5	-6.10	265
83	WWIS		BRONTE RD /407 OAKVILLE ON Well ID: 7302542	NNW/88.1	2.91	268
84	WWIS		lot 30 con 1 ON Well ID: 2808187	N/96.0	0.41	270
85	WWIS		lot 30 con 1 ON Well ID: 2808186	NNW/98.7	2.88	273
86	EHS		Parcel 10 Oakville ON	NW/99.2	3.91	276
87	WWIS		lot 30 con 1 ON Well ID: 2808185	N/101.0	0.85	276
88	WWIS		2512 DUNDAS ST lot 31 con 1 BRONTE ON Well ID: 2810673	ESE/101.5	-6.77	279
89	EASR	PALERMO GP INC.	3136 DUNDAS STREET WEST OAKVILLE ON L6M 0S5	SE/102.4	-11.54	281
89	EASR	PALERMO GP INC.	3136 DUNDAS STREET WEST OAKVILLE ON L6M 0S5	SE/102.4	-11.54	281
89	EBR	Palermo GP Inc.	3136 Dundas Street West Oakville, Regional Municipality of Halton TOWN OF OAKVILLE ON	SE/102.4	-11.54	281

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
89	EBR	Palermo GP Inc.	3136 Dundas Street West Oakville Regional Municipality of Halton TOWN OF OAKVILLE ON	SE/102.4	-11.54	282
89	INC		3136 DUNDAS ST W, OAKVILLE ON	SE/102.4	-11.54	282
89	ECA	Palermo GP Inc.	3136 Dundas St W Oakville ON	SE/102.4	-11.54	283
90	EHS		3136 Dundas Street West Oakville ON L6M 0S5	SE/102.4	-11.54	283
91	WWIS		DUNDAS ST Burlington ON Well ID: 7180051	SSE/103.1	-11.16	283
92	WWIS		lot 31 con 1 ON Well ID: 2805219	ESE/103.6	-6.10	285
93	GEN	Westoak Animal Hosptial Professional Corporation	3-2512 Old Bronte Road Oakville ON L6M4J3	ESE/108.4	-6.10	288
93	GEN	Westoak Animal Hosptial Professional Corporation	3-2512 Old Bronte Road Oakville ON L6M4J3	ESE/108.4	-6.10	288
93	GEN	Westoak Animal Hosptial Professional Corporation	3-2512 Old Bronte Road Oakville ON L6M4J3	ESE/108.4	-6.10	289
94	WWIS		lot 30 con 1 ON Well ID: 2802235	E/110.1	-2.10	289
95	WWIS		lot 30 con 1 ON Well ID: 2802167	ENE/111.8	-2.10	291
96	WWIS		lot 30 con 1 ON Well ID: 2805737	ESE/113.6	-6.10	294

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
97	WWIS		3005 DUNDAS ST. WEST Oakville ON Well ID: 7136481	SE/117.2	-9.51	297
98	WWIS		BRONTE RD & 407 OAKVILLE ON Well ID: 7302554	NNW/120.1	2.91	306
99	WWIS		lot 30 con 1 ON Well ID: 2802172	E/121.3	-2.10	309
100	WWIS		lot 30 con 1 ON Well ID: 2802169	E/121.5	-2.10	311
101	EHS		Lots 32 And 33 Oakville ON	S/126.0	-6.09	314
102	WWIS		3141 REG RD #25 PALARMO ON Well ID: 2810187	ENE/129.7	-2.10	314
103	EHS		2480-2496 Old Bronte Road Oakville ON L6M 4J2	ESE/135.3	-5.99	316
104	WWIS		3005 DUNDAS ST. W Oakville ON Well ID: 7113894	ESE/139.0	-8.88	316
105	SPL	Union Gas Limited	2525 Old Bronte Road Oakville ON	ESE/139.6	-6.10	321
106	PINC	PIPELINE HIT - 4"	2525 OLD BRONTE ROAD,,OAKVILLE, ON,L6M 4J2,CA ON	ESE/139.6	-6.10	322
106	GEN	Dr Fox & Dr Fathollahzadeh	430-2525 Old Bronte Road Oakville ON L6M4J2	ESE/139.6	-6.10	322
106	GEN	Bayshore Infusion Clinic Oakville	2525 Old Bronte Road Suite 210 Oakville ON L6M 4J2	ESE/139.6	-6.10	323
106	GEN	Reflections Dental	130- 2525 Old Bronte Rd. Oakville ON L6M4J2	ESE/139.6	-6.10	323

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
106	GEN	Reflections Dental	130- 2525 Old Bronte Rd. Oakville ON L6M4J2	ESE/139.6	-6.10	323
106	GEN	Bayshore Infusion Clinic Oakville	2525 Old Bronte Road Suite 210 Oakville ON L6M 4J2	ESE/139.6	-6.10	324
106	GEN	Dr Fox & Dr Fathollahzadeh	430-2525 Old Bronte Road Oakville ON L6M4J2	ESE/139.6	-6.10	324
106	GEN	Reflections Dental	130- 2525 Old Bronte Rd. Oakville ON L6M4J2	ESE/139.6	-6.10	324
106	GEN	Reflections Dental	130- 2525 Old Bronte Rd. Oakville ON L6M4J2	ESE/139.6	-6.10	325
106	GEN	Tomiczek-LeBelle Pharmacy Corporation	100 - 2525 Old Bronte Road Oakville ON L6M 4J2	ESE/139.6	-6.10	325
106	GEN	Dr Fox & Dr Fathollahzadeh	430-2525 Old Bronte Road Oakville ON L6M4J2	ESE/139.6	-6.10	325
106	GEN	Bayshore Infusion Clinic Oakville	2525 Old Bronte Road Suite 210 Oakville ON L6M 4J2	ESE/139.6	-6.10	326
106	GEN	Reflections Dental	130- 2525 Old Bronte Rd. Oakville ON L6M4J2	ESE/139.6	-6.10	326
106	GEN	Tomiczek-LeBelle Pharmacy Corporation	100 - 2525 Old Bronte Road Oakville ON L6M 4J2	ESE/139.6	-6.10	326
106	GEN	Dr Fox & Dr Fathollahzadeh	430-2525 Old Bronte Road Oakville ON L6M4J2	ESE/139.6	-6.10	327
106	GEN	Bayshore Infusion Clinic Oakville	2525 Old Bronte Road Suite 210 Oakville ON L6M 4J2	ESE/139.6	-6.10	327
106	GEN	W & A Plastic Surgery Limited	2525 Old Bronte Road Suite 560 Oakville ON L6M 4J2	ESE/139.6	-6.10	327

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
106	GEN	Bronte Medical FHO Inc	2525 Old Bronte Rd Unit 540 Oakville ON L6M 4J2	ESE/139.6	-6.10	327
106	GEN	Vascular Health Bronte	2525 Old Bronte Road Suite 550 Oakville ON L6M4J2	ESE/139.6	-6.10	328
107	EHS		2495 Old Bronte Road & 2514 Dundas Street West, Oakville, Ontario Oakville ON	ESE/143.0	-6.37	328
108	WWIS		lot 30 con 1 ON Well ID: 2802329	ESE/143.4	-6.10	328
109	EHS		2507 Dundas Street West Oakville ON L6M 4J4	E/149.9	-6.10	331
110	WWIS		3141 REG RD 25 lot 30 con 1 PALARMO ON Well ID: 2810188	ENE/154.4	-2.10	331
111	BORE		ON	NW/159.1	2.91	337
112	WWIS		lot 30 con 1 ON Well ID: 2805424	ENE/159.6	-2.10	338
113	WWIS		lot 30 con 1 ON Well ID: 2803929	ESE/160.6	-7.10	342
114	WWIS		lot 31 con 1 ON Well ID: 2802346	ESE/167.3	-7.10	345
115	EHS		2495 Bronte Rd. Oakville ON L6M 4J2	ESE/168.5	-6.89	347
115	RSC	V.G.R. Investments Ltd.	2495 OLD BRONTE ROAD, OAKVILLE, ONTARIO L6M 4J2 Oakville ON	ESE/168.5	-6.89	348
116	WWIS		2514 DUNDAS ST. W Oakville ON	ESE/169.1	-7.05	349

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			<i>Well ID:</i> 7135552			
117	WWIS		2495 OLD BRONTE RD Oakville ON <i>Well ID:</i> 7170036	ESE/170.4	-7.10	354
118	WWIS		lot 30 con 1 ON <i>Well ID:</i> 2802330	ESE/175.1	-6.94	357
119	WWIS		2495 BRONTE RD. OAKVILLE ON <i>Well ID:</i> 7199077	ESE/178.5	-7.10	359
120	WWIS		lot 32 con 1 ON <i>Well ID:</i> 2808924	W/180.2	0.97	362
120	WWIS		lot 32 con 1 ON <i>Well ID:</i> 2808925	W/180.2	0.97	365
121	GEN	Aebex Contracting	2488Old Bronte Road Oakville ON	ESE/186.6	-7.10	369
122	BORE		ON	NW/188.0	2.79	370
123	WWIS		2514 DUNDAS ST. PALUMO ON <i>Well ID:</i> 7199078	ESE/188.2	-7.10	371
124	WWIS		Bronte Road Oakville ON <i>Well ID:</i> 7338809	NNW/192.8	2.91	373
125	WWIS		BRONTE RD &407 OAKVILLE ON <i>Well ID:</i> 7302555	NNW/199.0	2.91	374
126	EHS		2495 Old Bronte Road Oakville ON L6M 4J2	ESE/201.4	-7.10	377
127	BORE		ON	NW/202.3	3.01	377
128	WWIS		DUNDAS ST,W EAST OF BRONTE RD Oakville ON	E/204.7	-7.10	378

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 7208323			
129	WWIS		BRONTE RD lot 30 con 1 Oakville ON Well ID: 7331307	N/206.6	3.38	381
130	WWIS		lot 31 con 1 ON Well ID: 2807805	ESE/206.6	-7.10	387
131	WWIS		lot 30 con 1 ON Well ID: 2802331	ESE/214.2	-7.10	390
132	WWIS		lot 30 con 1 ON Well ID: 2802165	E/216.2	-6.62	393
133	WWIS		lot 31 con 1 ON Well ID: 2802340	ESE/218.0	-7.10	395
134	EHS		2514, 2494 DUNDAS ST.W & 2495 OLD BRONTE RD. OAKVILLE ON	ESE/222.7	-7.10	397
135	BORE		ON	NW/226.4	3.79	397
136	WWIS		lot 30 con 1 ON Well ID: 2809279	N/227.5	3.91	398
137	WWIS		lot 30 con 1 ON Well ID: 2809503	N/227.9	3.91	402
138	WWIS		lot 31 con 1 ON Well ID: 2802342	ESE/234.1	-7.10	406
139	WWIS		ON Well ID: 7337918	ESE/236.1	-7.10	408
140	SCT	NEW AUTOMATION CORP	3175 DUNDAS ST W OAKVILLE ON L6M 4J4	SSE/239.4	-11.07	409
140	GEN	N.A. NEW AUTOMATION (OUT OF BUS)	3175 DUNDAS STREET WEST OAKVILLE ON L6M 4J4	SSE/239.4	-11.07	409

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
140	GEN	ATS Automation Tooling Systems Inc.	3175 Dundas Street West Oakville ON L6M 4J4	SSE/239.4	-11.07	409
141	PINC	ROGER ZANETTIN	2480 DUNDAS ST W,,OAKVILLE,ON,,CA ON	E/240.6	-7.10	410
141	SPL		2480 Dundas St. West Oakville ON	E/240.6	-7.10	410
141	PINC	PIPELINE HIT	2480 DUNDAS STREET WEST,, OAKVILLE,ON,,CA ON	E/240.6	-7.10	411
142	WWIS		lot 30 con 1 ON Well ID: 2808052	E/242.1	-6.10	411
143	GEN	HALTON DISTRICT SCHOOL BOARD	2561 VALLEYRIDGE DR OAKVILLE ON L6M5H4	SE/242.9	-12.77	412
143	GEN	HALTON DISTRICT SCHOOL BOARD	2561 VALLEYRIDGE DR OAKVILLE ON L6M5H4	SE/242.9	-12.77	413
144	EHS		Bronte Rd & Hwy 407 Oakville ON	NW/243.9	3.86	413
144	EHS		Bronte Rd & Hwy 407 Oakville ON	NW/243.9	3.86	413
144	SPL	Metrolinx	Bronte Road and HWY 407 Overpass Oakville ON	NW/243.9	3.86	413
145	WWIS		ON Well ID: 7314493	ESE/244.2	-7.10	414
146	EHS		2467 Old Bronte Rd Oakville ON L6M4J2	ESE/245.5	-7.10	415
147	EHS		2477 Old Bronte Rd Oakville ON L6M4J2	ESE/246.0	-7.10	415

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
147	EHS		2477 Old Bronte Road Oakville ON L6M 4J2	ESE/246.0	-7.10	415
147	EHS		2477 Old Bronte Road Oakville ON L6M 4J2	ESE/246.0	-7.10	415
147	EHS		2477 Old Bronte Road Oakville ON L6M 4J2	ESE/246.0	-7.10	415
148	SCT	Globetron Controls Inc.	3185 Dundas St W Oakville ON L6M 4J4	SSE/248.1	-13.28	416

Executive Summary: Summary By Data Source

BORE - Borehole

A search of the BORE database, dated 1875-Jul 2018 has found that there are 4 BORE site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	159.1	111
	ON	188.0	122
	ON	202.3	127
	ON	226.4	135

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 1 CA site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
BARENCO INC. - LOT 31, CONC. 2	3005 DUNDAS ST. W., SHELL STA. OAKVILLE TOWN ON L6M 4J4	53.4	37

CFOT - Commercial Fuel Oil Tanks

A search of the CFOT database, dated Jul 31, 2020 has found that there are 1 CFOT site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
ANNA SEQUEIRA	3171 REGIONAL ROAD 25 OAKVILLE L6J 4Z3 ON CA ON	65.8	59

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
-------------	----------------	---------------------	----------------

DTNK - Delisted Fuel Tanks

A search of the DTNK database, dated Jul 31, 2020 has found that there are 2 DTNK site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
2149120 ONTARIO INC O/A GAS STN	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE ON L6M 4J4	53.4	37
ANTONY IBRAHIM	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE ON	53.4	37

EASR - Environmental Activity and Sector Registry

A search of the EASR database, dated Oct 2011-Dec 31, 2020 has found that there are 2 EASR site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
PALERMO GP INC.	3136 DUNDAS STREET WEST OAKVILLE ON L6M 0S5	102.4	89
PALERMO GP INC.	3136 DUNDAS STREET WEST OAKVILLE ON L6M 0S5	102.4	89

EBR - Environmental Registry

A search of the EBR database, dated 1994-Dec 31, 2020 has found that there are 2 EBR site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Palermo GP Inc.	3136 Dundas Street West Oakville, Regional Municipality of Halton TOWN OF OAKVILLE ON	102.4	89
Palermo GP Inc.	3136 Dundas Street West Oakville Regional Municipality of Halton TOWN OF OAKVILLE ON	102.4	89

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
-------------	----------------	---------------------	----------------

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011- Dec 31, 2020 has found that there are 1 ECA site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Palermo GP Inc.	3136 Dundas St W Oakville ON	102.4	<u>89</u>

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Oct 31, 2020 has found that there are 24 EHS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	3015 Dundas street west Oakville ON L6M 4J4	15.2	<u>6</u>
	3044 & 3054 Dundas St. W Oakville ON	28.0	<u>7</u>
	Bronte Rd && Dundas St W Oakville ON	28.0	<u>8</u>
	3087 Old Bronte Road Oakville ON L6M 4J2	40.8	<u>16</u>
	3073 Old Bronte Road Oakville ON L6M 4J2	43.7	<u>20</u>
	3005 Dundas Street West Oakville ON L6M 4J4	53.4	<u>37</u>
	3005 Dundas St W Oakville ON L6M 4J4	53.4	<u>39</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	2527 Dundas Street West Oakville ON L6M 4J4	80.8	<u>76</u>
	Parcel 10 Oakville ON	99.2	<u>86</u>
	3136 Dundas Street West Oakville ON L6M 0S5	102.4	<u>90</u>
	Lots 32 And 33 Oakville ON	126.0	<u>101</u>
	2480-2496 Old Bronte Road Oakville ON L6M 4J2	135.3	<u>103</u>
	2495 Old Bronte Road & 2514 Dundas Street West, Oakville, Ontario Oakville ON	143.0	<u>107</u>
	2507 Dundas Street West Oakville ON L6M 4J4	149.9	<u>109</u>
	2495 Bronte Rd. Oakville ON L6M 4J2	168.5	<u>115</u>
	2495 Old Bronte Road Oakville ON L6M 4J2	201.4	<u>126</u>
	2514, 2494 DUNDAS ST.W & 2495 OLD BRONTE RD. OAKVILLE ON	222.7	<u>134</u>
	Bronte Rd & Hwy 407 Oakville ON	243.9	<u>144</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Bronte Rd & Hwy 407 Oakville ON	243.9	144
	2467 Old Bronte Rd Oakville ON L6M4J2	245.5	146
	2477 Old Bronte Rd Oakville ON L6M4J2	246.0	147
	2477 Old Bronte Road Oakville ON L6M 4J2	246.0	147
	2477 Old Bronte Road Oakville ON L6M 4J2	246.0	147
	2477 Old Bronte Road Oakville ON L6M 4J2	246.0	147

EXP - List of Expired Fuels Safety Facilities

A search of the EXP database, dated Jul 31, 2020 has found that there are 5 EXP site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
ANTONY IBRAHIM	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA ON	53.4	38
ANTONY IBRAHIM	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA ON	53.4	38
ANTONY IBRAHIM	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA ON	53.4	38
ANTONY IBRAHIM	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA ON	53.4	38

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
ANTONY IBRAHIM	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA ON	53.4	38

FST - Fuel Storage Tank

A search of the FST database, dated Jul 31, 2020 has found that there are 6 FST site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
ANTONY IBRAHIM	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA ON	53.4	38
ANTONY IBRAHIM	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA ON	53.4	38
ANTONY IBRAHIM	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA ON	53.4	38
ANTONY IBRAHIM	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA ON	53.4	38
ANTONY IBRAHIM	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA ON	53.4	38
ANNA SEQUEIRA	3171 REGIONAL ROAD 25 OAKVILLE L6J 4Z3 ON CA ON	65.8	59

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Jul 31, 2020 has found that there are 44 GEN site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
P.G. Noble Enterprises	3015 Dundas St W Oakville ON L6M 4J4	15.2	6

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
R.B. SMITH EXCAVATING LTD.	3278 HWY 25, R.R. # 2 OAKVILLE ON L6J 4Z3	33.1	<u>9</u>
R.B. SMITH EXCAVATING LTD. 33-770	3278 HWY 25 C/O R.R.#2 OAKVILLE ON L6J 4Z3	33.1	<u>9</u>
R.B. SMITH EXCAVATING LTD.	3278 HIGHWAY 25 R.R. 2 OAKVILLE ON L6J 4Z3	33.1	<u>9</u>
Carmen Cirasella	3195 Bronte Road Oakville ON L6M 4J3	33.4	<u>10</u>
Carmen Cirasella	3195 Bronte Road Oakville ON L6M 4J3	33.4	<u>10</u>
Shell Canada Products	3005 Dundas Street West Oakville ON L6M 4J4	53.4	<u>37</u>
Shell Canada Products	3005 Dundas Street West Oakville ON L6M 4J4	53.4	<u>37</u>
Shell Canada Products	3005 Dundas Street West Oakville ON L6M 4J4	53.4	<u>37</u>
Shell Canada Products	3005 Dundas Street West Oakville ON L6M 4J4	53.4	<u>37</u>
Shell Canada Products	3005 Dundas Street West Oakville ON	53.4	<u>37</u>
Shell Canada Products	3005 Dundas Street West Oakville ON L6M 4J4	53.4	<u>38</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Shell Canada Products	3005 Dundas Street West Oakville ON L6M 4J4	53.4	<u>38</u>
Shell Canada Products	3005 Dundas Street West Oakville ON L6M 4J4	53.4	<u>38</u>
Shell Canada Products	3005 Dundas Street West Oakville ON L6M 4J4	53.4	<u>38</u>
Shell Canada Products	3005 Dundas Street West Oakville ON L6M 4J4	53.4	<u>38</u>
Shell Canada Products	3005 Dundas Street West Oakville ON L6M 4J4	53.4	<u>38</u>
Heart and Stroke Foundation	3259 Bronte Road Oakville ON L6M 4J3	58.5	<u>46</u>
Westoak Animal Hospital Professional Corporation	3-2512 Old Bronte Road Oakville ON L6M4J3	108.4	<u>93</u>
Westoak Animal Hospital Professional Corporation	3-2512 Old Bronte Road Oakville ON L6M4J3	108.4	<u>93</u>
Westoak Animal Hospital Professional Corporation	3-2512 Old Bronte Road Oakville ON L6M4J3	108.4	<u>93</u>
Dr Fox & Dr Fathollahzadeh	430-2525 Old Bronte Road Oakville ON L6M4J2	139.6	<u>106</u>
Bayshore Infusion Clinic Oakville	2525 Old Bronte Road Suite 210 Oakville ON L6M 4J2	139.6	<u>106</u>
Reflections Dental	130- 2525 Old Bronte Rd. Oakville ON L6M4J2	139.6	<u>106</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Reflections Dental	130- 2525 Old Bronte Rd. Oakville ON L6M4J2	139.6	<u>106</u>
Bayshore Infusion Clinic Oakville	2525 Old Bronte Road Suite 210 Oakville ON L6M 4J2	139.6	<u>106</u>
Dr Fox & Dr Fathollahzadeh	430-2525 Old Bronte Road Oakville ON L6M4J2	139.6	<u>106</u>
Reflections Dental	130- 2525 Old Bronte Rd. Oakville ON L6M4J2	139.6	<u>106</u>
Reflections Dental	130- 2525 Old Bronte Rd. Oakville ON L6M4J2	139.6	<u>106</u>
Tomiczek-LeBelle Pharmacy Corporation	100 - 2525 Old Bronte Road Oakville ON L6M 4J2	139.6	<u>106</u>
Dr Fox & Dr Fathollahzadeh	430-2525 Old Bronte Road Oakville ON L6M4J2	139.6	<u>106</u>
Bayshore Infusion Clinic Oakville	2525 Old Bronte Road Suite 210 Oakville ON L6M 4J2	139.6	<u>106</u>
Reflections Dental	130- 2525 Old Bronte Rd. Oakville ON L6M4J2	139.6	<u>106</u>
Tomiczek-LeBelle Pharmacy Corporation	100 - 2525 Old Bronte Road Oakville ON L6M 4J2	139.6	<u>106</u>
Dr Fox & Dr Fathollahzadeh	430-2525 Old Bronte Road Oakville ON L6M4J2	139.6	<u>106</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Bayshore Infusion Clinic Oakville	2525 Old Bronte Road Suite 210 Oakville ON L6M 4J2	139.6	<u>106</u>
W & A Plastic Surgery Limited	2525 Old Bronte Road Suite 560 Oakville ON L6M 4J2	139.6	<u>106</u>
Bronte Medical FHO Inc	2525 Old Bronte Rd Unit 540 Oakville ON L6M 4J2	139.6	<u>106</u>
Vascular Health Bronte	2525 Old Bronte Road Suite 550 Oakville ON L6M4J2	139.6	<u>106</u>
Aebex Contracting	2488Old Bronte Road Oakville ON	186.6	<u>121</u>
N.A. NEW AUTOMATION (OUT OF BUS)	3175 DUNDAS STREET WEST OAKVILLE ON L6M 4J4	239.4	<u>140</u>
ATS Automation Tooling Systems Inc.	3175 Dundas Street West Oakville ON L6M 4J4	239.4	<u>140</u>
HALTON DISTRICT SCHOOL BOARD	2561 VALLEYRIDGE DR OAKVILLE ON L6M5H4	242.9	<u>143</u>
HALTON DISTRICT SCHOOL BOARD	2561 VALLEYRIDGE DR OAKVILLE ON L6M5H4	242.9	<u>143</u>

INC - Fuel Oil Spills and Leaks

A search of the INC database, dated Jul 31, 2020 has found that there are 4 INC site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	3195 BRONTE RD, OAKVILLE ON	33.4	<u>10</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	3249 Regional Road 25, Oakville ON	45.6	25
	3195 HWY 25, OAKVILLE ON	60.6	49
	3136 DUNDAS ST W, OAKVILLE ON	102.4	89

PINC - Pipeline Incidents

A search of the PINC database, dated Oct 31, 2020 has found that there are 3 PINC site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
PIPELINE HIT - 4"	2525 OLD BRONTE ROAD,,OAKVILLE,ON, L6M 4J2,CA ON	139.6	106
ROGER ZANETTIN	2480 DUNDAS ST W,,OAKVILLE,ON,,CA ON	240.6	141
PIPELINE HIT	2480 DUNDAS STREET WEST,,OAKVILLE, ON,,CA ON	240.6	141

PRT - Private and Retail Fuel Storage Tanks

A search of the PRT database, dated 1989-1996* has found that there are 1 PRT site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
PALERNO SHELL	3005 DUNDAS W HWYS 5 & 25 OAKVILLE ON	53.4	37

RSC - Record of Site Condition

A search of the RSC database, dated 1997-Sept 2001, Oct 2004-Nov 2020 has found that there are 2 RSC site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Shell Canada Limited	3005 DUNDAS STREET WEST, OAKVILLE, ONTARIO L6M 4J4 Oakville ON	53.4	38
V.G.R. Investments Ltd.	2495 OLD BRONTE ROAD, OAKVILLE, ONTARIO L6M 4J2 Oakville ON	168.5	115

SCT - Scott's Manufacturing Directory

A search of the SCT database, dated 1992-Mar 2011* has found that there are 2 SCT site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
NEW AUTOMATION CORP	3175 DUNDAS ST W OAKVILLE ON L6M 4J4	239.4	140
Globetron Controls Inc.	3185 Dundas St W Oakville ON L6M 4J4	248.1	148

SPL - Ontario Spills

A search of the SPL database, dated 1988-Mar 2020; Jul 2020 - Aug 2020 has found that there are 11 SPL site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Terratec Environmental Ltd.	Concession 1 Oakville ON	0.0	1
TRANSPORT TRUCK	BRONEY RD. AND #5 HWY MOTOR VEHICLE (OPERATING FLUID) OAKVILLE TOWN ON	28.0	8
TRANSPORT TRUCK	INTERSECTION HWY 5 AND HWY 25 TRANSPORT TRUCK (CARGO) OAKVILLE TOWN ON	28.0	8

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	3195 Bronte Rd. Oakville ON	33.4	10
SHELL CANADA PRODUCTS LTD.	3005 DUNDAS WEST SERVICE STATION OAKVILLE TOWN ON L6M 4J4	53.4	37
SHELL CANADA PRODUCTS LTD.	HWY 5 AND 25 SERVICE STATION OAKVILLE TOWN ON	53.4	37
HARMAC TRANSPORTATION	3005 DUNDAS ST WEST. TANK TRUCK (CARGO) OAKVILLE TOWN ON L6M 4J4	53.4	37
SHELL CANADA PRODUCTS LTD.	3005 DUNDAS ST WEST. SERVICE STATION OAKVILLE TOWN ON L6M 4J4	53.4	38
Union Gas Limited	2525 Old Bronte Road Oakville ON	139.6	105
	2480 Dundas St. West Oakville ON	240.6	141
Metrolinx	Bronte Road and HWY 407 Overpass Oakville ON	243.9	144

WWIS - Water Well Information System

A search of the WWIS database, dated Apr 30, 2020 has found that there are 110 WWIS site(s) within approximately 0.25 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	3005 DUNDAS ST. W. Oakville ON <i>Well ID: 7113891</i>	0.0	2
	3005 DUNDAS ST. W. Oakville ON	0.0	2

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID:</i> 7128691		
	DUNDAS W _ VALLEY RIDGE DR Oakville ON	0.0	<u>3</u>
	<i>Well ID:</i> 7180770		
	3015 DUNDAS ST. WEST lot 31 con 1 Oakville ON	5.0	<u>4</u>
	<i>Well ID:</i> 7129277		
	DUNDAS ST AT VALLEY RIDGE DRIVE Burlington ON	10.8	<u>5</u>
	<i>Well ID:</i> 7290240		
	3195 Bronte RD Oakville ON	36.8	<u>11</u>
	<i>Well ID:</i> 7289381		
	3054 DOUDAS ST.W HWY#5 lot 31 con 1 PALERMO ON	37.1	<u>12</u>
	<i>Well ID:</i> 2809880		
	lot 31 con 1 ON	38.0	<u>13</u>
	<i>Well ID:</i> 2802173		
	BRONTE RD lot 30 con 1 Oakville ON	39.7	<u>14</u>
	<i>Well ID:</i> 7338740		
	3005 DUNDADS ST. W. Oakville ON	39.9	<u>15</u>
	<i>Well ID:</i> 7105545		
	3005 DUNDAS ST. W Oakville ON	39.9	<u>15</u>
	<i>Well ID:</i> 7113897		
	3195 BRONTE ROAD Oakville ON	41.2	<u>17</u>
	<i>Well ID:</i> 7291664		
	3015 DUNDAS ST. W. Oakville ON	42.7	<u>18</u>
	<i>Well ID:</i> 7105546		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	3005 DUNDAS STREET WEST Oakville ON <i>Well ID:</i> 7139558	43.4	<u>19</u>
	lot 31 con 1 ON <i>Well ID:</i> 2802174	44.0	<u>21</u>
	lot 31 con 1 ON <i>Well ID:</i> 2803928	44.5	<u>22</u>
	lot 30 con 1 ON <i>Well ID:</i> 2806344	44.6	<u>23</u>
	3104 DUNDAS ST. lot 31 con 1 OAKVILLE ON <i>Well ID:</i> 7176197	45.0	<u>24</u>
	3087 OLD BRONTE RD lot 30 con 1 Oakville ON <i>Well ID:</i> 7122505	45.8	<u>26</u>
	ON <i>Well ID:</i> 7294763	45.9	<u>27</u>
	DUNDAS ST BURLINGTON ON <i>Well ID:</i> 7180050	46.0	<u>28</u>
	lot 31 con 1 ON <i>Well ID:</i> 2802341	47.2	<u>29</u>
	3065 BRONTE ROAD lot 30 con 1 OAKVILLE ON <i>Well ID:</i> 7047696	48.8	<u>30</u>
	3195 BRONTE ROAD OAKVILLE ON <i>Well ID:</i> 7304078	50.2	<u>31</u>
	lot 30 con 1 ON	52.1	<u>32</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID:</i> 2806416		
	lot 32 con 1 ON	52.6	<u>33</u>
	<i>Well ID:</i> 2802351		
	3005 DUNDAS ST. WEST OAKVILLE ON	52.6	<u>34</u>
	<i>Well ID:</i> 7151820		
	lot 31 con 1 ON	52.9	<u>35</u>
	<i>Well ID:</i> 2802339		
	3195 BRONTE ROAD Oakville ON	53.2	<u>36</u>
	<i>Well ID:</i> 7291666		
	3005 DUNDAS ST. WEST Oakville ON	53.9	<u>40</u>
	<i>Well ID:</i> 7120486		
	3195 BRONTE ROAD OAKVILLE ON	54.5	<u>41</u>
	<i>Well ID:</i> 7304082		
	Bronte Rd lot 30 con 1 Oakville ON	55.2	<u>42</u>
	<i>Well ID:</i> 7338741		
	lot 30 con 1 ON	56.4	<u>43</u>
	<i>Well ID:</i> 2802163		
	3195 BRONTE ROAD OAKVILLE ON	57.9	<u>44</u>
	<i>Well ID:</i> 7304081		
	lot 30 con 1 ON	58.4	<u>45</u>
	<i>Well ID:</i> 2802166		
	3195 BRONTE ROAD OAKVILLE ON	58.8	<u>47</u>
	<i>Well ID:</i> 7304077		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 30 con 1 ON <i>Well ID: 7333527</i>	59.3	<u>48</u>
	3195 BRONTE RD. OAKVILLE ON <i>Well ID: 7291663</i>	60.9	<u>50</u>
	lot 31 con 1 ON <i>Well ID: 2805218</i>	61.2	<u>51</u>
	lot 30 con 1 ON <i>Well ID: 2802158</i>	61.8	<u>52</u>
	3195 BRONTE ROAD OAKVILLE ON <i>Well ID: 7304079</i>	62.2	<u>53</u>
	BRONTE RD OAKVILLE ON <i>Well ID: 7302553</i>	63.5	<u>54</u>
	lot 30 con 1 ON <i>Well ID: 2802170</i>	64.7	<u>55</u>
	3195 BRONTE ROAD OAKVILLE ON <i>Well ID: 7304080</i>	65.0	<u>56</u>
	lot 30 con 1 ON <i>Well ID: 2808038</i>	65.4	<u>57</u>
	3005 DUNDAS ST. W. Oakville ON <i>Well ID: 7107062</i>	65.7	<u>58</u>
	lot 31 con 1 ON <i>Well ID: 2807864</i>	66.4	<u>60</u>
	lot 30 con 1 ON	66.7	<u>61</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID:</i> 2802161		
	3915 BRONTE ROAD Oakville ON	67.4	<u>62</u>
	<i>Well ID:</i> 7291665		
	3114 DUNDAS ST. WEST lot 32 con 1 OAKVILLE ON	67.9	<u>63</u>
	<i>Well ID:</i> 7253706		
	lot 31 con 1 ON	67.9	<u>64</u>
	<i>Well ID:</i> 2807863		
	lot 30 con 1 ON	68.0	<u>65</u>
	<i>Well ID:</i> 2802159		
	lot 30 con 1 ON	68.5	<u>66</u>
	<i>Well ID:</i> 2802160		
	3015 DUNDAS ST. W. lot 31 con 1 Oakville ON	68.8	<u>67</u>
	<i>Well ID:</i> 7129278		
	lot 30 con 1 ON	68.9	<u>68</u>
	<i>Well ID:</i> 2802157		
	lot 30 con 1 ON	69.4	<u>69</u>
	<i>Well ID:</i> 2802171		
	3249 HIGHWAY 25 Oakville ON	69.8	<u>70</u>
	<i>Well ID:</i> 7201765		
	lot 30 con 1 ON	70.4	<u>71</u>
	<i>Well ID:</i> 2803037		
	lot 30 con 1 ON	72.4	<u>72</u>
	<i>Well ID:</i> 2806373		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 31 con 1 ON <i>Well ID:</i> 2805217	78.7	<u>73</u>
	lot 30 con 1 ON <i>Well ID:</i> 2802164	79.4	<u>74</u>
	3005 DUNDAS ST. WEST Oakville ON <i>Well ID:</i> 7122832	80.0	<u>75</u>
	DUNDAS + OLD BRONTE Oakville ON <i>Well ID:</i> 7180773	81.6	<u>77</u>
	3005 DUNDAS ST. WEST Oakville ON <i>Well ID:</i> 7113789	82.8	<u>78</u>
	lot 31 con 1 ON <i>Well ID:</i> 2804851	85.9	<u>79</u>
	3005 DUNDAS ST W Oakville ON <i>Well ID:</i> 7132472	86.5	<u>80</u>
	ON <i>Well ID:</i> 7270746	87.1	<u>81</u>
	lot 30 con 1 ON <i>Well ID:</i> 2802156	87.5	<u>82</u>
	BRONTE RD /407 OAKVILLE ON <i>Well ID:</i> 7302542	88.1	<u>83</u>
	lot 30 con 1 ON <i>Well ID:</i> 2808187	96.0	<u>84</u>
	lot 30 con 1 ON	98.7	<u>85</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID:</i> 2808186		
	lot 30 con 1 ON	101.0	<u>87</u>
	<i>Well ID:</i> 2808185		
	2512 DUNDAS ST lot 31 con 1 BRONTE ON	101.5	<u>88</u>
	<i>Well ID:</i> 2810673		
	DUNDAS ST Burlington ON	103.1	<u>91</u>
	<i>Well ID:</i> 7180051		
	lot 31 con 1 ON	103.6	<u>92</u>
	<i>Well ID:</i> 2805219		
	lot 30 con 1 ON	110.1	<u>94</u>
	<i>Well ID:</i> 2802235		
	lot 30 con 1 ON	111.8	<u>95</u>
	<i>Well ID:</i> 2802167		
	lot 30 con 1 ON	113.6	<u>96</u>
	<i>Well ID:</i> 2805737		
	3005 DUNDAS ST. WEST Oakville ON	117.2	<u>97</u>
	<i>Well ID:</i> 7136481		
	BRONTE RD & 407 OAKVILLE ON	120.1	<u>98</u>
	<i>Well ID:</i> 7302554		
	lot 30 con 1 ON	121.3	<u>99</u>
	<i>Well ID:</i> 2802172		
	lot 30 con 1 ON	121.5	<u>100</u>
	<i>Well ID:</i> 2802169		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	3141 REG RD #25 PALARMO ON <i>Well ID:</i> 2810187	129.7	102
	3005 DUNDAS ST. W Oakville ON <i>Well ID:</i> 7113894	139.0	104
	lot 30 con 1 ON <i>Well ID:</i> 2802329	143.4	108
	3141 REG RD 25 lot 30 con 1 PALARMO ON <i>Well ID:</i> 2810188	154.4	110
	lot 30 con 1 ON <i>Well ID:</i> 2805424	159.6	112
	lot 30 con 1 ON <i>Well ID:</i> 2803929	160.6	113
	lot 31 con 1 ON <i>Well ID:</i> 2802346	167.3	114
	2514 DUNDAS ST. W Oakville ON <i>Well ID:</i> 7135552	169.1	116
	2495 OLD BRONTE RD Oakville ON <i>Well ID:</i> 7170036	170.4	117
	lot 30 con 1 ON <i>Well ID:</i> 2802330	175.1	118
	2495 BRONTE RD. OAKVILLE ON <i>Well ID:</i> 7199077	178.5	119
	lot 32 con 1 ON	180.2	120

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID:</i> 2808924		
	lot 32 con 1 ON	180.2	120
	<i>Well ID:</i> 2808925		
	2514 DUNDAS ST. PALUMO ON	188.2	123
	<i>Well ID:</i> 7199078		
	Bronte Road Oakville ON	192.8	124
	<i>Well ID:</i> 7338809		
	BRONTE RD &407 OAKVILLE ON	199.0	125
	<i>Well ID:</i> 7302555		
	DUNDAS ST,W EAST OF BRONTE RD Oakville ON	204.7	128
	<i>Well ID:</i> 7208323		
	BRONTE RD lot 30 con 1 Oakville ON	206.6	129
	<i>Well ID:</i> 7331307		
	lot 31 con 1 ON	206.6	130
	<i>Well ID:</i> 2807805		
	lot 30 con 1 ON	214.2	131
	<i>Well ID:</i> 2802331		
	lot 30 con 1 ON	216.2	132
	<i>Well ID:</i> 2802165		
	lot 31 con 1 ON	218.0	133
	<i>Well ID:</i> 2802340		
	lot 30 con 1 ON	227.5	136
	<i>Well ID:</i> 2809279		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 30 con 1 ON <i>Well ID:</i> 2809503	227.9	137
	lot 31 con 1 ON <i>Well ID:</i> 2802342	234.1	138
	ON <i>Well ID:</i> 7337918	236.1	139
	lot 30 con 1 ON <i>Well ID:</i> 2808052	242.1	142
	ON <i>Well ID:</i> 7314493	244.2	145



Aerial Year: 2015



Address: Bronte Rd and Dundas St W., Oakville, ON

Source: ESRI World Imagery

Order Number: 21012100298



© ERIS Information Limited Partnership



Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

Topographic Map

Address: Bronte Rd and Dundas St W., ON

Source: ESRI World Topographic Map

Order Number: 21012100298



© ERIS Information Limited Partnership

Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p><u>1</u></p> <p>Ref No: 4045-7SPNW8</p> <p>Site No:</p> <p>Incident Dt:</p> <p>Year:</p> <p>Incident Cause: Pipe Or Hose Leak</p> <p>Incident Event:</p> <p>Contaminant Code:</p> <p>Contaminant Name: BIO-SOLIDS (N.O.S.)</p> <p>Contaminant Limit 1:</p> <p>Contam Limit Freq 1:</p> <p>Contaminant UN No 1:</p> <p>Environment Impact: Not Anticipated</p> <p>Nature of Impact: Soil Contamination</p> <p>Receiving Medium:</p> <p>Receiving Env:</p> <p>MOE Response: No Field Response</p> <p>Dt MOE Arvl on Scn:</p> <p>MOE Reported Dt: 6/4/2009</p> <p>Dt Document Closed:</p> <p>Incident Reason: Damage By Moving Equipment - Containers damaged by moving</p> <p>Site Name: K4159 Halton Region Biosolids Recycling Program</p> <p>Site County/District:</p> <p>Site Geo Ref Meth:</p> <p>Incident Summary: Terratec Env: 1m3 biosolids leak from hose. Oakville</p> <p>Contaminant Qty: 1 m3</p>	<p>1 of 1</p>	<p>NE/0.0</p>	<p>161.8 / -0.15</p>	<p>Terratec Environmental Ltd. Concession 1 Oakville ON</p> <p>Discharger Report:</p> <p>Material Group:</p> <p>Health/Env Conseq:</p> <p>Client Type:</p> <p>Sector Type: Manure/Nutrient Hauling Equipment</p> <p>Agency Involved:</p> <p>Nearest Watercourse:</p> <p>Site Address:</p> <p>Site District Office:</p> <p>Site Postal Code:</p> <p>Site Region:</p> <p>Site Municipality: Oakville</p> <p>Site Lot:</p> <p>Site Conc:</p> <p>Northing: 4810232</p> <p>Easting: 598384</p> <p>Site Geo Ref Accu:</p> <p>Site Map Datum:</p> <p>SAC Action Class: Land Spills</p> <p>Source Type:</p>	<p>SPL</p>
<p><u>2</u></p> <p>Well ID: 7113891</p> <p>Construction Date:</p> <p>Primary Water Use:</p> <p>Sec. Water Use:</p> <p>Final Well Status: Abandoned-Other</p> <p>Water Type:</p> <p>Casing Material:</p> <p>Audit No: M03919</p> <p>Tag: A062514</p> <p>Construction Method:</p> <p>Elevation (m):</p> <p>Elevation Reliability:</p> <p>Depth to Bedrock:</p> <p>Well Depth:</p> <p>Overburden/Bedrock:</p> <p>Pump Rate:</p> <p>Static Water Level:</p> <p>Flowing (Y/N):</p>	<p>1 of 2</p>	<p>ESE/0.0</p>	<p>156.8 / -5.10</p>	<p>3005 DUNDAS ST. W. Oakville ON</p> <p>Data Entry Status:</p> <p>Data Src:</p> <p>Date Received: 10/23/2008</p> <p>Selected Flag: Yes</p> <p>Abandonment Rec: Yes</p> <p>Contractor: 6607</p> <p>Form Version: 5</p> <p>Owner:</p> <p>Street Name: 3005 DUNDAS ST. W.</p> <p>County: HALTON</p> <p>Municipality: OAKVILLE TOWN</p> <p>Site Info:</p> <p>Lot:</p> <p>Concession:</p> <p>Concession Name:</p> <p>Easting NAD83:</p> <p>Northing NAD83:</p> <p>Zone:</p>	<p>WWIS</p>

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Flow Rate:
Clear/Cloudy: UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/711\7113891.pdf

Bore Hole Information

Bore Hole ID:	1002698629	Elevation:	156.356536
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598875
Code OB Desc:		North83:	4809945
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	9/17/2008	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID: 1002698633
Layer:
Plug From:
Plug To:
Plug Depth UOM:

Method of Construction & Well Use

Method Construction ID: 1002698632
Method Construction Code:
Method Construction:
Other Method Construction:

Hole Diameter

Hole ID: 1002698631
Diameter: 21
Depth From:
Depth To: 5
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1002698634	Elevation:	155.552993
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598880
Code OB Desc:		North83:	4809889
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	9/17/2008	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u><i>Annular Space/Abandonment Sealing Record</i></u>					
<i>Plug ID:</i>	1002698638				
<i>Layer:</i>					
<i>Plug From:</i>					
<i>Plug To:</i>					
<i>Plug Depth UOM:</i>					
<u><i>Method of Construction & Well Use</i></u>					
<i>Method Construction ID:</i>	1002698637				
<i>Method Construction Code:</i>					
<i>Method Construction:</i>					
<i>Other Method Construction:</i>					
<u><i>Hole Diameter</i></u>					
<i>Hole ID:</i>	1002698636				
<i>Diameter:</i>	21				
<i>Depth From:</i>					
<i>Depth To:</i>	4.3				
<i>Hole Depth UOM:</i>	m				
<i>Hole Diameter UOM:</i>	cm				
<u><i>Bore Hole Information</i></u>					
<i>Bore Hole ID:</i>	1002698644			<i>Elevation:</i>	156.519012
<i>DP2BR:</i>				<i>Elevrc:</i>	
<i>Spatial Status:</i>				<i>Zone:</i>	17
<i>Code OB:</i>				<i>East83:</i>	598893
<i>Code OB Desc:</i>				<i>North83:</i>	4809963
<i>Open Hole:</i>				<i>Org CS:</i>	UTM83
<i>Cluster Kind:</i>	This is a record from cluster log sheet			<i>UTMRC:</i>	3
<i>Date Completed:</i>	9/17/2008			<i>UTMRC Desc:</i>	margin of error : 10 - 30 m
<i>Remarks:</i>				<i>Location Method:</i>	wwr
<i>Elevrc Desc:</i>					
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u><i>Annular Space/Abandonment Sealing Record</i></u>					
<i>Plug ID:</i>	1002698648				
<i>Layer:</i>					
<i>Plug From:</i>					
<i>Plug To:</i>					
<i>Plug Depth UOM:</i>					
<u><i>Method of Construction & Well Use</i></u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID:		1002698647			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
 <u>Hole Diameter</u>					
Hole ID:		1002698646			
Diameter:		21			
Depth From:					
Depth To:		4.4			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
 <u>Bore Hole Information</u>					
Bore Hole ID:		1001845318		Elevation:	156.26242
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	598979
Code OB Desc:				North83:	4809944
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:		9/17/2008		UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002698652			
Layer:		1			
Plug From:		0			
Plug To:		4.3			
Plug Depth UOM:		m			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		1002698653			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		1002698649			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Results of Well Yield Testing</u>					
Pump Test ID:		1002698650			
Pump Set At:					
Static Level:		2			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	m				
Rate UOM:					
Water State After Test Code:	0				
Water State After Test:					
Pumping Test Method:	0				
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:	1002698651				
Diameter:	21				
Depth From:	0				
Depth To:	4.3				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				
<u>Bore Hole Information</u>					
Bore Hole ID:	1002698639			Elevation:	155.569
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	598884
Code OB Desc:				North83:	4809893
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	9/17/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1002698643				
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:	1002698642				
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Hole Diameter</u>					
Hole ID:	1002698641				
Diameter:	21				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:					
Depth To:		5			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:		1002698624		Elevation:	156.37738
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	598873
Code OB Desc:				North83:	4809946
Open Hole:				Org CS:	UTM83
Cluster Kind:		This is a record from cluster log sheet		UTMRC:	3
Date Completed:		9/17/2008		UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002698628			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1002698627			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Hole Diameter</u>					
Hole ID:		1002698626			
Diameter:		21			
Depth From:					
Depth To:		4.9			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[2](#)

2 of 2

ESE/0.0

156.8 / -5.10

3005 DUNDAS ST. W.
Oakville ON

WWIS

Well ID: 7128691
Construction Date:
Primary Water Use: Monitoring
Sec. Water Use:
Final Well Status: Test Hole
Water Type:
Casing Material:
Audit No: M01232
Tag: A062541

Data Entry Status:
Data Src:
Date Received: 3/26/2008
Selected Flag: Yes
Abandonment Rec:
Contractor: 6607
Form Version: 5
Owner:
Street Name: 3005 DUNDAS ST. W.

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/712\7128691.pdf

Bore Hole Information

Bore Hole ID:	1002714942	Elevation:	155.615158
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598984
Code OB Desc:		North83:	4809893
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	12/18/2007	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID:	1002714946
Layer:	
Plug From:	
Plug To:	
Plug Depth UOM:	

Method of Construction & Well Use

Method Construction ID:	1002714945
Method Construction Code:	
Method Construction:	
Other Method Construction:	AUGER

Pipe Information

Pipe ID:	1002714947
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1002714949
Layer:	
Material:	5

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		.76			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002714948			
Layer:					
Slot:					
Screen Top Depth:		0.76			
Screen End Depth:		3.8			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002714950			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002714944			
Diameter:		21			
Depth From:					
Depth To:		3.8			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002704999			Elevation:	156.26242
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	598979
Code OB Desc:				North83:	4809944
Open Hole:	No			Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	1/25/2008			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1002714962			
Layer:		2			
Color:		8			
General Color:		BLACK			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:		84			
Mat3 Desc:		SILTY			
Formation Top Depth:		.76			
Formation End Depth:		1.52			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1002714961			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		.76			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1002714963			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:		84			
Mat3 Desc:		SILTY			
Formation Top Depth:		1.52			
Formation End Depth:		3.8			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1002714965			
Layer:		1			
Plug From:		0			
Plug To:		0.61			
Plug Depth UOM:		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1002714970			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1002714960			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002714967			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		.76			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002714968			
Layer:		1			
Slot:		20			
Screen Top Depth:					
Screen End Depth:					
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
<u>Water Details</u>					
Water ID:		1002714966			
Layer:		1			
Kind Code:					
Kind:					
Water Found Depth:		0.45			
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1002714964			
Diameter:		21			
Depth From:		0			
Depth To:		3.8			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	1002714915			Elevation:	156.37738
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	598873
Code OB Desc:				North83:	4809946
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	12/17/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1002714919				
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
 <u>Method of Construction & Well Use</u>					
Method Construction ID:	1002714918				
Method Construction Code:					
Method Construction:					
Other Method Construction:	AUGER				
 <u>Pipe Information</u>					
Pipe ID:	1002714920				
Casing No:	0				
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:	1002714922				
Layer:					
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:					
Depth To:	.76				
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:	m				
 <u>Construction Record - Screen</u>					
Screen ID:	1002714921				
Layer:					
Slot:					
Screen Top Depth:	0.76				
Screen End Depth:	3.8				
Screen Material:					
Screen Depth UOM:	m				
Screen Diameter UOM:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1002714923
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM:
Rate UOM:
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1002714917
Diameter: 21
Depth From:
Depth To: 3.8
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID: 1002714924	Elevation: 156.263687
DP2BR:	Elevrc:
Spatial Status:	Zone: 17
Code OB:	East83: 598975
Code OB Desc:	North83: 4809945
Open Hole:	Org CS: UTM83
Cluster Kind: This is a record from cluster log sheet	UTMRC: 3
Date Completed: 12/18/2007	UTMRC Desc: margin of error : 10 - 30 m
Remarks:	Location Method: wwr
Elevrc Desc:	
Location Source Date:	
Improvement Location Source:	
Improvement Location Method:	
Source Revision Comment:	
Supplier Comment:	

Annular Space/Abandonment Sealing Record

Plug ID: 1002714928
Layer:
Plug From:
Plug To:
Plug Depth UOM:

Method of Construction & Well Use

Method Construction ID: 1002714927
Method Construction Code:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction:					
Other Method Construction:		AUGER			
<u>Pipe Information</u>					
Pipe ID:		1002714929			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002714931			
Layer:		5			
Material:		PLASTIC			
Open Hole or Material:		PLASTIC			
Depth From:		.76			
Depth To:		.76			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002714930			
Layer:					
Slot:					
Screen Top Depth:		0.76			
Screen End Depth:		3.8			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002714932			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002714926			
Diameter:		21			
Depth From:					
Depth To:		3.8			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Bore Hole Information</u>					
Bore Hole ID:	1002714951			Elevation:	156.519012
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	598893
Code OB Desc:				North83:	4809963
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	12/18/2007			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1002714955				
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:	1002714954				
Method Construction Code:					
Method Construction:					
Other Method Construction:	AUGER				
<u>Pipe Information</u>					
Pipe ID:	1002714956				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1002714958				
Layer:					
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:					
Depth To:	.76				
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:	m				
<u>Construction Record - Screen</u>					
Screen ID:	1002714957				
Layer:					
Slot:					
Screen Top Depth:	0.76				
Screen End Depth:	3.8				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002714959			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002714953			
Diameter:		21			
Depth From:					
Depth To:		3.8			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:		1002714933		Elevation:	155.564422
DP2BR:					
Spatial Status:					
Code OB:					
Code OB Desc:					
Open Hole:					
Cluster Kind:		This is a record from cluster log sheet		Elevrc:	17
Date Completed:		12/18/2007		Zone:	598980
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002714937		East83:	4809889
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID:		1002714936			
Method Construction Code:					
Method Construction:					
Other Method Construction:		AUGER			
<u>Pipe Information</u>					
Pipe ID:		1002714938			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002714940			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		.76			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002714939			
Layer:					
Slot:					
Screen Top Depth:		0.76			
Screen End Depth:		3.8			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002714941			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002714935			
Diameter:		21			
Depth From:					
Depth To:		3.8			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

3	1 of 1	SE/0.0	152.3 / -9.66	DUNDAS W_ VALLEY RIDGE DR Oakville ON	WWIS
Well ID:	7180770			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	5/11/2012
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7501
Casing Material:				Form Version:	7
Audit No:	Z150361			Owner:	
Tag:	A130587			Street Name:	DUNDAS W_ VALLEY RIDGE DR
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7180770.pdf

Bore Hole Information

Bore Hole ID:	1003764239	Elevation:	152.048797
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598765
Code OB Desc:		North83:	4809615
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	4/27/2012	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	1004305870
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	05
Most Common Material:	CLAY
Mat2:	02
Mat2 Desc:	TOPSOIL
Mat3:	06
Mat3 Desc:	SILT
Formation Top Depth:	0
Formation End Depth:	10

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004305872			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		66			
Mat3 Desc:		DENSE			
Formation Top Depth:		20			
Formation End Depth:		30			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004305871			
Layer:		2			
Color:		7			
General Color:		RED			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		66			
Mat3 Desc:		DENSE			
Formation Top Depth:		10			
Formation End Depth:		20			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004305879			
Layer:		1			
Plug From:		15			
Plug To:		18			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004305878			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004305869			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID: 1004305875					
Layer: 1					
Material: 5					
Open Hole or Material: PLASTIC					
Depth From: .5					
Depth To: 20					
Casing Diameter: 2					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
<u>Construction Record - Screen</u>					
Screen ID: 1004305876					
Layer: 1					
Slot: 10					
Screen Top Depth: 20					
Screen End Depth: 30					
Screen Material: 5					
Screen Depth UOM: ft					
Screen Diameter UOM: inch					
Screen Diameter: 2					
<u>Water Details</u>					
Water ID: 1004305874					
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM: ft					
<u>Hole Diameter</u>					
Hole ID: 1004305873					
Diameter: 8					
Depth From: 0					
Depth To: 30					
Hole Depth UOM: ft					
Hole Diameter UOM: inch					
4	1 of 1	ESE/5.0	155.3 / -6.69	3015 DUNDAS ST. WEST lot 31 con 1 Oakville ON	WWIS
Well ID: 7129277					
Construction Date:					
Primary Water Use:					
Sec. Water Use:					
Final Well Status: Abandoned-Other					
Water Type:					
Casing Material:					
Audit No: Z100112					
Tag:					
Construction Method:					
Elevation (m):					
Elevation Reliability:					
Depth to Bedrock:					
Well Depth:					
Overburden/Bedrock:					
Pump Rate:					
Static Water Level:					
Flowing (Y/N):					
Data Entry Status:					
Data Src:					
Date Received: 9/8/2009					
Selected Flag: Yes					
Abandonment Rec: Yes					
Contractor: 2663					
Form Version: 7					
Owner:					
Street Name: 3015 DUNDAS ST. WEST					
County: HALTON					
Municipality: OAKVILLE TOWN					
Site Info:					
Lot: 031					
Concession: 01					
Concession Name: DS N					
Easting NAD83:					
Northing NAD83:					
Zone:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Flow Rate:
Clear/Cloudy:

UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/712\7129277.pdf

Bore Hole Information

Bore Hole ID:	1002716615	Elevation:	155.274749
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598953
Code OB Desc:		North83:	4809849
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	6/10/2009	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID:	1002841560
Layer:	1
Plug From:	0
Plug To:	6
Plug Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1002841561
Layer:	2
Plug From:	6
Plug To:	60
Plug Depth UOM:	ft

Method of Construction & Well Use

Method Construction ID:	1002841565
Method Construction Code:	
Method Construction:	
Other Method Construction:	

Pipe Information

Pipe ID:	1002841557
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1002841563
Layer:	
Material:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1002841564			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1002841562			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1002841559			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
5	1 of 1	SE/10.8	153.4 / -8.55	DUNDAS ST AT VALLEY RIDGE DRIVE Burlington ON	WWIS
Well ID:		7290240		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Monitoring		Date Received:	7/11/2017
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:		Observation Wells		Abandonment Rec:	
Water Type:				Contractor:	7484
Casing Material:				Form Version:	7
Audit No:		Z220761		Owner:	
Tag:		A193538		Street Name:	DUNDAS ST AT VALLEY RIDGE DRIVE
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/729\7290240.pdf			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Bore Hole Information

Bore Hole ID:	1006626296	Elevation:	152.808105
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598824
Code OB Desc:		North83:	4809671
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	5/24/2017	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1006680951
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	05
Most Common Material:	CLAY
Mat2:	11
Mat2 Desc:	GRAVEL
Mat3:	01
Mat3 Desc:	FILL
Formation Top Depth:	0
Formation End Depth:	10
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	1006680952
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	05
Most Common Material:	CLAY
Mat2:	34
Mat2 Desc:	TILL
Mat3:	
Mat3 Desc:	
Formation Top Depth:	10
Formation End Depth:	20
Formation End Depth UOM:	ft

Annular Space/Abandonment

Sealing Record

Plug ID:	1006680959
Layer:	1
Plug From:	0
Plug To:	9
Plug Depth UOM:	ft

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006680960			
Layer:		2			
Plug From:		9			
Plug To:		20			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006680958			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006680950			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006680955			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		10			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006680956			
Layer:		1			
Slot:		.01			
Screen Top Depth:		10			
Screen End Depth:		20			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.5			
<u>Water Details</u>					
Water ID:		1006680954			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006680953			
Diameter:		6			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:		0			
Depth To:		20			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
6	1 of 2	ESE/15.2	155.8 / -6.10	3015 Dundas street west Oakville ON L6M 4J4	EHS
Order No:	20091119022			Nearest Intersection:	dundas street west and the veterans highway (HWY 25)
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	11/23/2009			Search Radius (km):	0.25
Date Received:	11/19/2009			X:	-79.777447
Previous Site Name:				Y:	43.435236
Lot/Building Size:	approx 5275 sq.m				
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans; Aerial Photos; City Directory				
6	2 of 2	ESE/15.2	155.8 / -6.10	P.G. Noble Enterprises 3015 Dundas St W Oakville ON L6M 4J4	GEN
Generator No:	ON7234681			PO Box No:	
Status:				Country:	
Approval Years:	2009			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	238990				
SIC Description:	All Other Specialty Trade Contractors				
Detail(s)					
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
7	1 of 1	ESE/28.0	154.6 / -7.36	3044 & 3054 Dundas St. W Oakville ON	EHS
Order No:	20030828005			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Basic Report			Client Prov/State:	ON
Report Date:	9/8/03			Search Radius (km):	0.30
Date Received:	8/28/03			X:	-79.777275
Previous Site Name:				Y:	43.434337
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans and/or Inspection Reports				
8	1 of 3	ESE/28.0	154.8 / -7.10	TRANSPORT TRUCK INTERSECTION HWY 5 AND HWY 25 TRANSPORT TRUCK (CARGO) OAKVILLE TOWN ON	SPL
Ref No:	167162			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	4/30/1999			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	UNKNOWN			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: NOT ANTICIPATED Nature of Impact: Receiving Medium: LAND Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: 4/30/1999 Dt Document Closed: Incident Reason: ERROR Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: TORONTO TRUCK LINES-9.1L SODIUM DICHROMATE TO ROAD-CLEANING.NO C/B'S.FD,OPP Contaminant Qty:				Site District Office: Site Postal Code: Site Region: Site Municipality: 14403 Site Lot: Site Conc: Northing: Easting: OAKVILLE F/D; OPP; REGION HALTON Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:	
<u>8</u>	2 of 3	ESE/28.0	154.8 / -7.10	TRANSPORT TRUCK BRONEY RD. AND #5 HWY MOTOR VEHICLE (OPERATING FLUID) OAKVILLE TOWN ON	SPL
Ref No: 173705 Site No: Incident Dt: 10/13/1999 Year: Incident Cause: OTHER CONTAINER LEAK Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: POSSIBLE Nature of Impact: Soil contamination Receiving Medium: LAND Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: 10/13/1999 Dt Document Closed: Incident Reason: UNKNOWN Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: TRANSPORT TRUCK- DIESEL FUEL TO HWY FROM SADDLE TANK. MVA. F/D CLEANING. Contaminant Qty:				Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: 14403 Site Lot: Site Conc: Northing: Easting: FD, Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:	
<u>8</u>	3 of 3	ESE/28.0	154.8 / -7.10	Bronte Rd & Dundas St W Oakville ON	EHS
Order No: 20070919014 Status: C Report Type: CAN - Custom Report Report Date: 9/27/2007 Date Received: 9/19/2007 Previous Site Name: Lot/Building Size: Additional Info Ordered:				Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): 0.25 X: -79.773813 Y: 43.435676	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
9	1 of 3	NNW/33.1	164.2 / 2.29	R.B. SMITH EXCAVATING LTD. 3278 HWY 25, R.R. # 2 OAKVILLE ON L6J 4Z3	GEN
Generator No:	ON1418900			PO Box No:	
Status:				Country:	
Approval Years:	92,93,97,98			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	4214				
SIC Description:	EXCAVAT. & GRADING				
<u>Detail(s)</u>					
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
9	2 of 3	NNW/33.1	164.2 / 2.29	R.B. SMITH EXCAVATING LTD. 33-770 3278 HWY 25 C/O R.R.#2 OAKVILLE ON L6J 4Z3	GEN
Generator No:	ON1418900			PO Box No:	
Status:				Country:	
Approval Years:	94,95,96			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	4214				
SIC Description:	EXCAVAT. & GRADING				
<u>Detail(s)</u>					
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
9	3 of 3	NNW/33.1	164.2 / 2.29	R.B. SMITH EXCAVATING LTD. 3278 HIGHWAY 25 R.R. 2 OAKVILLE ON L6J 4Z3	GEN
Generator No:	ON1418900			PO Box No:	
Status:				Country:	
Approval Years:	99,00,01			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	4214				
SIC Description:	EXCAVAT. & GRADING				
<u>Detail(s)</u>					
Waste Class:	252				
Waste Class Desc:	WASTE OILS & LUBRICANTS				
10	1 of 4	NNE/33.4	161.4 / -0.57	3195 BRONTE RD, OAKVILLE ON	INC
Incident No:	2004582			Any Health Impact:	No
Incident ID:				Any Enviro Impact:	Yes
Instance No:				Service Interrupted:	Yes
Status Code:				Was Prop Damaged:	Yes
Attribute Category:	FS-Perform L1 Incident Insp			Reside App. Type:	
Context:				Commer App. Type:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB	
				Date of Occurrence: 2016/11/02 00:00:00 Time of Occurrence: NULL Incident Created On: Instance Creation Dt: Instance Install Dt: Occur Insp Start Date: 2016/11/03 00:00:00 Approx Quant Rel: Tank Capacity: Fuels Occur Type: Leak Fuel Type Involved: Fuel Oil Enforcement Policy: NULL Prc Escalation Req: NULL Tank Material Type: Tank Storage Type: Tank Location Type: Pump Flow Rate Cap: Task No: 6589391 Notes: Drainage System: Sub Surface Contam.: Aff Prop Use Water: Contam. Migrated: Contact Natural Env: Incident Location: 3195 BRONTE RD, OAKVILLE - LEAK Occurrence Narrative: NULL Operation Type Involved: Private Dwelling Item: Item Description: Device Installed Location:		
10	2 of 4	NNE/33.4	161.4 / -0.57	3195 Bronte Rd. Oakville ON	SPL	
				Ref No: 2162-AHGL55 Site No: NA Incident Dt: 11/2/2016 Year: Incident Cause: Incident Event: Leak/Break Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: Land MOE Response: No Dt MOE Arvl on Scrn: MOE Reported Dt: 1/10/2017 Dt Document Closed: 2/2/2017 Incident Reason: Unknown / N/A Site Name: Residential<UNOFFICIAL> Site County/District: Site Geo Ref Meth: Incident Summary: Residential: Above ground oil tank leak Contaminant Qty: 0 other - see incident description		
10	3 of 4	NNE/33.4	161.4 / -0.57	Carmen Cirasella 3195 Bronte Road Oakville ON L6M 4J3	GEN	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p>Generator No: ON9206789 Status: Registered Approval Years: As of Dec 2018 Contam. Facility: MHSW Facility: SIC Code: SIC Description:</p> <p>PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:</p>					
<u>Detail(s)</u>					
<p>Waste Class: 221 L Waste Class Desc: Light fuels</p>					
10	4 of 4	NNE/33.4	161.4 / -0.57	Carmen Cirasella 3195 Bronte Road Oakville ON L6M 4J3	GEN
<p>Generator No: ON9206789 Status: Registered Approval Years: As of Jul 2020 Contam. Facility: MHSW Facility: SIC Code: SIC Description:</p> <p>PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:</p>					
<u>Detail(s)</u>					
<p>Waste Class: 221 L Waste Class Desc: Light fuels</p>					
11	1 of 1	NNE/36.8	161.3 / -0.65	3195 Bronte RD Oakville ON	WWIS
<p>Well ID: 7289381 Construction Date: Primary Water Use: Test Hole Sec. Water Use: Final Well Status: Observation Wells Water Type: Casing Material: Audit No: Z257556 Tag: A211860 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:</p> <p>Data Entry Status: Data Src: Date Received: 6/29/2017 Selected Flag: Yes Abandonment Rec: Contractor: 7383 Form Version: 7 Owner: Street Name: 3195 Bronte RD County: HALTON Municipality: OAKVILLE TOWN Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:</p>					
PDF URL (Map):					
<u>Bore Hole Information</u>					
<p>Bore Hole ID: 1006598526 DP2BR: Spatial Status:</p> <p>Elevation: 162.581542 Elevrc: Zone: 17</p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB:				East83:	598468
Code OB Desc:				North83:	4810473
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	3/2/2017			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006628558			
Layer:		1			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:		17			
Mat2 Desc:		SHALE			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		15			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006628565			
Layer:		1			
Plug From:		0			
Plug To:		1			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006628566			
Layer:		2			
Plug From:		1			
Plug To:		4			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006628567			
Layer:		3			
Plug From:		4			
Plug To:		15			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1006628564			
Method Construction Code:		6			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006628557			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006628561			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		5			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006628562			
Layer:		1			
Slot:		10			
Screen Top Depth:		5			
Screen End Depth:		15			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.375			
<u>Water Details</u>					
Water ID:		1006628560			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006628559			
Diameter:		6			
Depth From:		0			
Depth To:		15			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

[12](#)

1 of 1

SE/37.1

153.6 / -8.36

3054 DOUDAS ST.W HWY#5 lot 31 con 1
PALERMO ON

WWIS

Well ID: 2809880
Construction Date:
Primary Water Use: Domestic
Sec. Water Use:
Final Well Status: Abandoned-Other
Water Type:

Data Entry Status:
Data Src:
Date Received: 3/31/2004
Selected Flag: Yes
Abandonment Rec:
Contractor: 4868

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Material:				Form Version:	3
Audit No:	Z03984			Owner:	
Tag:				Street Name:	3054 DOUDAS ST.W HWY#5
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	031
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS S
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2809880.pdf

Bore Hole Information

Bore Hole ID:	11105738	Elevation:	152.789779
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598880
Code OB Desc:	No formation data	North83:	4809701
Open Hole:		Org CS:	G83a
Cluster Kind:		UTMRC:	5
Date Completed:	3/17/2004	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Method of Construction & Well Use

Method Construction ID:	962809880
Method Construction Code:	A
Method Construction:	Digging
Other Method Construction:	

Pipe Information

Pipe ID:	11111234
Casing No:	1
Comment:	
Alt Name:	

13	1 of 1	ESE/38.0	155.8 / -6.10	lot 31 con 1 ON	WWIS
Well ID:	2802173	Data Entry Status:			
Construction Date:		Data Src:	1		
Primary Water Use:	Domestic	Date Received:	7/14/1959		
Sec. Water Use:	0	Selected Flag:	Yes		
Final Well Status:	Water Supply	Abandonment Rec:			
Water Type:		Contractor:	5417		
Casing Material:		Form Version:	1		
Audit No:		Owner:			
Tag:		Street Name:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	031
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS N
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2802173.pdf

Bore Hole Information

Bore Hole ID:	10148727	Elevation:	155.493041
DP2BR:	16	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	h	East83:	598980.6
Code OB Desc:	Mixed in a Layer	North83:	4809878
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	5/22/1959	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID:	931427843
Layer:	4
Color:	7
General Color:	RED
Mat1:	17
Most Common Material:	SHALE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	20
Formation End Depth:	50
Formation End Depth UOM:	ft

**Overburden and Bedrock
Materials Interval**

Formation ID:	931427840
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	02
Most Common Material:	TOPSOIL
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:	1				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	931427841				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	1				
Formation End Depth:	16				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	931427842				
Layer:	3				
Color:	7				
General Color:	RED				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	17				
Mat2 Desc:	SHALE				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	16				
Formation End Depth:	20				
Formation End Depth UOM:	ft				
<u>Method of Construction & Well Use</u>					
Method Construction ID:	962802173				
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	10697297				
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930253080				
Layer:	2				
Material:	4				
Open Hole or Material:	OPEN HOLE				
Depth From:					
Depth To:	50				
Casing Diameter:	6				
Casing Diameter UOM:	inch				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930253079
 Layer: 1
 Material: 1
 Open Hole or Material: STEEL
 Depth From:
 Depth To: 24
 Casing Diameter: 6
 Casing Diameter UOM: inch
 Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 992802173
 Pump Set At:
 Static Level: 12
 Final Level After Pumping: 40
 Recommended Pump Depth: 25
 Pumping Rate: 11
 Flowing Rate:
 Recommended Pump Rate: 5
 Levels UOM: ft
 Rate UOM: GPM
 Water State After Test Code: 1
 Water State After Test: CLEAR
 Pumping Test Method: 1
 Pumping Duration HR: 0
 Pumping Duration MIN: 45
 Flowing: No

Water Details

Water ID: 933604223
 Layer: 2
 Kind Code: 1
 Kind: FRESH
 Water Found Depth: 48
 Water Found Depth UOM: ft

Water Details

Water ID: 933604222
 Layer: 1
 Kind Code: 1
 Kind: FRESH
 Water Found Depth: 32
 Water Found Depth UOM: ft

14	1 of 1	NNE/39.7	161.6 / -0.36	BRONTE RD lot 30 con 1 Oakville ON	WWIS
--------------------	--------	----------	---------------	---------------------------------------	------

Well ID:	7338740	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:		Date Received:	8/2/2019
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Observation Wells	Abandonment Rec:	Yes
Water Type:		Contractor:	7556
Casing Material:		Form Version:	7
Audit No:	Z291522	Owner:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tag:	A231580			Street Name:	BRONTE RD
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	030
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS N
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/733\7338740.pdf

Bore Hole Information

Bore Hole ID:	1007586991	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598462
Code OB Desc:		North83:	4810483
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	7/4/2019	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID:	1007977708
Layer:	2
Plug From:	6
Plug To:	15
Plug Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1007977707
Layer:	1
Plug From:	0
Plug To:	6
Plug Depth UOM:	ft

Pipe Information

Pipe ID:	1007975306
Casing No:	0
Comment:	
Alt Name:	

Results of Well Yield Testing

Pump Test ID:	1007980496
Pump Set At:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: ft Rate UOM: GPM Water State After Test Code: Water State After Test: Pumping Test Method: 0 Pumping Duration HR: Pumping Duration MIN: Flowing:					

15	1 of 2	ESE/39.9	155.8 / -6.10	3005 DUNDADS ST. W. Oakville ON	WWIS
Well ID: 7105545 Construction Date: Primary Water Use: Monitoring Sec. Water Use: Final Well Status: Test Hole Water Type: Casing Material: Audit No: M01729 Tag: A054647 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:					
Data Entry Status: Data Src: Date Received: 5/26/2008 Selected Flag: Yes Abandonment Rec: Contractor: 6607 Form Version: 5 Owner: Street Name: 3005 DUNDADS ST. W. County: HALTON Municipality: OAKVILLE TOWN Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7107105545.pdf					

Bore Hole Information

Bore Hole ID:	1001600646	Elevation:	155.970214
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598956
Code OB Desc:		North83:	4809931
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	4/3/2008	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID: 1002692054

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		11			
Mat3 Desc:		GRAVEL			
Formation Top Depth:		.3			
Formation End Depth:		1.8			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1002692055			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		11			
Mat3 Desc:		GRAVEL			
Formation Top Depth:		1.8			
Formation End Depth:		4.4			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1002692053			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		0			
Formation End Depth:		.3			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1002692058			
Layer:		2			
Plug From:		0.48			
Plug To:		0.6			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1002692059			
Layer:		3			
Plug From:		0.6			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug To:		4.4			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002692057			
Layer:		1			
Plug From:		0			
Plug To:		0.48			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1002692064			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1002692052			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002692061			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		4.4			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002692062			
Layer:		1			
Slot:		10			
Screen Top Depth:					
Screen End Depth:					
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
<u>Water Details</u>					
Water ID:		1002692060			
Layer:		1			
Kind Code:					
Kind:					
Water Found Depth:		1.2			
Water Found Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:		1002692056			
Diameter:		21			
Depth From:		0			
Depth To:		4.4			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002692043			Elevation:	155.945968
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	598948
Code OB Desc:				North83:	4809931
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	4/3/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002692047			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1002692046			
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING			
<u>Pipe Information</u>					
Pipe ID:		1002692048			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002692050			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		.6			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Construction Record - Screen

Screen ID: 1002692049
 Layer:
 Slot:
 Screen Top Depth: 0.6
 Screen End Depth: 3.6
 Screen Material:
 Screen Depth UOM: m
 Screen Diameter UOM:
 Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1002692051
 Pump Set At:
 Static Level: 2.5
 Final Level After Pumping:
 Recommended Pump Depth:
 Pumping Rate:
 Flowing Rate:
 Recommended Pump Rate:
 Levels UOM: m
 Rate UOM:
 Water State After Test Code:
 Water State After Test:
 Pumping Test Method:
 Pumping Duration HR:
 Pumping Duration MIN:
 Flowing:

Hole Diameter

Hole ID: 1002692045
 Diameter: 21
 Depth From:
 Depth To: 4.4
 Hole Depth UOM: m
 Hole Diameter UOM: cm

15	2 of 2	ESE/39.9	155.8 / -6.10	3005 DUNDAS ST. W Oakville ON	WWIS
--------------------	--------	----------	---------------	----------------------------------	------

Well ID:	7113897	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:		Date Received:	10/23/2008
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Abandoned-Other	Abandonment Rec:	Yes
Water Type:		Contractor:	6607
Casing Material:		Form Version:	5
Audit No:	M03068	Owner:	
Tag:	A054647	Street Name:	3005 DUNDAS ST. W
Construction Method:		County:	HALTON
Elevation (m):		Municipality:	OAKVILLE TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Flow Rate:
Clear/Cloudy:

UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/711\7113897.pdf

Bore Hole Information

Bore Hole ID:	1002699258	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598956
Code OB Desc:		North83:	4009931
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	9
Date Completed:	9/17/2008	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID: 1002699262
Layer:
Plug From:
Plug To:
Plug Depth UOM:

Method of Construction & Well Use

Method Construction ID: 1002699261
Method Construction Code:
Method Construction:
Other Method Construction:

Hole Diameter

Hole ID: 1002699260
Diameter: 21
Depth From:
Depth To: 4.4
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1001845336	Elevation:	155.945968
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598948
Code OB Desc:		North83:	4809931
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	9/17/2008	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002699267			
Layer:		1			
Plug From:		0			
Plug To:		4.4			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1002699268			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1002699264			
Casing No:		0			
Comment:					
Alt Name:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002699265			
Pump Set At:					
Static Level:		1			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002699266			
Diameter:		21			
Depth From:		0			
Depth To:		4.4			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

16	1 of 1	E/40.8	158.8 / -3.10	3087 Old Bronte Road Oakville ON L6M 4J2	EHS
Order No:	20180813183	Nearest Intersection:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: C Report Type: Standard Report Report Date: 20-AUG-18 Date Received: 13-AUG-18 Previous Site Name: Lot/Building Size: Additional Info Ordered:				Municipality: Client Prov/State: ON Search Radius (km): .25 X: -79.779394 Y: 43.437987	

17	1 of 1	NNE/41.2	161.1 / -0.83	3195 BRONTE ROAD Oakville ON	WWIS
--------------------	--------	----------	---------------	---------------------------------	------

Well ID: 7291664
Construction Date:
Primary Water Use: Test Hole
Sec. Water Use: Monitoring
Final Well Status: Monitoring and Test Hole
Water Type:
Casing Material:
Audit No: Z264478
Tag: A211919
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src:
Date Received: 7/31/2017
Selected Flag: Yes
Abandonment Rec:
Contractor: 7383
Form Version: 7
Owner:
Street Name: 3195 BRONTE ROAD
County: HALTON
Municipality: OAKVILLE TOWN
Site Info:
Lot:
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

PDF URL (Map):

Bore Hole Information

Bore Hole ID: 1006672732
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:
Date Completed: 1/25/2017
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation: 162.338027
Elevrc:
Zone: 17
East83: 598480
North83: 4810466
Org CS: UTM83
UTMRC: 4
UTMRC Desc: margin of error : 30 m - 100 m
Location Method: wwr

Overburden and Bedrock
Materials Interval

Formation ID: 1006819343
Layer: 1
Color:
General Color:
Mat1: 28
Most Common Material: SAND
Mat2:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2 Desc:					
Mat3:		84			
Mat3 Desc:		SILTY			
Formation Top Depth:		0			
Formation End Depth:		20			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006819344			
Layer:		2			
Color:					
General Color:					
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		20			
Formation End Depth:					
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006819353			
Layer:		2			
Plug From:		1			
Plug To:		9			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006819352			
Layer:		1			
Plug From:		0			
Plug To:		1			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006819354			
Layer:		3			
Plug From:		9			
Plug To:		20			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006819351			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		1006819342			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006819347			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		10			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006819348			
Layer:		1			
Slot:		10			
Screen Top Depth:		10			
Screen End Depth:		20			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.375			
<u>Water Details</u>					
Water ID:		1006819346			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006819345			
Diameter:		6			
Depth From:		0			
Depth To:		20			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

18	1 of 1	ESE/42.7	155.8 / -6.10	3015 DUNDAS ST. W. Oakville ON	WWIS
Well ID:	7105546			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	5/26/2008
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	6607
Casing Material:				Form Version:	5
Audit No:	M01728			Owner:	
Tag:	A067319			Street Name:	3015 DUNDAS ST. W.
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7105546.pdf

Bore Hole Information

Bore Hole ID:	1001600649	Elevation:	155.632583
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598956
Code OB Desc:		North83:	4809907
Open Hole:	No	Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	4/3/2008	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1002692182
Layer:	3
Color:	6
General Color:	BROWN
Mat1:	06
Most Common Material:	SILT
Mat2:	05
Mat2 Desc:	CLAY
Mat3:	12
Mat3 Desc:	STONES
Formation Top Depth:	2.8
Formation End Depth:	3.6
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1002692183
Layer:	4
Color:	6
General Color:	BROWN
Mat1:	06
Most Common Material:	SILT
Mat2:	05
Mat2 Desc:	CLAY
Mat3:	17
Mat3 Desc:	SHALE
Formation Top Depth:	3.6
Formation End Depth:	5.2
Formation End Depth UOM:	m

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1002692181			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		1.4			
Formation End Depth:		2.8			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1002692180			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		0			
Formation End Depth:		1.4			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002692186			
Layer:		2			
Plug From:		0.3			
Plug To:		1.6			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002692187			
Layer:		3			
Plug From:		1.6			
Plug To:		5.2			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002692185			
Layer:		1			
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1002692193			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1002692179			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002692189			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		5.2			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002692190			
Layer:		1			
Slot:		10			
Screen Top Depth:					
Screen End Depth:					
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
<u>Water Details</u>					
Water ID:		1002692188			
Layer:		1			
Kind Code:					
Kind:					
Water Found Depth:		2.4			
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1002692184			
Diameter:		21			
Depth From:		0			
Depth To:		5.2			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002692161			Elevation:	155.58908
DP2BR:				Elevrc:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Spatial Status:				Zone:	17
Code OB:				East83:	598964
Code OB Desc:				North83:	4809900
Open Hole:				Org CS:	UTM83
Cluster Kind: This is a record from cluster log sheet				UTMRC:	3
Date Completed: 3/28/2008				UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002692165			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1002692164			
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING			
<u>Pipe Information</u>					
Pipe ID:		1002692166			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002692168			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		1.8			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002692167			
Layer:					
Slot:					
Screen Top Depth:		1.8			
Screen End Depth:		4.9			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002692169			
Pump Set At:					
Static Level:		2.4			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002692163			
Diameter:		21			
Depth From:					
Depth To:		4.9			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002692170			Elevation:	155.552429
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	598974
Code OB Desc:				North83:	4809891
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	3/28/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002692174			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1002692173			
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Information</u>					
Pipe ID:			1002692175		
Casing No:			0		
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:			1002692177		
Layer:					
Material:			5		
Open Hole or Material:			PLASTIC		
Depth From:					
Depth To:			1.8		
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:			m		
<u>Construction Record - Screen</u>					
Screen ID:			1002692176		
Layer:					
Slot:					
Screen Top Depth:			1.8		
Screen End Depth:			4.9		
Screen Material:					
Screen Depth UOM:			m		
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:			1002692178		
Pump Set At:					
Static Level:			2.4		
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:			m		
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:			1002692172		
Diameter:			21		
Depth From:					
Depth To:			5.3		
Hole Depth UOM:			m		
Hole Diameter UOM:			cm		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
19	1 of 1	ESE/43.4	155.8 / -6.10	3005 DUNDAS STREET WEST Oakville ON	WWIS

Well ID:	7139558	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:		Date Received:	2/8/2010
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Abandoned-Other	Abandonment Rec:	Yes
Water Type:		Contractor:	1660
Casing Material:		Form Version:	7
Audit No:	Z89726	Owner:	
Tag:		Street Name:	3005 DUNDAS STREET WEST
Construction Method:		County:	HALTON
Elevation (m):		Municipality:	OAKVILLE TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/713\7139558.pdf

Bore Hole Information

Bore Hole ID:	1002934996	Elevation:	155.997238
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598955
Code OB Desc:		North83:	4809933
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	2/18/2009	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID:	1003098879
Layer:	2
Plug From:	14
Plug To:	13
Plug Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1003098878
Layer:	1
Plug From:	39
Plug To:	14
Plug Depth UOM:	ft

Annular Space/Abandonment

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Sealing Record</u>					
Plug ID:		1003098880			
Layer:		3			
Plug From:		13			
Plug To:		11			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1003098881			
Layer:		4			
Plug From:		11			
Plug To:		0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1003098885			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1003098875			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003098883			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1003098884			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1003098882			
Layer:					
Kind Code:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Kind:

Water Found Depth:

Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1003098877

Diameter:

Depth From:

Depth To:

Hole Depth UOM: ft

Hole Diameter UOM: inch

[20](#) 1 of 1 E/43.7 158.8 / -3.10 3073 Old Bronte Road Oakville ON L6M 4J2 **EHS**

Order No: 20180813184

Status: C

Report Type: Standard Report

Report Date: 21-AUG-18

Date Received: 13-AUG-18

Previous Site Name:

Lot/Building Size:

Additional Info Ordered:

Nearest Intersection:

Municipality:

Client Prov/State: ON

Search Radius (km): .25

X: -79.778932

Y: 43.437686

[21](#) 1 of 1 ESE/44.0 155.8 / -6.10 lot 31 con 1 ON **WWIS**

Well ID: 2802174

Construction Date:

Primary Water Use: Commerical

Sec. Water Use: 0

Final Well Status: Water Supply

Water Type:

Casing Material:

Audit No:

Tag:

Construction Method:

Elevation (m):

Elevation Reliability:

Depth to Bedrock:

Well Depth:

Overburden/Bedrock:

Pump Rate:

Static Water Level:

Flowing (Y/N):

Flow Rate:

Clear/Cloudy:

Data Entry Status:

Data Src: 1

Date Received: 2/7/1955

Selected Flag: Yes

Abandonment Rec:

Contractor: 1429

Form Version: 1

Owner:

Street Name:

County: HALTON

Municipality: OAKVILLE TOWN

Site Info:

Lot: 031

Concession: 01

Concession Name: DS N

Easting NAD83:

Northing NAD83:

Zone:

UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2802174.pdf

Bore Hole Information

Bore Hole ID: 10148728

DP2BR: 9

Spatial Status:

Code OB: r

Code OB Desc: Bedrock

Open Hole:

Cluster Kind:

Date Completed: 10/6/1953

Remarks:

Elevation: 156.432266

Elevrc:

Zone: 17

East83: 598974.6

North83: 4809956

Org CS:

UTMRC: 9

UTMRC Desc: unknown UTM

Location Method: p9

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931427844			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		9			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931427845			
Layer:		2			
Color:					
General Color:					
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		9			
Formation End Depth:		51			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		962802174			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10697298			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930253082			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:					
Depth To:		51			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930253081			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		20			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992802174			
Pump Set At:					
Static Level:		11			
Final Level After Pumping:		16			
Recommended Pump Depth:					
Pumping Rate:		6			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		30			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933604224			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		24			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		933604225			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		48			
Water Found Depth UOM:		ft			
22	1 of 1	ESE/44.5	155.1 / -6.86	lot 31 con 1 ON	WWIS
Well ID:		2803928		Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:		Domestic		Date Received:	10/4/1972
Sec. Water Use:		0		Selected Flag:	Yes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1663
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	031
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS S
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2803928.pdf

Bore Hole Information

Bore Hole ID:	10150455	Elevation:	155.367263
DP2BR:	15	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	598994.6
Code OB Desc:	Bedrock	North83:	4809843
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	5/28/1972	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931433784
Layer:	1
Color:	7
General Color:	RED
Mat1:	05
Most Common Material:	CLAY
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0
Formation End Depth:	15
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931433785
Layer:	2
Color:	7
General Color:	RED
Mat1:	17
Most Common Material:	SHALE

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		15			
Formation End Depth:		34			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962803928			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10699025			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930255832			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		25			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930255833			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		34			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992803928			
Pump Set At:					
Static Level:		7			
Final Level After Pumping:		10			
Recommended Pump Depth:		20			
Pumping Rate:		20			
Flowing Rate:					
Recommended Pump Rate:		10			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Duration HR:	4				
Pumping Duration MIN:	0				
Flowing:	No				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934451807				
Test Type:	Draw Down				
Test Duration:	30				
Test Level:	10				
Test Level UOM:	ft				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934971321				
Test Type:	Draw Down				
Test Duration:	60				
Test Level:	10				
Test Level UOM:	ft				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934177180				
Test Type:	Draw Down				
Test Duration:	15				
Test Level:	10				
Test Level UOM:	ft				
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934711002				
Test Type:	Draw Down				
Test Duration:	45				
Test Level:	10				
Test Level UOM:	ft				
<u>Water Details</u>					
Water ID:	933606553				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	34				
Water Found Depth UOM:	ft				

[23](#)

1 of 1

ESE/44.6

156.8 / -5.10

lot 30 con 1
ON

WWIS

Well ID: 2806344
Construction Date:
Primary Water Use: Domestic
Sec. Water Use:
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No:
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:

Data Entry Status:
Data Src: 1
Date Received: 10/8/1985
Selected Flag: Yes
Abandonment Rec:
Contractor: 4005
Form Version: 1
Owner:
Street Name:
County: HALTON
Municipality: OAKVILLE TOWN
Site Info:
Lot: 030

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS N
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2806344.pdf

Bore Hole Information

Bore Hole ID:	10152620	Elevation:	157.462326
DP2BR:	23	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	598924.3
Code OB Desc:	Bedrock	North83:	4810044
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	3
Date Completed:	9/25/1985	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	gps
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931442459
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	05
Most Common Material:	CLAY
Mat2:	28
Mat2 Desc:	SAND
Mat3:	11
Mat3 Desc:	GRAVEL
Formation Top Depth:	5
Formation End Depth:	18
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931442458
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	05
Most Common Material:	CLAY
Mat2:	77
Mat2 Desc:	LOOSE
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0
Formation End Depth:	5
Formation End Depth UOM:	ft

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931442460			
Layer:		3			
Color:		7			
General Color:		RED			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		77			
Mat2 Desc:		LOOSE			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		18			
Formation End Depth:		23			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931442461			
Layer:		4			
Color:		7			
General Color:		RED			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:		73			
Mat2 Desc:		HARD			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		23			
Formation End Depth:		53			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962806344			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10701190			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930259469			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		53			
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID:		930259468			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		23			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992806344			
Pump Set At:					
Static Level:		11			
Final Level After Pumping:		40			
Recommended Pump Depth:		50			
Pumping Rate:		10			
Flowing Rate:					
Recommended Pump Rate:		8			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934717136			
Test Type:		Recovery			
Test Duration:		45			
Test Level:		11			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934449624			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		11			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934969745			
Test Type:		Recovery			
Test Duration:		60			
Test Level:		11			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934174573			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		16			
Test Level UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		933609608			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		32			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		933609609			
Layer:		2			
Kind Code:		5			
Kind:		Not stated			
Water Found Depth:		52			
Water Found Depth UOM:		ft			

24	1 of 1	SE/45.0	151.8 / -10.11	3104 DUNDAS ST. lot 31 con 1 OAKVILLE ON	WWIS
Well ID:	7176197			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	2/1/2012
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Abandoned-Other			Abandonment Rec:	Yes
Water Type:				Contractor:	2663
Casing Material:				Form Version:	7
Audit No:	Z143195			Owner:	
Tag:				Street Name:	3104 DUNDAS ST.
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	031
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS S
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/717\7176197.pdf

Bore Hole Information

Bore Hole ID:	1003645718	Elevation:	151.462112
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598799
Code OB Desc:		North83:	4809582
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	1/13/2012	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004045351			
Layer:		1			
Plug From:		0			
Plug To:		6			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004045352			
Layer:		2			
Plug From:		6			
Plug To:		110			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004045350			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004045344			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004045348			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1004045349			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1004045347			
Layer:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Kind Code: Kind: Water Found Depth: Water Found Depth UOM: ft					
Hole Diameter					
Hole ID: 1004045346 Diameter: Depth From: Depth To: Hole Depth UOM: ft Hole Diameter UOM: inch					
25	1 of 1	N/45.6	162.9 / 0.96	3249 Regional Road 25, Oakville ON	INC
Incident No: 930930 Incident ID: Instance No: Status Code: Attribute Category: FS-Perform L1 Incident Insp Context: Date of Occurrence: 2012/09/22 00:00:00 Time of Occurrence: 12:00:00 Incident Created On: Instance Creation Dt: Instance Install Dt: Occur Insp Start Date: 2012/10/29 00:00:00 Approx Quant Rel: Tank Capacity: Fuels Occur Type: Leak Fuel Type Involved: Fuel Oil Enforcement Policy: NULL Prc Escalation Req: NULL Tank Material Type: Tank Storage Type: Tank Location Type: Pump Flow Rate Cap: Task No: 4155817 Notes: Drainage System: Sub Surface Contam.: Aff Prop Use Water: Contam. Migrated: Contact Natural Env: Incident Location: 3249 Regional Road 25, Oakville - Leak Occurrence Narrative: Oil Tank Leak Operation Type Involved: Private Dwelling Item: Item Description: Device Installed Location:					
Any Health Impact: No Any Enviro Impact: Unknown Service Interrupted: No Was Prop Damaged: No Reside App. Type: Commer App. Type: Indus App. Type: Institut App. Type: Venting Type: Vent Conn Mater: Vent Chimney Mater: Pipeline Type: Pipeline Involved: Pipe Material: Depth Ground Cover: Regulator Location: Regulator Type: Operation Pressure: Liquid Prop Make: Liquid Prop Model: Liquid Prop Serial No: Liquid Prop Notes: Equipment Type: Equipment Model: Serial No: Cylinder Capacity: Cylinder Cap Units: Cylinder Mat Type: Near Body of Water:					
26	1 of 1	E/45.8	158.8 / -3.10	3087 OLD BRONTE RD lot 30 con 1 Oakville ON	WWIS
Well ID: 7122505 Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Abandoned-Other Water Type:					
Data Entry Status: Data Src: Date Received: 4/29/2009 Selected Flag: Yes Abandonment Rec: Yes Contractor: 3349					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Material:				Form Version:	7
Audit No:	Z88406			Owner:	
Tag:				Street Name:	3087 OLD BRONTE RD
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	030
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS N
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/712\7122505.pdf

Bore Hole Information

Bore Hole ID:	1002420561	Elevation:	158.993362
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598770
Code OB Desc:		North83:	4810195
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	3/21/2009	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID:	1002546831
Layer:	1
Color:	
General Color:	
Mat1:	
Most Common Material:	
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0
Formation End Depth:	
Formation End Depth UOM:	m

**Overburden and Bedrock
Materials Interval**

Formation ID:	1002546832
Layer:	2
Color:	
General Color:	
Mat1:	
Most Common Material:	
Mat2:	
Mat2 Desc:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3:					
Mat3 Desc:					
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002546837			
Layer:		3			
Plug From:		3			
Plug To:		0			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002546836			
Layer:		2			
Plug From:		13			
Plug To:		3			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002546835			
Layer:		1			
Plug From:		15			
Plug To:		13			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1002546841			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1002546830			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002546839			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Screen</u>					
Screen ID:		1002546840			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1002546838			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1002546833			
Diameter:		12.7			
Depth From:		15			
Depth To:		1.5			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1002546834			
Diameter:		76.2			
Depth From:		1.5			
Depth To:		0			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<u>27</u>	1 of 1	NNE/45.9	161.1 / -0.89	ON	WWIS
Well ID:	7294763			Data Entry Status:	Yes
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	9/15/2017
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor:	7383
Casing Material:				Form Version:	8
Audit No:	C30491			Owner:	
Tag:	A222695			Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

PDF URL (Map):

Bore Hole Information

Bore Hole ID:	1006727858	Elevation:	162.226409
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598478
Code OB Desc:		North83:	4810476
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	12/23/2016	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

28	1 of 1	SE/46.0	153.1 / -8.82	DUNDAS ST BURLINGTON ON	WWIS
--------------------	--------	---------	---------------	----------------------------	------

Well ID:	7180050	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:		Date Received:	4/26/2012
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Abandoned-Other	Abandonment Rec:	Yes
Water Type:		Contractor:	7501
Casing Material:		Form Version:	7
Audit No:	Z136039	Owner:	
Tag:	A114014	Street Name:	DUNDAS ST
Construction Method:		County:	HALTON
Elevation (m):		Municipality:	OAKVILLE TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7180050.pdf

Bore Hole Information

Bore Hole ID:	1003714841	Elevation:	152.963211
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598911
Code OB Desc:		North83:	4809727
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	4/25/2012	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Supplier Comment:</i>					
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1004291045			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		20			
<i>Plug Depth UOM:</i>		ft			
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>		1004291044			
<i>Method Construction Code:</i>					
<i>Method Construction:</i>					
<i>Other Method Construction:</i>					
<u>Pipe Information</u>					
<i>Pipe ID:</i>		1004291038			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>		1004291042			
<i>Layer:</i>					
<i>Material:</i>					
<i>Open Hole or Material:</i>					
<i>Depth From:</i>					
<i>Depth To:</i>					
<i>Casing Diameter:</i>					
<i>Casing Diameter UOM:</i>		inch			
<i>Casing Depth UOM:</i>		ft			
<u>Construction Record - Screen</u>					
<i>Screen ID:</i>		1004291043			
<i>Layer:</i>					
<i>Slot:</i>					
<i>Screen Top Depth:</i>					
<i>Screen End Depth:</i>					
<i>Screen Material:</i>					
<i>Screen Depth UOM:</i>		ft			
<i>Screen Diameter UOM:</i>		inch			
<i>Screen Diameter:</i>					
<u>Water Details</u>					
<i>Water ID:</i>		1004291041			
<i>Layer:</i>					
<i>Kind Code:</i>					
<i>Kind:</i>					
<i>Water Found Depth:</i>					
<i>Water Found Depth UOM:</i>		ft			
<u>Hole Diameter</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID:		1004291040			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

29	1 of 1	ESE/47.2	154.5 / -7.47	lot 31 con 1 ON	WWIS
Well ID:	2802341			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	9/8/1955
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1642
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	031
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS S
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2802341.pdf

Bore Hole Information

Bore Hole ID:	10148891	Elevation:	153.96968
DP2BR:	21	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	598941.6
Code OB Desc:	Bedrock	North83:	4809765
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	6/13/1955	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	931428309
Layer:	1
Color:	
General Color:	
Mat1:	05
Most Common Material:	CLAY
Mat2:	09
Mat2 Desc:	MEDIUM SAND

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		8			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931428311			
Layer:		3			
Color:		7			
General Color:		RED			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		21			
Formation End Depth:		37			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931428310			
Layer:		2			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		8			
Formation End Depth:		21			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		962802341			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10697461			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930253356			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		25			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930253357			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		37			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992802341			
Pump Set At:					
Static Level:		7			
Final Level After Pumping:		12			
Recommended Pump Depth:					
Pumping Rate:		4			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		0			
Pumping Duration MIN:		30			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933604400			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		33			
Water Found Depth UOM:		ft			

[30](#) 1 of 1 E/48.8 157.8 / -4.10 3065 BRONTE ROAD lot 30 con 1 OAKVILLE ON [WWIS](#)

Well ID:	7047696	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:		Date Received:	8/8/2007
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Abandoned-Other	Abandonment Rec:	Yes
Water Type:		Contractor:	1660
Casing Material:		Form Version:	3
Audit No:	Z52756	Owner:	
Tag:		Street Name:	3065 BRONTE ROAD
Construction Method:		County:	HALTON
Elevation (m):		Municipality:	OAKVILLE TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	030
Well Depth:		Concession:	01

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/704\7047696.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		23047696		Elevation: 158.23146	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 17	
Code OB:				East83: 598845	
Code OB Desc:				North83: 4810126	
Open Hole:				Org CS: UTM83	
Cluster Kind:				UTMRC: 3	
Date Completed:		7/24/2007		UTMRC Desc: margin of error : 10 - 30 m	
Remarks:				Location Method: wwr	
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		44002886			
Layer:		4			
Plug From:		20.5			
Plug To:		3			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		44002889			
Layer:		2			
Plug From:		33			
Plug To:		20.5			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		44002885			
Layer:		5			
Plug From:		3			
Plug To:		1.5			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		44002884			
Layer:		6			
Plug From:		1.5			
Plug To:		0			
Plug Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Annular Space/Abandonment Sealing Record

Plug ID: 44002887
 Layer: 1
 Plug From: 36
 Plug To: 33
 Plug Depth UOM: ft

Annular Space/Abandonment Sealing Record

Plug ID: 44002888
 Layer: 3
 Plug From:
 Plug To:
 Plug Depth UOM: ft

Pipe Information

Pipe ID: 29047696
 Casing No: 0
 Comment:
 Alt Name:

[31](#) 1 of 1 NNE/50.2 160.9 / -1.08 3195 BRONTE ROAD OAKVILLE ON [WWIS](#)

Well ID: 7304078
 Construction Date:
 Primary Water Use:
 Sec. Water Use:
 Final Well Status: Abandoned-Other
 Water Type:
 Casing Material:
 Audit No: Z278358
 Tag:
 Construction Method:
 Elevation (m):
 Elevation Reliability:
 Depth to Bedrock:
 Well Depth:
 Overburden/Bedrock:
 Pump Rate:
 Static Water Level:
 Flowing (Y/N):
 Flow Rate:
 Clear/Cloudy:

Data Entry Status:
 Data Src:
 Date Received: 1/24/2018
 Selected Flag: Yes
 Abandonment Rec: Yes
 Contractor: 7424
 Form Version: 7
 Owner:
 Street Name: 3195 BRONTE ROAD
 County: HALTON
 Municipality: OAKVILLE TOWN
 Site Info:
 Lot:
 Concession:
 Concession Name:
 Easting NAD83:
 Northing NAD83:
 Zone:
 UTM Reliability:

PDF URL (Map):

Bore Hole Information

Bore Hole ID: 1006975496
 DP2BR:
 Spatial Status:
 Code OB:
 Code OB Desc:
 Open Hole:
 Cluster Kind:
 Date Completed: 12/20/2017

Elevation:
 Elevrc:
 Zone: 17
 East83: 598474
 North83: 4810486
 Org CS: UTM83
 UTMRC: 4
 UTMRC Desc: margin of error : 30 m - 100 m

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Remarks:				Location Method:	WWF
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1007134933			
Layer:		3			
Plug From:		8			
Plug To:		34			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1007134932			
Layer:		2			
Plug From:		6			
Plug To:		8			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1007134934			
Layer:		4			
Plug From:		34			
Plug To:		37			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1007134931			
Layer:		1			
Plug From:		0			
Plug To:		6			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1007134930			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007134924			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID: 1007134928					
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
<u>Construction Record - Screen</u>					
Screen ID: 1007134929					
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM: ft					
Screen Diameter UOM: inch					
Screen Diameter:					
<u>Water Details</u>					
Water ID: 1007134927					
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM: ft					
<u>Hole Diameter</u>					
Hole ID: 1007134926					
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM: ft					
Hole Diameter UOM: inch					
32	1 of 1	ESE/52.1	156.8 / -5.10	lot 30 con 1 ON	WWIS
Well ID: 2806416					
Construction Date:					
Primary Water Use: Domestic					
Sec. Water Use:					
Final Well Status: Water Supply					
Water Type:					
Casing Material:					
Audit No:					
Tag:					
Construction Method:					
Elevation (m):					
Elevation Reliability:					
Depth to Bedrock:					
Well Depth:					
Overburden/Bedrock:					
Pump Rate:					
Static Water Level:					
Flowing (Y/N):					
Data Entry Status:					
Data Src: 1					
Date Received: 2/24/1986					
Selected Flag: Yes					
Abandonment Rec:					
Contractor: 4005					
Form Version: 1					
Owner:					
Street Name:					
County: HALTON					
Municipality: OAKVILLE TOWN					
Site Info:					
Lot: 030					
Concession: 01					
Concession Name: DS N					
Easting NAD83:					
Northing NAD83:					
Zone:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Flow Rate:
Clear/Cloudy:

UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2806416.pdf

Bore Hole Information

Bore Hole ID:	10152687	Elevation:	157.54663
DP2BR:	20	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	598920.3
Code OB Desc:	Bedrock	North83:	4810058
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	3
Date Completed:	1/25/1986	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	gps
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931442717
Layer:	3
Color:	7
General Color:	RED
Mat1:	17
Most Common Material:	SHALE
Mat2:	73
Mat2 Desc:	HARD
Mat3:	
Mat3 Desc:	
Formation Top Depth:	20
Formation End Depth:	54
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931442716
Layer:	2
Color:	7
General Color:	RED
Mat1:	05
Most Common Material:	CLAY
Mat2:	77
Mat2 Desc:	LOOSE
Mat3:	
Mat3 Desc:	
Formation Top Depth:	12
Formation End Depth:	20
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931442715
Layer:	1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		81			
Mat2 Desc:		SANDY			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		0			
Formation End Depth:		12			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962806416			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10701257			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930259598			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		54			
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930259597			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		25			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992806416			
Pump Set At:					
Static Level:		9			
Final Level After Pumping:		30			
Recommended Pump Depth:		50			
Pumping Rate:		24			
Flowing Rate:					
Recommended Pump Rate:		10			
Levels UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934449669			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		9			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934175595			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		9			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934717599			
Test Type:		Recovery			
Test Duration:		45			
Test Level:		9			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934969805			
Test Type:		Recovery			
Test Duration:		60			
Test Level:		9			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933609699			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		44			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		933609700			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		50			
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well ID:	2802351			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:				Date Received:	10/2/1964
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Abandoned-Supply			Abandonment Rec:	
Water Type:				Contractor:	1308
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	032
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS S
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2802351.pdf

Bore Hole Information

Bore Hole ID:	10148901	Elevation:	151.273727
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:	o	East83:	598797.6
Code OB Desc:	Overburden	North83:	4809568
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	8/4/1964	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931428343
Layer:	3
Color:	3
General Color:	BLUE
Mat1:	05
Most Common Material:	CLAY
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	30
Formation End Depth:	40
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931428341
----------------------	-----------

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	09				
Mat2 Desc:	MEDIUM SAND				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0				
Formation End Depth:	7				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931428342				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	13				
Mat2 Desc:	BOULDERS				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	7				
Formation End Depth:	30				
Formation End Depth UOM:	ft				
<u>Method of Construction & Well Use</u>					
Method Construction ID:	962802351				
Method Construction Code:	6				
Method Construction:	Boring				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	10697471				
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930253370				
Layer:	1				
Material:	3				
Open Hole or Material:	CONCRETE				
Depth From:					
Depth To:	40				
Casing Diameter:	30				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				

[34](#)

1 of 1

ESE/52.6

155.8 / -6.10

3005 DUNDAS ST. WEST
OAKVILLE ON

WWIS

Well ID: 7151820
Construction Date:

Data Entry Status:
Data Src:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Primary Water Use:	Monitoring			Date Received:	9/24/2010
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	6607
Casing Material:				Form Version:	5
Audit No:	M07313			Owner:	
Tag:	A100935			Street Name:	3005 DUNDAS ST. WEST
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7151820.pdf

Bore Hole Information

Bore Hole ID:	1003601566	Elevation:	155.731506
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598979
Code OB Desc:		North83:	4809907
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	4
Date Completed:	8/19/2010	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID:	1003601570
Layer:	
Plug From:	
Plug To:	
Plug Depth UOM:	

Method of Construction & Well Use

Method Construction ID:	1003601569
Method Construction Code:	
Method Construction:	
Other Method Construction:	BORING

Pipe Information

Pipe ID:	1003601571
Casing No:	0
Comment:	
Alt Name:	

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Construction Record - Casing

Casing ID: 1003601573
Layer:
Material: 5
Open Hole or Material: PLASTIC
Depth From:
Depth To: 1
Casing Diameter:
Casing Diameter UOM:
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1003601572
Layer:
Slot:
Screen Top Depth: 1
Screen End Depth: 3.7
Screen Material:
Screen Depth UOM: m
Screen Diameter UOM:
Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1003601574
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM:
Rate UOM:
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1003601568
Diameter: 21
Depth From:
Depth To: 3.7
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1003601575	Elevation:	155.719573
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598968
Code OB Desc:		North83:	4809910
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	4

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Date Completed:	8/19/2010			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1003601579				
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:	1003601578				
Method Construction Code:					
Method Construction:					
Other Method Construction:	BORING				
<u>Pipe Information</u>					
Pipe ID:	1003601580				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1003601582				
Layer:					
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:					
Depth To:	1				
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:	m				
<u>Construction Record - Screen</u>					
Screen ID:	1003601581				
Layer:					
Slot:					
Screen Top Depth:	1				
Screen End Depth:	3.7				
Screen Material:					
Screen Depth UOM:	m				
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:	1003601583				
Pump Set At:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Static Level:
 Final Level After Pumping:
 Recommended Pump Depth:
 Pumping Rate:
 Flowing Rate:
 Recommended Pump Rate:
 Levels UOM:
 Rate UOM:
 Water State After Test Code:
 Water State After Test:
 Pumping Test Method:
 Pumping Duration HR:
 Pumping Duration MIN:
 Flowing:

Hole Diameter

Hole ID: 1003601577
 Diameter: 21
 Depth From:
 Depth To: 3.7
 Hole Depth UOM: m
 Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1003339028	Elevation:	156.131576
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598985
Code OB Desc:		North83:	4809934
Open Hole:	No	Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	8/19/2010	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 1003601588
 Layer: 4
 Color: 2
 General Color: GREY
 Mat1: 17
 Most Common Material: SHALE
 Mat2:
 Mat2 Desc:
 Mat3: 73
 Mat3 Desc: HARD
 Formation Top Depth: 4
 Formation End Depth: 4.5
 Formation End Depth UOM: m

Overburden and Bedrock

Materials Interval

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		1003601585			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		01			
Mat3 Desc:		FILL			
Formation Top Depth:		0			
Formation End Depth:		1.5			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003601587			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:					
Mat2 Desc:					
Mat3:		66			
Mat3 Desc:		DENSE			
Formation Top Depth:		2.2			
Formation End Depth:		4			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003601586			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		66			
Mat3 Desc:		DENSE			
Formation Top Depth:		1.5			
Formation End Depth:		2.2			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1003601591			
Layer:		2			
Plug From:		0.3			
Plug To:		1.2			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1003601590			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1003601597			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1003601584			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003601593			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		-1			
Depth To:		1.5			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Casing</u>					
Casing ID:		1003601594			
Layer:		2			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		1.5			
Depth To:		4.5			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003601595			
Layer:		1			
Slot:		20			
Screen Top Depth:					
Screen End Depth:					
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
<u>Water Details</u>					
Water ID:		1003601592			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Water Found Depth:</i>		1.7			
<i>Water Found Depth UOM:</i>		m			
<u>Hole Diameter</u>					
<i>Hole ID:</i>		1003601589			
<i>Diameter:</i>		21			
<i>Depth From:</i>		0			
<i>Depth To:</i>		4.5			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			
<u>Bore Hole Information</u>					
<i>Bore Hole ID:</i>	1003601557			<i>Elevation:</i>	155.927276
<i>DP2BR:</i>				<i>Elevrc:</i>	
<i>Spatial Status:</i>				<i>Zone:</i>	17
<i>Code OB:</i>				<i>East83:</i>	598992
<i>Code OB Desc:</i>				<i>North83:</i>	4809918
<i>Open Hole:</i>				<i>Org CS:</i>	UTM83
<i>Cluster Kind:</i>	This is a record from cluster log sheet			<i>UTMRC:</i>	4
<i>Date Completed:</i>	8/19/2010			<i>UTMRC Desc:</i>	margin of error : 30 m - 100 m
<i>Remarks:</i>				<i>Location Method:</i>	wwr
<i>Elevrc Desc:</i>					
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1003601561			
<i>Layer:</i>					
<i>Plug From:</i>					
<i>Plug To:</i>					
<i>Plug Depth UOM:</i>					
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>		1003601560			
<i>Method Construction Code:</i>					
<i>Method Construction:</i>					
<i>Other Method Construction:</i>		BORING			
<u>Pipe Information</u>					
<i>Pipe ID:</i>		1003601562			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>		1003601564			
<i>Layer:</i>					
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Depth To:		1			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003601563			
Layer:					
Slot:					
Screen Top Depth:		1			
Screen End Depth:		3.7			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1003601565			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1003601559			
Diameter:		21			
Depth From:					
Depth To:		3.7			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

35	1 of 1	SE/52.9	151.8 / -10.10	lot 31 con 1 ON	WWIS
<hr/>					
Well ID:	2802339			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	1/7/1954
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1642
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	031
Well Depth:				Concession:	01

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Concession Name: DS S Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2802339.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10148889			Elevation:	151.462036
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:	o			East83:	598819.6
Code OB Desc:	Overburden			North83:	4809596
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	10/20/1953			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p9
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931428306				
Layer:	1				
Color:					
General Color:					
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	09				
Mat2 Desc:	MEDIUM SAND				
Mat3:	12				
Mat3 Desc:	STONES				
Formation Top Depth:	0				
Formation End Depth:	111				
Formation End Depth UOM:	ft				
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:	962802339				
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	10697459				
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930253353				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		111			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992802339			
Pump Set At:					
Static Level:		98			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:		10			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
<u>Water Details</u>					
Water ID:		933604398			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		111			
Water Found Depth UOM:		ft			

36	1 of 1	NNE/53.2	161.1 / -0.80	3195 BRONTE ROAD Oakville ON	WWIS
Well ID:	7291666			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Test Hole			Date Received:	7/31/2017
Sec. Water Use:	Monitoring			Selected Flag:	Yes
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7383
Casing Material:				Form Version:	7
Audit No:	Z264480			Owner:	
Tag:	A211921			Street Name:	3195 BRONTE ROAD
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Bore Hole Information

Bore Hole ID:	1006672761	Elevation:	162.24913
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598467
Code OB Desc:		North83:	4810497
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	1/25/2017	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID:	1006819403
Layer:	1
Color:	
General Color:	
Mat1:	28
Most Common Material:	SAND
Mat2:	
Mat2 Desc:	
Mat3:	84
Mat3 Desc:	SILTY
Formation Top Depth:	0
Formation End Depth:	20
Formation End Depth UOM:	ft

**Overburden and Bedrock
Materials Interval**

Formation ID:	1006819404
Layer:	2
Color:	
General Color:	
Mat1:	17
Most Common Material:	SHALE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	20
Formation End Depth:	
Formation End Depth UOM:	ft

**Annular Space/Abandonment
Sealing Record**

Plug ID:	1006819414
Layer:	3
Plug From:	9
Plug To:	20
Plug Depth UOM:	ft

Annular Space/Abandonment

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Sealing Record</u>					
Plug ID:		1006819412			
Layer:		1			
Plug From:		0			
Plug To:		1			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006819413			
Layer:		2			
Plug From:		1			
Plug To:		9			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006819411			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006819402			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006819407			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		10			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006819408			
Layer:		1			
Slot:		10			
Screen Top Depth:		10			
Screen End Depth:		20			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.375			
<u>Water Details</u>					
Water ID:		1006819406			
Layer:					
Kind Code:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Kind:					
Water Found Depth:					
Water Found Depth UOM: ft					
Hole Diameter					
Hole ID: 1006819405					
Diameter: 6					
Depth From: 0					
Depth To: 20					
Hole Depth UOM: ft					
Hole Diameter UOM: inch					
37	1 of 13	ESE/53.4	155.8 / -6.10	BARENCO INC. - LOT 31, CONC. 2 3005 DUNDAS ST. W., SHELL STA. OAKVILLE TOWN ON L6M 4J4	CA
Certificate #: 4-0059-92-					
Application Year: 92					
Issue Date: 10/20/1992					
Approval Type: Industrial wastewater					
Status: Cancelled					
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description: CLEAN-UP EXIST.SUB-SURFACE GASOLINE LEAK					
Contaminants:					
Emission Control:					
37	2 of 13	ESE/53.4	155.8 / -6.10	SHELL CANADA PRODUCTS LTD. 3005 DUNDAS WEST SERVICE STATION OAKVILLE TOWN ON L6M 4J4	SPL
Ref No: 54897					
Site No:					
Incident Dt: 7/30/1991					
Year:					
Incident Cause: UNDERGROUND TANK LEAK					
Incident Event:					
Contaminant Code:					
Contaminant Name:					
Contaminant Limit 1:					
Contam Limit Freq 1:					
Contaminant UN No 1:					
Environment Impact: CONFIRMED					
Nature of Impact: Soil contamination					
Receiving Medium: LAND / WATER					
Receiving Env:					
MOE Response:					
Dt MOE Arvl on Scn:					
MOE Reported Dt: 7/30/1991					
Dt Document Closed:					
Incident Reason: CORROSION					
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary: SHELL SERVICE STATION- GASOLINE TO GROUND AND WATER TABLE.					
Contaminant Qty:					
Discharger Report:					
Material Group:					
Health/Env Conseq:					
Client Type:					
Sector Type:					
Agency Involved:					
Nearest Watercourse:					
Site Address:					
Site District Office:					
Site Postal Code:					
Site Region:					
Site Municipality: 14403					
Site Lot:					
Site Conc:					
Northing:					
Easting:					
Site Geo Ref Accu:					
Site Map Datum:					
SAC Action Class:					
Source Type:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
37	3 of 13	ESE/53.4	155.8 / -6.10	SHELL CANADA PRODUCTS LTD. HWY 5 AND 25 SERVICE STATION OAKVILLE TOWN ON	SPL
Ref No:	83111			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	3/25/1993			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	PIPE/HOSE LEAK			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	POSSIBLE			Site Municipality:	14403
Nature of Impact:	Soil contamination			Site Lot:	
Receiving Medium:	LAND			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	MTO,MOEE.
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	3/25/1993			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:	UNKNOWN			Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	SHELL-UNKN QTY GASOLINE TO GRND & STORM SEWER, CLEANED-UP.				
Contaminant Qty:					

37	4 of 13	ESE/53.4	155.8 / -6.10	PALERNO SHELL 3005 DUNDAS W HWYS 5 & 25 OAKVILLE ON	PRT
Location ID:	11265				
Type:	retail				
Expiry Date:	1996-02-28				
Capacity (L):	0				
Licence #:	0012903001				

37	5 of 13	ESE/53.4	155.8 / -6.10	HARMAC TRANSPORTATION 3005 DUNDAS ST WEST. TANK TRUCK (CARGO) OAKVILLE TOWN ON L6M 4J4	SPL
Ref No:	216139			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	11/14/2001			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	PIPE/HOSE LEAK			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	Possible			Site Municipality:	14403
Nature of Impact:	Soil contamination			Site Lot:	
Receiving Medium:	Land			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
MOE Reported Dt: Dt Document Closed: Incident Reason: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:	11/14/2001 EQUIPMENT FAILURE HARMAC-100 L GASOLINE TO STATION LOT,CONTAINED, CLEANED-UP.			Site Map Datum: SAC Action Class: Source Type:	

37	6 of 13	ESE/53.4	155.8 / -6.10	Shell Canada Products 3005 Dundas Street West Oakville ON L6M 4J4	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:	ON9096008 07,08 447190 Other Gasoline Stations			PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:	221 LIGHT FUELS				
Waste Class: Waste Class Desc:	251 OIL SKIMMINGS & SLUDGES				

37	7 of 13	ESE/53.4	155.8 / -6.10	3005 Dundas Street West Oakville ON L6M 4J4	EHS
Order No: Status: Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size: Additional Info Ordered:	20100803020 C Standard Report 8/11/2010 8/3/2010 Fire Insur. Maps and/or Site Plans; City Directory; Topographic Maps			Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON 0.25 -79.776786 43.435555

37	8 of 13	ESE/53.4	155.8 / -6.10	2149120 ONTARIO INC O/A GAS STN 3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE ON L6M 4J4	DTNK
<u>Delisted Expired Fuel Safety Facilities</u>					
Instance No: Status: Instance ID: Instance Type: Description: TSSA Program Area: Maximum Hazard Rank: Facility Type: Expired Date: Original Source: Record Date:	9472388 EXPIRED FS Facility 12/7/2009 16:10 EXP Up to May 2013				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
37	9 of 13	ESE/53.4	155.8 / -6.10	ANTONY IBRAHIM 3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE ON	DTNK

Delisted Expired Fuel Safety Facilities

Instance No: 11373705
Status: EXPIRED
Instance ID: 81221
Instance Type: FS Piping
Description: FS Piping
TSSA Program Area:
Maximum Hazard Rank:
Facility Type:
Expired Date:
Original Source: EXP
Record Date: Up to Mar 2012

37	10 of 13	ESE/53.4	155.8 / -6.10	Shell Canada Products 3005 Dundas Street West Oakville ON L6M 4J4	GEN
--------------------	----------	----------	---------------	---	-----

Generator No: ON9096008
Status:
Approval Years: 2009
Contam. Facility:
MHSW Facility:
SIC Code: 447190
SIC Description: Other Gasoline Stations

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 221
Waste Class Desc: LIGHT FUELS

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

37	11 of 13	ESE/53.4	155.8 / -6.10	Shell Canada Products 3005 Dundas Street West Oakville ON L6M 4J4	GEN
--------------------	----------	----------	---------------	---	-----

Generator No: ON9096008
Status:
Approval Years: 2010
Contam. Facility:
MHSW Facility:
SIC Code: 447190
SIC Description: Other Gasoline Stations

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

Waste Class: 221
Waste Class Desc: LIGHT FUELS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
37	12 of 13	ESE/53.4	155.8 / -6.10	Shell Canada Products 3005 Dundas Street West Oakville ON L6M 4J4	GEN
Generator No:	ON9096008			PO Box No:	
Status:				Country:	
Approval Years:	2011			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	447190				
SIC Description:	Other Gasoline Stations				
<u>Detail(s)</u>					
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				
37	13 of 13	ESE/53.4	155.8 / -6.10	Shell Canada Products 3005 Dundas Street West Oakville ON	GEN
Generator No:	ON9096008			PO Box No:	
Status:				Country:	
Approval Years:	2013			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	447190				
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
38	1 of 18	ESE/53.4	155.8 / -6.10	SHELL CANADA PRODUCTS LTD. 3005 DUNDAS ST WEST. SERVICE STATION OAKVILLE TOWN ON L6M 4J4	SPL
Ref No:	154713			Discharger Report:	
Site No:				Material Group:	
Incident Dt:	4/18/1998			Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:	OTHER CONTAINER LEAK			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:	NOT ANTICIPATED			Site Municipality:	14403
Nature of Impact:				Site Lot:	
Receiving Medium:	LAND			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	4/18/1998			Site Map Datum:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Dt Document Closed:				SAC Action Class:	
Incident Reason:		ERROR		Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:		SHELL SERVICE STN-2 L GA-SOLINE TO GRND WHEN CUS- TOMER OVERFILLED HIS CAR.			
Contaminant Qty:					

38	2 of 18	ESE/53.4	155.8 / -6.10	Shell Canada Limited 3005 DUNDAS STREET WEST, OAKVILLE, ONTARIO L6M 4J4 Oakville ON	RSC
RSC ID:	206406			Cert Date:	
RA No:				Cert Prop Use No:	
RSC Type:	Phase 1 and 2 RSC			Intended Prop Use:	Commercial
Curr Property Use:	Commercial			Qual Person Name:	Randy Helliwell
Ministry District:	Halton-Peel District Office			Stratified (Y/N):	
Filing Date:	2012/12/20			Audit (Y/N):	
Date Ack:				Entire Leg Prop. (Y/N):	
Date Returned:				Accuracy Estimate:	
Restoration Type:				Telephone:	
Soil Type:				Fax:	
Criteria:				Email:	
CPU Issued Sect 1686:					
Asmt Roll No:	24 01 010 050 03700				
Prop ID No (PIN):	24927-0085 (LT)				
Property Municipal Address:	3005 DUNDAS STREET WEST, OAKVILLE, ONTARIO L6M 4J4				
Mailing Address:					
Latitude & Latitude:					
UTM Coordinates:					
Consultant:					
Legal Desc:					
Measurement Method:					
Applicable Standards:					
RSC PDF:	https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=15537&fileName=BROWNFIELDS-E-FILE.pdf				

Document(s) Detail

Document Heading:	Supporting Documents
Document Name:	05 C05875 RSC Notice Dec 2010.pdf
Document Type:	A copy of the notice for using the transition provision under section 21.1
Document Link:	https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=15544&fileName=05+C05875+RSC+Notice+Dec+2010.pdf
Document Heading:	Supporting Documents
Document Name:	03 Deed and Survey.pdf
Document Type:	Copy of any deed(s), transfer(s) or other document(s)
Document Link:	https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=15548&fileName=03+Deed+and+Survey.pdf
Document Heading:	Supporting Documents
Document Name:	07 AREAS OF POTENTIAL ENVIRONMENTAL CONCERN.pdf
Document Type:	Area(s) of Potential Environmental Concern
Document Link:	https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=15546&fileName=07+AREAS+OF+POTENTIAL+ENVIRONMENTAL+CONCERN.pdf
Document Heading:	Supporting Documents
Document Name:	08 TABLE OF CURRENT AND PAST USES OF THE PHASE ONE PROPERTY.pdf
Document Type:	Table of Current and Past Property Use
Document Link:	https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				attachmentId=15540&fileName=08+TABLE+OF+CURRENT+AND+PAST+USES+OF+THE+PHASE+ONE+PROPERTY.pdf	
Document Heading:				Supporting Documents	
Document Name:				04 Survey Plan_RSC Property.pdf	
Document Type:				A Current plan of Survey	
Document Link:				https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=15543&fileName=04+Survey+Plan_RSC+Property.pdf	
Document Heading:				Supporting Documents	
Document Name:				01 Certificates of Compliance.pdf	
Document Type:				Certificate of Status	
Document Link:				https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=15547&fileName=01+Certificates+of+Compliance.pdf	
Document Heading:				Supporting Documents	
Document Name:				06 Transition Notice Acknowledgement_3005 Dundas Street West Oakville.pdf	
Document Type:				A copy of the acknowledgement for using the transition provision under section 21.1	
Document Link:				https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=15541&fileName=06+Transition+Notice+Acknowledgement_3005+Dundas+Street+West+Oakville.pdf	
Document Heading:				Supporting Documents	
Document Name:				02 Lawyer Letter with Survey Attached.pdf	
Document Type:				Lawyer's letter consisting of a legal description of the property	
Document Link:				https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=15538&fileName=02+Lawyer+Letter+with+Survey+Attached.pdf	
Document Heading:				Supporting Documents	
Document Name:				09 Phase II Conceptual Site Model.pdf	
Document Type:				Phase 2 Conceptual Site Model	
Document Link:				https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=15545&fileName=09+Phase+II+Conceptual+Site+Model.pdf	

38	3 of 18	ESE/53.4	155.8 / -6.10	Shell Canada Products 3005 Dundas Street West Oakville ON L6M 4J4	GEN
Generator No:	ON9096008			PO Box No:	
Status:				Country:	
Approval Years:	2012			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:	447190				
SIC Description:	Other Gasoline Stations				
Detail(s)					
Waste Class:	251				
Waste Class Desc:	OIL SKIMMINGS & SLUDGES				
Waste Class:	221				
Waste Class Desc:	LIGHT FUELS				

38	4 of 18	ESE/53.4	155.8 / -6.10	ANTONY IBRAHIM 3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA ON	EXP
Instance No:	11300259			Model:	NULL
Status:	EXPIRED			Quantity:	1
Instance ID:				Unit of Measure:	EA
Instance Type:				Fuel Type2:	NULL
Instance Creation Dt:	7/19/2000 8:15:15 PM			Fuel Type3:	NULL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Instance Install Dt:	4/1/2009			Piping Steel:	
Item:				Piping Galvanized:	
Item Description:	FS Liquid Fuel Tank			Tank Single Wall St:	
Facility Type:	FS LIQUID FUEL TANK			Piping Underground:	
Overfill Prot Type:	NULL			Tank Underground:	
Creation Date:	7/5/2009 1:24:41 AM			Panam Related:	NULL
Expired Date:				Panam Venue Nm:	NULL
Manufacturer:	NULL				
Source:	FS Liquid Fuel Tank				
Description:	NULL				
Serial No:	NULL				
Ulc Standard:	NULL				
Facility Location:	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA				

38	5 of 18	ESE/53.4	155.8 / -6.10	ANTONY IBRAHIM 3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA ON	EXP
Instance No:	11373702			Model:	NULL
Status:	EXPIRED			Quantity:	1
Instance ID:				Unit of Measure:	EA
Instance Type:				Fuel Type2:	NULL
Instance Creation Dt:	7/19/2000 8:15:15 PM			Fuel Type3:	NULL
Instance Install Dt:	4/1/2009			Piping Steel:	
Item:				Piping Galvanized:	
Item Description:	FS Liquid Fuel Tank			Tank Single Wall St:	
Facility Type:	FS LIQUID FUEL TANK			Piping Underground:	
Overfill Prot Type:	NULL			Tank Underground:	
Creation Date:	7/5/2009 1:24:58 AM			Panam Related:	NULL
Expired Date:				Panam Venue Nm:	NULL
Manufacturer:	NULL				
Source:	FS Liquid Fuel Tank				
Description:	NULL				
Serial No:	NULL				
Ulc Standard:	NULL				
Facility Location:	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA				

38	6 of 18	ESE/53.4	155.8 / -6.10	ANTONY IBRAHIM 3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA ON	EXP
Instance No:	11373695			Model:	NULL
Status:	EXPIRED			Quantity:	1
Instance ID:				Unit of Measure:	EA
Instance Type:				Fuel Type2:	NULL
Instance Creation Dt:	7/19/2000 8:15:15 PM			Fuel Type3:	NULL
Instance Install Dt:	4/1/2009			Piping Steel:	
Item:				Piping Galvanized:	
Item Description:	FS Liquid Fuel Tank			Tank Single Wall St:	
Facility Type:	FS LIQUID FUEL TANK			Piping Underground:	
Overfill Prot Type:	NULL			Tank Underground:	
Creation Date:	7/5/2009 1:25:01 AM			Panam Related:	NULL
Expired Date:				Panam Venue Nm:	NULL
Manufacturer:	NULL				
Source:	FS Liquid Fuel Tank				
Description:	NULL				
Serial No:	NULL				
Ulc Standard:	NULL				
Facility Location:	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
38	7 of 18	ESE/53.4	155.8 / -6.10	ANTONY IBRAHIM 3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA ON	EXP
Instance No:	11373679			Model:	NULL
Status:	EXPIRED			Quantity:	1
Instance ID:				Unit of Measure:	EA
Instance Type:				Fuel Type2:	NULL
Instance Creation Dt:	7/19/2000 8:15:15 PM			Fuel Type3:	NULL
Instance Install Dt:	4/1/2009			Piping Steel:	
Item:				Piping Galvanized:	
Item Description:	FS Liquid Fuel Tank			Tank Single Wall St:	
Facility Type:	FS LIQUID FUEL TANK			Piping Underground:	
Overfill Prot Type:	NULL			Tank Underground:	
Creation Date:	7/5/2009 1:25:02 AM			Panam Related:	NULL
Expired Date:				Panam Venue Nm:	NULL
Manufacturer:	NULL				
Source:	FS Liquid Fuel Tank				
Description:	NULL				
Serial No:	NULL				
Ulc Standard:	NULL				
Facility Location:	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA				
38	8 of 18	ESE/53.4	155.8 / -6.10	ANTONY IBRAHIM 3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA ON	EXP
Instance No:	11373686			Model:	NULL
Status:	EXPIRED			Quantity:	1
Instance ID:				Unit of Measure:	EA
Instance Type:				Fuel Type2:	NULL
Instance Creation Dt:	7/19/2000 8:15:15 PM			Fuel Type3:	NULL
Instance Install Dt:	4/1/2009			Piping Steel:	
Item:				Piping Galvanized:	
Item Description:	FS Liquid Fuel Tank			Tank Single Wall St:	
Facility Type:	FS LIQUID FUEL TANK			Piping Underground:	
Overfill Prot Type:	NULL			Tank Underground:	
Creation Date:	7/5/2009 1:25:03 AM			Panam Related:	NULL
Expired Date:				Panam Venue Nm:	NULL
Manufacturer:	NULL				
Source:	FS Liquid Fuel Tank				
Description:	NULL				
Serial No:	NULL				
Ulc Standard:	NULL				
Facility Location:	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA				
38	9 of 18	ESE/53.4	155.8 / -6.10	Shell Canada Products 3005 Dundas Street West Oakville ON L6M 4J4	GEN
Generator No:	ON9096008			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Akruti Atawala
MHSW Facility:	No			Phone No Admin:	416-635-5882 Ext.55839
SIC Code:	447190				
SIC Description:	447190				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
<u>38</u>	10 of 18	ESE/53.4	155.8 / -6.10	Shell Canada Products 3005 Dundas Street West Oakville ON L6M 4J4	GEN
Generator No:	ON9096008			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Akruti Atawala
MHSW Facility:	No			Phone No Admin:	416-635-5882 Ext.55839
SIC Code:	447190				
SIC Description:	447190				
<u>Detail(s)</u>					
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
<u>38</u>	11 of 18	ESE/53.4	155.8 / -6.10	Shell Canada Products 3005 Dundas Street West Oakville ON L6M 4J4	GEN
Generator No:	ON9096008			PO Box No:	
Status:				Country:	Canada
Approval Years:	2014			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Akruti Atawala
MHSW Facility:	No			Phone No Admin:	416-635-5882 Ext.121
SIC Code:	447190				
SIC Description:	447190				
<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Desc:		OIL SKIMMINGS & SLUDGES			
Waste Class:		221			
Waste Class Desc:		LIGHT FUELS			
<u>38</u>	12 of 18	ESE/53.4	155.8 / -6.10	Shell Canada Products 3005 Dundas Street West Oakville ON L6M 4J4	GEN
Generator No:	ON9096008			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		221 L			
Waste Class Desc:		Light fuels			

[38](#) 13 of 18 **ESE/53.4** 155.8 / -6.10 **Shell Canada Products
3005 Dundas Street West
Oakville ON L6M 4J4** **GEN**

Generator No:	ON9096008	PO Box No:	
Status:	Registered	Country:	Canada
Approval Years:	As of Jul 2020	Choice of Contact:	
Contam. Facility:		Co Admin:	
MHSW Facility:		Phone No Admin:	
SIC Code:			
SIC Description:			

Detail(s)

Waste Class: 221 L
Waste Class Desc: Light fuels

[38](#) 14 of 18 **ESE/53.4** 155.8 / -6.10 **ANTONY IBRAHIM
3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE
L6M 4J4 ON CA
ON** **FST**

Instance No:	11373702	Manufacturer:	
Status:		Serial No:	
Cont Name:		Ulc Standard:	
Instance Type:		Quantity:	
Item:	FS LIQUID FUEL TANK	Unit of Measure:	
Item Description:	FS Liquid Fuel Tank	Fuel Type:	Gasoline
Tank Type:	Liquid Fuel Single Wall UST	Fuel Type2:	NULL
Install Date:	4/1/2009	Fuel Type3:	NULL
Install Year:	1984	Piping Steel:	
Years in Service:		Piping Galvanized:	
Model:	NULL	Tanks Single Wall St:	
Description:		Piping Underground:	
Capacity:	22700	Num Underground:	
Tank Material:	Fiberglass (FRP)	Panam Related:	
Corrosion Protect:		Panam Venue:	
Overfill Protect:			
Facility Type:	FS Liquid Fuel Tank		
Parent Facility Type:			
Facility Location:			
Device Installed Location:	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA		

Fuel Storage Tank Details

Owner Account Name: ANTONY IBRAHIM

[38](#) 15 of 18 **ESE/53.4** 155.8 / -6.10 **ANTONY IBRAHIM
3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE
L6M 4J4 ON CA
ON** **FST**

Instance No:	11300259	Manufacturer:	
Status:		Serial No:	
Cont Name:		Ulc Standard:	
Instance Type:		Quantity:	
Item:	FS LIQUID FUEL TANK	Unit of Measure:	
Item Description:	FS Liquid Fuel Tank	Fuel Type:	Gasoline

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tank Type:	Liquid Fuel Single Wall UST			Fuel Type2:	NULL
Install Date:	4/1/2009			Fuel Type3:	NULL
Install Year:	1984			Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:	NULL			Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:	22700			Num Underground:	
Tank Material:	Fiberglass (FRP)			Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					
Facility Type:	FS Liquid Fuel Tank				
Parent Facility Type:					
Facility Location:					
Device Installed Location:	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA				

Fuel Storage Tank Details

Owner Account Name: ANTONY IBRAHIM

<u>38</u>	16 of 18	ESE/53.4	155.8 / -6.10	ANTONY IBRAHIM 3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA ON	FST
Instance No:	11373679			Manufacturer:	
Status:				Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:				Quantity:	
Item:	FS LIQUID FUEL TANK			Unit of Measure:	
Item Description:	FS Liquid Fuel Tank			Fuel Type:	Gasoline
Tank Type:	Liquid Fuel Single Wall UST			Fuel Type2:	NULL
Install Date:	4/1/2009			Fuel Type3:	NULL
Install Year:	1984			Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:	NULL			Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:	22700			Num Underground:	
Tank Material:	Fiberglass (FRP)			Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					
Facility Type:	FS Liquid Fuel Tank				
Parent Facility Type:					
Facility Location:					
Device Installed Location:	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA				

Fuel Storage Tank Details

Owner Account Name: ANTONY IBRAHIM

<u>38</u>	17 of 18	ESE/53.4	155.8 / -6.10	ANTONY IBRAHIM 3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA ON	FST
Instance No:	11373695			Manufacturer:	
Status:				Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:				Quantity:	
Item:	FS LIQUID FUEL TANK			Unit of Measure:	
Item Description:	FS Liquid Fuel Tank			Fuel Type:	Gasoline
Tank Type:	Liquid Fuel Single Wall UST			Fuel Type2:	NULL
Install Date:	4/1/2009			Fuel Type3:	NULL
Install Year:	1984			Piping Steel:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Years in Service:				Piping Galvanized:	
Model:	NULL			Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:	22700			Num Underground:	
Tank Material:	Fiberglass (FRP)			Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					
Facility Type:	FS Liquid Fuel Tank				
Parent Facility Type:					
Facility Location:					
Device Installed Location:	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA				

Fuel Storage Tank Details

Owner Account Name: ANTONY IBRAHIM

38	18 of 18	ESE/53.4	155.8 / -6.10	ANTONY IBRAHIM 3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA ON	FST
Instance No:	11373686			Manufacturer:	
Status:				Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:				Quantity:	
Item:	FS LIQUID FUEL TANK			Unit of Measure:	
Item Description:	FS Liquid Fuel Tank			Fuel Type:	Gasoline
Tank Type:	Liquid Fuel Single Wall UST			Fuel Type2:	NULL
Install Date:	4/1/2009			Fuel Type3:	NULL
Install Year:	1984			Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:	NULL			Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:	22700			Num Underground:	
Tank Material:	Fiberglass (FRP)			Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					
Facility Type:	FS Liquid Fuel Tank				
Parent Facility Type:					
Facility Location:					
Device Installed Location:	3005 DUNDAS ST W HWYS 5 & 25 OAKVILLE L6M 4J4 ON CA				

Fuel Storage Tank Details

Owner Account Name: ANTONY IBRAHIM

39	1 of 1	ESE/53.4	155.8 / -6.10	3005 Dundas St W Oakville ON L6M 4J4	EHS
Order No:	20191022017			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	25-OCT-19			Search Radius (km):	.25
Date Received:	22-OCT-19			X:	-79.777012
Previous Site Name:				Y:	43.435482
Lot/Building Size:					
Additional Info Ordered:					

40	1 of 1	ESE/53.9	155.8 / -6.10	3005 DUNDAS ST. WEST Oakville ON	WWIS
--------------------	--------	----------	---------------	-------------------------------------	------

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well ID:	7120486			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	3/12/2009
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Abandoned-Other			Abandonment Rec:	Yes
Water Type:				Contractor:	1660
Casing Material:				Form Version:	7
Audit No:	Z89724			Owner:	
Tag:				Street Name:	3005 DUNDAS ST. WEST
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/712\7120486.pdf

Bore Hole Information

Bore Hole ID:	1002032256	Elevation:	156.094497
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598972
Code OB Desc:		North83:	4809935
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	12/15/2008	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID:	1002478067
Layer:	2
Plug From:	18
Plug To:	16
Plug Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1002478068
Layer:	3
Plug From:	16
Plug To:	0
Plug Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:		1002478066			
Layer:		1			
Plug From:		20			
Plug To:		18			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1002478072			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1002478063			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002478070			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1002478071			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1002478069			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1002478065			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole Diameter UOM:		inch			
41	1 of 1	NNE/54.5	160.8 / -1.15	3195 BRONTE ROAD OAKVILLE ON	WWIS
Well ID:	7304082			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	1/24/2018
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Abandoned-Other			Abandonment Rec:	Yes
Water Type:				Contractor:	7424
Casing Material:				Form Version:	7
Audit No:	Z278359			Owner:	
Tag:				Street Name:	3195 BRONTE ROAD
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):					
<u>Bore Hole Information</u>					
Bore Hole ID:	1006975508			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	598486
Code OB Desc:				North83:	4810480
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	12/20/2017			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1007134970				
Layer:	2				
Plug From:	2				
Plug To:	15				
Plug Depth UOM:	ft				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1007134969				
Layer:	1				
Plug From:	0				
Plug To:	2				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1007134968			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007134962			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1007134966			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1007134967			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1007134965			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1007134964			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
42	1 of 1	N/55.2	162.8 / 0.90	Bronte Rd lot 30 con 1 Oakville ON	WWIS

Well ID:	7338741	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:		Date Received:	8/2/2019
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Observation Wells	Abandonment Rec:	
Water Type:		Contractor:	7556
Casing Material:		Form Version:	7
Audit No:	Z291523	Owner:	
Tag:	A234536	Street Name:	Bronte Rd
Construction Method:		County:	HALTON
Elevation (m):		Municipality:	OAKVILLE TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	030
Well Depth:		Concession:	01
Overburden/Bedrock:		Concession Name:	DS N
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/733\7338741.pdf

Bore Hole Information

Bore Hole ID:	1007586994	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598371
Code OB Desc:		North83:	4810594
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	7/4/2019	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID:	1007977710
Layer:	2
Plug From:	6
Plug To:	19
Plug Depth UOM:	ft

Annular Space/Abandonment Sealing Record

Plug ID:	1007977709
Layer:	1
Plug From:	0
Plug To:	6
Plug Depth UOM:	ft

Pipe Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Pipe ID: 1007975307
 Casing No: 0
 Comment:
 Alt Name:

Results of Well Yield Testing

Pump Test ID: 1007980497
 Pump Set At:
 Static Level:
 Final Level After Pumping:
 Recommended Pump Depth:
 Pumping Rate:
 Flowing Rate:
 Recommended Pump Rate:
 Levels UOM: ft
 Rate UOM: GPM
 Water State After Test Code:
 Water State After Test:
 Pumping Test Method: 0
 Pumping Duration HR:
 Pumping Duration MIN:
 Flowing:

[43](#) 1 of 1 NNE/56.4 162.1 / 0.15 lot 30 con 1 ON [WWIS](#)

Well ID: 2802163	Data Entry Status: 1
Construction Date:	Data Src: 1/4/1957
Primary Water Use: Domestic	Date Received: Yes
Sec. Water Use: 0	Selected Flag: Yes
Final Well Status: Water Supply	Abandonment Rec: 1642
Water Type:	Contractor: 1
Casing Material:	Form Version: 1
Audit No:	Owner:
Tag:	Street Name:
Construction Method:	County: HALTON
Elevation (m):	Municipality: OAKVILLE TOWN
Elevation Reliability:	Site Info:
Depth to Bedrock:	Lot: 030
Well Depth:	Concession: 01
Overburden/Bedrock:	Concession Name: DS N
Pump Rate:	Easting NAD83:
Static Water Level:	Northing NAD83:
Flowing (Y/N):	Zone:
Flow Rate:	UTM Reliability:
Clear/Cloudy:	

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2802163.pdf

Bore Hole Information

Bore Hole ID: 10148717	Elevation: 163.078231
DP2BR: 15	Elevrc:
Spatial Status:	Zone: 17
Code OB: r	East83: 598420.6
Code OB Desc: Bedrock	North83: 4810547
Open Hole:	Org CS:
Cluster Kind:	UTMRC: 9
Date Completed: 11/30/1956	UTMRC Desc: unknown UTM
Remarks:	Location Method: p9
Elevrc Desc:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Overburden and Bedrock
Materials Interval

Formation ID: 931427817
Layer: 1
Color:
General Color:
Mat1: 05
Most Common Material: CLAY
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 0
Formation End Depth: 15
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931427818
Layer: 2
Color: 7
General Color: RED
Mat1: 17
Most Common Material: SHALE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 15
Formation End Depth: 40
Formation End Depth UOM: ft

Method of Construction & Well
Use

Method Construction ID: 962802163
Method Construction Code: 1
Method Construction: Cable Tool
Other Method Construction:

Pipe Information

Pipe ID: 10697287
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930253059
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		16			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930253060			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		40			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992802163			
Pump Set At:					
Static Level:		12			
Final Level After Pumping:		37			
Recommended Pump Depth:					
Pumping Rate:		0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933604212			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		38			
Water Found Depth UOM:		ft			

[44](#) 1 of 1 **NNE/57.9** **160.8 / -1.15** **3195 BRONTE ROAD OAKVILLE ON** **WWIS**

Well ID:	7304081	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:		Date Received:	1/24/2018
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Abandoned-Other	Abandonment Rec:	Yes
Water Type:		Contractor:	7424
Casing Material:		Form Version:	7
Audit No:	Z278364	Owner:	
Tag:		Street Name:	3195 BRONTE ROAD
Construction Method:		County:	HALTON
Elevation (m):		Municipality:	OAKVILLE TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy: PDF URL (Map):				Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
<u>Bore Hole Information</u>					
Bore Hole ID: 1006975505 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 12/20/2017 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:				Elevation: Elevrc: Zone: 17 East83: 598485 North83: 4810486 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr	
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID: 1007134961 Layer: 2 Plug From: 2 Plug To: 15 Plug Depth UOM: ft					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID: 1007134960 Layer: 1 Plug From: 0 Plug To: 2 Plug Depth UOM: ft					
<u>Method of Construction & Well Use</u>					
Method Construction ID: 1007134959 Method Construction Code: Method Construction: Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID: 1007134953 Casing No: 0 Comment: Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID: 1007134957					
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
<u>Construction Record - Screen</u>					
Screen ID: 1007134958					
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM: ft					
Screen Diameter UOM: inch					
Screen Diameter:					
<u>Water Details</u>					
Water ID: 1007134956					
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM: ft					
<u>Hole Diameter</u>					
Hole ID: 1007134955					
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM: ft					
Hole Diameter UOM: inch					
45	1 of 1	E/58.4	158.8 / -3.10	lot 30 con 1 ON	WWIS
Well ID: 2802166					
Construction Date:					
Primary Water Use: Domestic					
Sec. Water Use: 0					
Final Well Status: Water Supply					
Water Type:					
Casing Material:					
Audit No:					
Tag:					
Construction Method:					
Elevation (m):					
Elevation Reliability:					
Depth to Bedrock:					
Well Depth:					
Overburden/Bedrock:					
Pump Rate:					
Static Water Level:					
Flowing (Y/N):					
Data Entry Status:					
Data Src: 1					
Date Received: 11/21/1961					
Selected Flag: Yes					
Abandonment Rec:					
Contractor: 4001					
Form Version: 1					
Owner:					
Street Name:					
County: HALTON					
Municipality: OAKVILLE TOWN					
Site Info:					
Lot: 030					
Concession: 01					
Concession Name: DS N					
Easting NAD83:					
Northing NAD83:					
Zone:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flow Rate: Clear/Cloudy:				UTM Reliability:	
PDF URL (Map):					
<u>Bore Hole Information</u>					
Bore Hole ID:	10148720			Elevation:	158.692718
DP2BR:	8			Elevrc:	
Spatial Status:				Zone:	17
Code OB:	r			East83:	598810.6
Code OB Desc:	Bedrock			North83:	4810173
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	10/21/1961			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931427823				
Layer:	1				
Color:	2				
General Color:	GREY				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0				
Formation End Depth:	8				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931427824				
Layer:	2				
Color:	7				
General Color:	RED				
Mat1:	17				
Most Common Material:	SHALE				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	8				
Formation End Depth:	40				
Formation End Depth UOM:	ft				
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:	962802166				
Method Construction Code:	1				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10697290			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930253066			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		40			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930253065			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		10			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992802166			
Pump Set At:					
Static Level:		11			
Final Level After Pumping:		37			
Recommended Pump Depth:		38			
Pumping Rate:		3			
Flowing Rate:					
Recommended Pump Rate:		3			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933604215			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		38			
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
46	1 of 1	N/58.5	162.8 / 0.85	Heart and Stroke Foundation 3259 Bronte Road Oakville ON L6M 4J3	GEN
Generator No:	ON2756454			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No Admin:	
SIC Code:	621494				
SIC Description:	621494				
Detail(s)					
Waste Class:	312				
Waste Class Desc:	PATHOLOGICAL WASTES				

47	1 of 1	NNE/58.8	160.9 / -1.09	3195 BRONTE ROAD OAKVILLE ON	WWIS
Well ID:	7304077			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	1/24/2018
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Abandoned-Other			Abandonment Rec:	Yes
Water Type:				Contractor:	7424
Casing Material:				Form Version:	7
Audit No:	Z278363			Owner:	
Tag:				Street Name:	3195 BRONTE ROAD
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):					
Bore Hole Information					
Bore Hole ID:	1006975493			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	598476
Code OB Desc:				North83:	4810496
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	12/20/2017			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Annular Space/Abandonment

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Sealing Record</u>					
Plug ID:		1007134922			
Layer:		1			
Plug From:		0			
Plug To:		2			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1007134923			
Layer:		2			
Plug From:		2			
Plug To:		15			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1007134921			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007134915			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1007134919			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1007134920			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1007134918			
Layer:					
Kind Code:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Kind:					
Water Found Depth:					
Water Found Depth UOM: ft					
Hole Diameter					
Hole ID: 1007134917					
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM: ft					
Hole Diameter UOM: inch					

48	1 of 1	NNE/59.3	160.8 / -1.15	lot 30 con 1 ON	WWIS
Well ID: 7333527					
Construction Date:					
Primary Water Use:					
Sec. Water Use:					
Final Well Status:					
Water Type:					
Casing Material:					
Audit No: C39033					
Tag: A244274					
Construction Method:					
Elevation (m):					
Elevation Reliability:					
Depth to Bedrock:					
Well Depth:					
Overburden/Bedrock:					
Pump Rate:					
Static Water Level:					
Flowing (Y/N):					
Flow Rate:					
Clear/Cloudy:					
PDF URL (Map):					
Data Entry Status: Yes					
Data Src:					
Date Received: 5/22/2019					
Selected Flag: Yes					
Abandonment Rec:					
Contractor: 7215					
Form Version: 8					
Owner:					
Street Name:					
County: HALTON					
Municipality: OAKVILLE TOWN					
Site Info:					
Lot: 030					
Concession: 01					
Concession Name: DS N					
Easting NAD83:					
Northing NAD83:					
Zone:					
UTM Reliability:					

Bore Hole Information					
Bore Hole ID: 1007478637					
DP2BR:					
Spatial Status:					
Code OB:					
Code OB Desc:					
Open Hole:					
Cluster Kind:					
Date Completed: 3/16/2019					
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Elevation:					
Elevrc:					
Zone: 17					
East83: 598487					
North83: 4810486					
Org CS: UTM83					
UTMRC: 4					
UTMRC Desc: margin of error : 30 m - 100 m					
Location Method: wwr					

49	1 of 1	NNE/60.6	160.8 / -1.14	3195 HWY 25, OAKVILLE ON	INC
Incident No: 1970086					
Incident ID:					
Instance No:					
Any Health Impact: No					
Any Enviro Impact: Yes					
Service Interrupted: Yes					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status Code:				Was Prop Damaged:	Yes
Attribute Category:	FS-Perform L1 Incident Insp			Reside App. Type:	
Context:				Commer App. Type:	
Date of Occurrence:	2016/11/02 00:00:00			Indus App. Type:	
Time of Occurrence:	NULL			Institut App. Type:	
Incident Created On:				Venting Type:	
Instance Creation Dt:				Vent Conn Mater:	
Instance Install Dt:				Vent Chimney Mater:	
Occur Insp Start Date:	2016/11/03 00:00:00			Pipeline Type:	
Approx Quant Rel:				Pipeline Involved:	
Tank Capacity:				Pipe Material:	
Fuels Occur Type:	Leak			Depth Ground Cover:	
Fuel Type Involved:	Fuel Oil			Regulator Location:	
Enforcement Policy:	NULL			Regulator Type:	
Prc Escalation Req:	NULL			Operation Pressure:	
Tank Material Type:				Liquid Prop Make:	
Tank Storage Type:				Liquid Prop Model:	
Tank Location Type:				Liquid Prop Serial No:	
Pump Flow Rate Cap:				Liquid Prop Notes:	
Task No:	6423787			Equipment Type:	
Notes:				Equipment Model:	
Drainage System:				Serial No:	
Sub Surface Contam.:				Cylinder Capacity:	
Aff Prop Use Water:				Cylinder Cap Units:	
Contam. Migrated:				Cylinder Mat Type:	
Contact Natural Env:				Near Body of Water:	
Incident Location:		3195 HWY 25, OAKVILLE - LEAK			
Occurrence Narrative:		NULL			
Operation Type Involved:		Private Dwelling			
Item:					
Item Description:					
Device Installed Location:					

50	1 of 1	NNE/60.9	160.8 / -1.10	3195 BRONTE RD. OAKVILLE ON	WWIS
Well ID:	7291663			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Test Hole			Date Received:	7/31/2017
Sec. Water Use:	Monitoring			Selected Flag:	Yes
Final Well Status:	Monitoring and Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7383
Casing Material:				Form Version:	7
Audit No:	Z264475			Owner:	
Tag:	A211911			Street Name:	3195 BRONTE RD.
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):					
<u>Bore Hole Information</u>					
Bore Hole ID:	1006672717			Elevation:	161.665176
DP2BR:				Elevrc:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Spatial Status:				Zone:	17
Code OB:				East83:	598495
Code OB Desc:				North83:	4810479
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:		1/25/2017	UTMRC Desc:		margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

**Overburden and Bedrock
Materials Interval**

Formation ID: 1006814908
Layer: 2
Color:
General Color:
Mat1: 17
Most Common Material: SHALE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth:
Formation End Depth: 20
Formation End Depth UOM: ft

**Overburden and Bedrock
Materials Interval**

Formation ID: 1006814907
Layer: 1
Color:
General Color:
Mat1: 06
Most Common Material: SILT
Mat2: 28
Mat2 Desc: SAND
Mat3:
Mat3 Desc:
Formation Top Depth: 0
Formation End Depth:
Formation End Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1006814918
Layer: 3
Plug From: 9
Plug To: 20
Plug Depth UOM: ft

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1006814917
Layer: 2

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Plug From:</i>		1			
<i>Plug To:</i>		9			
<i>Plug Depth UOM:</i>		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1006814916			
<i>Layer:</i>		1			
<i>Plug From:</i>		0			
<i>Plug To:</i>		1			
<i>Plug Depth UOM:</i>		ft			
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>		1006814915			
<i>Method Construction Code:</i>		6			
<i>Method Construction:</i>		Boring			
<i>Other Method Construction:</i>					
<u>Pipe Information</u>					
<i>Pipe ID:</i>		1006814906			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>		1006814911			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		10			
<i>Casing Diameter:</i>		2			
<i>Casing Diameter UOM:</i>		inch			
<i>Casing Depth UOM:</i>		ft			
<u>Construction Record - Screen</u>					
<i>Screen ID:</i>		1006814912			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		10			
<i>Screen End Depth:</i>		20			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		ft			
<i>Screen Diameter UOM:</i>		inch			
<i>Screen Diameter:</i>		2.375			
<u>Water Details</u>					
<i>Water ID:</i>		1006814910			
<i>Layer:</i>					
<i>Kind Code:</i>					
<i>Kind:</i>					
<i>Water Found Depth:</i>					
<i>Water Found Depth UOM:</i>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Hole Diameter

Hole ID: 1006814909
 Diameter: 6
 Depth From: 0
 Depth To: 20
 Hole Depth UOM: ft
 Hole Diameter UOM: inch

[51](#) 1 of 1 ESE/61.2 155.8 / -6.10 lot 31 con 1 ON WWIS

Well ID:	2805218	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Commerical	Date Received:	6/8/1978
Sec. Water Use:	0	Selected Flag:	Yes
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	4005
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	HALTON
Elevation (m):		Municipality:	OAKVILLE TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	031
Well Depth:		Concession:	01
Overburden/Bedrock:		Concession Name:	DS N
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2805218.pdf

Bore Hole Information

Bore Hole ID:	10151715	Elevation:	156.568283
DP2BR:	20	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	598994.6
Code OB Desc:	Bedrock	North83:	4809963
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	5/31/1978	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID: 931438849
 Layer: 1
 Color: 6
 General Color: BROWN
 Mat1: 05
 Most Common Material: CLAY

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:		81			
Mat2 Desc:		SANDY			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		0			
Formation End Depth:		15			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931438850			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		81			
Mat3 Desc:		SANDY			
Formation Top Depth:		15			
Formation End Depth:		20			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931438851			
Layer:		3			
Color:		7			
General Color:		RED			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:		73			
Mat2 Desc:		HARD			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		20			
Formation End Depth:		40			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		962805218			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10700285			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930257905			
Layer:		1			
Material:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		20			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930257906			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		40			
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992805218			
Pump Set At:					
Static Level:		9			
Final Level After Pumping:		35			
Recommended Pump Depth:		37			
Pumping Rate:		5			
Flowing Rate:					
Recommended Pump Rate:		4			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934967004			
Test Type:		Recovery			
Test Duration:		60			
Test Level:		9			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934714854			
Test Type:		Recovery			
Test Duration:		45			
Test Level:		9			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934181677			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		14			
Test Level UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Draw Down & Recovery

Pump Test Detail ID: 934446914
Test Type: Recovery
Test Duration: 30
Test Level: 9
Test Level UOM: ft

Water Details

Water ID: 933608372
Layer: 2
Kind Code: 1
Kind: FRESH
Water Found Depth: 37
Water Found Depth UOM: ft

Water Details

Water ID: 933608371
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 28
Water Found Depth UOM: ft

[52](#) 1 of 1 **E/61.8** **158.8 / -3.10** **lot 30 con 1 ON** **WWIS**

Well ID: 2802158	Data Entry Status:
Construction Date:	Data Src: 1
Primary Water Use: Domestic	Date Received: 2/7/1955
Sec. Water Use: 0	Selected Flag: Yes
Final Well Status: Water Supply	Abandonment Rec:
Water Type:	Contractor: 1429
Casing Material:	Form Version: 1
Audit No:	Owner:
Tag:	Street Name:
Construction Method:	County: HALTON
Elevation (m):	Municipality: OAKVILLE TOWN
Elevation Reliability:	Site Info:
Depth to Bedrock:	Lot: 030
Well Depth:	Concession: 01
Overburden/Bedrock:	Concession Name: DS N
Pump Rate:	Easting NAD83:
Static Water Level:	Northing NAD83:
Flowing (Y/N):	Zone:
Flow Rate:	UTM Reliability:
Clear/Cloudy:	

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2802158.pdf

Bore Hole Information

Bore Hole ID: 10148712	Elevation: 158.616958
DP2BR: 5	Elevrc:
Spatial Status:	Zone: 17
Code OB: r	East83: 598820.6
Code OB Desc: Bedrock	North83: 4810168
Open Hole:	Org CS:
Cluster Kind:	UTMRC: 9
Date Completed: 10/20/1953	UTMRC Desc: unknown UTM

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Remarks:				Location Method:	p9
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931427808			
Layer:		2			
Color:					
General Color:					
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		5			
Formation End Depth:		40			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931427807			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		5			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		962802158			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10697282			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930253049			
Layer:		1			
Material:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		11			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930253050			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		40			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992802158			
Pump Set At:					
Static Level:		4			
Final Level After Pumping:		40			
Recommended Pump Depth:					
Pumping Rate:		2			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933604207			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		40			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		933604206			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		23			
Water Found Depth UOM:		ft			
53	1 of 1	NNE/62.2	160.8 / -1.14	3195 BRONTE ROAD OAKVILLE ON	WWIS
Well ID:	7304079			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	1/24/2018

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Abandoned-Other			Abandonment Rec:	Yes
Water Type:				Contractor:	7424
Casing Material:				Form Version:	7
Audit No:	Z278360			Owner:	
Tag:				Street Name:	3195 BRONTE ROAD
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):					
<u>Bore Hole Information</u>					
Bore Hole ID:	1006975499			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	598489
Code OB Desc:				North83:	4810488
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	12/20/2017			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1007134943				
Layer:	2				
Plug From:	2				
Plug To:	15				
Plug Depth UOM:	ft				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1007134942				
Layer:	1				
Plug From:	0				
Plug To:	2				
Plug Depth UOM:	ft				
<u>Method of Construction & Well Use</u>					
Method Construction ID:	1007134941				
Method Construction Code:					
Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Other Method Construction:

Pipe Information

Pipe ID: 1007134935
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1007134939
Layer:
Material:
Open Hole or Material:
Depth From:
Depth To:
Casing Diameter:
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1007134940
Layer:
Slot:
Screen Top Depth:
Screen End Depth:
Screen Material:
Screen Depth UOM: ft
Screen Diameter UOM: inch
Screen Diameter:

Water Details

Water ID: 1007134938
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1007134937
Diameter:
Depth From:
Depth To:
Hole Depth UOM: ft
Hole Diameter UOM: inch

54	1 of 1	NNW/63.5	164.8 / 2.91	BRONTE RD OAKVILLE ON	WWIS
Well ID:	7302553			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	12/28/2017
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	7360
Casing Material:				Form Version:	7

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Audit No:	Z279654			Owner:	
Tag:	A231606			Street Name:	BRONTE RD
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):					

Bore Hole Information

Bore Hole ID:	1006948035	Elevation:	165.472076
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598090
Code OB Desc:		North83:	4810854
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	12/8/2017	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1007118169
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	01
Most Common Material:	FILL
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0
Formation End Depth:	10
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	1007118171
Layer:	3
Color:	7
General Color:	RED
Mat1:	01
Most Common Material:	FILL
Mat2:	
Mat2 Desc:	
Mat3:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:					
Formation Top Depth:		20			
Formation End Depth:		30			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007118170			
Layer:		2			
Color:					
General Color:					
Mat1:		01			
Most Common Material:		FILL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		10			
Formation End Depth:		20			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007118178			
Layer:		1			
Plug From:		18			
Plug To:		0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1007118177			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007118168			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1007118174			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		20			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1007118175			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		1			
Slot:		.10			
Screen Top Depth:		20			
Screen End Depth:		30			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2			

Water Details

Water ID: 1007118173
Layer: 1
Kind Code: 8
Kind: Untested
Water Found Depth: 28
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1007118172
Diameter: 6
Depth From: 0
Depth To: 30
Hole Depth UOM: ft
Hole Diameter UOM: inch

55	1 of 1	NE/64.7	160.5 / -1.42	lot 30 con 1 ON	WWIS
--------------------	--------	---------	---------------	--------------------	------

Well ID: 2802170	Data Entry Status:
Construction Date:	Data Src: 1
Primary Water Use: Domestic	Date Received: 5/25/1966
Sec. Water Use: 0	Selected Flag: Yes
Final Well Status: Water Supply	Abandonment Rec:
Water Type:	Contractor: 1308
Casing Material:	Form Version: 1
Audit No:	Owner:
Tag:	Street Name:
Construction Method:	County: HALTON
Elevation (m):	Municipality: OAKVILLE TOWN
Elevation Reliability:	Site Info:
Depth to Bedrock:	Lot: 030
Well Depth:	Concession: 01
Overburden/Bedrock:	Concession Name: DS N
Pump Rate:	Easting NAD83:
Static Water Level:	Northing NAD83:
Flowing (Y/N):	Zone:
Flow Rate:	UTM Reliability:
Clear/Cloudy:	

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2802170.pdf

Bore Hole Information

Bore Hole ID: 10148724	Elevation: 161.732192
DP2BR: 14	Elevrc:
Spatial Status:	Zone: 17
Code OB: r	East83: 598524.6
Code OB Desc: Bedrock	North83: 4810444
Open Hole:	Org CS:
Cluster Kind:	UTMRC: 5

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Date Completed:	1/9/1966			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931427834				
Layer:	4				
Color:	7				
General Color:	RED				
Mat1:	17				
Most Common Material:	SHALE				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	14				
Formation End Depth:	21				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931427832				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	1				
Formation End Depth:	9				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931427831				
Layer:	1				
Color:					
General Color:					
Mat1:	02				
Most Common Material:	TOPSOIL				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0				
Formation End Depth:	1				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		931427833			
Layer:		3			
Color:		7			
General Color:		RED			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		9			
Formation End Depth:		14			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962802170			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10697294			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930253074			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		21			
Casing Diameter:		30			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930253073			
Layer:		1			
Material:		3			
Open Hole or Material:		CONCRETE			
Depth From:					
Depth To:		14			
Casing Diameter:		30			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992802170			
Pump Set At:					
Static Level:		12			
Final Level After Pumping:		19			
Recommended Pump Depth:		20			
Pumping Rate:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing Rate:					
Recommended Pump Rate:	1				
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	1				
Pumping Duration HR:	0				
Pumping Duration MIN:	30				
Flowing:	No				
Water Details					
Water ID:	933604219				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	21				
Water Found Depth UOM:	ft				

[56](#) 1 of 1 **NNE/65.0** **160.8 / -1.18** **3195 BRONTE ROAD OAKVILLE ON** [WWIS](#)

Well ID:	7304080	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:		Date Received:	1/24/2018
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Abandoned-Other	Abandonment Rec:	Yes
Water Type:		Contractor:	7424
Casing Material:		Form Version:	7
Audit No:	Z278362	Owner:	
Tag:		Street Name:	3195 BRONTE ROAD
Construction Method:		County:	HALTON
Elevation (m):		Municipality:	OAKVILLE TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map):

Bore Hole Information

Bore Hole ID:	1006975502	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598488
Code OB Desc:		North83:	4810493
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	12/20/2017	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007134951			
Layer:		1			
Plug From:		0			
Plug To:		2			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007134952			
Layer:		2			
Plug From:		2			
Plug To:		15			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1007134950			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007134944			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1007134948			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1007134949			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Water Details</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water ID:		1007134947			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1007134946			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

57	1 of 1	NNW/65.4	163.6 / 1.65	lot 30 con 1 ON	WWIS
Well ID:		2808038		Data Entry Status:	
Construction Date:				Data Src: 1	
Primary Water Use:		Public		Date Received: 10/22/1992	
Sec. Water Use:				Selected Flag: Yes	
Final Well Status:		Water Supply		Abandonment Rec:	
Water Type:				Contractor: 1660	
Casing Material:				Form Version: 1	
Audit No:		43805		Owner:	
Tag:				Street Name:	
Construction Method:				County: HALTON	
Elevation (m):				Municipality: OAKVILLE TOWN	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot: 030	
Well Depth:				Concession: 01	
Overburden/Bedrock:				Concession Name: DS N	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2808038.pdf			

Bore Hole Information

Bore Hole ID:		10154295		Elevation: 163.452026	
DP2BR:		21		Elevrc:	
Spatial Status:				Zone: 17	
Code OB:		r		East83: 598278.2	
Code OB Desc:		Bedrock		North83: 4810697	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC: 3	
Date Completed:		7/29/1991		UTMRC Desc: margin of error : 10 - 30 m	
Remarks:				Location Method: gps	
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

**Overburden and Bedrock
Materials Interval**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		931449962			
Layer:		3			
Color:		7			
General Color:		RED			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:		73			
Mat2 Desc:		HARD			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		21			
Formation End Depth:		101			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931449961			
Layer:		2			
Color:		7			
General Color:		RED			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		85			
Mat2 Desc:		SOFT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		16			
Formation End Depth:		21			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931449960			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		85			
Mat2 Desc:		SOFT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		16			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962808038			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10702865			
Casing No:		1			
Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930262489			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		26			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930262490			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		101			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992808038			
Pump Set At:					
Static Level:		14			
Final Level After Pumping:		73			
Recommended Pump Depth:		94			
Pumping Rate:		10			
Flowing Rate:					
Recommended Pump Rate:		5			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		2			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934180670			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		39			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934713316			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		73			
Test Level UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934974611			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		73			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934454179			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		58			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933611725			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		71			
Water Found Depth UOM:		ft			

<u>58</u>	1 of 1	ESE/65.7	155.8 / -6.10	3005 DUNDAS ST. W. Oakville ON	WWIS
Well ID:	7107062			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	6/25/2008
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	6607
Casing Material:				Form Version:	5
Audit No:	M01748			Owner:	
Tag:	A067329			Street Name:	3005 DUNDAS ST. W.
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7107107062.pdf

Bore Hole Information

Bore Hole ID:	1002712000	Elevation:	155.743621
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598998
Code OB Desc:		North83:	4809900
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	4/16/2008	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002712004			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1002712003			
Method Construction Code:					
Method Construction:					
Other Method Construction:		AUGER			
<u>Pipe Information</u>					
Pipe ID:		1002712005			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002712007			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		1.2			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002712006			
Layer:					
Slot:					
Screen Top Depth:		1.2			
Screen End Depth:		4.2			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002712008			
Pump Set At:					
Static Level:					
Final Level After Pumping:					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002712002			
Diameter:		21			
Depth From:					
Depth To:		4.2			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002711991			Elevation:	156.051315
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	599013
Code OB Desc:				North83:	4809922
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	4/15/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002711995			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1002711994			
Method Construction Code:					
Method Construction:					
Other Method Construction:		AUGER			
<u>Pipe Information</u>					
Pipe ID:		1002711996			
Casing No:		0			
Comment:					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>		1002711998			
<i>Layer:</i>					
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>					
<i>Depth To:</i>		1.2			
<i>Casing Diameter:</i>					
<i>Casing Diameter UOM:</i>					
<i>Casing Depth UOM:</i>		m			
<u>Construction Record - Screen</u>					
<i>Screen ID:</i>		1002711997			
<i>Layer:</i>					
<i>Slot:</i>					
<i>Screen Top Depth:</i>		1.2			
<i>Screen End Depth:</i>		4.2			
<i>Screen Material:</i>					
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>					
<i>Screen Diameter:</i>					
<u>Results of Well Yield Testing</u>					
<i>Pump Test ID:</i>		1002711999			
<i>Pump Set At:</i>					
<i>Static Level:</i>					
<i>Final Level After Pumping:</i>					
<i>Recommended Pump Depth:</i>					
<i>Pumping Rate:</i>					
<i>Flowing Rate:</i>					
<i>Recommended Pump Rate:</i>					
<i>Levels UOM:</i>					
<i>Rate UOM:</i>					
<i>Water State After Test Code:</i>					
<i>Water State After Test:</i>					
<i>Pumping Test Method:</i>					
<i>Pumping Duration HR:</i>					
<i>Pumping Duration MIN:</i>					
<i>Flowing:</i>					
<u>Hole Diameter</u>					
<i>Hole ID:</i>		1002711993			
<i>Diameter:</i>		21			
<i>Depth From:</i>					
<i>Depth To:</i>		4.2			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			
<u>Bore Hole Information</u>					
<i>Bore Hole ID:</i>	1001627718		<i>Elevation:</i>	156.334503	
<i>DP2BR:</i>			<i>Elevrc:</i>		
<i>Spatial Status:</i>			<i>Zone:</i>	17	
<i>Code OB:</i>			<i>East83:</i>	598987	
<i>Code OB Desc:</i>			<i>North83:</i>	4809947	
<i>Open Hole:</i>	Yes		<i>Org CS:</i>	UTM83	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Cluster Kind:				UTMRC:	3
Date Completed:	4/17/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1002712011			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		28			
Mat3 Desc:		SAND			
Formation Top Depth:		1.2			
Formation End Depth:		4.2			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1002712013			
Layer:		4			
Color:		7			
General Color:		RED			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:		15			
Mat2 Desc:		LIMESTONE			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		6			
Formation End Depth:		11.4			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1002712010			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		01			
Mat3 Desc:		FILL			
Formation Top Depth:		0			
Formation End Depth:		1.2			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		1002712012			
Layer:		3			
Color:		7			
General Color:		RED			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Mat2 Desc:					
Mat3:		92			
Mat3 Desc:		WEATHERED			
Formation Top Depth:		4.2			
Formation End Depth:		6			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002712017			
Layer:		1			
Plug From:		0			
Plug To:		1.8			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002712018			
Layer:		2			
Plug From:		1.8			
Plug To:		6.3			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1002712022			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:		AUGER			
<u>Pipe Information</u>					
Pipe ID:		1002712009			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002712020			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		0			
Depth To:		6.3			
Casing Diameter:		10.8			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		1002712019			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		10.6			
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1002712014			
Diameter:		21			
Depth From:		0			
Depth To:		6			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1002712016			
Diameter:		10			
Depth From:		6.3			
Depth To:		11.4			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		1002712015			
Diameter:		12			
Depth From:		6			
Depth To:		6.3			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002711982			Elevation:	156.244262
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	599002
Code OB Desc:				North83:	4809938
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	4/15/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002711986			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Method of Construction & Well Use</u>					
Method Construction ID:			1002711985		
Method Construction Code:					
Method Construction:					
Other Method Construction:		AUGER			
<u>Pipe Information</u>					
Pipe ID:			1002711987		
Casing No:			0		
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:			1002711989		
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		1.2			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:			1002711988		
Layer:					
Slot:					
Screen Top Depth:		1.2			
Screen End Depth:		4.2			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:			1002711990		
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID:		1002711984			
Diameter:		21			
Depth From:					
Depth To:		4.2			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002711973			Elevation:	156.429794
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	598984
Code OB Desc:				North83:	4809954
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	4/15/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002711977			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1002711976			
Method Construction Code:					
Method Construction:					
Other Method Construction:		AUGER			
<u>Pipe Information</u>					
Pipe ID:		1002711978			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002711980			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		1.2			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Screen</u>					
Screen ID:			1002711979		
Layer:					
Slot:					
Screen Top Depth:			1.2		
Screen End Depth:			4.2		
Screen Material:					
Screen Depth UOM:			m		
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:			1002711981		
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:			1002711975		
Diameter:			21		
Depth From:					
Depth To:			4.2		
Hole Depth UOM:			m		
Hole Diameter UOM:			cm		

59	1 of 2	ENE/65.8	159.8 / -2.10	ANNA SEQUEIRA 3171 REGIONAL ROAD 25 OAKVILLE L6J 4Z3 ON CA ON	CFOT
Licence No:				Item Description:	Fuel Oil Tank
Registration No:				Instance Type:	FS Fuel Oil Tank
Posse File No:				Facility Type:	FS Fuel Oil Tank
Posse Reg No:				Fuel Type:	Fuel Oil
Status Name:				Distributor:	
Tank Type:	Single Wall UST			Letter Sent:	
Tank Size:	1890			Comments:	
Tank Material:	Steel			Corrosion Protect:	
Instance No:	61927595			Province:	
Inst Creation Date:	3/11/2009			Nbr:	
Inst Install Date:	3/11/2009			Context:	FS Fuel Oil Tank
Item:	FS FUEL OIL TANK				
Tank Age (as of 05/1992):					
Device Installed Location:	3171 REGIONAL ROAD 25 OAKVILLE L6J 4Z3 ON CA				
Description:	NULL				
Contact Name:					
Contact Address:					
Contact Address2:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Contact Suite:
Contact City:
Contact Prov:
Contact Postal:

59	2 of 2	ENE/65.8	159.8 / -2.10	ANNA SEQUEIRA 3171 REGIONAL ROAD 25 OAKVILLE L6J 4Z3 ON CA ON	FST
Instance No:		61927595		Manufacturer:	
Status:		Active		Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:				Quantity:	
Item:				Unit of Measure:	
Item Description:		Fuel Oil Tank		Fuel Type:	
Tank Type:		Single Wall UST		Fuel Type2:	
Install Date:		3/11/2009		Fuel Type3:	
Install Year:		1981		Piping Steel:	
Years in Service:		2.1		Piping Galvanized:	
Model:		NULL		Tanks Single Wall St:	
Description:		NULL		Piping Underground:	
Capacity:		1890		Num Underground:	
Tank Material:		Steel		Panam Related:	
Corrosion Protect:		NULL		Panam Venue:	
Overfill Protect:					
Facility Type:		FS FUEL OIL TANK			
Parent Facility Type:					
Facility Location:		3171 REGIONAL ROAD 25 OAKVILLE L6J 4Z3 ON CA			
Device Installed Location:					

60	1 of 1	ESE/66.4	155.6 / -6.36	lot 31 con 1 ON	WWIS
Well ID:		2807864		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	
Sec. Water Use:				Selected Flag:	
Final Well Status:		Abandoned-Supply		Abandonment Rec:	
Water Type:				Contractor:	
Casing Material:				Form Version:	
Audit No:		104455		Owner:	
Tag:				Street Name:	
Construction Method:				County:	
Elevation (m):				Municipality:	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2807864.pdf			
Bore Hole Information					
Bore Hole ID:		10154121		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB:	—			East83:	599016.3
Code OB Desc:	No formation data			North83:	4809840
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	3
Date Completed:				UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	gps
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	933139791				
Layer:	2				
Plug From:	6				
Plug To:	38				
Plug Depth UOM:	ft				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	933139790				
Layer:	1				
Plug From:	4				
Plug To:	6				
Plug Depth UOM:	ft				
<u>Method of Construction & Well Use</u>					
Method Construction ID:	962807864				
Method Construction Code:	0				
Method Construction:	Not Known				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	10702691				
Casing No:	1				
Comment:					
Alt Name:					

61	1 of 1	E/66.7	157.3 / -4.66	lot 30 con 1 ON	WWIS
Well ID:	2802161			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	9/8/1955
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1642
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	030

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS N
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2802161.pdf

Bore Hole Information

Bore Hole ID:	10148715	Elevation:	157.70195
DP2BR:	13	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	598907.6
Code OB Desc:	Bedrock	North83:	4810090
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	9/7/1955	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931427814
Layer:	2
Color:	7
General Color:	RED
Mat1:	17
Most Common Material:	SHALE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	13
Formation End Depth:	55
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931427813
Layer:	1
Color:	
General Color:	
Mat1:	05
Most Common Material:	CLAY
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0
Formation End Depth:	13
Formation End Depth UOM:	ft

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962802161			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10697285			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930253055			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		15			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930253056			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		55			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992802161			
Pump Set At:					
Static Level:		15			
Final Level After Pumping:		48			
Recommended Pump Depth:					
Pumping Rate:		1			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
<u>Water Details</u>					
Water ID:		933604210			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	50				
Water Found Depth UOM:	ft				

62	1 of 1	NNE/67.4	160.9 / -1.04	3915 BRONTE ROAD Oakville ON	WWIS
--------------------	--------	----------	---------------	---------------------------------	------

Well ID: 7291665
Construction Date:
Primary Water Use: Test Hole
Sec. Water Use: Monitoring
Final Well Status: Monitoring and Test Hole
Water Type:
Casing Material:
Audit No: Z264479
Tag: A211920
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src:
Date Received: 7/31/2017
Selected Flag: Yes
Abandonment Rec:
Contractor: 7383
Form Version: 7
Owner:
Street Name: 3915 BRONTE ROAD
County: HALTON
Municipality: OAKVILLE TOWN
Site Info:
Lot:
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

PDF URL (Map):

Bore Hole Information

Bore Hole ID: 1006672746
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:
Date Completed: 1/25/2017
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation: 161.79216
Elevrc:
Zone: 17
East83: 598475
North83: 4810509
Org CS: UTM83
UTMRC: 4
UTMRC Desc: margin of error : 30 m - 100 m
Location Method: wwr

**Overburden and Bedrock
Materials Interval**

Formation ID: 1006819390
Layer: 1
Color:
General Color:
Mat1: 28
Most Common Material: SAND
Mat2:
Mat2 Desc:
Mat3: 84
Mat3 Desc: SILTY
Formation Top Depth: 0

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:					
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006819391			
Layer:		2			
Color:					
General Color:					
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006819400			
Layer:		2			
Plug From:		1			
Plug To:		9			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006819399			
Layer:		1			
Plug From:		0			
Plug To:		1			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006819401			
Layer:		3			
Plug From:		9			
Plug To:		250			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006819398			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006819389			
Casing No:		0			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		1006819394			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		10			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006819395			
Layer:		1			
Slot:		10			
Screen Top Depth:		10			
Screen End Depth:		20			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.375			
<u>Water Details</u>					
Water ID:		1006819393			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006819392			
Diameter:		6			
Depth From:		0			
Depth To:		20			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

63	1 of 1	SE/67.9	151.2 / -10.74	3114 DUNDAS ST. WEST lot 32 con 1 OAKVILLE ON	WWIS
Well ID:	7253706			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Other			Date Received:	12/7/2015
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Abandoned-Other			Abandonment Rec:	Yes
Water Type:				Contractor:	7496
Casing Material:				Form Version:	7
Audit No:	Z146240			Owner:	
Tag:				Street Name:	3114 DUNDAS ST. WEST
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	032
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS S
Pump Rate:				Easting NAD83:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/725\7253706.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	1005830166			Elevation:	150.912719
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	598778
Code OB Desc:				North83:	4809538
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	11/25/2015			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1005854025				
Layer:	1				
Plug From:	0				
Plug To:	12				
Plug Depth UOM:	m				
<u>Method of Construction & Well Use</u>					
Method Construction ID:	1005854024				
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	1005854017				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1005854021				
Layer:	1				
Material:	3				
Open Hole or Material:	CONCRETE				
Depth From:	0				
Depth To:	12				
Casing Diameter:	40				
Casing Diameter UOM:	cm				
Casing Depth UOM:	m				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Screen</u>					
Screen ID:		1005854022			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1005854020			
Layer:		1			
Kind Code:		9			
Kind:		Other			
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1005854019			
Diameter:		40			
Depth From:		0			
Depth To:		12			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

64	1 of 1	ESE/67.9	155.6 / -6.36	lot 31 con 1 ON	WWIS
Well ID:	2807863			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Commerical			Date Received:	10/10/1991
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	4552
Casing Material:				Form Version:	1
Audit No:	104462			Owner:	
Tag:				Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	031
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS S
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2807863.pdf

Bore Hole Information

Bore Hole ID:	10154120	Elevation:	155.399459
DP2BR:	18	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	599018.3

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB Desc:	Bedrock			North83:	4809842
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	3
Date Completed:	9/24/1991			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	gps
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock
Materials Interval

Formation ID: 931449117
Layer: 1
Color: 1
General Color: WHITE
Mat1: 01
Most Common Material: FILL
Mat2: 77
Mat2 Desc: LOOSE
Mat3:
Mat3 Desc:
Formation Top Depth: 0
Formation End Depth: 3
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931449119
Layer: 3
Color: 7
General Color: RED
Mat1: 17
Most Common Material: SHALE
Mat2: 15
Mat2 Desc: LIMESTONE
Mat3: 73
Mat3 Desc: HARD
Formation Top Depth: 18
Formation End Depth: 36
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931449118
Layer: 2
Color: 9
General Color: BLUE-GREY
Mat1: 05
Most Common Material: CLAY
Mat2: 66
Mat2 Desc: DENSE
Mat3:
Mat3 Desc:
Formation Top Depth: 3
Formation End Depth: 18
Formation End Depth UOM: ft

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>		962807863			
<i>Method Construction Code:</i>		1			
<i>Method Construction:</i>		Cable Tool			
<i>Other Method Construction:</i>					
<u>Pipe Information</u>					
<i>Pipe ID:</i>		10702690			
<i>Casing No:</i>		1			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>		930262177			
<i>Layer:</i>		1			
<i>Material:</i>		1			
<i>Open Hole or Material:</i>		STEEL			
<i>Depth From:</i>					
<i>Depth To:</i>		22			
<i>Casing Diameter:</i>		6			
<i>Casing Diameter UOM:</i>		inch			
<i>Casing Depth UOM:</i>		ft			
<u>Results of Well Yield Testing</u>					
<i>Pump Test ID:</i>		992807863			
<i>Pump Set At:</i>					
<i>Static Level:</i>		20			
<i>Final Level After Pumping:</i>		20			
<i>Recommended Pump Depth:</i>		30			
<i>Pumping Rate:</i>		6			
<i>Flowing Rate:</i>					
<i>Recommended Pump Rate:</i>		5			
<i>Levels UOM:</i>		ft			
<i>Rate UOM:</i>		GPM			
<i>Water State After Test Code:</i>		1			
<i>Water State After Test:</i>		CLEAR			
<i>Pumping Test Method:</i>		1			
<i>Pumping Duration HR:</i>		2			
<i>Pumping Duration MIN:</i>		0			
<i>Flowing:</i>		No			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		934712786			
<i>Test Type:</i>					
<i>Test Duration:</i>		45			
<i>Test Level:</i>		20			
<i>Test Level UOM:</i>		ft			
<u>Draw Down & Recovery</u>					
<i>Pump Test Detail ID:</i>		934454057			
<i>Test Type:</i>					
<i>Test Duration:</i>		30			
<i>Test Level:</i>		20			
<i>Test Level UOM:</i>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Draw Down & Recovery

Pump Test Detail ID: 934180121
Test Type:
Test Duration: 15
Test Level: 20
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934965442
Test Type:
Test Duration: 60
Test Level: 20
Test Level UOM: ft

Water Details

Water ID: 933611514
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 35
Water Found Depth UOM: ft

[65](#) 1 of 1 E/68.0 157.8 / -4.10 lot 30 con 1 ON WWIS

Well ID: 2802159	Data Entry Status:
Construction Date:	Data Src: 1
Primary Water Use: Domestic	Date Received: 11/9/1954
Sec. Water Use: 0	Selected Flag: Yes
Final Well Status: Water Supply	Abandonment Rec:
Water Type:	Contractor: 1642
Casing Material:	Form Version: 1
Audit No:	Owner:
Tag:	Street Name:
Construction Method:	County: HALTON
Elevation (m):	Municipality: OAKVILLE TOWN
Elevation Reliability:	Site Info:
Depth to Bedrock:	Lot: 030
Well Depth:	Concession: 01
Overburden/Bedrock:	Concession Name: DS N
Pump Rate:	Easting NAD83:
Static Water Level:	Northing NAD83:
Flowing (Y/N):	Zone:
Flow Rate:	UTM Reliability:
Clear/Cloudy:	

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2802159.pdf

Bore Hole Information

Bore Hole ID: 10148713	Elevation: 158.013061
DP2BR: 19	Elevrc:
Spatial Status:	Zone: 17
Code OB: r	East83: 598876.6
Code OB Desc: Bedrock	North83: 4810122
Open Hole:	Org CS:
Cluster Kind:	UTMRC: 9
Date Completed: 10/8/1954	UTMRC Desc: unknown UTM

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:				Location Method: p9	
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931427809			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		19			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931427810			
Layer:		2			
Color:		7			
General Color:		RED			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		19			
Formation End Depth:		50			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		962802159			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10697283			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930253052			
Layer:		2			
Material:		4			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		50			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930253051			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		19			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992802159			
Pump Set At:					
Static Level:		20			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:		3			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
<u>Water Details</u>					
Water ID:		933604208			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		48			
Water Found Depth UOM:		ft			

66 1 of 1 **ESE/68.5** 155.8 / -6.10 lot 30 con 1 ON **WWIS**

Well ID:	2802160	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	9/8/1955
Sec. Water Use:	0	Selected Flag:	Yes
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	1642
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	HALTON
Elevation (m):		Municipality:	OAKVILLE TOWN
Elevation Reliability:		Site Info:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth to Bedrock:				Lot:	030
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS N
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2802160.pdf

Bore Hole Information

Bore Hole ID:	10148714	Elevation:	156.800231
DP2BR:	16	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	599000.6
Code OB Desc:	Bedrock	North83:	4809991
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	9/6/1955	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931427811
Layer:	1
Color:	
General Color:	
Mat1:	05
Most Common Material:	CLAY
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0
Formation End Depth:	16
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931427812
Layer:	2
Color:	7
General Color:	RED
Mat1:	17
Most Common Material:	SHALE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	16
Formation End Depth:	44
Formation End Depth UOM:	ft

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>		962802160			
<i>Method Construction Code:</i>		1			
<i>Method Construction:</i>		Cable Tool			
<i>Other Method Construction:</i>					
<u>Pipe Information</u>					
<i>Pipe ID:</i>		10697284			
<i>Casing No:</i>		1			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>		930253053			
<i>Layer:</i>		1			
<i>Material:</i>		1			
<i>Open Hole or Material:</i>		STEEL			
<i>Depth From:</i>					
<i>Depth To:</i>		18			
<i>Casing Diameter:</i>		6			
<i>Casing Diameter UOM:</i>		inch			
<i>Casing Depth UOM:</i>		ft			
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>		930253054			
<i>Layer:</i>		2			
<i>Material:</i>		4			
<i>Open Hole or Material:</i>		OPEN HOLE			
<i>Depth From:</i>					
<i>Depth To:</i>		44			
<i>Casing Diameter:</i>		6			
<i>Casing Diameter UOM:</i>		inch			
<i>Casing Depth UOM:</i>		ft			
<u>Results of Well Yield Testing</u>					
<i>Pump Test ID:</i>		992802160			
<i>Pump Set At:</i>					
<i>Static Level:</i>		10			
<i>Final Level After Pumping:</i>		40			
<i>Recommended Pump Depth:</i>					
<i>Pumping Rate:</i>		8			
<i>Flowing Rate:</i>					
<i>Recommended Pump Rate:</i>					
<i>Levels UOM:</i>		ft			
<i>Rate UOM:</i>		GPM			
<i>Water State After Test Code:</i>		1			
<i>Water State After Test:</i>		CLEAR			
<i>Pumping Test Method:</i>		1			
<i>Pumping Duration HR:</i>					
<i>Pumping Duration MIN:</i>					
<i>Flowing:</i>		No			
<u>Water Details</u>					
<i>Water ID:</i>		933604209			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	42				
Water Found Depth UOM:	ft				

67	1 of 1	ESE/68.8	155.6 / -6.36	3015 DUNDAS ST. W. lot 31 con 1 Oakville ON	WWIS
Well ID:	7129278			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Domestic			Date Received:	9/8/2009
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Abandoned-Other			Abandonment Rec:	Yes
Water Type:				Contractor:	2663
Casing Material:				Form Version:	7
Audit No:	Z100111			Owner:	
Tag:				Street Name:	3015 DUNDAS ST. W.
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	031
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS N
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/712\7129278.pdf				

Bore Hole Information

Bore Hole ID:	1002716618	Elevation:	155.393615
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	599019
Code OB Desc:		North83:	4809841
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	5
Date Completed:	1/1/2009	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID:	1002841578
Layer:	1
Plug From:	0
Plug To:	20.75
Plug Depth UOM:	ft

Method of Construction & Well Use

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID:		1002841583			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1002841575			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002841580			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1002841581			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1002841579			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1002841577			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
68	1 of 1	E/68.9	159.8 / -2.10	lot 30 con 1 ON	WWIS
Well ID:		2802157		Data Entry Status:	
Construction Date:				Data Src: 1	
Primary Water Use:		Domestic		Date Received: 2/7/1955	
Sec. Water Use:		0		Selected Flag: Yes	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1429
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	030
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS N
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2802157.pdf

Bore Hole Information

Bore Hole ID:	10148711	Elevation:	159.283828
DP2BR:	5	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	598767.6
Code OB Desc:	Bedrock	North83:	4810227
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	10/16/1953	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID:	931427805
Layer:	1
Color:	
General Color:	
Mat1:	05
Most Common Material:	CLAY
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0
Formation End Depth:	5
Formation End Depth UOM:	ft

**Overburden and Bedrock
Materials Interval**

Formation ID:	931427806
Layer:	2
Color:	
General Color:	
Mat1:	17
Most Common Material:	SHALE

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		5			
Formation End Depth:		81			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962802157			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10697281			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930253048			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		81			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930253047			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		12			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992802157			
Pump Set At:					
Static Level:		8			
Final Level After Pumping:		80			
Recommended Pump Depth:					
Pumping Rate:		1			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Duration HR:	1				
Pumping Duration MIN:	0				
Flowing:	No				

Water Details

Water ID: 933604204
 Layer: 1
 Kind Code: 1
 Kind: FRESH
 Water Found Depth: 24
 Water Found Depth UOM: ft

Water Details

Water ID: 933604205
 Layer: 2
 Kind Code: 1
 Kind: FRESH
 Water Found Depth: 80
 Water Found Depth UOM: ft

69	1 of 1	ESE/69.4	156.8 / -5.10	lot 30 con 1 ON	WWIS
--------------------	--------	----------	---------------	--------------------	------

Well ID:	2802171	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	4/12/1966
Sec. Water Use:	0	Selected Flag:	Yes
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	4602
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	HALTON
Elevation (m):		Municipality:	OAKVILLE TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	030
Well Depth:		Concession:	01
Overburden/Bedrock:		Concession Name:	DS N
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2802171.pdf

Bore Hole Information

Bore Hole ID:	10148725	Elevation:	157.3609
DP2BR:	16	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	598945.6
Code OB Desc:	Bedrock	North83:	4810058
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	3/10/1966	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931427836			
Layer:		2			
Color:		7			
General Color:		RED			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		16			
Formation End Depth:		46			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931427835			
Layer:		1			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		16			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		962802171			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10697295			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930253075			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		23			
Casing Diameter:		6			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930253076			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		46			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992802171			
Pump Set At:					
Static Level:		6			
Final Level After Pumping:		46			
Recommended Pump Depth:		44			
Pumping Rate:		6			
Flowing Rate:					
Recommended Pump Rate:		5			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933604220			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		44			
Water Found Depth UOM:		ft			

[70](#) 1 of 1 **N/69.8** **162.8 / 0.83** **3249 HIGHWAY 25**
Oakville ON **WWIS**

Well ID:	7201765	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Monitoring	Date Received:	5/15/2013
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Observation Wells	Abandonment Rec:	
Water Type:		Contractor:	7324
Casing Material:		Form Version:	7
Audit No:	Z147621	Owner:	
Tag:	A132795	Street Name:	3249 HIGHWAY 25
Construction Method:		County:	HALTON
Elevation (m):		Municipality:	OAKVILLE TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/720\7201765.pdf

Bore Hole Information

Bore Hole ID:	1004302948	Elevation:	163.613708
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598352
Code OB Desc:		North83:	4810633
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	1/29/2013	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1004853221
Layer:	4
Color:	6
General Color:	BROWN
Mat1:	06
Most Common Material:	SILT
Mat2:	05
Mat2 Desc:	CLAY
Mat3:	06
Mat3 Desc:	SILT
Formation Top Depth:	1.52
Formation End Depth:	2.1
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Formation ID:	1004853222
Layer:	5
Color:	6
General Color:	BROWN
Mat1:	05
Most Common Material:	CLAY
Mat2:	06
Mat2 Desc:	SILT
Mat3:	06
Mat3 Desc:	SILT
Formation Top Depth:	2.1
Formation End Depth:	3.66
Formation End Depth UOM:	m

Overburden and Bedrock

Materials Interval

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		1004853218			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		01			
Mat3 Desc:		FILL			
Formation Top Depth:		0			
Formation End Depth:		.15			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1004853220			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:					
Mat2 Desc:					
Mat3:		06			
Mat3 Desc:		SILT			
Formation Top Depth:		.61			
Formation End Depth:		1.52			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1004853219			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		28			
Mat3 Desc:		SAND			
Formation Top Depth:		.15			
Formation End Depth:		.61			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1004853229			
Layer:		1			
Plug From:		0			
Plug To:		1.2			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1004853230			
Layer:		2			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Plug From:</i>		1.2			
<i>Plug To:</i>		3.66			
<i>Plug Depth UOM:</i>		m			
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>		1004853228			
<i>Method Construction Code:</i>		2			
<i>Method Construction:</i>		Rotary (Convent.)			
<i>Other Method Construction:</i>					
<u>Pipe Information</u>					
<i>Pipe ID:</i>		1004853217			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>		1004853225			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0			
<i>Depth To:</i>		1.72			
<i>Casing Diameter:</i>		.05			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<u>Construction Record - Screen</u>					
<i>Screen ID:</i>		1004853226			
<i>Layer:</i>		1			
<i>Slot:</i>		40			
<i>Screen Top Depth:</i>		1.72			
<i>Screen End Depth:</i>		3.25			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>		cm			
<i>Screen Diameter:</i>		0.06			
<u>Water Details</u>					
<i>Water ID:</i>		1004853224			
<i>Layer:</i>		1			
<i>Kind Code:</i>		1			
<i>Kind:</i>		FRESH			
<i>Water Found Depth:</i>		0.25			
<i>Water Found Depth UOM:</i>		m			
<u>Hole Diameter</u>					
<i>Hole ID:</i>		1004853223			
<i>Diameter:</i>		10			
<i>Depth From:</i>		0			
<i>Depth To:</i>		3.66			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

71	1 of 1	NNE/70.4	161.6 / -0.37	lot 30 con 1 ON	WWIS
--------------------	--------	----------	---------------	--------------------	------

Well ID: 2803037
Construction Date:
Primary Water Use: Domestic
Sec. Water Use: 0
Final Well Status: Water Supply
Water Type:
Casing Material:
Audit No:
Tag:
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src: 1
Date Received: 5/13/1969
Selected Flag: Yes
Abandonment Rec:
Contractor: 2309
Form Version: 1
Owner:
Street Name:
County: HALTON
Municipality: OAKVILLE TOWN
Site Info:
Lot: 030
Concession: 01
Concession Name: DS N
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2803037.pdf

Bore Hole Information

Bore Hole ID: 10149582	Elevation: 162.373474
DP2BR: 18	Elevrc:
Spatial Status:	Zone: 17
Code OB: r	East83: 598444.6
Code OB Desc: Bedrock	North83: 4810543
Open Hole:	Org CS:
Cluster Kind:	UTMRC: 4
Date Completed: 5/7/1969	UTMRC Desc: margin of error : 30 m - 100 m
Remarks:	Location Method: p4
Elevrc Desc:	
Location Source Date:	
Improvement Location Source:	
Improvement Location Method:	
Source Revision Comment:	
Supplier Comment:	

Overburden and Bedrock Materials Interval

Formation ID: 931430552
Layer: 3
Color: 7
General Color: RED
Mat1: 17
Most Common Material: SHALE
Mat2:
Mat2 Desc:
Mat3:
Mat3 Desc:
Formation Top Depth: 18
Formation End Depth: 40
Formation End Depth UOM: ft

Overburden and Bedrock

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		931430550			
Layer:		1			
Color:		7			
General Color:		RED			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		16			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931430551			
Layer:		2			
Color:					
General Color:					
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		16			
Formation End Depth:		18			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		962803037			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10698152			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930254449			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		18			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID:		930254450			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		40			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Results of Well Yield Testing

Pump Test ID:	992803037
Pump Set At:	
Static Level:	9
Final Level After Pumping:	35
Recommended Pump Depth:	37
Pumping Rate:	5
Flowing Rate:	
Recommended Pump Rate:	4
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	2
Water State After Test:	CLOUDY
Pumping Test Method:	1
Pumping Duration HR:	1
Pumping Duration MIN:	0
Flowing:	No

Water Details

Water ID:	933605305
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	40
Water Found Depth UOM:	ft

[72](#)

1 of 1

ESE/72.4

155.8 / -6.10

lot 30 con 1
ON

WWIS

Well ID:	2806373	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	12/6/1985
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	4005
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	HALTON
Elevation (m):		Municipality:	OAKVILLE TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	030
Well Depth:		Concession:	01
Overburden/Bedrock:		Concession Name:	DS N
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2806373.pdf

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Bore Hole Information

Bore Hole ID:	10152647	Elevation:	156.545349
DP2BR:	20	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	599005.6
Code OB Desc:	Bedrock	North83:	4809961
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	11/27/1985	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931442579
Layer:	2
Color:	7
General Color:	RED
Mat1:	17
Most Common Material:	SHALE
Mat2:	73
Mat2 Desc:	HARD
Mat3:	
Mat3 Desc:	
Formation Top Depth:	20
Formation End Depth:	51
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931442578
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	05
Most Common Material:	CLAY
Mat2:	81
Mat2 Desc:	SANDY
Mat3:	11
Mat3 Desc:	GRAVEL
Formation Top Depth:	0
Formation End Depth:	20
Formation End Depth UOM:	ft

Method of Construction & Well

Use

Method Construction ID:	962806373
Method Construction Code:	1
Method Construction:	Cable Tool
Other Method Construction:	

Pipe Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		10701217			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930259525			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		51			
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930259524			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		21			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992806373			
Pump Set At:					
Static Level:		6			
Final Level After Pumping:		50			
Recommended Pump Depth:		48			
Pumping Rate:		4			
Flowing Rate:					
Recommended Pump Rate:		4			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934717160			
Test Type:		Recovery			
Test Duration:		45			
Test Level:		6			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934449648			
Test Type:		Recovery			
Test Duration:		30			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level:		6			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934969770			
Test Type:		Recovery			
Test Duration:		60			
Test Level:		6			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934175576			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		6			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933609648			
Layer:		1			
Kind Code:		5			
Kind:		Not stated			
Water Found Depth:		39			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		933609649			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		48			
Water Found Depth UOM:		ft			

73	1 of 1	ESE/78.7	155.8 / -6.10	lot 31 con 1 ON	WWIS
Well ID:	2805217			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:				Date Received:	6/8/1978
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	4005
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	031
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS N
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2805217.pdf

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Bore Hole Information

Bore Hole ID:	10151714	Elevation:	156.005905
DP2BR:	18	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	598994.6
Code OB Desc:	Bedrock	North83:	4809923
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	5/30/1978	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931438848
Layer:	2
Color:	7
General Color:	RED
Mat1:	17
Most Common Material:	SHALE
Mat2:	73
Mat2 Desc:	HARD
Mat3:	
Mat3 Desc:	
Formation Top Depth:	18
Formation End Depth:	50
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931438847
Layer:	1
Color:	
General Color:	
Mat1:	24
Most Common Material:	PREV. DRILLED
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0
Formation End Depth:	18
Formation End Depth UOM:	ft

Method of Construction & Well

Use

Method Construction ID:	962805217
Method Construction Code:	1
Method Construction:	Cable Tool
Other Method Construction:	

Pipe Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		10700284			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930257904			
Layer:		1			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		50			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

74	1 of 1	E/79.4	158.8 / -3.10	lot 30 con 1 ON	WWIS
Well ID:	2802164			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	11/18/1958
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1642
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	030
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS N
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2802164.pdf				

Bore Hole Information

Bore Hole ID:	10148718	Elevation:	159.138397
DP2BR:	16	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	598792.6
Code OB Desc:	Bedrock	North83:	4810220
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	5/16/1958	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931427820			
Layer:		2			
Color:		7			
General Color:		RED			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		16			
Formation End Depth:		30			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931427819			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		16			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962802164			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10697288			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930253062			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		30			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Casing ID: 930253061
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 20
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 992802164
Pump Set At:
Static Level: 15
Final Level After Pumping: 25
Recommended Pump Depth:
Pumping Rate: 3
Flowing Rate:
Recommended Pump Rate:
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 0
Pumping Duration MIN: 15
Flowing: No

Water Details

Water ID: 933604213
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 28
Water Found Depth UOM: ft

75	1 of 1	ESE/80.0	155.8 / -6.10	3005 DUNDAS ST. WEST Oakville ON	WWIS
--------------------	--------	----------	---------------	-------------------------------------	------

Well ID: 7122832
Construction Date:
Primary Water Use: Other
Sec. Water Use:
Final Well Status: Test Hole
Water Type:
Casing Material:
Audit No: M03354
Tag: A085485
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src:
Date Received: 5/7/2009
Selected Flag: Yes
Abandonment Rec:
Contractor: 7241
Form Version: 5
Owner:
Street Name: 3005 DUNDAS ST. WEST
County: HALTON
Municipality: OAKVILLE TOWN
Site Info:
Lot:
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/712\7122832.pdf			

Bore Hole Information

Bore Hole ID:	1002759474	Elevation:	156.372894
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	599013
Code OB Desc:		North83:	4809946
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	4/3/2009	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID:	1002759478
Layer:	
Plug From:	
Plug To:	
Plug Depth UOM:	

Method of Construction & Well Use

Method Construction ID:	1002759477
Method Construction Code:	
Method Construction:	
Other Method Construction:	DIRECT PUSH

Pipe Information

Pipe ID:	1002759479
Casing No:	0
Comment:	
Alt Name:	

Construction Record - Casing

Casing ID:	1002759481
Layer:	
Material:	5
Open Hole or Material:	PLASTIC
Depth From:	
Depth To:	3
Casing Diameter:	
Casing Diameter UOM:	
Casing Depth UOM:	ft

Construction Record - Screen

Screen ID:	1002759480
Layer:	
Slot:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Top Depth:	3				
Screen End Depth:	8				
Screen Material:					
Screen Depth UOM:	ft				
Screen Diameter UOM:					
Screen Diameter:					

Results of Well Yield Testing

Pump Test ID: 1002759482
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM:
Rate UOM:
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1002759476
Diameter: 3.5
Depth From:
Depth To: 8
Hole Depth UOM: ft
Hole Diameter UOM: inch

Bore Hole Information

Bore Hole ID:	1002759465	Elevation:	156.173538
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	599013
Code OB Desc:		North83:	4809931
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	4/3/2009	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1002759469
Layer:
Plug From:
Plug To:
Plug Depth UOM:

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1002759468			
Method Construction Code:					
Method Construction:					
Other Method Construction:		DIRECT PUSH			
<u>Pipe Information</u>					
Pipe ID:		1002759470			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002759472			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		3			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1002759471			
Layer:					
Slot:					
Screen Top Depth:		3			
Screen End Depth:		8			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002759473			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002759467			
Diameter:		3.5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:					
Depth To: 8					
Hole Depth UOM: ft					
Hole Diameter UOM: inch					
<u>Bore Hole Information</u>					
Bore Hole ID: 1002422560					
DP2BR:					
Spatial Status:					
Code OB:					
Code OB Desc:					
Open Hole:					
Cluster Kind:					
Date Completed: 4/3/2009					
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID: 1002759514					
Layer: 1					
Color: 6					
General Color: BROWN					
Mat1: 01					
Most Common Material: FILL					
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth: 0					
Formation End Depth: 8					
Formation End Depth UOM: ft					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID: 1002759516					
Layer: 1					
Plug From: 0					
Plug To: 3					
Plug Depth UOM: ft					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID: 1002759517					
Layer: 2					
Plug From: 3					
Plug To: 8					
Plug Depth UOM: ft					
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID: 1002759521					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Method Construction Code:		D			
Method Construction:		Direct Push			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		1002759513			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1002759518			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		3			
Casing Diameter:		20			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		1002759519			
Layer:		1			
Slot:		10			
Screen Top Depth:					
Screen End Depth:					
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2			
 <u>Hole Diameter</u>					
Hole ID:		1002759515			
Diameter:		3.5			
Depth From:		0			
Depth To:		8			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
 <u>Bore Hole Information</u>					
Bore Hole ID:		1002759492		Elevation: 155.949401	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 17	
Code OB:				East83: 599013	
Code OB Desc:				North83: 4809914	
Open Hole:				Org CS: UTM83	
Cluster Kind:		This is a record from cluster log sheet		UTMRC: 3	
Date Completed:		4/3/2009		UTMRC Desc: margin of error : 10 - 30 m	
Remarks:				Location Method: wwr	
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1002759496			
<i>Layer:</i>					
<i>Plug From:</i>					
<i>Plug To:</i>					
<i>Plug Depth UOM:</i>					
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>		1002759495			
<i>Method Construction Code:</i>					
<i>Method Construction:</i>					
<i>Other Method Construction:</i>		DIRECT PUSH			
<u>Pipe Information</u>					
<i>Pipe ID:</i>		1002759497			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>		1002759499			
<i>Layer:</i>					
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>					
<i>Depth To:</i>		3			
<i>Casing Diameter:</i>					
<i>Casing Diameter UOM:</i>					
<i>Casing Depth UOM:</i>		ft			
<u>Construction Record - Screen</u>					
<i>Screen ID:</i>		1002759498			
<i>Layer:</i>					
<i>Slot:</i>					
<i>Screen Top Depth:</i>		3			
<i>Screen End Depth:</i>		8			
<i>Screen Material:</i>					
<i>Screen Depth UOM:</i>		ft			
<i>Screen Diameter UOM:</i>					
<i>Screen Diameter:</i>					
<u>Results of Well Yield Testing</u>					
<i>Pump Test ID:</i>		1002759500			
<i>Pump Set At:</i>					
<i>Static Level:</i>					
<i>Final Level After Pumping:</i>					
<i>Recommended Pump Depth:</i>					
<i>Pumping Rate:</i>					
<i>Flowing Rate:</i>					
<i>Recommended Pump Rate:</i>					
<i>Levels UOM:</i>					
<i>Rate UOM:</i>					
<i>Water State After Test Code:</i>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002759494			
Diameter:		3.5			
Depth From:					
Depth To:		8			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002759501			Elevation:	156.518234
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	599013
Code OB Desc:				North83:	4809959
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	4/3/2009			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1002759505				
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:	1002759504				
Method Construction Code:					
Method Construction:					
Other Method Construction:	DIRECT PUSH				
<u>Pipe Information</u>					
Pipe ID:	1002759506				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1002759508				
Layer:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material:	5				
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:	3				
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:	ft				
<u>Construction Record - Screen</u>					
Screen ID:	1002759507				
Layer:					
Slot:					
Screen Top Depth:	3				
Screen End Depth:	8				
Screen Material:					
Screen Depth UOM:	ft				
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:	1002759509				
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:	1002759503				
Diameter:	3.5				
Depth From:					
Depth To:	8				
Hole Depth UOM:	ft				
Hole Diameter UOM:	inch				
<u>Bore Hole Information</u>					
Bore Hole ID:	1002759483			Elevation:	155.846313
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	599013
Code OB Desc:				North83:	4809904
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	4/3/2009			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002759487			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1002759486			
Method Construction Code:					
Method Construction:					
Other Method Construction:		DIRECT PUSH			
<u>Pipe Information</u>					
Pipe ID:		1002759488			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002759490			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		3			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1002759489			
Layer:					
Slot:					
Screen Top Depth:		3			
Screen End Depth:		8			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002759491			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Recommended Pump Rate:
Levels UOM:
Rate UOM:
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1002759485
Diameter: 3.5
Depth From:
Depth To: 8
Hole Depth UOM: ft
Hole Diameter UOM: inch

76	1 of 1	ESE/80.8	155.8 / -6.10	2527 Dundas Street West Oakville ON L6M 4J4	EHS
--------------------	--------	----------	---------------	--	-----

Order No: 20140224015
Status: C
Report Type: Standard Select Report
Report Date: 04-MAR-14
Date Received: 24-FEB-14
Previous Site Name:
Lot/Building Size:
Additional Info Ordered: Aerial Photos

Nearest Intersection:
Municipality:
Client Prov/State: ON
Search Radius (km): .25
X: -79.776536
Y: 43.43606

77	1 of 1	ESE/81.6	155.8 / -6.10	DUNDAS + OLD BRONTE Oakville ON	WWIS
--------------------	--------	----------	---------------	------------------------------------	------

Well ID: 7180773
Construction Date:
Primary Water Use: Monitoring
Sec. Water Use:
Final Well Status: Test Hole
Water Type:
Casing Material:
Audit No: Z150362
Tag: A130594
Construction Method:
Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Data Entry Status:
Data Src:
Date Received: 5/11/2012
Selected Flag: Yes
Abandonment Rec:
Contractor: 7501
Form Version: 7
Owner:
Street Name: DUNDAS + OLD BRONTE
County: HALTON
Municipality: OAKVILLE TOWN
Site Info:
Lot:
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7180773.pdf

Bore Hole Information

Bore Hole ID: 1003764424
DP2BR:
Spatial Status:
Elevation: 156.326858
Elevrc:
Zone: 17

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB:				East83:	599010
Code OB Desc:				North83:	4809943
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	4/26/2012			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock
Materials Interval

Formation ID: 1004305906
 Layer: 4
 Color: 2
 General Color: GREY
 Mat1: 17
 Most Common Material: SHALE
 Mat2: 06
 Mat2 Desc: SILT
 Mat3: 66
 Mat3 Desc: DENSE
 Formation Top Depth: 20
 Formation End Depth: 50
 Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 1004305905
 Layer: 3
 Color: 2
 General Color: GREY
 Mat1: 05
 Most Common Material: CLAY
 Mat2: 06
 Mat2 Desc: SILT
 Mat3: 66
 Mat3 Desc: DENSE
 Formation Top Depth: 10
 Formation End Depth: 20
 Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 1004305903
 Layer: 1
 Color: 6
 General Color: BROWN
 Mat1: 28
 Most Common Material: SAND
 Mat2: 11
 Mat2 Desc: GRAVEL
 Mat3: 79
 Mat3 Desc: PACKED
 Formation Top Depth: 0
 Formation End Depth: 5
 Formation End Depth UOM: ft

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004305904			
Layer:		2			
Color:		7			
General Color:		RED			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		73			
Mat3 Desc:		HARD			
Formation Top Depth:		5			
Formation End Depth:		10			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004305913			
Layer:		1			
Plug From:		0.5			
Plug To:					
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004305912			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004305902			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004305909			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		39			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1004305910			
Layer:		1			
Slot:		10			
Screen Top Depth:		39			
Screen End Depth:		49			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2			
<u>Water Details</u>					
Water ID:		1004305908			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1004305907			
Diameter:		8			
Depth From:		0			
Depth To:		50			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

78	1 of 1	ESE/82.8	153.8 / -8.18	3005 DUNDAS ST. WEST Oakville ON	WWIS
Well ID:	7113789			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	10/23/2008
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Abandoned-Other			Abandonment Rec:	Yes
Water Type:				Contractor:	6607
Casing Material:				Form Version:	4
Audit No:	Z60598			Owner:	
Tag:				Street Name:	3005 DUNDAS ST. WEST
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/711\7113789.pdf

Bore Hole Information

Bore Hole ID:	1001845012	Elevation:	152.763824
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598952
Code OB Desc:		North83:	4809720
Open Hole:	Yes	Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	9/5/2008	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1001852828			
Layer:		1			
Color:					
General Color:					
Mat1:					
Most Common Material:					
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:					
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1001852831			
Layer:		2			
Plug From:		3			
Plug To:		15.1			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1001852830			
Layer:		1			
Plug From:		0			
Plug To:		3			
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1001852835			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1001852827			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1001852833			
Layer:					
Material:		1			
Open Hole or Material:		STEEL			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:					
Depth To:		5.89			
Casing Diameter:		15.2			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1001852834			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:					
Screen Diameter UOM:					
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1001852832			
Layer:		1			
Kind Code:					
Kind:					
Water Found Depth:		3.3			
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1001852829			
Diameter:		16.8			
Depth From:					
Depth To:		15.1			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

79	1 of 1	ESE/85.9	155.8 / -6.10	lot 31 con 1 ON	WWIS
Well ID:		2804851		Data Entry Status:	
Construction Date:				Data Src: 1	
Primary Water Use:		Public		Date Received: 4/23/1976	
Sec. Water Use:		0		Selected Flag: Yes	
Final Well Status:		Water Supply		Abandonment Rec:	
Water Type:				Contractor: 2519	
Casing Material:				Form Version: 1	
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County: HALTON	
Elevation (m):				Municipality: OAKVILLE TOWN	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot: 031	
Well Depth:				Concession: 01	
Overburden/Bedrock:				Concession Name: DS N	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2804851.pdf			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	10151361			Elevation:	155.965271
DP2BR:	14			Elevrc:	
Spatial Status:				Zone:	17
Code OB:	r			East83:	599010.6
Code OB Desc:	Bedrock			North83:	4809916
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	3/31/1976			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931437405				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	3				
Formation End Depth:	14				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931437406				
Layer:	3				
Color:	7				
General Color:	RED				
Mat1:	17				
Most Common Material:	SHALE				
Mat2:	05				
Mat2 Desc:	CLAY				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	14				
Formation End Depth:	20				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931437404				
Layer:	1				
Color:					
General Color:					
Mat1:	01				
Most Common Material:	FILL				
Mat2:					
Mat2 Desc:					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		3			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962804851			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10699931			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930257299			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		20			
Casing Diameter:		30			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992804851			
Pump Set At:					
Static Level:		12			
Final Level After Pumping:					
Recommended Pump Depth:		18			
Pumping Rate:		3			
Flowing Rate:					
Recommended Pump Rate:		3			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:					
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933607865			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		18			
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
80	1 of 1	ESE/86.5	153.7 / -8.21	3005 DUNDAS ST W Oakville ON	WWIS

Well ID:	7132472	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Monitoring	Date Received:	10/23/2009
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Test Hole	Abandonment Rec:	
Water Type:		Contractor:	6607
Casing Material:		Form Version:	5
Audit No:	M05699	Owner:	
Tag:	A088192	Street Name:	3005 DUNDAS ST W
Construction Method:		County:	HALTON
Elevation (m):		Municipality:	OAKVILLE TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/713\7132472.pdf

Bore Hole Information

Bore Hole ID:	1003244105	Elevation:	152.899948
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598959
Code OB Desc:		North83:	4809723
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	9/1/2009	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID:	1003244109
Layer:	
Plug From:	
Plug To:	
Plug Depth UOM:	

Method of Construction & Well Use

Method Construction ID:	1003244108
Method Construction Code:	
Method Construction:	
Other Method Construction:	BORING

Pipe Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		1003244110			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003244112			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		1.2			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003244111			
Layer:					
Slot:					
Screen Top Depth:		1.2			
Screen End Depth:		3.7			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1003244113			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1003244107			
Diameter:		21			
Depth From:					
Depth To:		3.7			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1003244096			Elevation:	152.445556
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB:				East83:	598943
Code OB Desc:				North83:	4809710
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	9/1/2009			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003244100			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1003244099			
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING			
<u>Pipe Information</u>					
Pipe ID:		1003244101			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003244103			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		1.2			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003244102			
Layer:					
Slot:					
Screen Top Depth:		1.2			
Screen End Depth:		3.7			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1003244104			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1003244098			
Diameter:		21			
Depth From:					
Depth To:		3.7			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002759407			Elevation:	152.372802
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	598974
Code OB Desc:				North83:	4809700
Open Hole:	No			Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	9/28/2009			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003244117			
Layer:		1			
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003244118			
Layer:		2			
Plug From:		0.3			
Plug To:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1003244122			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1003244114			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003244119			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		3.7			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003244120			
Layer:		1			
Slot:		20			
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1003244115			
Pump Set At:					
Static Level:		2.7			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:					
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					

Hole Diameter

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID: 1003244116					
Diameter: 21					
Depth From: 0					
Depth To: 3.7					
Hole Depth UOM: m					
Hole Diameter UOM: cm					
<u>Bore Hole Information</u>					
Bore Hole ID: 1003244087		Elevation: 152.261276			
DP2BR:		Elevrc:			
Spatial Status:		Zone: 17			
Code OB:		East83: 598954			
Code OB Desc:		North83: 4809701			
Open Hole:		Org CS: UTM83			
Cluster Kind: This is a record from cluster log sheet		UTMRC: 3			
Date Completed: 9/1/2009		UTMRC Desc: margin of error : 10 - 30 m			
Remarks:		Location Method: wwr			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID: 1003244091					
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID: 1003244090					
Method Construction Code:					
Method Construction:					
Other Method Construction: BORING					
<u>Pipe Information</u>					
Pipe ID: 1003244092					
Casing No: 0					
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID: 1003244094					
Layer:					
Material: 5					
Open Hole or Material: PLASTIC					
Depth From:					
Depth To: 1.2					
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM: m					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Construction Record - Screen

Screen ID: 1003244093
 Layer:
 Slot:
 Screen Top Depth: 1.2
 Screen End Depth: 3.7
 Screen Material:
 Screen Depth UOM: m
 Screen Diameter UOM:
 Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1003244095
 Pump Set At:
 Static Level:
 Final Level After Pumping:
 Recommended Pump Depth:
 Pumping Rate:
 Flowing Rate:
 Recommended Pump Rate:
 Levels UOM:
 Rate UOM:
 Water State After Test Code:
 Water State After Test:
 Pumping Test Method:
 Pumping Duration HR:
 Pumping Duration MIN:
 Flowing:

Hole Diameter

Hole ID: 1003244089
 Diameter: 21
 Depth From:
 Depth To: 3.7
 Hole Depth UOM: m
 Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1003244078	Elevation:	151.99475
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598950
Code OB Desc:		North83:	4809691
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	9/1/2009	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID: 1003244082

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID: 1003244081					
Method Construction Code:					
Method Construction:					
Other Method Construction: BORING					
<u>Pipe Information</u>					
Pipe ID: 1003244083					
Casing No: 0					
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID: 1003244085					
Layer:					
Material: 5					
Open Hole or Material: PLASTIC					
Depth From:					
Depth To: 1.2					
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM: m					
<u>Construction Record - Screen</u>					
Screen ID: 1003244084					
Layer:					
Slot:					
Screen Top Depth: 1.2					
Screen End Depth: 3.7					
Screen Material:					
Screen Depth UOM: m					
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID: 1003244086					
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:		1003244080			
Diameter:		21			
Depth From:					
Depth To:		3.7			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

81	1 of 1	ESE/87.1	155.8 / -6.10	ON	WWIS
Well ID:	7270746			Data Entry Status:	Yes
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	9/8/2016
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor:	7215
Casing Material:				Form Version:	8
Audit No:	C30595			Owner:	
Tag:				Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):					

<u>Bore Hole Information</u>					
Bore Hole ID:	1006234721			Elevation:	156.451385
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	599019
Code OB Desc:				North83:	4809953
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	7/28/2016			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

82	1 of 1	ESE/87.5	155.8 / -6.10	lot 30 con 1 ON	WWIS
Well ID:	2802156			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	9/20/1951
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1642

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Form Version: 1 Owner: Street Name: County: HALTON Municipality: OAKVILLE TOWN Site Info: Lot: 030 Concession: 01 Concession Name: DS N Easting NAD83: Northing NAD83: Zone: UTM Reliability:	

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2802156.pdf

Bore Hole Information

Bore Hole ID:	10148710	Elevation:	156.874008
DP2BR:	17	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	598997.6
Code OB Desc:	Bedrock	North83:	4810034
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	6/15/1951	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID:	931427804
Layer:	2
Color:	7
General Color:	RED
Mat1:	17
Most Common Material:	SHALE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	17
Formation End Depth:	46
Formation End Depth UOM:	ft

**Overburden and Bedrock
Materials Interval**

Formation ID:	931427803
Layer:	1
Color:	
General Color:	
Mat1:	05
Most Common Material:	CLAY
Mat2:	
Mat2 Desc:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		17			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962802156			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10697280			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930253045			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		18			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930253046			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		46			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992802156			
Pump Set At:					
Static Level:		12			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:		1			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:					
Pumping Duration MIN:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing:		No			
<u>Water Details</u>					
Water ID:	933604203				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	44				
Water Found Depth UOM:	ft				

83	1 of 1	NNW/88.1	164.8 / 2.91	BRONTE RD /407 OAKVILLE ON	WWIS
Well ID:	7302542			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	12/28/2017
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	7360
Casing Material:				Form Version:	7
Audit No:	Z279660			Owner:	
Tag:	A231580			Street Name:	BRONTE RD /407
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):					

Bore Hole Information

Bore Hole ID:	1006948002	Elevation:	165.503631
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598204
Code OB Desc:		North83:	4810795
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	12/5/2017	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1007116729
Layer:	3
Color:	7
General Color:	RED

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		17			
Most Common Material:		SHALE			
Mat2:		26			
Mat2 Desc:		ROCK			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		10			
Formation End Depth:		15			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007116727			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		5			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007116728			
Layer:		2			
Color:		7			
General Color:		RED			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		5			
Formation End Depth:		10			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007116737			
Layer:		2			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007116736			
Layer:		1			
Plug From:		3			
Plug To:		0			
Plug Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Method of Construction & Well Use

Method Construction ID: 1007116735
 Method Construction Code: E
 Method Construction: Auger
 Other Method Construction:

Pipe Information

Pipe ID: 1007116726
 Casing No: 0
 Comment:
 Alt Name:

Construction Record - Casing

Casing ID: 1007116732
 Layer: 1
 Material: 5
 Open Hole or Material: PLASTIC
 Depth From: 0
 Depth To: 5
 Casing Diameter: 2
 Casing Diameter UOM: inch
 Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1007116733
 Layer: 1
 Slot: .10
 Screen Top Depth: 5
 Screen End Depth: 15
 Screen Material: 5
 Screen Depth UOM: ft
 Screen Diameter UOM: inch
 Screen Diameter: 2

Water Details

Water ID: 1007116731
 Layer: 1
 Kind Code: 8
 Kind: Untested
 Water Found Depth: 15
 Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1007116730
 Diameter: 6
 Depth From: 0
 Depth To: 15
 Hole Depth UOM: ft
 Hole Diameter UOM: inch

[84](#) 1 of 1 N/96.0 162.4 / 0.41 lot 30 con 1 ON [WWIS](#)

Well ID: 2808187 Data Entry Status:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Construction Date:				Data Src:	1
Primary Water Use:	Not Used			Date Received:	8/31/1993
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Abandoned-Quality			Abandonment Rec:	
Water Type:				Contractor:	1737
Casing Material:				Form Version:	1
Audit No:	122498			Owner:	
Tag:				Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	030
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS N
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2808187.pdf

Bore Hole Information

Bore Hole ID:	10154444	Elevation:	162.611267
DP2BR:	14	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	598329.3
Code OB Desc:	Bedrock	North83:	4810692
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	3
Date Completed:	6/21/1993	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	gps
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931450552
Layer:	3
Color:	6
General Color:	BROWN
Mat1:	34
Most Common Material:	TILL
Mat2:	73
Mat2 Desc:	HARD
Mat3:	
Mat3 Desc:	
Formation Top Depth:	6
Formation End Depth:	14
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931450553
Layer:	4
Color:	7

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:		RED			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:		85			
Mat2 Desc:		SOFT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		14			
Formation End Depth:		30			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931450551			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		1			
Formation End Depth:		6			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931450550			
Layer:		1			
Color:					
General Color:					
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		1			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933139868			
Layer:		2			
Plug From:		12			
Plug To:		16			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933139869			
Layer:		3			
Plug From:		16			
Plug To:		30			
Plug Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Annular Space/Abandonment Sealing Record

Plug ID: 933139867
Layer: 1
Plug From: 0
Plug To: 12
Plug Depth UOM: ft

Method of Construction & Well Use

Method Construction ID: 962808187
Method Construction Code: 2
Method Construction: Rotary (Convent.)
Other Method Construction:

Pipe Information

Pipe ID: 10703014
Casing No: 1
Comment:
Alt Name:

Water Details

Water ID: 933611906
Layer: 1
Kind Code: 5
Kind: Not stated
Water Found Depth: 21
Water Found Depth UOM: ft

85	1 of 1	NNW/98.7	164.8 / 2.88	lot 30 con 1 ON	WWIS
--------------------	--------	----------	--------------	--------------------	------

Well ID: 2808186 Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: 122500 Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:	Data Entry Status: Data Src: 1 Date Received: 8/31/1993 Selected Flag: Yes Abandonment Rec: Contractor: 1737 Form Version: 1 Owner: Street Name: County: HALTON Municipality: OAKVILLE TOWN Site Info: Lot: 030 Concession: 01 Concession Name: DS N Easting NAD83: Northing NAD83: Zone: UTM Reliability:
---	---

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2808186.pdf

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	10154443			Elevation:	165.777175
DP2BR:	16			Elevrc:	
Spatial Status:				Zone:	17
Code OB:	r			East83:	598246.2
Code OB Desc:	Bedrock			North83:	4810773
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	3
Date Completed:	6/23/1993			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	gps
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

**Overburden and Bedrock
Materials Interval**

Formation ID:	931450549
Layer:	4
Color:	7
General Color:	RED
Mat1:	17
Most Common Material:	SHALE
Mat2:	85
Mat2 Desc:	SOFT
Mat3:	
Mat3 Desc:	
Formation Top Depth:	16
Formation End Depth:	85
Formation End Depth UOM:	ft

**Overburden and Bedrock
Materials Interval**

Formation ID:	931450548
Layer:	3
Color:	6
General Color:	BROWN
Mat1:	34
Most Common Material:	TILL
Mat2:	73
Mat2 Desc:	HARD
Mat3:	
Mat3 Desc:	
Formation Top Depth:	6
Formation End Depth:	16
Formation End Depth UOM:	ft

**Overburden and Bedrock
Materials Interval**

Formation ID:	931450546
Layer:	1
Color:	8
General Color:	BLACK
Mat1:	02
Most Common Material:	TOPSOIL
Mat2:	85
Mat2 Desc:	SOFT
Mat3:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		1			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931450547			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		1			
Formation End Depth:		6			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962808186			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10703013			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930262768			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		18			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930262769			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		85			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992808186			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:	85				
Pumping Rate:	1				
Flowing Rate:					
Recommended Pump Rate:	1				
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	1				
Water State After Test:	CLEAR				
Pumping Test Method:	1				
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:	No				
<u>Water Details</u>					
Water ID:	933611905				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	21				
Water Found Depth UOM:	ft				
86	1 of 1	NW/99.2	165.8 / 3.91	Parcel 10 Oakville ON	EHS
Order No:	19990601010			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	6/11/99			Search Radius (km):	0.50
Date Received:	6/1/99			X:	-79.790885
Previous Site Name:				Y:	43.443551
Lot/Building Size:					
Additional Info Ordered:					
87	1 of 1	N/101.0	162.8 / 0.85	lot 30 con 1 ON	WWIS
Well ID:	2808185			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Public			Date Received:	8/31/1993
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1737
Casing Material:				Form Version:	1
Audit No:	122499			Owner:	
Tag:				Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	030
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS N
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Clear/Cloudy:

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2808185.pdf

Bore Hole Information

Bore Hole ID:	10154442	Elevation:	162.499206
DP2BR:	14	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	598333.3
Code OB Desc:	Bedrock	North83:	4810695
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	3
Date Completed:	6/23/1993	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	gps
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931450545
Layer:	4
Color:	7
General Color:	RED
Mat1:	17
Most Common Material:	SHALE
Mat2:	85
Mat2 Desc:	SOFT
Mat3:	
Mat3 Desc:	
Formation Top Depth:	14
Formation End Depth:	85
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931450544
Layer:	3
Color:	
General Color:	
Mat1:	34
Most Common Material:	TILL
Mat2:	73
Mat2 Desc:	HARD
Mat3:	
Mat3 Desc:	
Formation Top Depth:	6
Formation End Depth:	14
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931450543
Layer:	2
Color:	6

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		1			
Formation End Depth:		6			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931450542			
Layer:		1			
Color:		8			
General Color:		BLACK			
Mat1:		01			
Most Common Material:		FILL			
Mat2:		85			
Mat2 Desc:		SOFT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		1			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		962808185			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10703012			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930262767			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		85			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930262766			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		20			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Results of Well Yield Testing

Pump Test ID:	992808185
Pump Set At:	
Static Level:	13
Final Level After Pumping:	60
Recommended Pump Depth:	80
Pumping Rate:	1
Flowing Rate:	
Recommended Pump Rate:	1
Levels UOM:	ft
Rate UOM:	GPM
Water State After Test Code:	
Water State After Test:	
Pumping Test Method:	1
Pumping Duration HR:	8
Pumping Duration MIN:	0
Flowing:	No

Water Details

Water ID:	933611904
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	21
Water Found Depth UOM:	ft

88	1 of 1	ESE/101.5	155.2 / -6.77	2512 DUNDAS ST lot 31 con 1 BRONTE ON	WWIS
--------------------	--------	-----------	---------------	--	------

Well ID:	2810673	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Not Used	Date Received:	12/27/2006
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Abandoned-Other	Abandonment Rec:	Yes
Water Type:		Contractor:	3349
Casing Material:		Form Version:	3
Audit No:	Z71807	Owner:	
Tag:		Street Name:	2512 DUNDAS ST
Construction Method:		County:	HALTON
Elevation (m):		Municipality:	OAKVILLE TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	031
Well Depth:		Concession:	01
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/281\2810673.pdf

Bore Hole Information

Bore Hole ID:	11692878	Elevation:	155.399963
---------------	----------	------------	------------

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	599049
Code OB Desc:		No formation data		North83:	4809826
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:		10/23/2006		UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933303549			
Layer:		2			
Plug From:		8.84			
Plug To:		1.52			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933303550			
Layer:		3			
Plug From:		1.52			
Plug To:		0			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933303548			
Layer:		1			
Plug From:		9.45			
Plug To:		8.84			
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		962810673			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11697744			
Casing No:		1			
Comment:					
Alt Name:					
<u>Hole Diameter</u>					
Hole ID:		11756649			
Diameter:		152			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From: Depth To: Hole Depth UOM: Hole Diameter UOM:		0 0.52 m cm			
<u>Hole Diameter</u>					
Hole ID: Diameter: Depth From: Depth To: Hole Depth UOM: Hole Diameter UOM:		11756648 15.57 1.52 9.45 m cm			
89	1 of 6	SE/102.4	150.4 / -11.54	PALERMO GP INC. 3136 DUNDAS STREET WEST OAKVILLE ON L6M 0S5	EASR
Approval No: Status: Date: Record Type: Link Source: Project Type: Full Address: Approval Type: Full PDF Link:		R-002-9334388310 REGISTERED 2013-05-09 EASR MOFA Standby Power System EASR-Standby Power System http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=6178		SWP Area Name: MOE District: Municipality: Latitude: Longitude: Geometry X: Geometry Y:	
				OAKVILLE	
89	2 of 6	SE/102.4	150.4 / -11.54	PALERMO GP INC. 3136 DUNDAS STREET WEST OAKVILLE ON L6M 0S5	EASR
Approval No: Status: Date: Record Type: Link Source: Project Type: Full Address: Approval Type: Full PDF Link:		R-003-8336091573 REGISTERED 2013-05-13 EASR MOFA Heating System EASR-Heating System http://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/ViewDocument.action?documentRefID=6192		SWP Area Name: MOE District: Municipality: Latitude: Longitude: Geometry X: Geometry Y:	
				OAKVILLE	
89	3 of 6	SE/102.4	150.4 / -11.54	Palermo GP Inc. 3136 Dundas Street West Oakville, Regional Municipality of Halton TOWN OF OAKVILLE ON	EBR
EBR Registry No: Ministry Ref No: Notice Type: Notice Stage: Notice Date: Proposal Date: Year: Instrument Type: Off Instrument Name: Posted By: Company Name: Site Address: Location Other: Proponent Name:		011-9751 6425-99WKRQ Instrument Decision 814086600 October 15, 2015 August 07, 2013 2013 (EPA Part II.1-air) - Environmental Compliance Approval (project type: air)		Decision Posted: Exception Posted: Section: Act 1: Act 2: Site Location Map:	
				Palermo GP Inc.	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Proponent Address: 141 Lakeshore Road East, Mississauga Ontario, Canada L5G 1E8
Comment Period:
URL:

Site Location Details:

3136 Dundas Street West Oakville, Regional Municipality of Halton TOWN OF OAKVILLE

89	4 of 6	SE/102.4	150.4 / -11.54	Palermo GP Inc. 3136 Dundas Street West Oakville Regional Municipality of Halton TOWN OF OAKVILLE ON	EBR
--------------------	--------	----------	----------------	---	-----

EBR Registry No: 012-5242
Ministry Ref No: 1861-9YNRWK
Notice Type: Instrument Decision
Notice Stage: 825376566
Notice Date: December 02, 2015
Proposal Date: September 24, 2015
Year: 2015
Instrument Type: (EPA Part II.1-air) - Environmental Compliance Approval (project type: air)
Off Instrument Name:
Posted By:
Company Name: Palermo GP Inc.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 141 Lakeshore Road East, Mississauga Ontario, Canada L5G 1E8
Comment Period:
URL:

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Site Location Details:

3136 Dundas Street West Oakville Regional Municipality of Halton TOWN OF OAKVILLE

89	5 of 6	SE/102.4	150.4 / -11.54	3136 DUNDAS ST W, OAKVILLE ON	INC
--------------------	--------	----------	----------------	-------------------------------	-----

Incident No: 1584690
Incident ID:
Instance No:
Status Code:
Attribute Category: FS-Perform L1 Incident Insp
Context:
Date of Occurrence: 2015/02/27 00:00:00
Time of Occurrence: NULL
Incident Created On:
Instance Creation Dt:
Instance Install Dt:
Occur Insp Start Date: 2015/02/27 00:00:00
Approx Quant Rel:
Tank Capacity:
Fuels Occur Type: N/A
Fuel Type Involved: N/A
Enforcement Policy: NULL
Prc Escalation Req: NULL
Tank Material Type:
Tank Storage Type:
Tank Location Type:
Pump Flow Rate Cap:

Any Health Impact: No
Any Enviro Impact: No
Service Interrupted: No
Was Prop Damaged: No
Reside App. Type:
Commer App. Type:
Indus App. Type:
Institut App. Type:
Venting Type:
Vent Conn Mater:
Vent Chimney Mater:
Pipeline Type:
Pipeline Involved:
Pipe Material:
Depth Ground Cover:
Regulator Location:
Regulator Type:
Operation Pressure:
Liquid Prop Make:
Liquid Prop Model:
Liquid Prop Serial No:
Liquid Prop Notes:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Task No: 5382594 Notes: Drainage System: Sub Surface Contam.: Aff Prop Use Water: Contam. Migrated: Contact Natural Env: Incident Location: 3136 DUNDAS ST W, OAKVILLE - FIRE Occurrence Narrative: NULL Operation Type Involved: Multi-unit Residential Item: Item Description: Device Installed Location:					
89	6 of 6	SE/102.4	150.4 / -11.54	Palermo GP Inc. 3136 Dundas St W Oakville ON	ECA
Approval No: 0190-A4ML5C Approval Date: 2015-11-26 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Approval Type: ECA-AIR Project Type: AIR Address: 3136 Dundas St W Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/1861-9YNRWK-14.pdf					
90	1 of 1	SE/102.4	150.4 / -11.54	3136 Dundas Street West Oakville ON L6M 0S5	EHS
Order No: 20130315003 Status: C Report Type: RSC Premium Package (Urban) Report Date: 25-MAR-13 Date Received: 15-MAR-13 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .3 X: 0 Y: 0					
91	1 of 1	SSE/103.1	150.8 / -11.16	DUNDAS ST Burlington ON	WWIS
Well ID: 7180051 Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Abandoned-Other Water Type: Casing Material: Audit No: Z136034 Tag: A113970 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock:					
Data Entry Status: Data Src: Date Received: 4/26/2012 Selected Flag: Yes Abandonment Rec: Yes Contractor: 7501 Form Version: 7 Owner: Street Name: DUNDAS ST County: HALTON Municipality: OAKVILLE TOWN Site Info: Lot: Concession: Concession Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:				Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7180051.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		1003714844		Elevation:	150.093597
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	598721
Code OB Desc:				North83:	4809507
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:		4/25/2012		UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004291053			
Layer:		1			
Plug From:		0			
Plug To:		20			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004291052			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004291046			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004291050			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Construction Record - Screen

Screen ID: 1004291051
 Layer:
 Slot:
 Screen Top Depth:
 Screen End Depth:
 Screen Material:
 Screen Depth UOM: ft
 Screen Diameter UOM: inch
 Screen Diameter:

Water Details

Water ID: 1004291049
 Layer:
 Kind Code:
 Kind:
 Water Found Depth:
 Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1004291048
 Diameter:
 Depth From:
 Depth To:
 Hole Depth UOM: ft
 Hole Diameter UOM: inch

92	1 of 1	ESE/103.6	155.8 / -6.10	lot 31 con 1 ON	WWIS
--------------------	--------	-----------	---------------	--------------------	------

Well ID:	2805219	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Commerical	Date Received:	6/8/1978
Sec. Water Use:	0	Selected Flag:	Yes
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	4005
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	HALTON
Elevation (m):		Municipality:	OAKVILLE TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	031
Well Depth:		Concession:	01
Overburden/Bedrock:		Concession Name:	DS S
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2805219.pdf

Bore Hole Information

Bore Hole ID:	10151716	Elevation:	155.776794
DP2BR:	18	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	599054.6

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB Desc:	Bedrock			North83:	4809863
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	5/31/1978			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock
Materials Interval

Formation ID: 931438852
Layer: 1
Color: 6
General Color: BROWN
Mat1: 05
Most Common Material: CLAY
Mat2: 77
Mat2 Desc: LOOSE
Mat3:
Mat3 Desc:
Formation Top Depth: 0
Formation End Depth: 18
Formation End Depth UOM: ft

Overburden and Bedrock
Materials Interval

Formation ID: 931438853
Layer: 2
Color: 7
General Color: RED
Mat1: 17
Most Common Material: SHALE
Mat2: 73
Mat2 Desc: HARD
Mat3:
Mat3 Desc:
Formation Top Depth: 18
Formation End Depth: 38
Formation End Depth UOM: ft

Method of Construction & Well
Use

Method Construction ID: 962805219
Method Construction Code: 1
Method Construction: Cable Tool
Other Method Construction:

Pipe Information

Pipe ID: 10700286
Casing No: 1
Comment:
Alt Name:

Construction Record - Casing

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID:		930257907			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		18			
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930257908			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		38			
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992805219			
Pump Set At:					
Static Level:		6			
Final Level After Pumping:		33			
Recommended Pump Depth:		35			
Pumping Rate:		3			
Flowing Rate:					
Recommended Pump Rate:		3			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934714855			
Test Type:		Recovery			
Test Duration:		45			
Test Level:		6			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934967005			
Test Type:		Recovery			
Test Duration:		60			
Test Level:		6			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934446915			
Test Type:		Recovery			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Duration: Test Level: Test Level UOM:		30 6 ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID: Test Type: Test Duration: Test Level: Test Level UOM:		934181678 Recovery 15 12 ft			
<u>Water Details</u>					
Water ID: Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM:		933608373 1 1 FRESH 25 ft			
<u>Water Details</u>					
Water ID: Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM:		933608374 2 1 FRESH 32 ft			
<u>Water Details</u>					
Water ID: Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM:		933608375 3 1 FRESH 35 ft			
93	1 of 3	ESE/108.4	155.8 / -6.10	Westoak Animal Hospital Professional Corporation 3-2512 Old Bronte Road Oakville ON L6M4J3	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:		ON5806916 2016 No No 541940 VETERINARY SERVICES		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:		ON5806916 2016 No No 541940 VETERINARY SERVICES		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		312 PATHOLOGICAL WASTES			
93	2 of 3	ESE/108.4	155.8 / -6.10	Westoak Animal Hospital Professional Corporation 3-2512 Old Bronte Road	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Oakville ON L6M4J3					
Generator No:	ON5806916			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			

<u>93</u>	3 of 3	ESE/108.4	155.8 / -6.10	Westoak Animal Hosptial Professional Corporation 3-2512 Old Bronte Road Oakville ON L6M4J3	GEN
Generator No:	ON5806916			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Jul 2020			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			

<u>94</u>	1 of 1	E/110.1	159.8 / -2.10	lot 30 con 1 ON	WWIS
Well ID:	2802235			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	9/17/1954
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1642
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	030
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS N
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2802235.pdf				

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	10148789			Elevation:	159.696823
DP2BR:	14			Elevrc:	
Spatial Status:				Zone:	17
Code OB:	r			East83:	598764.6
Code OB Desc:	Bedrock			North83:	4810273
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	7/23/1954			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Overburden and Bedrock

Materials Interval

Formation ID:	931428038
Layer:	2
Color:	7
General Color:	RED
Mat1:	17
Most Common Material:	SHALE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	14
Formation End Depth:	35
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931428037
Layer:	1
Color:	
General Color:	
Mat1:	05
Most Common Material:	CLAY
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0
Formation End Depth:	14
Formation End Depth UOM:	ft

Method of Construction & Well

Use

Method Construction ID:	962802235
Method Construction Code:	1
Method Construction:	Cable Tool
Other Method Construction:	

Pipe Information

Pipe ID:	10697359
Casing No:	1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Comment:
Alt Name:

Construction Record - Casing

Casing ID: 930253182
 Layer: 2
 Material: 4
 Open Hole or Material: OPEN HOLE
 Depth From:
 Depth To: 35
 Casing Diameter: 6
 Casing Diameter UOM: inch
 Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930253181
 Layer: 1
 Material: 1
 Open Hole or Material: STEEL
 Depth From:
 Depth To: 16
 Casing Diameter: 6
 Casing Diameter UOM: inch
 Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 992802235
 Pump Set At:
 Static Level: 7
 Final Level After Pumping: 10
 Recommended Pump Depth:
 Pumping Rate: 3
 Flowing Rate:
 Recommended Pump Rate:
 Levels UOM: ft
 Rate UOM: GPM
 Water State After Test Code: 1
 Water State After Test: CLEAR
 Pumping Test Method: 1
 Pumping Duration HR: 1
 Pumping Duration MIN: 0
 Flowing: No

Water Details

Water ID: 933604293
 Layer: 1
 Kind Code: 1
 Kind: FRESH
 Water Found Depth: 33
 Water Found Depth UOM: ft

[95](#) 1 of 1 **ENE/111.8** **159.8 / -2.10** **lot 30 con 1 ON** **WWIS**

Well ID:	2802167	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	11/21/1961
Sec. Water Use:	0	Selected Flag:	Yes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	4001
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	030
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS N
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2802167.pdf

Bore Hole Information

Bore Hole ID:	10148721	Elevation:	161.150054
DP2BR:	20	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	598607.6
Code OB Desc:	Bedrock	North83:	4810407
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	11/7/1961	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	931427825
Layer:	1
Color:	2
General Color:	GREY
Mat1:	05
Most Common Material:	CLAY
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0
Formation End Depth:	20
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID:	931427826
Layer:	2
Color:	7
General Color:	RED
Mat1:	17
Most Common Material:	SHALE

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		20			
Formation End Depth:		50			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962802167			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10697291			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930253068			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		50			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930253067			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		22			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992802167			
Pump Set At:					
Static Level:		13			
Final Level After Pumping:		48			
Recommended Pump Depth:		48			
Pumping Rate:		1			
Flowing Rate:					
Recommended Pump Rate:		1			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Duration HR:	2				
Pumping Duration MIN:	0				
Flowing:	No				
<u>Water Details</u>					
Water ID:	933604216				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	48				
Water Found Depth UOM:	ft				

96	1 of 1	ESE/113.6	155.8 / -6.10	lot 30 con 1 ON	WWIS
Well ID:	2805737			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	9/30/1981
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	4602
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	030
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS N
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2805737.pdf

Bore Hole Information

Bore Hole ID:	10152213	Elevation:	156.44281
DP2BR:	17	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	599036.6
Code OB Desc:	Bedrock	North83:	4810023
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	5/26/1981	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931440834
Layer:	3

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		7			
General Color:		RED			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		17			
Formation End Depth:		48			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931440832			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		10			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931440833			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		10			
Formation End Depth:		17			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		962805737			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10700783			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID:		930258746			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		48			
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930258745			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		18			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992805737			
Pump Set At:					
Static Level:		12			
Final Level After Pumping:		42			
Recommended Pump Depth:		46			
Pumping Rate:		6			
Flowing Rate:					
Recommended Pump Rate:		6			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		2			
Water State After Test:		CLOUDY			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934448520			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		42			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934182770			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		42			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934716041			
Test Type:		Draw Down			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Duration:		45			
Test Level:		42			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934968625			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		42			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933609061			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		46			
Water Found Depth UOM:		ft			

97	1 of 1	SE/117.2	152.4 / -9.51	3005 DUNDAS ST. WEST Oakville ON	WWIS
Well ID:		7136481		Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:		Monitoring		Date Received:	
Sec. Water Use:				12/21/2009	
Final Well Status:		Test Hole		Selected Flag:	
Water Type:				Yes	
Casing Material:				Abandonment Rec:	
Audit No:		M05698		Yes	
Tag:		A085485		Contractor:	
Construction Method:				6607	
Elevation (m):				Form Version:	
Elevation Reliability:				5	
Depth to Bedrock:				Owner:	
Well Depth:				Street Name:	
Overburden/Bedrock:				3005 DUNDAS ST. WEST	
Pump Rate:				County:	
Static Water Level:				HALTON	
Flowing (Y/N):				Municipality:	
Flow Rate:				OAKVILLE TOWN	
Clear/Cloudy:				Site Info:	
				Lot:	
				Concession:	
				Concession Name:	
				Easting NAD83:	
				Northing NAD83:	
				Zone:	
				UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/713\7136481.pdf			

Bore Hole Information

Bore Hole ID:	1003233119	Elevation:	152.899948
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598959
Code OB Desc:		North83:	4809723
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	9/28/2009	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003233123			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1003233122			
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING			
<u>Pipe Information</u>					
Pipe ID:		1003233124			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003233126			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		.9			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003233125			
Layer:					
Slot:					
Screen Top Depth:		0.9			
Screen End Depth:		2.4			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1003233127			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1003233121			
Diameter:		21			
Depth From:					
Depth To:		2.4			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1003233101			Elevation:	152.261276
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	598954
Code OB Desc:				North83:	4809701
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	9/28/2009			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003233105			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1003233104			
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING			
<u>Pipe Information</u>					
Pipe ID:		1003233106			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID:		1003233108			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		.9			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003233107			
Layer:					
Slot:					
Screen Top Depth:		0.9			
Screen End Depth:		2.4			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1003233109			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1003233103			
Diameter:		21			
Depth From:					
Depth To:		2.4			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1003233092			Elevation:	151.99475
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	598950
Code OB Desc:				North83:	4809691
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	9/28/2009			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003233096			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1003233095			
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING			
<u>Pipe Information</u>					
Pipe ID:		1003233097			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003233099			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		.9			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003233098			
Layer:					
Slot:					
Screen Top Depth:		0.9			
Screen End Depth:		2.4			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1003233100			
Pump Set At:					
Static Level:					
Final Level After Pumping:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM:
Rate UOM:
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1003233094
Diameter: 21
Depth From:
Depth To: 2.4
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1002901059	Elevation:	152.372802
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598974
Code OB Desc:		North83:	4809700
Open Hole:	No	Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	9/28/2009	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID: 1003233139
Layer: 1
Plug From: 0
Plug To: 2.4
Plug Depth UOM: m

Method of Construction & Well Use

Method Construction ID: 1003233143
Method Construction Code: 6
Method Construction: Boring
Other Method Construction:

Pipe Information

Pipe ID: 1003233137
Casing No: 0
Comment:

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Alt Name:

Construction Record - Casing

Casing ID: 1003233140
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0
Depth To: 2.4
Casing Diameter: 5.1
Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1003233141
Layer: 1
Slot: 20
Screen Top Depth:
Screen End Depth:
Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter: 6.4

Hole Diameter

Hole ID: 1003233138
Diameter: 21
Depth From: 0
Depth To: 2.4
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

<i>Bore Hole ID:</i> 1003233128	<i>Elevation:</i> 151.893768
<i>DP2BR:</i>	<i>Elevrc:</i>
<i>Spatial Status:</i>	<i>Zone:</i> 17
<i>Code OB:</i>	<i>East83:</i> 598967
<i>Code OB Desc:</i>	<i>North83:</i> 4809683
<i>Open Hole:</i>	<i>Org CS:</i> UTM83
<i>Cluster Kind:</i> This is a record from cluster log sheet	<i>UTMRC:</i> 3
<i>Date Completed:</i> 9/28/2009	<i>UTMRC Desc:</i> margin of error : 10 - 30 m
<i>Remarks:</i>	<i>Location Method:</i> wwr
<i>Elevrc Desc:</i>	
<i>Location Source Date:</i>	
<i>Improvement Location Source:</i>	
<i>Improvement Location Method:</i>	
<i>Source Revision Comment:</i>	
<i>Supplier Comment:</i>	

Annular Space/Abandonment Sealing Record

Plug ID: 1003233132
Layer:
Plug From:
Plug To:
Plug Depth UOM:

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>		1003233131			
<i>Method Construction Code:</i>					
<i>Method Construction:</i>					
<i>Other Method Construction:</i>		BORING			
<u>Pipe Information</u>					
<i>Pipe ID:</i>		1003233133			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>		1003233135			
<i>Layer:</i>					
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>					
<i>Depth To:</i>		.9			
<i>Casing Diameter:</i>					
<i>Casing Diameter UOM:</i>					
<i>Casing Depth UOM:</i>		m			
<u>Construction Record - Screen</u>					
<i>Screen ID:</i>		1003233134			
<i>Layer:</i>					
<i>Slot:</i>					
<i>Screen Top Depth:</i>		0.9			
<i>Screen End Depth:</i>		2.4			
<i>Screen Material:</i>					
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>					
<i>Screen Diameter:</i>					
<u>Results of Well Yield Testing</u>					
<i>Pump Test ID:</i>		1003233136			
<i>Pump Set At:</i>					
<i>Static Level:</i>					
<i>Final Level After Pumping:</i>					
<i>Recommended Pump Depth:</i>					
<i>Pumping Rate:</i>					
<i>Flowing Rate:</i>					
<i>Recommended Pump Rate:</i>					
<i>Levels UOM:</i>					
<i>Rate UOM:</i>					
<i>Water State After Test Code:</i>					
<i>Water State After Test:</i>					
<i>Pumping Test Method:</i>					
<i>Pumping Duration HR:</i>					
<i>Pumping Duration MIN:</i>					
<i>Flowing:</i>					
<u>Hole Diameter</u>					
<i>Hole ID:</i>		1003233130			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Diameter:</i>		21			
<i>Depth From:</i>					
<i>Depth To:</i>		2.4			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			
<u>Bore Hole Information</u>					
<i>Bore Hole ID:</i>	1003233110			<i>Elevation:</i>	152.445556
<i>DP2BR:</i>				<i>Elevrc:</i>	
<i>Spatial Status:</i>				<i>Zone:</i>	17
<i>Code OB:</i>				<i>East83:</i>	598943
<i>Code OB Desc:</i>				<i>North83:</i>	4809710
<i>Open Hole:</i>				<i>Org CS:</i>	UTM83
<i>Cluster Kind:</i>	This is a record from cluster log sheet			<i>UTMRC:</i>	3
<i>Date Completed:</i>	9/28/2009			<i>UTMRC Desc:</i>	margin of error : 10 - 30 m
<i>Remarks:</i>				<i>Location Method:</i>	wwr
<i>Elevrc Desc:</i>					
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>	1003233114				
<i>Layer:</i>					
<i>Plug From:</i>					
<i>Plug To:</i>					
<i>Plug Depth UOM:</i>					
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>	1003233113				
<i>Method Construction Code:</i>					
<i>Method Construction:</i>					
<i>Other Method Construction:</i>	BORING				
<u>Pipe Information</u>					
<i>Pipe ID:</i>	1003233115				
<i>Casing No:</i>	0				
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>	1003233117				
<i>Layer:</i>					
<i>Material:</i>	5				
<i>Open Hole or Material:</i>	PLASTIC				
<i>Depth From:</i>					
<i>Depth To:</i>	.9				
<i>Casing Diameter:</i>					
<i>Casing Diameter UOM:</i>					
<i>Casing Depth UOM:</i>	m				
<u>Construction Record - Screen</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Screen ID: 1003233116
Layer:
Slot:
Screen Top Depth: 0.9
Screen End Depth: 2.4
Screen Material:
Screen Depth UOM: m
Screen Diameter UOM:
Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1003233118
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM:
Rate UOM:
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1003233112
Diameter: 21
Depth From:
Depth To: 2.4
Hole Depth UOM: m
Hole Diameter UOM: cm

98	1 of 1	NNW/120.1	164.8 / 2.91	BRONTE RD & 407 OAKVILLE ON	WWIS
--------------------	--------	-----------	--------------	--------------------------------	------

Well ID: 7302554 Construction Date: Primary Water Use: Monitoring Sec. Water Use: Final Well Status: Observation Wells Water Type: Casing Material: Audit No: Z279653 Tag: A234536 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:	Data Entry Status: Data Src: Date Received: 12/28/2017 Selected Flag: Yes Abandonment Rec: Contractor: 7360 Form Version: 7 Owner: Street Name: BRONTE RD & 407 County: HALTON Municipality: OAKVILLE TOWN Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:
---	--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

PDF URL (Map):

Bore Hole Information

Bore Hole ID:	1006948038	Elevation:	166.601516
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598104
Code OB Desc:		North83:	4810909
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	12/5/2017	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1007118181
Layer:	2
Color:	7
General Color:	RED
Mat1:	17
Most Common Material:	SHALE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	5
Formation End Depth:	10
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	1007118182
Layer:	3
Color:	7
General Color:	RED
Mat1:	17
Most Common Material:	SHALE
Mat2:	26
Mat2 Desc:	ROCK
Mat3:	
Mat3 Desc:	
Formation Top Depth:	10
Formation End Depth:	15
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	1007118180
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	01

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:		FILL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		5			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1007118189			
Layer:		1			
Plug From:		3			
Plug To:		0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1007118188			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007118179			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1007118185			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		5			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1007118186			
Layer:		1			
Slot:		.10			
Screen Top Depth:		5			
Screen End Depth:		15			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2			
<u>Water Details</u>					
Water ID:		1007118184			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Kind Code:	8				
Kind:	Untested				
Water Found Depth:	15				
Water Found Depth UOM:	ft				
<u>Hole Diameter</u>					
Hole ID:	1007118183				
Diameter:	6				
Depth From:	0				
Depth To:	15				
Hole Depth UOM:	ft				
Hole Diameter UOM:	inch				

99	1 of 1	E/121.3	159.8 / -2.10	lot 30 con 1 ON	WWIS
Well ID:	2802172			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	1/16/1968
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	4001
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	030
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS N
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2802172.pdf

Bore Hole Information

Bore Hole ID:	10148726	Elevation:	159.893447
DP2BR:	20	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	598729.6
Code OB Desc:	Bedrock	North83:	4810289
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	11/1/1967	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock
Materials Interval**

Formation ID: 931427839

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		3			
Color:		7			
General Color:		RED			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		20			
Formation End Depth:		45			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931427837			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		5			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931427838			
Layer:		2			
Color:		7			
General Color:		RED			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		5			
Formation End Depth:		20			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		962802172			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10697296			
Casing No:		1			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Construction Record - Casing

Casing ID: 930253077
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 25
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930253078
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 45
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 992802172
Pump Set At:
Static Level: 10
Final Level After Pumping: 40
Recommended Pump Depth: 43
Pumping Rate: 2
Flowing Rate:
Recommended Pump Rate: 2
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 3
Pumping Duration MIN: 0
Flowing: No

Water Details

Water ID: 933604221
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 32
Water Found Depth UOM: ft

100	1 of 1	E/121.5	159.8 / -2.10	lot 30 con 1 ON	WWIS
---------------------	--------	---------	---------------	--------------------	------

Well ID: 2802169	Data Entry Status:
Construction Date:	Data Src: 1
Primary Water Use: Domestic	Date Received: 2/3/1964
Sec. Water Use: 0	Selected Flag: Yes
Final Well Status: Water Supply	Abandonment Rec:
Water Type:	Contractor: 4001
Casing Material:	Form Version: 1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	030
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS N
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2802169.pdf			

Bore Hole Information

Bore Hole ID:	10148723	Elevation:	159.895172
DP2BR:	14	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	598724.6
Code OB Desc:	Bedrock	North83:	4810289
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	12/30/1963	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931427830
Layer:	2
Color:	7
General Color:	RED
Mat1:	17
Most Common Material:	SHALE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	14
Formation End Depth:	45
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931427829
Layer:	1
Color:	3
General Color:	BLUE
Mat1:	05
Most Common Material:	CLAY
Mat2:	
Mat2 Desc:	
Mat3:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		14			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962802169			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10697293			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930253071			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		15			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930253072			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		45			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992802169			
Pump Set At:					
Static Level:		20			
Final Level After Pumping:		45			
Recommended Pump Depth:		43			
Pumping Rate:		1			
Flowing Rate:					
Recommended Pump Rate:		1			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Water Details

Water ID: 933604218
 Layer: 1
 Kind Code: 1
 Kind: FRESH
 Water Found Depth: 40
 Water Found Depth UOM: ft

[101](#) 1 of 1 S/126.0 155.9 / -6.09 Lots 32 And 33 Oakville ON **EHS**

Order No:	20150903109	Nearest Intersection:	
Status:	C	Municipality:	
Report Type:	Custom Report	Client Prov/State:	ON
Report Date:	10-SEP-15	Search Radius (km):	.25
Date Received:	03-SEP-15	X:	-79.784991
Previous Site Name:		Y:	43.434955
Lot/Building Size:			
Additional Info Ordered:			

[102](#) 1 of 1 ENE/129.7 159.8 / -2.10 3141 REG RD #25 PALARMO ON **WWIS**

Well ID:	2810187	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:		Date Received:	4/4/2005
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:		Abandonment Rec:	Yes
Water Type:		Contractor:	4005
Casing Material:		Form Version:	3
Audit No:	Z22279	Owner:	
Tag:	A022022	Street Name:	3141 REG RD #25
Construction Method:		County:	HALTON
Elevation (m):		Municipality:	OAKVILLE TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/281\2810187.pdf

Bore Hole Information

Bore Hole ID:	11319142	Elevation:	160.496765
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:	x	East83:	598660
Code OB Desc:	Unknown type in the lower layers(s)	North83:	4810361
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	3/8/2005	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
<i>Formation ID:</i>		933007191			
<i>Layer:</i>		1			
<i>Color:</i>					
<i>General Color:</i>					
<i>Mat1:</i>		24			
<i>Most Common Material:</i>		PREV. DRILLED			
<i>Mat2:</i>					
<i>Mat2 Desc:</i>					
<i>Mat3:</i>					
<i>Mat3 Desc:</i>					
<i>Formation Top Depth:</i>		0			
<i>Formation End Depth:</i>		13.71			
<i>Formation End Depth UOM:</i>		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
<i>Formation ID:</i>		933007192			
<i>Layer:</i>		2			
<i>Color:</i>					
<i>General Color:</i>					
<i>Mat1:</i>					
<i>Most Common Material:</i>					
<i>Mat2:</i>					
<i>Mat2 Desc:</i>					
<i>Mat3:</i>					
<i>Mat3 Desc:</i>					
<i>Formation Top Depth:</i>		13.71			
<i>Formation End Depth:</i>					
<i>Formation End Depth UOM:</i>		m			
<u>Method of Construction & Well</u>					
<u>Use</u>					
<i>Method Construction ID:</i>		962810187			
<i>Method Construction Code:</i>					
<i>Method Construction:</i>					
<i>Other Method Construction:</i>					
<u>Pipe Information</u>					
<i>Pipe ID:</i>		11333997			
<i>Casing No:</i>		1			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Hole Diameter</u>					
<i>Hole ID:</i>		11537705			
<i>Diameter:</i>		15.2			
<i>Depth From:</i>		1.82			
<i>Depth To:</i>		13.71			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
103	1 of 1	ESE/135.3	156.0 / -5.99	2480-2496 Old Bronte Road Oakville ON L6M 4J2	EHS
Order No:	20120118018			Nearest Intersection:	
Status:	C			Municipality:	Town of Oakville, municipality of Halton
Report Type:	Site Report			Client Prov/State:	ON
Report Date:	1/19/2012 10:48:02 AM			Search Radius (km):	0.25
Date Received:	1/18/2012 10:47:45 AM			X:	-79.775699
Previous Site Name:				Y:	43.434817
Lot/Building Size:	2.971 A				
Additional Info Ordered:	Aerial Photos				

104	1 of 1	ESE/139.0	153.1 / -8.88	3005 DUNDAS ST. W Oakville ON	WWIS
Well ID:	7113894			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	10/23/2008
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	6607
Casing Material:				Form Version:	5
Audit No:	M03093			Owner:	
Tag:	A078554			Street Name:	3005 DUNDAS ST. W
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/711\7113894.pdf

Bore Hole Information

Bore Hole ID:	1001845327	Elevation:	151.175491
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598971
Code OB Desc:		North83:	4809649
Open Hole:	No	Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	9/4/2008	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1002698849
Layer:	2

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		7			
General Color:		RED			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		4			
Formation End Depth:		6			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1002698848			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		66			
Mat3 Desc:		DENSE			
Formation Top Depth:		0			
Formation End Depth:		4			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1002698852			
Layer:		2			
Plug From:		0.3			
Plug To:		2.7			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1002698851			
Layer:		1			
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1002698857			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1002698847			
Casing No:		0			
Comment:					
Alt Name:					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Construction Record - Casing

Casing ID: 1002698854
Layer: 1
Material: 5
Open Hole or Material: PLASTIC
Depth From: 0
Depth To: 6
Casing Diameter: 5.1
Casing Diameter UOM: cm
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1002698855
Layer: 1
Slot: 20
Screen Top Depth:
Screen End Depth:
Screen Material: 5
Screen Depth UOM: m
Screen Diameter UOM: cm
Screen Diameter: 6.4

Water Details

Water ID: 1002698853
Layer: 1
Kind Code: 5
Kind: Not stated
Water Found Depth: 5.7
Water Found Depth UOM: m

Hole Diameter

Hole ID: 1002698850
Diameter: 21
Depth From: 0
Depth To: 6
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID: 1002698838	Elevation: 152.226577
DP2BR:	Elevrc:
Spatial Status:	Zone: 17
Code OB:	East83: 598996
Code OB Desc:	North83: 4809685
Open Hole:	Org CS: UTM83
Cluster Kind: This is a record from cluster log sheet	UTMRC: 3
Date Completed: 9/4/2008	UTMRC Desc: margin of error : 10 - 30 m
Remarks:	Location Method: wwr
Elevrc Desc:	
Location Source Date:	
Improvement Location Source:	
Improvement Location Method:	
Source Revision Comment:	
Supplier Comment:	

Annular Space/Abandonment

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Sealing Record</u>					
<i>Plug ID:</i>		1002698842			
<i>Layer:</i>					
<i>Plug From:</i>					
<i>Plug To:</i>					
<i>Plug Depth UOM:</i>					
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>		1002698841			
<i>Method Construction Code:</i>					
<i>Method Construction:</i>					
<i>Other Method Construction:</i>		BORING			
<u>Pipe Information</u>					
<i>Pipe ID:</i>		1002698843			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>		1002698845			
<i>Layer:</i>					
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>					
<i>Depth To:</i>		3			
<i>Casing Diameter:</i>					
<i>Casing Diameter UOM:</i>					
<i>Casing Depth UOM:</i>		m			
<u>Construction Record - Screen</u>					
<i>Screen ID:</i>		1002698844			
<i>Layer:</i>					
<i>Slot:</i>					
<i>Screen Top Depth:</i>		3			
<i>Screen End Depth:</i>		6			
<i>Screen Material:</i>					
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>					
<i>Screen Diameter:</i>					
<u>Results of Well Yield Testing</u>					
<i>Pump Test ID:</i>		1002698846			
<i>Pump Set At:</i>					
<i>Static Level:</i>					
<i>Final Level After Pumping:</i>					
<i>Recommended Pump Depth:</i>					
<i>Pumping Rate:</i>					
<i>Flowing Rate:</i>					
<i>Recommended Pump Rate:</i>					
<i>Levels UOM:</i>					
<i>Rate UOM:</i>					
<i>Water State After Test Code:</i>					
<i>Water State After Test:</i>					
<i>Pumping Test Method:</i>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002698840			
Diameter:		21			
Depth From:					
Depth To:		6			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002698829			Elevation:	151.602966
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	598983
Code OB Desc:				North83:	4809664
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	9/4/2008			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1002698833			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1002698832			
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING			
<u>Pipe Information</u>					
Pipe ID:		1002698834			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1002698836			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:					
Depth To:		1.8			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1002698835			
Layer:					
Slot:					
Screen Top Depth:		1.8			
Screen End Depth:		4.8			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1002698837			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1002698831			
Diameter:		21			
Depth From:					
Depth To:		4.8			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[105](#)

1 of 1

ESE/139.6

155.8 / -6.10

Union Gas Limited
2525 Old Bronte Road
Oakville ON

SPL

Ref No: 4575-9WCJGN
Site No: NA
Incident Dt: 5/8/2015
Year:
Incident Cause: Leak/Break
Incident Event:
Contaminant Code: 35
Contaminant Name: NATURAL GAS (METHANE)
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address: 2525 Old Bronte Road
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: Oakville

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p>Nature of Impact: Air</p> <p>Receiving Medium:</p> <p>Receiving Env:</p> <p>MOE Response: N</p> <p>Dt MOE Arvl on Scn:</p> <p>MOE Reported Dt: 5/9/2015</p> <p>Dt Document Closed: 6/2/2015</p> <p>Incident Reason: Unknown / N/A</p> <p>Site Name: 4" main natural gas leak.<UNOFFICIAL></p> <p>Site County/District:</p> <p>Site Geo Ref Meth:</p> <p>Incident Summary: Union Gas: 4" main leaking. Unknown cause. Conducting repairs.</p> <p>Contaminant Qty: 1 other - see incident description</p>					
106	1 of 19	ESE/139.6	155.8 / -6.10	PIPELINE HIT - 4" 2525 OLD BRONTE ROAD,,OAKVILLE,ON,L6M 4J2,CA ON	PINC
<p>Incident ID:</p> <p>Incident No: 1637744</p> <p>Incident Reported Dt: 5/11/2015</p> <p>Type: FS-Pipeline Incident</p> <p>Status Code:</p> <p>Customer Acct Name: PIPELINE HIT - 4"</p> <p>Incident Address: 2525 OLD BRONTE ROAD,,OAKVILLE,ON, L6M 4J2,CA</p> <p>Tank Status: Unable to Est Pipeline L2 RC</p> <p>Task No: 5499715</p> <p>Spills Action Centre:</p> <p>Fuel Type:</p> <p>Fuel Occurrence Tp:</p> <p>Date of Occurrence:</p> <p>Occurrence Start Dt: 2015/05/25</p> <p>Operation Type:</p> <p>Pipeline Type:</p> <p>Regulator Type:</p> <p>Summary: 2525 OLD BRONTE ROAD, OAKVILLE - PIPELINE HIT - 4"</p> <p>Reported By: Mark Hoewing - UNION GAS</p> <p>Affiliation:</p> <p>Occurrence Desc:</p> <p>Damage Reason: Undetermined</p> <p>Notes:</p> <p>Fuel Category: Natural Gas</p> <p>Health Impact:</p> <p>Environment Impact:</p> <p>Property Damage: No</p> <p>Service Interupt:</p> <p>Enforce Policy: No</p> <p>Public Relation:</p> <p>Pipeline System:</p> <p>Depth:</p> <p>Pipe Material:</p> <p>PSIG:</p> <p>Attribute Category: FS-Perform P-line Inc Invest</p> <p>Regulator Location:</p> <p>Method Details: E-mail</p>					
106	2 of 19	ESE/139.6	155.8 / -6.10	Dr Fox & Dr Fathollahzadeh 430-2525 Old Bronte Road Oakville ON L6M4J2	GEN
<p>Generator No: ON6043371</p> <p>Status:</p> <p>Approval Years: 2016</p> <p>Contam. Facility: No</p> <p>MHSW Facility: No</p> <p>SIC Code: 621110</p> <p>SIC Description: OFFICES OF PHYSICIANS</p> <p>PO Box No:</p> <p>Country: Canada</p> <p>Choice of Contact: CO_ADMIN</p> <p>Co Admin: Dorinda Di Sabatino</p> <p>Phone No Admin: 9058423993 Ext.</p> <p>Detail(s)</p> <p>Waste Class: 312</p> <p>Waste Class Desc: PATHOLOGICAL WASTES</p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
106	3 of 19	ESE/139.6	155.8 / -6.10	Bayshore Infusion Clinic Oakville 2525 Old Bronte Road Suite 210 Oakville ON L6M 4J2	GEN
Generator No:	ON9779645			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Colleen Scalise
MHSW Facility:	No			Phone No Admin:	9058228075 Ext.
SIC Code:	621990				
SIC Description:	ALL OTHER AMBULATORY HEALTH CARE SERVICES				
Detail(s)					
Waste Class:		312			
Waste Class Desc:	PATHOLOGICAL WASTES				
Waste Class:		261			
Waste Class Desc:	PHARMACEUTICALS				

106	4 of 19	ESE/139.6	155.8 / -6.10	Reflections Dental 130- 2525 Old Bronte Rd. Oakville ON L6M4J2	GEN
Generator No:	ON6173566			PO Box No:	
Status:				Country:	Canada
Approval Years:	2016			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	
MHSW Facility:	No			Phone No Admin:	
SIC Code:	621210				
SIC Description:	OFFICES OF DENTISTS				
Detail(s)					
Waste Class:		261			
Waste Class Desc:	PHARMACEUTICALS				
Waste Class:		148			
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS				
Waste Class:		312			
Waste Class Desc:	PATHOLOGICAL WASTES				

106	5 of 19	ESE/139.6	155.8 / -6.10	Reflections Dental 130- 2525 Old Bronte Rd. Oakville ON L6M4J2	GEN
Generator No:	ON6173566			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	April Doucette
MHSW Facility:	No			Phone No Admin:	9058278700 Ext.
SIC Code:	621210				
SIC Description:	OFFICES OF DENTISTS				
Detail(s)					
Waste Class:		261			
Waste Class Desc:	PHARMACEUTICALS				
Waste Class:		148			
Waste Class Desc:	INORGANIC LABORATORY CHEMICALS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
106	6 of 19	ESE/139.6	155.8 / -6.10	Bayshore Infusion Clinic Oakville 2525 Old Bronte Road Suite 210 Oakville ON L6M 4J2	GEN
Generator No:	ON9779645			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Colleen Scalise
MHSW Facility:	No			Phone No Admin:	9058228075 Ext.
SIC Code:	621990				
SIC Description:	ALL OTHER AMBULATORY HEALTH CARE SERVICES				
Detail(s)					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		261			
Waste Class Desc:		PHARMACEUTICALS			
106	7 of 19	ESE/139.6	155.8 / -6.10	Dr Fox & Dr Fathollahzadeh 430-2525 Old Bronte Road Oakville ON L6M4J2	GEN
Generator No:	ON6043371			PO Box No:	
Status:				Country:	Canada
Approval Years:	2015			Choice of Contact:	CO_ADMIN
Contam. Facility:	No			Co Admin:	Dorinda Di Sabatino
MHSW Facility:	No			Phone No Admin:	9058423993 Ext.
SIC Code:	621110				
SIC Description:	OFFICES OF PHYSICIANS				
Detail(s)					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
106	8 of 19	ESE/139.6	155.8 / -6.10	Reflections Dental 130- 2525 Old Bronte Rd. Oakville ON L6M4J2	GEN
Generator No:	ON6173566			PO Box No:	
Status:				Country:	Canada
Approval Years:	2014			Choice of Contact:	CO_OFFICIAL
Contam. Facility:	No			Co Admin:	April Doucette
MHSW Facility:	No			Phone No Admin:	9058278700 Ext.
SIC Code:	621210				
SIC Description:	OFFICES OF DENTISTS				
Detail(s)					
Waste Class:		312			
Waste Class Desc:		PATHOLOGICAL WASTES			
Waste Class:		148			
Waste Class Desc:		INORGANIC LABORATORY CHEMICALS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		261			
Waste Class Desc:		PHARMACEUTICALS			
106	9 of 19	ESE/139.6	155.8 / -6.10	Reflections Dental 130- 2525 Old Bronte Rd. Oakville ON L6M4J2	GEN
Generator No:	ON6173566			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	148 C				
Waste Class Desc:	Misc. wastes and inorganic chemicals				
Waste Class:	261 A				
Waste Class Desc:	Pharmaceuticals				
Waste Class:	312 P				
Waste Class Desc:	Pathological wastes				
106	10 of 19	ESE/139.6	155.8 / -6.10	Tomiczek-LeBelle Pharmacy Corporation 100 - 2525 Old Bronte Road Oakville ON L6M 4J2	GEN
Generator No:	ON4344191			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	312 P				
Waste Class Desc:	Pathological wastes				
106	11 of 19	ESE/139.6	155.8 / -6.10	Dr Fox & Dr Fathollahzadeh 430-2525 Old Bronte Road Oakville ON L6M4J2	GEN
Generator No:	ON6043371			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	312 P				
Waste Class Desc:	Pathological wastes				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
106	12 of 19	ESE/139.6	155.8 / -6.10	Bayshore Infusion Clinic Oakville 2525 Old Bronte Road Suite 210 Oakville ON L6M 4J2	GEN
Generator No:	ON9779645			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Dec 2018			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	261 L				
Waste Class Desc:	Pharmaceuticals				
Waste Class:	312 P				
Waste Class Desc:	Pathological wastes				
106	13 of 19	ESE/139.6	155.8 / -6.10	Reflections Dental 130- 2525 Old Bronte Rd. Oakville ON L6M4J2	GEN
Generator No:	ON6173566			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Jul 2020			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	261 A				
Waste Class Desc:	Pharmaceuticals				
Waste Class:	312 P				
Waste Class Desc:	Pathological wastes				
Waste Class:	148 C				
Waste Class Desc:	Misc. wastes and inorganic chemicals				
106	14 of 19	ESE/139.6	155.8 / -6.10	Tomiczek-LeBelle Pharmacy Corporation 100 - 2525 Old Bronte Road Oakville ON L6M 4J2	GEN
Generator No:	ON4344191			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Jul 2020			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:	312 P				
Waste Class Desc:	Pathological wastes				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
106	15 of 19	ESE/139.6	155.8 / -6.10	Dr Fox & Dr Fathollahzadeh 430-2525 Old Bronte Road Oakville ON L6M4J2	GEN
Generator No:	ON6043371			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Jul 2020			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
106	16 of 19	ESE/139.6	155.8 / -6.10	Bayshore Infusion Clinic Oakville 2525 Old Bronte Road Suite 210 Oakville ON L6M 4J2	GEN
Generator No:	ON9779645			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Jul 2020			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
Waste Class:		261 L			
Waste Class Desc:		Pharmaceuticals			
106	17 of 19	ESE/139.6	155.8 / -6.10	W & A Plastic Surgery Limited 2525 Old Bronte Road Suite 560 Oakville ON L6M 4J2	GEN
Generator No:	ON8471412			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Jul 2020			Choice of Contact:	
Contam. Facility:				Co Admin:	
MHSW Facility:				Phone No Admin:	
SIC Code:					
SIC Description:					
<u>Detail(s)</u>					
Waste Class:		312 P			
Waste Class Desc:		Pathological wastes			
106	18 of 19	ESE/139.6	155.8 / -6.10	Bronte Medical FHO Inc 2525 Old Bronte Rd Unit 540 Oakville ON L6M 4J2	GEN
Generator No:	ON4990706			PO Box No:	
Status:	Registered			Country:	Canada
Approval Years:	As of Jul 2020			Choice of Contact:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contam. Facility: MHSW Facility: SIC Code: SIC Description:				Co Admin: Phone No Admin:	
Detail(s)					
Waste Class: Waste Class Desc:		312 P Pathological wastes			
106	19 of 19	ESE/139.6	155.8 / -6.10	Vascular Health Bronte 2525 Old Bronte Road Suite 550 Oakville ON L6M4J2	GEN
Generator No: Status: Approval Years: Contam. Facility: MHSW Facility: SIC Code: SIC Description:		ON7747658 Registered As of Jul 2020		PO Box No: Country: Choice of Contact: Co Admin: Phone No Admin:	Canada
Detail(s)					
Waste Class: Waste Class Desc:		312 P Pathological wastes			
107	1 of 1	ESE/143.0	155.6 / -6.37	2495 Old Bronte Road & 2514 Dundas Street West, Oakville, Ontario Oakville ON	EHS
Order No: Status: Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size: Additional Info Ordered:		20110819030 C Custom Report 8/29/2011 8/19/2011 11:51:41 AM		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	ON 0.25 -79.775832 43.435773
108	1 of 1	ESE/143.4	155.8 / -6.10	lot 30 con 1 ON	WWIS
Well ID: Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N):		2802329 Commerical 0 Water Supply		Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: Street Name: County: Municipality: Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone:	1 12/5/1955 Yes 2909 1 HALTON OAKVILLE TOWN 030 01 DS S

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2802329.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10148882			Elevation:	156.123321
DP2BR:	17			Elevrc:	
Spatial Status:				Zone:	17
Code OB:	r			East83:	599071.6
Code OB Desc:	Bedrock			North83:	4809932
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	3/7/1955			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p9
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931428290				
Layer:	3				
Color:	7				
General Color:	RED				
Mat1:	17				
Most Common Material:	SHALE				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	17				
Formation End Depth:	64				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931428289				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	12				
Mat2 Desc:	STONES				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	5				
Formation End Depth:	17				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931428288				
Layer:	1				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:					
General Color:					
Mat1:		01			
Most Common Material:		FILL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		5			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962802329			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10697452			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930253340			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		21			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930253341			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		64			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992802329			
Pump Set At:					
Static Level:		9			
Final Level After Pumping:		12			
Recommended Pump Depth:					
Pumping Rate:		14			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 11
Pumping Duration MIN: 0
Flowing: No

Water Details

Water ID: 933604390
Layer: 1
Kind Code: 1
Kind: FRESH
Water Found Depth: 25
Water Found Depth UOM: ft

109	1 of 1	E/149.9	155.8 / -6.10	2507 Dundas Street West Oakville ON L6M 4J4	EHS
---------------------	--------	---------	---------------	--	-----

Order No: 20180924202 Status: C Report Type: Standard Report Report Date: 01-OCT-18 Date Received: 24-SEP-18 Previous Site Name: Lot/Building Size: Additional Info Ordered:	Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -79.776028 Y: 43.436918
---	---

110	1 of 1	ENE/154.4	159.8 / -2.10	3141 REG RD 25 lot 30 con 1 PALARMO ON	WWIS
---------------------	--------	-----------	---------------	---	------

Well ID: 2810188 Construction Date: Primary Water Use: Domestic Sec. Water Use: Final Well Status: Water Supply Water Type: Casing Material: Audit No: Z22278 Tag: A022021 Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:	Data Entry Status: Data Src: Date Received: 4/4/2005 Selected Flag: Yes Abandonment Rec: Contractor: 4005 Form Version: 3 Owner: Street Name: 3141 REG RD 25 County: HALTON Municipality: OAKVILLE TOWN Site Info: Lot: 030 Concession: 01 Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:
---	--

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/281\2810188.pdf

Bore Hole Information

Bore Hole ID: 11319143 DP2BR: 26 Spatial Status: Code OB: r Code OB Desc: Bedrock	Elevation: 160.45079 Elevrc: Zone: 17 East83: 598681 North83: 4810374
--	--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole: Cluster Kind: Date Completed: 3/8/2005 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:				Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr	
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		933007196			
Layer:		4			
Color:		7			
General Color:		RED			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		7.92			
Formation End Depth:		16.7			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		933007194			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		3.65			
Formation End Depth:		4.26			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		933007193			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		3.65			
Formation End Depth UOM:		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		933007195			
Layer:		3			
Color:		7			
General Color:		RED			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		4.26			
Formation End Depth:		7.92			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933266922			
Layer:		1			
Plug From:		0			
Plug To:		6			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962810188			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11333998			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930860135			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		-.6			
Depth To:		7.6			
Casing Diameter:		152			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Casing</u>					
Casing ID:		930860136			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:		7.6			
Depth To:		16.7			
Casing Diameter:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		11347643			
Pump Set At:		15			
Static Level:		6.88			
Final Level After Pumping:		9.26			
Recommended Pump Depth:		16			
Pumping Rate:		4.54			
Flowing Rate:					
Recommended Pump Rate:		4.54			
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11368847			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		8.16			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11368853			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		6.88			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11368852			
Test Type:		Draw Down			
Test Duration:		1			
Test Level:		6.85			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11368867			
Test Type:		Draw Down			
Test Duration:		5			
Test Level:		7.34			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11368850			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		9.26			
Test Level UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11368863			
Test Type:		Recovery			
Test Duration:		2			
Test Level:		7.65			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11368854			
Test Type:		Recovery			
Test Duration:		25			
Test Level:		6.91			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11368858			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		7.01			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11368855			
Test Type:		Draw Down			
Test Duration:		25			
Test Level:		8.58			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11368868			
Test Type:		Recovery			
Test Duration:		5			
Test Level:		7.45			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11368862			
Test Type:		Recovery			
Test Duration:		10			
Test Level:		7.31			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11368848			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		8.76			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test Detail ID:		11368857			
Test Type:		Draw Down			
Test Duration:		20			
Test Level:		8.38			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11368869			
Test Type:		Draw Down			
Test Duration:		2			
Test Level:		7.01			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11368860			
Test Type:		Draw Down			
Test Duration:		40			
Test Level:		8.99			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11368861			
Test Type:		Recovery			
Test Duration:		1			
Test Level:		8.01			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11368866			
Test Type:		Recovery			
Test Duration:		4			
Test Level:		7.49			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11368849			
Test Type:		Draw Down			
Test Duration:		10			
Test Level:		7.86			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11368859			
Test Type:		Draw Down			
Test Duration:		3			
Test Level:		7.1			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11368856			
Test Type:		Recovery			
Test Duration:		20			
Test Level:		6.95			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11368865			
Test Type:		Draw Down			
Test Duration:		4			
Test Level:		7.25			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11368864			
Test Type:		Recovery			
Test Duration:		3			
Test Level:		7.49			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		11368851			
Test Type:		Draw Down			
Test Duration:		50			
Test Level:		9.14			
Test Level UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		11537706			
Diameter:		20.32			
Depth From:		0			
Depth To:		6			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Hole Diameter</u>					
Hole ID:		11537707			
Diameter:		15.2			
Depth From:		6			
Depth To:		16.7			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

111 1 of 1 **NW/159.1** **164.8 / 2.91** **ON** **BORE**

Borehole ID:	891192	Inclin FLG:	No
OGF ID:	215584007	SP Status:	Initial Entry
Status:	Decommissioned	Surv Elev:	No
Type:	Borehole	Piezometer:	No
Use:	Geotechnical/Geological Investigation	Primary Name:	
Completion Date:	APR-1990	Municipality:	
Static Water Level:	4.4	Lot:	LOT 31
Primary Water Use:		Township:	TRAFALGAR
Sec. Water Use:		Latitude DD:	43.444766
Total Depth m:	4.7	Longitude DD:	-79.789322
Depth Ref:	Ground Surface	UTM Zone:	17
Depth Elev:		Easting:	597966
Drill Method:	Diamond Drill	Northing:	4810919
Orig Ground Elev m:	165	Location Accuracy:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elev Reliabil Note:				Accuracy:	Within 10 metres
DEM Ground Elev m:	167				
Concession:		CON 1 NORTH OF DUNDAS ST			
Location D:		Foundation Investigation Report For Bridge Structure Hwy. 403 -Hwy. 25 Underpass W.P. 409-85-02, Site No. 10-479. District 4 Burlington			
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	8504080			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.8			Material Texture:	
Material Color:				Non Geo Mat Type:	Fill-Granular
Material 1:	Sand			Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:		sand and gravel (fill) **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Stratum Description:					
Geology Stratum ID:	8504082			Mat Consistency:	
Top Depth:	1.4			Material Moisture:	
Bottom Depth:	1.9			Material Texture:	
Material Color:	Red-Brown			Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Silt			Geologic Group:	
Material 3:	Clayey			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	glacial
Gsc Material Description:		Heterogeneous mixture of clayey silt, sand and gravel. Stiff. Glacial till. Reddish brown **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Stratum Description:					
Geology Stratum ID:	8504083			Mat Consistency:	
Top Depth:	1.9			Material Moisture:	
Bottom Depth:	4.7			Material Texture:	
Material Color:	Red			Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:	Shale			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:		red, bedrock queenston shale weathered **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Stratum Description:					
Geology Stratum ID:	8504081			Mat Consistency:	
Top Depth:	.8			Material Moisture:	
Bottom Depth:	1.4			Material Texture:	
Material Color:				Non Geo Mat Type:	Fill-Misc
Material 1:	Silt			Geologic Formation:	
Material 2:	Clayey			Geologic Group:	
Material 3:	Topsoil			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:		clayey silt (fill) (topsoil) **Note: Many records provided by the department have a truncated [Stratum Description] field.			
Stratum Description:					

112

1 of 1

ENE/159.6

159.8 / -2.10

lot 30 con 1
ON

WWIS

Well ID: 2805424
Construction Date:
Primary Water Use: Domestic
Sec. Water Use: 0

Data Entry Status:
Data Src: 1
Date Received: 10/25/1979
Selected Flag: Yes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	3349
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	030
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS N
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2805424.pdf

Bore Hole Information

Bore Hole ID:	10151910	Elevation:	160.301223
DP2BR:	6	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	598694.6
Code OB Desc:	Bedrock	North83:	4810363
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	7/29/1978	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	931439627
Layer:	1
Color:	8
General Color:	BLACK
Mat1:	02
Most Common Material:	TOPSOIL
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0
Formation End Depth:	1
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID:	931439628
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	05
Most Common Material:	CLAY

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		1			
Formation End Depth:		6			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931439629			
Layer:		3			
Color:		7			
General Color:		RED			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		6			
Formation End Depth:		59			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962805424			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10700480			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930258237			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		59			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930258236			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		15			
Casing Diameter:		6			
Casing Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992805424			
Pump Set At:					
Static Level:		24			
Final Level After Pumping:		46			
Recommended Pump Depth:		55			
Pumping Rate:		7			
Flowing Rate:					
Recommended Pump Rate:		6			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934181127			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		29			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934967552			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		46			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934715396			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		42			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934447457			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		35			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933608621			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		57			
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Details					
Water ID:		933608620			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		43			
Water Found Depth UOM:		ft			

113	1 of 1	ESE/160.6	154.8 / -7.10	lot 30 con 1 ON	WWIS
Well ID:	2803929			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	10/4/1972
Sec. Water Use:	0			Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1663
Casing Material:				Form Version:	1
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	030
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS S
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2803929.pdf

Bore Hole Information

Bore Hole ID:	10150456	Elevation:	155.753967
DP2BR:	13	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	Z	East83:	599094.6
Code OB Desc:	Mixed Layer below top of bedrock	North83:	4809983
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	4
Date Completed:	3/15/1972	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	p4
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931433786
Layer:	1
Color:	
General Color:	
Mat1:	02

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		4			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931433787			
Layer:		2			
Color:		7			
General Color:		RED			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		4			
Formation End Depth:		13			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931433788			
Layer:		3			
Color:		7			
General Color:		RED			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		13			
Formation End Depth:		40			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931433789			
Layer:		4			
Color:		7			
General Color:		RED			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		17			
Mat2 Desc:		SHALE			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		40			
Formation End Depth:		43			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID:		962803929			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10699026			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930255834			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		20			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930255835			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		43			
Casing Diameter:		5			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992803929			
Pump Set At:					
Static Level:		5			
Final Level After Pumping:		40			
Recommended Pump Depth:		40			
Pumping Rate:		3			
Flowing Rate:					
Recommended Pump Rate:		3			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		6			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934711003			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		40			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934451808			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		40			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934971322			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		40			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934177181			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		40			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933606554			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		33			
Water Found Depth UOM:		ft			

114	1 of 1	ESE/167.3	154.8 / -7.10	lot 31 con 1 ON	WWIS
Well ID:		2802346		Data Entry Status:	
Construction Date:				Data Src: 1	
Primary Water Use:		Domestic		Date Received: 7/19/1960	
Sec. Water Use:		0		Selected Flag: Yes	
Final Well Status:		Water Supply		Abandonment Rec:	
Water Type:				Contractor: 4602	
Casing Material:				Form Version: 1	
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County: HALTON	
Elevation (m):				Municipality: OAKVILLE TOWN	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot: 031	
Well Depth:				Concession: 01	
Overburden/Bedrock:				Concession Name: DS S	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2802346.pdf			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	10148896			Elevation:	155.520706
DP2BR:	29			Elevrc:	
Spatial Status:				Zone:	17
Code OB:	r			East83:	599113.6
Code OB Desc:	Bedrock			North83:	4809813
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	7/11/1960			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931428324				
Layer:	2				
Color:	7				
General Color:	RED				
Mat1:	17				
Most Common Material:	SHALE				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	29				
Formation End Depth:	52				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	931428323				
Layer:	1				
Color:					
General Color:					
Mat1:	24				
Most Common Material:	PREV. DRILLED				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0				
Formation End Depth:	29				
Formation End Depth UOM:	ft				
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:	962802346				
Method Construction Code:	1				
Method Construction:	Cable Tool				
Other Method Construction:					
<u>Pipe Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		10697466			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930253365			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		52			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930253364			
Layer:		1			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		29			
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992802346			
Pump Set At:					
Static Level:		12			
Final Level After Pumping:		52			
Recommended Pump Depth:		42			
Pumping Rate:		2			
Flowing Rate:					
Recommended Pump Rate:		2			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933604405			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		42			
Water Found Depth UOM:		ft			

[115](#) 1 of 2 **ESE/168.5** **155.1 / -6.89** **2495 Bronte Rd.**
Oakville ON L6M 4J2 **EHS**

Order No: 20030814003 Nearest Intersection:
Status: C Municipality:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Report Type:	Basic Report			Client Prov/State: ON	
Report Date:	8/22/03			Search Radius (km): 0.35	
Date Received:	8/14/03			X: -79.775576	
Previous Site Name:				Y: 43.435259	
Lot/Building Size:					
Additional Info Ordered:					

115	2 of 2	ESE/168.5	155.1 / -6.89	V.G.R. Investments Ltd. 2495 OLD BRONTE ROAD, OAKVILLE, ONTARIO L6M 4J2 Oakville ON	RSC
RSC ID:	209908			Cert Date:	
RA No:				Cert Prop Use No:	
RSC Type:	Phase 1 and 2 RSC			Intended Prop Use:	Commercial
Curr Property Use:	Commercial			Qual Person Name:	Darko Strajin
Ministry District:	Halton-Peel District Office			Stratified (Y/N):	
Filing Date:	2013/08/30			Audit (Y/N):	
Date Ack:				Entire Leg Prop. (Y/N):	
Date Returned:				Accuracy Estimate:	
Restoration Type:				Telephone:	
Soil Type:				Fax:	
Criteria:				Email:	
CPU Issued Sect 1686:					
Asmt Roll No:	2401-010-040-02500-0000				
Prop ID No (PIN):	25071-0132 LT, 25071-0131 LT				
Property Municipal Address:	2514 DUNDAS STREET WEST, OAKVILLE, ONTARIO L6M 4J3, 2495 OLD BRONTE ROAD, OAKVILLE, ONTARIO L6M 4J2				
Mailing Address:					
Latitude & Longitude:					
UTM Coordinates:					
Consultant:					
Legal Desc:					
Measurement Method:					
Applicable Standards:					
RSC PDF:	https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=25441&fileName=BROWNFIELDS-E-FILE.pdf				

Document(s) Detail

Document Heading:	Supporting Documents
Document Name:	Lawyers letter consisting of legal description.PDF
Document Type:	Lawyer's letter consisting of a legal description of the property
Document Link:	https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=25442&fileName=Lawyers+letter+consisting+of+legal+description.PDF
Document Heading:	Supporting Documents
Document Name:	APEC Table.PDF
Document Type:	Area(s) of Potential Environmental Concern
Document Link:	https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=25449&fileName=APEC+Table.PDF
Document Heading:	Supporting Documents
Document Name:	Certificate of Status-August 2013.PDF
Document Type:	Certificate of Status
Document Link:	https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=25447&fileName=Certificate+of+Status-August+2013.PDF
Document Heading:	Supporting Documents
Document Name:	Phase Two CSM.pdf
Document Type:	Phase 2 Conceptual Site Model

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=25446&fileName=Phase+Two+CSM.pdf			
Document Heading:		Supporting Documents			
Document Name:		Land Transfers.pdf			
Document Type:		Copy of any deed(s), transfer(s) or other document(s)			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=25443&fileName=Land+Transfers.pdf			
Document Heading:		Supporting Documents			
Document Name:		Table of Current and Pase Uses of the Phase I ESA Prperty.PDF			
Document Type:		Table of Current and Past Property Use			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=25445&fileName=Table+of+Current+and+Pase+Uses+of+the+Phase+I+ESA+Prperty.PDF			
Document Heading:		Supporting Documents			
Document Name:		Survey Plan.PDF			
Document Type:		A Current plan of Survey			
Document Link:		https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=25444&fileName=Survey+Plan.PDF			

116	1 of 1	ESE/169.1	154.9 / -7.05	2514 DUNDAS ST. W Oakville ON	WWIS
Well ID:	7135552			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	12/7/2009
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	6607
Casing Material:				Form Version:	5
Audit No:	M06170			Owner:	
Tag:	A092268			Street Name:	2514 DUNDAS ST. W
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/713\7135552.pdf				

Bore Hole Information

Bore Hole ID:	1003223226	Elevation:	155.772735
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	599109
Code OB Desc:		North83:	4809915
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	3
Date Completed:	10/21/2009	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1003223230			
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1003223229			
Method Construction Code:					
Method Construction:					
Other Method Construction:		BORING			
<u>Pipe Information</u>					
Pipe ID:		1003223231			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003223233			
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		1.5			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003223232			
Layer:					
Slot:					
Screen Top Depth:		1.5			
Screen End Depth:		4.6			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1003223234			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:			1003223228		
Diameter:			16		
Depth From:					
Depth To:			4.6		
Hole Depth UOM:			m		
Hole Diameter UOM:			cm		
<u>Bore Hole Information</u>					
Bore Hole ID:	1003223217			Elevation:	155.947769
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	599087
Code OB Desc:				North83:	4809889
Open Hole:				Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet			UTMRC:	3
Date Completed:	10/21/2009			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:			1003223221		
Layer:					
Plug From:					
Plug To:					
Plug Depth UOM:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:			1003223220		
Method Construction Code:					
Method Construction:					
Other Method Construction:			BORING		
<u>Pipe Information</u>					
Pipe ID:			1003223222		
Casing No:			0		
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:			1003223224		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		3			
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003223223			
Layer:					
Slot:					
Screen Top Depth:		3			
Screen End Depth:		4.6			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1003223225			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:					
Rate UOM:					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1003223219			
Diameter:		16			
Depth From:					
Depth To:		4.6			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<u>Bore Hole Information</u>					
Bore Hole ID:	1002868463			Elevation:	155.999221
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	599083
Code OB Desc:				North83:	4809902
Open Hole:	No			Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	10/21/2009			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003223256			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		66			
Mat3 Desc:		DENSE			
Formation Top Depth:		0			
Formation End Depth:		3.4			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1003223257			
Layer:		2			
Color:		7			
General Color:		RED			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		73			
Mat3 Desc:		HARD			
Formation Top Depth:		3.4			
Formation End Depth:		4.6			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1003223260			
Layer:		2			
Plug From:		0.3			
Plug To:		2.7			
Plug Depth UOM:		m			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1003223259			
Layer:		1			
Plug From:		0			
Plug To:		0.3			
Plug Depth UOM:		m			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1003223264			
Method Construction Code:		6			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1003223255			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1003223261			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		4.6			
Casing Diameter:		5.1			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1003223262			
Layer:		1			
Slot:		20			
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		6.4			
<u>Hole Diameter</u>					
Hole ID:		1003223258			
Diameter:		15			
Depth From:		0			
Depth To:		4.6			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

117	1 of 1	ESE/170.4	154.8 / -7.10	2495 OLD BRONTE RD Oakville ON	WWIS
Well ID:	7170036			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Test Hole			Date Received:	10/14/2011
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7215
Casing Material:				Form Version:	7
Audit No:	Z136991			Owner:	
Tag:	A121188			Street Name:	2495 OLD BRONTE RD
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/717\7170036.pdf

Bore Hole Information

Bore Hole ID:	1003580025	Elevation:	155.797943
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	599101
Code OB Desc:		North83:	4809938
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	3
Date Completed:	9/9/2011	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1004006781
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	01
Most Common Material:	FILL
Mat2:	
Mat2 Desc:	
Mat3:	77
Mat3 Desc:	LOOSE
Formation Top Depth:	0
Formation End Depth:	5
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	1004006782
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	06
Most Common Material:	SILT
Mat2:	05
Mat2 Desc:	CLAY
Mat3:	73
Mat3 Desc:	HARD
Formation Top Depth:	5
Formation End Depth:	10
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Formation ID:</i>		1004006783			
<i>Layer:</i>		3			
<i>Color:</i>		7			
<i>General Color:</i>		RED			
<i>Mat1:</i>		17			
<i>Most Common Material:</i>		SHALE			
<i>Mat2:</i>		15			
<i>Mat2 Desc:</i>		LIMESTONE			
<i>Mat3:</i>		73			
<i>Mat3 Desc:</i>		HARD			
<i>Formation Top Depth:</i>		10			
<i>Formation End Depth:</i>		15			
<i>Formation End Depth UOM:</i>		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1004006792			
<i>Layer:</i>		3			
<i>Plug From:</i>		1			
<i>Plug To:</i>		0			
<i>Plug Depth UOM:</i>		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1004006791			
<i>Layer:</i>		2			
<i>Plug From:</i>		8			
<i>Plug To:</i>		1			
<i>Plug Depth UOM:</i>		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
<i>Plug ID:</i>		1004006790			
<i>Layer:</i>		1			
<i>Plug From:</i>		15			
<i>Plug To:</i>		8			
<i>Plug Depth UOM:</i>		ft			
<u>Method of Construction & Well Use</u>					
<i>Method Construction ID:</i>		1004006789			
<i>Method Construction Code:</i>		2			
<i>Method Construction:</i>		Rotary (Convent.)			
<i>Other Method Construction:</i>					
<u>Pipe Information</u>					
<i>Pipe ID:</i>		1004006780			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<u>Construction Record - Casing</u>					
<i>Casing ID:</i>		1004006786			
<i>Layer:</i>		1			
<i>Material:</i>		5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole or Material:		PLASTIC			
Depth From:		10			
Depth To:		0			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1004006787			
Layer:		1			
Slot:		10			
Screen Top Depth:		15			
Screen End Depth:		10			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2			
<u>Water Details</u>					
Water ID:		1004006785			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1004006784			
Diameter:		8			
Depth From:		15			
Depth To:		0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
118	1 of 1	ESE/175.1	155.0 / -6.94	lot 30 con 1 ON	WWIS
Well ID:		2802330		Data Entry Status:	
Construction Date:				Data Src: 1	
Primary Water Use:		Industrial		Date Received: 1/1/1956	
Sec. Water Use:		0		Selected Flag: Yes	
Final Well Status:		Water Supply		Abandonment Rec:	
Water Type:				Contractor: 1642	
Casing Material:				Form Version: 1	
Audit No:				Owner:	
Tag:				Street Name:	
Construction Method:				County: HALTON	
Elevation (m):				Municipality: OAKVILLE TOWN	
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot: 030	
Well Depth:				Concession: 01	
Overburden/Bedrock:				Concession Name: DS S	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2802330.pdf			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
----------------	--------------------------	------------------------------------	--------------------------	-------------	-----------

Bore Hole Information

Bore Hole ID:	10148883	Elevation:	155.673629
DP2BR:	16	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	599125.6
Code OB Desc:	Bedrock	North83:	4809871
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	9/28/1955	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931428292
Layer:	2
Color:	7
General Color:	RED
Mat1:	17
Most Common Material:	SHALE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	16
Formation End Depth:	53
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	931428291
Layer:	1
Color:	
General Color:	
Mat1:	05
Most Common Material:	CLAY
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0
Formation End Depth:	16
Formation End Depth UOM:	ft

Method of Construction & Well

Use

Method Construction ID:	962802330
Method Construction Code:	1
Method Construction:	Cable Tool
Other Method Construction:	

Pipe Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Pipe ID: 10697453
 Casing No: 1
 Comment:
 Alt Name:

Construction Record - Casing

Casing ID: 930253342
 Layer: 1
 Material: 1
 Open Hole or Material: STEEL
 Depth From:
 Depth To: 20
 Casing Diameter: 6
 Casing Diameter UOM: inch
 Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930253343
 Layer: 2
 Material: 4
 Open Hole or Material: OPEN HOLE
 Depth From:
 Depth To: 53
 Casing Diameter: 6
 Casing Diameter UOM: inch
 Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 992802330
 Pump Set At:
 Static Level: 16
 Final Level After Pumping: 45
 Recommended Pump Depth:
 Pumping Rate: 4
 Flowing Rate:
 Recommended Pump Rate:
 Levels UOM: ft
 Rate UOM: GPM
 Water State After Test Code: 1
 Water State After Test: CLEAR
 Pumping Test Method: 1
 Pumping Duration HR: 2
 Pumping Duration MIN: 0
 Flowing: No

Water Details

Water ID: 933604391
 Layer: 1
 Kind Code: 1
 Kind: FRESH
 Water Found Depth: 48
 Water Found Depth UOM: ft

119	1 of 1	ESE/178.5	154.8 / -7.10	2495 BRONTE RD. OAKVILLE ON	WWIS
Well ID:	7199077	Data Entry Status:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Abandoned-Other Water Type: Casing Material: Audit No: Z158071 Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:		Data Src: Date Received: 3/21/2013 Selected Flag: Yes Abandonment Rec: Yes Contractor: 3349 Form Version: 7 Owner: Street Name: 2495 BRONTE RD. County: HALTON Municipality: OAKVILLE TOWN Site Info: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:			
PDF URL (Map):					
<u>Bore Hole Information</u>					
Bore Hole ID: 1004266414 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 11/26/2012 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:		Elevation: 155.669403 Elevrc: Zone: 17 East83: 599127 North83: 4809886 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID: 1004926028 Layer: 2 Plug From: 6 Plug To: 0 Plug Depth UOM: m					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID: 1004926027 Layer: 1 Plug From: 7 Plug To: 6 Plug Depth UOM: m					
<u>Method of Construction & Well Use</u>					
Method Construction ID: 1004926026					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID: 1004926019					
Casing No: 0					
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID: 1004926024					
Layer: 1					
Material: 1					
Open Hole or Material: STEEL					
Depth From: 0					
Depth To: 7					
Casing Diameter: 15.875					
Casing Diameter UOM: cm					
Casing Depth UOM: m					
<u>Construction Record - Screen</u>					
Screen ID: 1004926025					
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM: m					
Screen Diameter UOM: cm					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID: 1004926020					
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM: m					
Rate UOM: LPM					
Water State After Test Code: 0					
Water State After Test:					
Pumping Test Method: 0					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing: No					
<u>Water Details</u>					
Water ID: 1004926023					
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM: m					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:		1004926022			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

120	1 of 2	W/180.2	162.9 / 0.97	lot 32 con 1 ON	WWIS
Well ID:	2808924			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Not Used			Date Received:	2/5/1999
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	1663
Casing Material:				Form Version:	1
Audit No:	198167			Owner:	
Tag:				Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	032
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS N
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2808924.pdf				

Bore Hole Information

Bore Hole ID:	10155181	Elevation:	162.170532
DP2BR:	115	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	597874.5
Code OB Desc:	Bedrock	North83:	4810170
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	11/18/1998	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	lot
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931453535
Layer:	6
Color:	7
General Color:	RED
Mat1:	17

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:		SHALE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		115			
Formation End Depth:		117			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931453532			
Layer:		3			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		16			
Formation End Depth:		34			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931453531			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		1			
Formation End Depth:		16			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931453533			
Layer:		4			
Color:		7			
General Color:		RED			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		34			
Formation End Depth:		49			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		931453534			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		49			
Formation End Depth:		115			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931453530			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		1			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933140342			
Layer:		3			
Plug From:		12			
Plug To:		109			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933140341			
Layer:		2			
Plug From:		20			
Plug To:		102			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933140340			
Layer:		1			
Plug From:		0			
Plug To:		20			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID:		962808924			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10703751			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930264069			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		113			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933339061			
Layer:		1			
Slot:		010			
Screen Top Depth:		113			
Screen End Depth:		116			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992808924			
Pump Set At:					
Static Level:		108			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
120	2 of 2	W/180.2	162.9 / 0.97	lot 32 con 1 ON	WWIS
Well ID:		2808925		Data Entry Status:	
Construction Date:				Data Src: 1	
Primary Water Use:		Not Used		Date Received: 2/5/1999	
Sec. Water Use:				Selected Flag: Yes	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	1663
Casing Material:				Form Version:	1
Audit No:	198168			Owner:	
Tag:				Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	032
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS N
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2808925.pdf

Bore Hole Information

Bore Hole ID:	10155182	Elevation:	162.170532
DP2BR:	142	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	597874.5
Code OB Desc:	Bedrock	North83:	4810170
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	11/19/1998	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	lot
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	931453541
Layer:	6
Color:	2
General Color:	GREY
Mat1:	11
Most Common Material:	GRAVEL
Mat2:	28
Mat2 Desc:	SAND
Mat3:	
Mat3 Desc:	
Formation Top Depth:	58
Formation End Depth:	142
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID:	931453536
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	02
Most Common Material:	TOPSOIL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		1			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931453540			
Layer:		5			
Color:		7			
General Color:		RED			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		40			
Formation End Depth:		58			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931453539			
Layer:		4			
Color:		8			
General Color:		BLACK			
Mat1:		13			
Most Common Material:		BOULDERS			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		38			
Formation End Depth:		40			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931453538			
Layer:		3			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		12			
Formation End Depth:		38			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		931453542			
Layer:		7			
Color:		7			
General Color:		RED			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		142			
Formation End Depth:		144			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931453537			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		1			
Formation End Depth:		12			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933140345			
Layer:		3			
Plug From:		127			
Plug To:		134			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933140343			
Layer:		1			
Plug From:		0			
Plug To:		20			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933140344			
Layer:		2			
Plug From:		20			
Plug To:		127			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962808925			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction Code: Method Construction: Other Method Construction:		2	Rotary (Convent.)		
<u>Pipe Information</u>					
Pipe ID: Casing No: Comment: Alt Name:		10703752	1		
<u>Construction Record - Casing</u>					
Casing ID: Layer: Material: Open Hole or Material: Depth From: Depth To: Casing Diameter: Casing Diameter UOM: Casing Depth UOM:		930264070	1 5 PLASTIC 135 2 inch ft		
<u>Construction Record - Screen</u>					
Screen ID: Layer: Slot: Screen Top Depth: Screen End Depth: Screen Material: Screen Depth UOM: Screen Diameter UOM: Screen Diameter:		933339062	1 010 135 138 ft inch 2		
<u>Results of Well Yield Testing</u>					
Pump Test ID: Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: Rate UOM: Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing:		992808925	112	ft GPM	No
121	1 of 1	ESE/186.6	154.8 / -7.10	Aebex Contracting 2488Old Bronte Road Oakville ON	GEN
Generator No: Status: Approval Years: Contam. Facility:		ON2729754	2012	PO Box No: Country: Choice of Contact: Co Admin:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
MHSW Facility: SIC Code: SIC Description:	238990	All Other Specialty Trade Contractors		Phone No Admin:	

<u>122</u>	1 of 1	NW/188.0	164.7 / 2.79	ON	BORE
Borehole ID:	891190			Inclin FLG:	No
OGF ID:	215584005			SP Status:	Initial Entry
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	APR-1990			Municipality:	
Static Water Level:				Lot:	LOT 31
Primary Water Use:				Township:	TRAFALGAR
Sec. Water Use:				Latitude DD:	43.444958
Total Depth m:	6.2			Longitude DD:	-79.78959
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	597944
Drill Method:	Diamond Drill			Northing:	4810940
Orig Ground Elev m:	165			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 10 metres
DEM Ground Elev m:	167				
Concession:	CON 1 NORTH OF DUNDAS ST				
Location D:	Foundation Investigation Report For Bridge Structure Hwy. 403 -Hwy. 25 Underpass W.P. 409-85-02, Site No. 10-479. District 4 Burlington				
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	8504073			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.8			Material Texture:	
Material Color:				Non Geo Mat Type:	Fill-Granular
Material 1:	Sand			Geologic Formation:	
Material 2:	Gravel			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	sand and gravel (fill) **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	8504074			Mat Consistency:	
Top Depth:	.8			Material Moisture:	
Bottom Depth:	1.4			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Silt			Geologic Formation:	
Material 2:	Clayey			Geologic Group:	
Material 3:	Topsoil			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	clayey silt (topsoil) **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	8504075			Mat Consistency:	Stiff
Top Depth:	1.4			Material Moisture:	
Bottom Depth:	2.7			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Silt			Geologic Formation:	
Material 2:	Clayey			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:	heterogeneous mixture of clayey silt, sand and gravel. Stiff to very stiff. (glacial till) brown to reddish brown **Note: Many records provided by the department have a truncated [Stratum Description] field.				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004926109			
Layer:		2			
Plug From:		11			
Plug To:		0			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004926107			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004926100			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004926105			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		0			
Depth To:		12			
Casing Diameter:		10.16			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004926106			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pump Test ID:		1004926101			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Rate UOM:		LPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
<u>Water Details</u>					
Water ID:		1004926104			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<u>Hole Diameter</u>					
Hole ID:		1004926103			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

124	1 of 1	NNW/192.8	164.8 / 2.91	Bronte Road Oakville ON	WWIS
---------------------	--------	-----------	--------------	----------------------------	------

Well ID:	7338809	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:		Date Received:	8/2/2019
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Abandoned-Supply	Abandonment Rec:	Yes
Water Type:		Contractor:	7556
Casing Material:		Form Version:	7
Audit No:	Z291520	Owner:	
Tag:	A213744	Street Name:	Bronte Road
Construction Method:		County:	HALTON
Elevation (m):		Municipality:	OAKVILLE TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/733\7338809.pdf		

Bore Hole Information

Bore Hole ID:	1007576066	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598261
Code OB Desc:		North83:	4810884
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	7/4/2019	UTMRC Desc:	margin of error : 30 m - 100 m

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:				Location Method: WWI	
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID: Layer: Plug From: Plug To: Plug Depth UOM:		1007977738 1			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID: Layer: Plug From: Plug To: Plug Depth UOM:		1007977739 2			
<u>Pipe Information</u>					
Pipe ID: Casing No: Comment: Alt Name:		1007975329 0			
<u>Results of Well Yield Testing</u>					
Pump Test ID: Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: Rate UOM: Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing:		1007980519 ft GPM 0			
125	1 of 1	NNW/199.0	164.8 / 2.91	BRONTE RD &407 OAKVILLE ON	WWIS

Well ID:	7302555	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:	Monitoring	Date Received:	12/28/2017
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	Observation Wells	Abandonment Rec:	
Water Type:		Contractor:	7360
Casing Material:		Form Version:	7

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Audit No:	Z279652			Owner:	
Tag:	A231642			Street Name:	BRONTE RD &407
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):					

Bore Hole Information

Bore Hole ID:	1006948041	Elevation:	166.407623
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	598260
Code OB Desc:		North83:	4810893
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	12/5/2017	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1007118194
Layer:	4
Color:	
General Color:	
Mat1:	26
Most Common Material:	ROCK
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	15
Formation End Depth:	17.5
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	1007118192
Layer:	2
Color:	7
General Color:	RED
Mat1:	17
Most Common Material:	SHALE
Mat2:	
Mat2 Desc:	
Mat3:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:					
Formation Top Depth:		5			
Formation End Depth:		10			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1007118191			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		01			
Most Common Material:		FILL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		5			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1007118193			
Layer:		3			
Color:		7			
General Color:		RED			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		10			
Formation End Depth:		15			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1007118201			
Layer:		1			
Plug From:		3			
Plug To:		0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1007118200			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007118190			
Casing No:		0			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Construction Record - Casing

Casing ID: 1007118197
 Layer: 1
 Material: 5
 Open Hole or Material: PLASTIC
 Depth From: 0
 Depth To: 5
 Casing Diameter: 2
 Casing Diameter UOM: inch
 Casing Depth UOM: ft

Construction Record - Screen

Screen ID: 1007118198
 Layer: 1
 Slot: .10
 Screen Top Depth: 5
 Screen End Depth: 17.5
 Screen Material: 5
 Screen Depth UOM: ft
 Screen Diameter UOM: inch
 Screen Diameter: 2

Water Details

Water ID: 1007118196
 Layer: 1
 Kind Code: 8
 Kind: Untested
 Water Found Depth: 15
 Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1007118195
 Diameter: 6
 Depth From: 0
 Depth To: 17.5
 Hole Depth UOM: ft
 Hole Diameter UOM: inch

[126](#) 1 of 1 **ESE/201.4** **154.8 / -7.10** **2495 Old Bronte Road**
Oakville ON L6M 4J2 **EHS**

Order No:	20120906047	Nearest Intersection:	
Status:	C	Municipality:	
Report Type:	Standard Select Report	Client Prov/State:	ON
Report Date:	13-SEP-12	Search Radius (km):	.25
Date Received:	05-SEP-12	X:	-79.774861
Previous Site Name:		Y:	43.435194
Lot/Building Size:			
Additional Info Ordered:			

[127](#) 1 of 1 **NW/202.3** **165.0 / 3.01** **ON** **BORE**

Borehole ID:	891189	Inclin FLG:	No
OGF ID:	215584004	SP Status:	Initial Entry

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status:	Decommissioned			Surv Elev:	No
Type:	Borehole			Piezometer:	No
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	02-MAY-1990			Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	TRAFALGAR
Sec. Water Use:				Latitude DD:	43.445137
Total Depth m:	4.7			Longitude DD:	-79.7895
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	597951
Drill Method:	Diamond Drill			Northing:	4810960
Orig Ground Elev m:	165			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 10 metres
DEM Ground Elev m:	168				
Concession:					
Location D:	Foundation Investigation Report For Bridge Structure Hwy. 403 -Hwy. 25 Underpass W.P. 409-85-02, Site No. 10-479. District 4 Burlington				
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	8504072			Mat Consistency:	
Top Depth:	2.3			Material Moisture:	
Bottom Depth:	4.7			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:	Shale			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	bedrock, queenston shale **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	8504070			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	1.7			Material Texture:	
Material Color:	Brown			Non Geo Mat Type:	
Material 1:	Silt			Geologic Formation:	
Material 2:	Clayey			Geologic Group:	
Material 3:	Topsoil			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	clayey silt (topsoil) brown **Note: Many records provided by the department have a truncated [Stratum Description] field.				
Geology Stratum ID:	8504071			Mat Consistency:	Stiff
Top Depth:	1.7			Material Moisture:	
Bottom Depth:	2.3			Material Texture:	
Material Color:	Red-Brown			Non Geo Mat Type:	
Material 1:	Silt			Geologic Formation:	
Material 2:	Clayey			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:	(glacial till) reddish brown heterogeneous mixture of clayey silt, sand and gravel. Stiff to hard **Note: Many records provided by the department have a truncated [Stratum Description] field.				

128	1 of 1	E/204.7	154.8 / -7.10	DUNDAS ST, W EAST OF BRONTE RD Oakville ON	WWIS
Well ID:	7208323			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring			Date Received:	9/24/2013

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Observation Wells			Abandonment Rec:	
Water Type:				Contractor:	7238
Casing Material:				Form Version:	7
Audit No:	Z169205			Owner:	
Tag:	A151130			Street Name:	DUNDAS ST,W EAST OF BRONTE RD
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/720\7208323.pdf

Bore Hole Information

Bore Hole ID:	1004578179	Elevation:	155.235488
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	599128
Code OB Desc:		North83:	4810040
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	9/5/2013	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	1004593608
Layer:	2
Color:	7
General Color:	RED
Mat1:	17
Most Common Material:	SHALE
Mat2:	
Mat2 Desc:	
Mat3:	26
Mat3 Desc:	ROCK
Formation Top Depth:	9.5
Formation End Depth:	10
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	1004593607
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	28

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		0			
Formation End Depth:		9.5			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004593615			
Layer:		1			
Plug From:		0			
Plug To:		4			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004593614			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004593606			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004593611			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0			
Depth To:		5			
Casing Diameter:		2			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1004593612			
Layer:		1			
Slot:		10			
Screen Top Depth:		5			
Screen End Depth:		10			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.5			
<u>Water Details</u>					
Water ID:		1004593610			
Layer:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM: ft					
Hole Diameter					
Hole ID: 1004593609					
Diameter: 8					
Depth From: 0					
Depth To: 10					
Hole Depth UOM: ft					
Hole Diameter UOM: inch					

129	1 of 1	N/206.6	165.3 / 3.38	BRONTE RD lot 30 con 1 Oakville ON	WWIS
Well ID: 7331307					
Construction Date:					
Primary Water Use: Public					
Sec. Water Use:					
Final Well Status: Water Supply					
Water Type:					
Casing Material:					
Audit No: Z291493					
Tag: A213744					
Construction Method:					
Elevation (m):					
Elevation Reliability:					
Depth to Bedrock:					
Well Depth:					
Overburden/Bedrock:					
Pump Rate:					
Static Water Level:					
Flowing (Y/N):					
Flow Rate:					
Clear/Cloudy:					
Data Entry Status:					
Data Src:					
Date Received: 4/11/2019					
Selected Flag: Yes					
Abandonment Rec:					
Contractor: 7556					
Form Version: 7					
Owner:					
Street Name: BRONTE RD					
County: HALTON					
Municipality: OAKVILLE TOWN					
Site Info:					
Lot: 030					
Concession: 01					
Concession Name: DS N					
Easting NAD83:					
Northing NAD83:					
Zone:					
UTM Reliability:					

PDF URL (Map):

Bore Hole Information

Bore Hole ID: 1007390283					
DP2BR:					
Spatial Status:					
Code OB:					
Code OB Desc:					
Open Hole:					
Cluster Kind:					
Date Completed: 1/22/2019					
Remarks:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Elevation:					
Elevrc:					
Zone: 17					
East83: 598274					
North83: 4810891					
Org CS: UTM83					
UTMRC: 4					
UTMRC Desc: margin of error : 30 m - 100 m					
Location Method: wwr					

**Overburden and Bedrock
Materials Interval**

Formation ID: 1007889225

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		3			
Color:		7			
General Color:		RED			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:		74			
Mat2 Desc:		LAYERED			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		30			
Formation End Depth:		65			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1007889224			
Layer:		2			
Color:		7			
General Color:		RED			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		15			
Formation End Depth:		30			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1007889223			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		15			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1007890473			
Layer:		1			
Plug From:		0			
Plug To:		20			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1007892189			
Method Construction Code:		B			
Method Construction:		Other Method			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
----------------	--------------------------	------------------------------------	--------------------------	-------------	-----------

Other Method Construction: OVAL ROTARY

Pipe Information

Pipe ID: 1007888157
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1007892628
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From: -2
Depth To: 20
Casing Diameter: 6.125
Casing Diameter UOM: Inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 1007892629
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From: 30
Depth To: 65
Casing Diameter:
Casing Diameter UOM:
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 1007893645
Pump Set At:
Static Level: 6.7
Final Level After Pumping:
Recommended Pump Depth: 560
Pumping Rate:
Flowing Rate:
Recommended Pump Rate: 6
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 0
Pumping Duration HR: 1
Pumping Duration MIN:
Flowing: No

Draw Down & Recovery

Pump Test Detail ID: 1007894458
Test Type: Draw Down
Test Duration: 40
Test Level: 43.8
Test Level UOM: ft

Draw Down & Recovery

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
Pump Test Detail ID:		1007894452			
Test Type:		Draw Down			
Test Duration:		5			
Test Level:		16.1			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007894457			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		41.6			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007894451			
Test Type:		Draw Down			
Test Duration:		4			
Test Level:		15.3			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007894464			
Test Type:		Recovery			
Test Duration:		4			
Test Level:		34.5			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007894454			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		33			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007894456			
Test Type:		Draw Down			
Test Duration:		25			
Test Level:		39.8			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007894459			
Test Type:		Draw Down			
Test Duration:		50			
Test Level:		46.1			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007894461			
Test Type:		Recovery			
Test Duration:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level:		47.4			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007894467			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		12.5			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007894469			
Test Type:		Recovery			
Test Duration:		25			
Test Level:		6.7			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007894448			
Test Type:		Draw Down			
Test Duration:		1			
Test Level:		9.2			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007894460			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		48.4			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007894453			
Test Type:		Draw Down			
Test Duration:		10			
Test Level:		27.5			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007894462			
Test Type:		Recovery			
Test Duration:		2			
Test Level:		43			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007894450			
Test Type:		Draw Down			
Test Duration:		3			
Test Level:		14.6			
Test Level UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007894463			
Test Type:		Recovery			
Test Duration:		3			
Test Level:		38.9			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007894466			
Test Type:		Recovery			
Test Duration:		10			
Test Level:		16.4			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007894468			
Test Type:		Recovery			
Test Duration:		20			
Test Level:		8.1			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007894449			
Test Type:		Draw Down			
Test Duration:		2			
Test Level:		12.1			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007894465			
Test Type:		Recovery			
Test Duration:		5			
Test Level:		31			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1007894455			
Test Type:		Draw Down			
Test Duration:		20			
Test Level:		36			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		1007893475			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		30			
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1007891676			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Diameter:		6			
Depth From:		20			
Depth To:		65			
Hole Depth UOM:		ft			
Hole Diameter UOM:		Inch			
<u>Hole Diameter</u>					
Hole ID:		1007891675			
Diameter:		10			
Depth From:		0			
Depth To:		20			
Hole Depth UOM:		ft			
Hole Diameter UOM:		Inch			

130	1 of 1	ESE/206.6	154.8 / -7.10	lot 31 con 1 ON	WWIS
Well ID:	2807805			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	7/30/1991
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1660
Casing Material:				Form Version:	1
Audit No:	43826			Owner:	
Tag:				Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	031
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS S
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2807805.pdf

Bore Hole Information

Bore Hole ID:	10154062	Elevation:	155.155487
DP2BR:	23	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	599132.3
Code OB Desc:	Bedrock	North83:	4809754
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	3
Date Completed:	3/28/1990	UTMRC Desc:	margin of error : 10 - 30 m
Remarks:		Location Method:	gps
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		931448854			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		1			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931448855			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		1			
Formation End Depth:		23			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931448856			
Layer:		3			
Color:		7			
General Color:		RED			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		23			
Formation End Depth:		73			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		962807805			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10702632			
Casing No:		1			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
----------------	--------------------------	------------------------------------	--------------------------	-------------	-----------

Construction Record - Casing

Casing ID: 930262081
Layer: 1
Material: 1
Open Hole or Material: STEEL
Depth From:
Depth To: 25
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Construction Record - Casing

Casing ID: 930262082
Layer: 2
Material: 4
Open Hole or Material: OPEN HOLE
Depth From:
Depth To: 73
Casing Diameter: 6
Casing Diameter UOM: inch
Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 992807805
Pump Set At:
Static Level: 11
Final Level After Pumping: 66
Recommended Pump Depth: 65
Pumping Rate: 3
Flowing Rate:
Recommended Pump Rate: 3
Levels UOM: ft
Rate UOM: GPM
Water State After Test Code: 1
Water State After Test: CLEAR
Pumping Test Method: 1
Pumping Duration HR: 1
Pumping Duration MIN: 30
Flowing: No

Draw Down & Recovery

Pump Test Detail ID: 934180077
Test Type: Draw Down
Test Duration: 15
Test Level: 29
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 934453605
Test Type: Draw Down
Test Duration: 30
Test Level: 37
Test Level UOM: ft

Draw Down & Recovery

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test Detail ID: 934712749					
Test Type: Draw Down					
Test Duration: 45					
Test Level: 52					
Test Level UOM: ft					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID: 934965404					
Test Type: Draw Down					
Test Duration: 60					
Test Level: 66					
Test Level UOM: ft					
<u>Water Details</u>					
Water ID: 933611439					
Layer: 1					
Kind Code: 2					
Kind: SALTY					
Water Found Depth: 68					
Water Found Depth UOM: ft					

[131](#) 1 of 1 **ESE/214.2** **154.8 / -7.10** **lot 30 con 1 ON** **WWIS**

Well ID:	2802331	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Commerical	Date Received:	1/1/1956
Sec. Water Use:	Domestic	Selected Flag:	Yes
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	1642
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	HALTON
Elevation (m):		Municipality:	OAKVILLE TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	030
Well Depth:		Concession:	01
Overburden/Bedrock:		Concession Name:	DS S
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2802331.pdf

Bore Hole Information

Bore Hole ID:	10148884	Elevation:	155.329666
DP2BR:	33	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	599165.6
Code OB Desc:	Bedrock	North83:	4809851
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	10/12/1955	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931428294			
Layer:		2			
Color:					
General Color:					
Mat1:		24			
Most Common Material:		PREV. DRILLED			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		16			
Formation End Depth:		33			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931428293			
Layer:		1			
Color:					
General Color:					
Mat1:		23			
Most Common Material:		PREVIOUSLY DUG			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		16			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931428295			
Layer:		3			
Color:					
General Color:					
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		33			
Formation End Depth:		39			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		962802331			
Method Construction Code:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10697454			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930253345			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		39			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930253344			
Layer:		1			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		33			
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992802331			
Pump Set At:					
Static Level:		10			
Final Level After Pumping:		18			
Recommended Pump Depth:					
Pumping Rate:		20			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		0			
Pumping Duration MIN:		30			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933604392			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		38			
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

132	1 of 1	E/216.2	155.3 / -6.62	lot 30 con 1 ON	WWIS
---------------------	--------	---------	---------------	--------------------	------

Well ID:	2802165	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	9/9/1960
Sec. Water Use:	0	Selected Flag:	Yes
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	4602
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	HALTON
Elevation (m):		Municipality:	OAKVILLE TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	030
Well Depth:		Concession:	01
Overburden/Bedrock:		Concession Name:	DS N
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2802165.pdf

Bore Hole Information

Bore Hole ID:	10148719	Elevation:	155.417663
DP2BR:	16	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	599114.6
Code OB Desc:	Bedrock	North83:	4810093
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	7/17/1960	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	p5
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	931427822
Layer:	2
Color:	7
General Color:	RED
Mat1:	17
Most Common Material:	SHALE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	16
Formation End Depth:	36
Formation End Depth UOM:	ft

Overburden and Bedrock

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		931427821			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		16			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962802165			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10697289			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930253064			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		36			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930253063			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		18			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992802165			
Pump Set At:					
Static Level:		10			
Final Level After Pumping:		36			
Recommended Pump Depth:		34			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Rate:	2				
Flowing Rate:					
Recommended Pump Rate:	2				
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:	2				
Water State After Test:	CLOUDY				
Pumping Test Method:	1				
Pumping Duration HR:	1				
Pumping Duration MIN:	0				
Flowing:	No				

Water Details

Water ID:	933604214
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	34
Water Found Depth UOM:	ft

[133](#) 1 of 1 **ESE/218.0** **154.8 / -7.10** **lot 31 con 1 ON** **WWIS**

Well ID:	2802340	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	2/7/1955
Sec. Water Use:	0	Selected Flag:	Yes
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	1429
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	HALTON
Elevation (m):		Municipality:	OAKVILLE TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	031
Well Depth:		Concession:	01
Overburden/Bedrock:		Concession Name:	DS S
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2802340.pdf

Bore Hole Information

Bore Hole ID:	10148890	Elevation:	155.228897
DP2BR:	6	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	599158.6
Code OB Desc:	Bedrock	North83:	4809786
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	11/1/1953	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931428308			
Layer:		2			
Color:					
General Color:					
Mat1:		17			
Most Common Material:		SHALE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		6			
Formation End Depth:		40			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931428307			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		6			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962802340			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10697460			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930253354			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		9			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Construction Record - Casing

Casing ID: 930253355
 Layer: 2
 Material: 4
 Open Hole or Material: OPEN HOLE
 Depth From:
 Depth To: 40
 Casing Diameter: 6
 Casing Diameter UOM: inch
 Casing Depth UOM: ft

Results of Well Yield Testing

Pump Test ID: 992802340
 Pump Set At:
 Static Level: 4
 Final Level After Pumping: 40
 Recommended Pump Depth:
 Pumping Rate: 2
 Flowing Rate:
 Recommended Pump Rate:
 Levels UOM: ft
 Rate UOM: GPM
 Water State After Test Code: 1
 Water State After Test: CLEAR
 Pumping Test Method: 1
 Pumping Duration HR: 1
 Pumping Duration MIN: 0
 Flowing: No

Water Details

Water ID: 933604399
 Layer: 1
 Kind Code: 3
 Kind: SULPHUR
 Water Found Depth: 40
 Water Found Depth UOM: ft

[134](#) 1 of 1 **ESE/222.7** **154.8 / -7.10** **2514, 2494 DUNDAS ST.W & 2495 OLD BRONTE RD. OAKVILLE ON** **EHS**

Order No: 20091208005	Nearest Intersection: DUNDAS ST W & OLD BROTE RD.
Status: C	Municipality:
Report Type: Standard Report	Client Prov/State: ON
Report Date: 12/16/2009	Search Radius (km): 0.25
Date Received: 12/8/2009	X: -79.774678
Previous Site Name:	Y: 43.43555
Lot/Building Size:	
Additional Info Ordered: Aerial Photos;	

[135](#) 1 of 1 **NW/226.4** **165.7 / 3.79** **ON** **BORE**

Borehole ID: 891188	Inclin FLG: No
OGF ID: 215584003	SP Status: Initial Entry
Status: Decommissioned	Surv Elev: No
Type: Borehole	Piezometer: No

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Use:	Geotechnical/Geological Investigation			Primary Name:	
Completion Date:	01-MAY-1990			Municipality:	
Static Water Level:				Lot:	LOT 31
Primary Water Use:				Township:	TRAFALGAR
Sec. Water Use:				Latitude DD:	43.445214
Total Depth m:	6.2			Longitude DD:	-79.789944
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	597915
Drill Method:	Diamond Drill			Northing:	4810968
Orig Ground Elev m:	165			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Within 10 metres
DEM Ground Elev m:	168				
Concession:	CON 1 NORTH OF DUNDAS ST				
Location D:	Foundation Investigation Report For Bridge Structure Hwy. 403 -Hwy. 25 Underpass W.P. 409-85-02, Site No. 10-479. District 4 Burlington				
Survey D:					
Comments:					

Borehole Geology Stratum

Geology Stratum ID:	8504068			Mat Consistency:	Stiff
Top Depth:	.8			Material Moisture:	
Bottom Depth:	2.3			Material Texture:	
Material Color:	Red-Brown			Non Geo Mat Type:	
Material 1:	Silt			Geologic Formation:	
Material 2:	Clayey			Geologic Group:	
Material 3:	Sand			Geologic Period:	
Material 4:	Gravel			Depositional Gen:	glacial
Gsc Material Description:					
Stratum Description:	Heterogeneous mixture of clayey silt, sand and gravel. Stiff to hard. (glacial till) reddish - brown **Note: Many records provided by the department have a truncated [Stratum Description] field.				

Geology Stratum ID:	8504067			Mat Consistency:	
Top Depth:	0			Material Moisture:	
Bottom Depth:	.8			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Silt			Geologic Formation:	
Material 2:	Clayey			Geologic Group:	
Material 3:	Topsoil			Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	clayey silt. (topsoil) **Note: Many records provided by the department have a truncated [Stratum Description] field.				

Geology Stratum ID:	8504069			Mat Consistency:	
Top Depth:	2.3			Material Moisture:	
Bottom Depth:	6.2			Material Texture:	
Material Color:	Red			Non Geo Mat Type:	
Material 1:	Bedrock			Geologic Formation:	
Material 2:	Shale			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	red, bedrock queenston shale. Weathered, sound.				

[136](#)

1 of 1

N/227.5

165.8 / 3.91

lot 30 con 1
ON

WWIS

Well ID:	2809279			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	12/27/2000
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	4005
Casing Material:				Form Version:	1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Audit No:	212335			Owner:	
Tag:				Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	030
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS N
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2809279.pdf				

Bore Hole Information

Bore Hole ID:	10155535	Elevation:	165.303833
DP2BR:	30	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	598371.7
Code OB Desc:	Bedrock	North83:	4810830
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	10/30/2000	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	lot
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID:	931454868
Layer:	2
Color:	6
General Color:	BROWN
Mat1:	05
Most Common Material:	CLAY
Mat2:	11
Mat2 Desc:	GRAVEL
Mat3:	77
Mat3 Desc:	LOOSE
Formation Top Depth:	18
Formation End Depth:	20
Formation End Depth UOM:	ft

Overburden and Bedrock Materials Interval

Formation ID:	931454870
Layer:	4
Color:	7
General Color:	RED
Mat1:	05
Most Common Material:	CLAY
Mat2:	11
Mat2 Desc:	GRAVEL
Mat3:	77

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:		LOOSE			
Formation Top Depth:		25			
Formation End Depth:		29			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931454869			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		73			
Mat2 Desc:		HARD			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		20			
Formation End Depth:		25			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931454872			
Layer:		6			
Color:		7			
General Color:		RED			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:		73			
Mat2 Desc:		HARD			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		30			
Formation End Depth:		40			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931454867			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		0			
Formation End Depth:		18			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		931454871			
Layer:		5			
Color:		6			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:		BROWN			
Mat1:		29			
Most Common Material:		FINE GRAVEL			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		29			
Formation End Depth:		30			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962809279			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10704105			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930264640			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:					
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930264639			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:					
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992809279			
Pump Set At:					
Static Level:		22			
Final Level After Pumping:		26			
Recommended Pump Depth:					
Pumping Rate:		6			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:	1				
Pumping Duration HR:	1				
Pumping Duration MIN:	0				
Flowing:	No				
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934175276				
Test Type:	Recovery				
Test Duration:	15				
Test Level:	26				
Test Level UOM:	ft				
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934977950				
Test Type:	Recovery				
Test Duration:	60				
Test Level:	26				
Test Level UOM:	ft				
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934458090				
Test Type:	Recovery				
Test Duration:	30				
Test Level:	26				
Test Level UOM:	ft				
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934716170				
Test Type:	Recovery				
Test Duration:	45				
Test Level:	26				
Test Level UOM:	ft				
 <u>Water Details</u>					
Water ID:	933613451				
Layer:	1				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	30				
Water Found Depth UOM:	ft				

137	1 of 1	N/227.9	165.8 / 3.91	lot 30 con 1 ON	WWIS
Well ID:	2809503			Data Entry Status:	
Construction Date:				Data Src:	1
Primary Water Use:	Domestic			Date Received:	12/14/2001
Sec. Water Use:				Selected Flag:	Yes
Final Well Status:	Water Supply			Abandonment Rec:	
Water Type:				Contractor:	1660
Casing Material:				Form Version:	1
Audit No:	234054			Owner:	
Tag:				Street Name:	
Construction Method:				County:	HALTON

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	030
Well Depth:				Concession:	01
Overburden/Bedrock:				Concession Name:	DS N
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2809503.pdf

Bore Hole Information

Bore Hole ID:	10518557	Elevation:	165.300765
DP2BR:	19	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	598372.2
Code OB Desc:	Bedrock	North83:	4810830
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	9/7/2001	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	lot
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	932838888
Layer:	1
Color:	6
General Color:	BROWN
Mat1:	05
Most Common Material:	CLAY
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	0
Formation End Depth:	13
Formation End Depth UOM:	ft

Overburden and Bedrock

Materials Interval

Formation ID:	932838890
Layer:	3
Color:	7
General Color:	RED
Mat1:	17
Most Common Material:	SHALE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	19
Formation End Depth:	70

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932838889			
Layer:		2			
Color:		7			
General Color:		RED			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		13			
Formation End Depth:		19			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933221259			
Layer:		1			
Plug From:		0			
Plug To:		20			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962809503			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11067127			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930264896			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:					
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930264895			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:					
Depth To:					
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Results of Well Yield Testing</u>					
Pump Test ID:		992809503			
Pump Set At:					
Static Level:		27			
Final Level After Pumping:		64			
Recommended Pump Depth:		65			
Pumping Rate:		4			
Flowing Rate:					
Recommended Pump Rate:		4			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:					
Flowing:		No			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934175814			
Test Type:					
Test Duration:		15			
Test Level:		37			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934458205			
Test Type:					
Test Duration:		30			
Test Level:		46			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934716705			
Test Type:					
Test Duration:		45			
Test Level:		54			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934978484			
Test Type:					
Test Duration:		60			
Test Level:		54			
Test Level UOM:		ft			
 <u>Water Details</u>					
Water ID:		934010630			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	64				
Water Found Depth UOM:	ft				

[138](#) 1 of 1 ESE/234.1 154.8 / -7.10 lot 31 con 1 ON WWIS

Well ID:	2802342	Data Entry Status:	
Construction Date:		Data Src:	1
Primary Water Use:	Domestic	Date Received:	1/4/1957
Sec. Water Use:	0	Selected Flag:	Yes
Final Well Status:	Water Supply	Abandonment Rec:	
Water Type:		Contractor:	1642
Casing Material:		Form Version:	1
Audit No:		Owner:	
Tag:		Street Name:	
Construction Method:		County:	HALTON
Elevation (m):		Municipality:	OAKVILLE TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	031
Well Depth:		Concession:	01
Overburden/Bedrock:		Concession Name:	DS S
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map):

Bore Hole Information

Bore Hole ID:	10148892	Elevation:	155.13031
DP2BR:	20	Elevrc:	
Spatial Status:		Zone:	17
Code OB:	r	East83:	599169.6
Code OB Desc:	Bedrock	North83:	4809769
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	7/11/1956	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	p9
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID:	931428313
Layer:	2
Color:	7
General Color:	RED
Mat1:	17
Most Common Material:	SHALE
Mat2:	
Mat2 Desc:	
Mat3:	
Mat3 Desc:	
Formation Top Depth:	20

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		29			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		931428312			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0			
Formation End Depth:		20			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962802342			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10697462			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930253359			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		29			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930253358			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		23			
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test ID:		992802342			
Pump Set At:					
Static Level:		12			
Final Level After Pumping:		26			
Recommended Pump Depth:					
Pumping Rate:		2			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		0			
Pumping Duration MIN:		15			
Flowing:		No			

Water Details

Water ID:	933604401
Layer:	1
Kind Code:	1
Kind:	FRESH
Water Found Depth:	27
Water Found Depth UOM:	ft

[139](#) 1 of 1 **ESE/236.1** **154.8 / -7.10** **ON** **WWIS**

Well ID:	7337918	Data Entry Status:	Yes
Construction Date:		Data Src:	
Primary Water Use:		Date Received:	7/23/2019
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:		Abandonment Rec:	
Water Type:		Contractor:	7437
Casing Material:		Form Version:	8
Audit No:	C43789	Owner:	
Tag:	A242914	Street Name:	
Construction Method:		County:	HALTON
Elevation (m):		Municipality:	OAKVILLE TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map):

Bore Hole Information

Bore Hole ID:	1007534520	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	599128
Code OB Desc:		North83:	4809697
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	7/5/2019	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
140	1 of 3	SSE/239.4	150.9 / -11.07	NEW AUTOMATION CORP 3175 DUNDAS ST W OAKVILLE ON L6M 4J4	SCT
Established: Plant Size (ft²): Employment:		1982 30000 45			
--Details--					
Description:		GENERAL INDUSTRIAL MACHINERY AND EQUIPMENT, NOT ELSEWHERE CLASSIFIED			
SIC/NAICS Code:		3569			
140	2 of 3	SSE/239.4	150.9 / -11.07	N.A. NEW AUTOMATION (OUT OF BUS) 3175 DUNDAS STREET WEST OAKVILLE ON L6M 4J4	GEN
Generator No:		ON2210500	PO Box No:		
Status:			Country:		
Approval Years:		97,98	Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:		3259			
SIC Description:		OTHER VEHICLE ACCES.			
Detail(s)					
Waste Class:		145			
Waste Class Desc:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
140	3 of 3	SSE/239.4	150.9 / -11.07	ATS Automation Tooling Systems Inc. 3175 Dundas Street West Oakville ON L6M 4J4	GEN
Generator No:		ON7094689	PO Box No:		
Status:			Country:		
Approval Years:		02,03,04	Choice of Contact:		
Contam. Facility:			Co Admin:		
MHSW Facility:			Phone No Admin:		
SIC Code:					
SIC Description:					
Detail(s)					
Waste Class:		212			
Waste Class Desc:		ALIPHATIC SOLVENTS			
Waste Class:		252			
Waste Class Desc:		WASTE OILS & LUBRICANTS			
Waste Class:		253			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class Desc:		EMULSIFIED OILS			
141	1 of 3	E/240.6	154.8 / -7.10	ROGER ZANETTIN 2480 DUNDAS ST W,,OAKVILLE,ON,,CA ON	PINC
Incident ID:		Fuel Category: Natural Gas			
Incident No: 1709730		Health Impact:			
Incident Reported Dt: 8/27/2015		Environment Impact:			
Type: FS-Pipeline Incident		Property Damage: Yes			
Status Code:		Service Interrupt:			
Customer Acct Name: ROGER ZANETTIN		Enforce Policy: Yes			
Incident Address: 2480 DUNDAS ST W,,OAKVILLE,ON,,CA		Public Relation:			
Tank Status: Pipeline Damage Reason Est		Pipeline System:			
Task No: 5845702		Depth:			
Spills Action Centre:		Pipe Material:			
Fuel Type:		PSIG:			
Fuel Occurrence Tp:		Attribute Category: FS-Perform P-line Inc Invest			
Date of Occurrence:		Regulator Location:			
Occurrence Start Dt: 2015/08/26		Method Details: E-mail			
Operation Type:					
Pipeline Type:					
Regulator Type:					
Summary: 2480 DUNDAS ST W, OAKVILLE - PIPELINE HIT - 6"					
Reported By: Octavian Ghiricociu - UNION GAS					
Affiliation:					
Occurrence Desc:					
Damage Reason: Facility marking or location not sufficient					
Notes:					
141	2 of 3	E/240.6	154.8 / -7.10	2480 Dundas St. West Oakville ON	SPL
Ref No: 6404-9ZS3DA		Discharger Report:			
Site No: NA		Material Group:			
Incident Dt: 8/26/2015		Health/Env Conseq:			
Year:		Client Type:			
Incident Cause:		Sector Type: Unknown / N/A			
Incident Event:		Agency Involved:			
Contaminant Code: 35		Nearest Watercourse:			
Contaminant Name: NATURAL GAS (METHANE)		Site Address: 2480 Dundas St. West			
Contaminant Limit 1:		Site District Office:			
Contam Limit Freq 1:		Site Postal Code:			
Contaminant UN No 1:		Site Region:			
Environment Impact:		Site Municipality: Oakville			
Nature of Impact:		Site Lot:			
Receiving Medium:		Site Conc:			
Receiving Env:		Northing:			
MOE Response: No		Easting:			
Dt MOE Arvl on Scn:		Site Geo Ref Accu:			
MOE Reported Dt: 8/26/2015		Site Map Datum:			
Dt Document Closed:		SAC Action Class: TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill			
Incident Reason: Operator/Human Error		Source Type:			
Site Name: near a cemetery<UNOFFICIAL>					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary: Union Gas - Oakville - 6" steel line struck by excavator, safe					
Contaminant Qty: 0 other - see incident description					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
141	3 of 3	E/240.6	154.8 / -7.10	PIPELINE HIT 2480 DUNDAS STREET WEST,,OAKVILLE,ON,, CA ON	PINC
Incident ID: Incident No: 1711066 Incident Reported Dt: 8/28/2015 Type: FS-Pipeline Incident Status Code: Customer Acct Name: PIPELINE HIT Incident Address: 2480 DUNDAS STREET WEST,,OAKVILLE, ON,,CA Tank Status: Cancelled Task No: Spills Action Centre: Fuel Type: Fuel Occurrence Tp: Date of Occurrence: Occurrence Start Dt: Operation Type: Pipeline Type: Regulator Type: Summary: Reported By: Affiliation: Occurrence Desc: Damage Reason: Notes:		Fuel Category: Health Impact: Environment Impact: Property Damage: Service Interupt: Enforce Policy: Public Relation: Pipeline System: Depth: Pipe Material: PSIG: Attribute Category: Regulator Location: Method Details:			

142	1 of 1	E/242.1	155.8 / -6.10	lot 30 con 1 ON	WWIS
Well ID: 2808052 Construction Date: Primary Water Use: Sec. Water Use: Final Well Status: Water Type: Casing Material: Audit No: 118164 Tag: Construction Method: Elevation (m): Elevation Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Flowing (Y/N): Flow Rate: Clear/Cloudy:		Data Entry Status: Data Src: 1 Date Received: 10/22/1992 Selected Flag: Yes Abandonment Rec: Contractor: 4005 Form Version: 1 Owner: Street Name: County: HALTON Municipality: OAKVILLE TOWN Site Info: Lot: 030 Concession: 01 Concession Name: DS N Easting NAD83: Northing NAD83: Zone: UTM Reliability:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/280\2808052.pdf

Bore Hole Information

Bore Hole ID: 10154309	Elevation: 155.90242
DP2BR:	Elevrc:
Spatial Status:	Zone: 17
Code OB: -	East83: 599102.3
Code OB Desc: No formation data	North83: 4810148

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole: Cluster Kind: Date Completed: 10/16/1992 Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:				Org CS: UTMRC: 3 UTMRC Desc: margin of error : 10 - 30 m Location Method: gps	
<u>Method of Construction & Well Use</u>					
Method Construction ID:		962808052			
Method Construction Code:		0			
Method Construction:		Not Known			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		10702879			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930262515			
Layer:		1			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:		6			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pump Test ID:		992808052			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:		0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		1			
Pumping Duration HR:					
Pumping Duration MIN:		30			
Flowing:		No			

[143](#) 1 of 2 SE/242.9 149.2 / -12.77 HALTON DISTRICT SCHOOL BOARD 2561 VALLEYRIDGE DR OAKVILLE ON L6M5H4 **GEN**

Generator No: ON3115633 PO Box No:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: Registered Approval Years: As of Dec 2018 Contam. Facility: MHSW Facility: SIC Code: SIC Description:					
Country: Canada Choice of Contact: Co Admin: Phone No Admin:					
Detail(s)					
Waste Class: 251 L Waste Class Desc: Waste oils/sludges (petroleum based)					
143	2 of 2	SE/242.9	149.2 / -12.77	HALTON DISTRICT SCHOOL BOARD 2561 VALLEYRIDGE DR OAKVILLE ON L6M5H4	GEN
Generator No: ON3115633 Status: Registered Approval Years: As of Jul 2020 Contam. Facility: MHSW Facility: SIC Code: SIC Description:					
PO Box No: Country: Canada Choice of Contact: Co Admin: Phone No Admin:					
Detail(s)					
Waste Class: 251 L Waste Class Desc: Waste oils/sludges (petroleum based)					
144	1 of 3	NW/243.9	165.8 / 3.86	Bronte Rd & Hwy 407 Oakville ON	EHS
Order No: 20080130002 Status: C Report Type: Custom Report Report Date: 2/11/2008 Date Received: 1/30/2008 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): 0.25 X: -79.7842 Y: 1					
144	2 of 3	NW/243.9	165.8 / 3.86	Bronte Rd & Hwy 407 Oakville ON	EHS
Order No: 20150625069 Status: C Report Type: Custom Report Report Date: 28-OCT-15 Date Received: 25-JUN-15 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -79.786711 Y: 43.44441					
144	3 of 3	NW/243.9	165.8 / 3.86	Metrolinx Bronte Road and HWY 407 Overpass Oakville ON	SPL
Ref No: 2380-BBKS3N Site No: NA					
Discharger Report: Material Group:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Incident Dt:	4/25/2019			Health/Env Conseq:	2 - Minor Environment
Year:				Client Type:	Corporation
Incident Cause:				Sector Type:	Miscellaneous Communal
Incident Event:	Leak/Break			Agency Involved:	
Contaminant Code:	27			Nearest Watercourse:	
Contaminant Name:	COOLANT N.O.S.			Site Address:	Bronte Road and HWY 407 Overpass
Contaminant Limit 1:				Site District Office:	Halton-Peel
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:	n/a			Site Region:	Central
Environment Impact:				Site Municipality:	Oakville
Nature of Impact:				Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:	Land			Northing:	4811023.23
MOE Response:	No			Easting:	597770.86
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	4/25/2019			Site Map Datum:	
Dt Document Closed:	5/18/2019			SAC Action Class:	Land Spills
Incident Reason:	Equipment Failure			Source Type:	Other
Site Name:	Bronte and HWY 407 Overpass<UNOFFICIAL>				
Site County/District:	Regional Municipality of Halton				
Site Geo Ref Meth:					
Incident Summary:	Metrolinx: 106L engine coolant to land and cb; cleaned				
Contaminant Qty:	106 L				

[145](#)

1 of 1

ESE/244.2

154.8 / -7.10

ON

WWIS

Well ID:	7314493	Data Entry Status:	Yes
Construction Date:		Data Src:	
Primary Water Use:		Date Received:	7/12/2018
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:		Abandonment Rec:	
Water Type:		Contractor:	7230
Casing Material:		Form Version:	8
Audit No:	C41617	Owner:	
Tag:	A234636	Street Name:	
Construction Method:		County:	HALTON
Elevation (m):		Municipality:	OAKVILLE TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map):

Bore Hole Information

Bore Hole ID:	1007155119	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	599170
Code OB Desc:		North83:	4809745
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	4/30/2018	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
146	1 of 1	ESE/245.5	154.8 / -7.10	2467 Old Bronte Rd Oakville ON L6M4J2	EHS
Order No:	20170804023			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Express Report			Client Prov/State:	ON
Report Date:	04-AUG-17			Search Radius (km):	.25
Date Received:	04-AUG-17			X:	-79.774399
Previous Site Name:				Y:	43.434464
Lot/Building Size:					
Additional Info Ordered:					
147	1 of 4	ESE/246.0	154.8 / -7.10	2477 Old Bronte Rd Oakville ON L6M4J2	EHS
Order No:	20160902029			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Express Report			Client Prov/State:	ON
Report Date:	02-SEP-16			Search Radius (km):	.25
Date Received:	02-SEP-16			X:	-79.774621
Previous Site Name:				Y:	43.434548
Lot/Building Size:					
Additional Info Ordered:					
147	2 of 4	ESE/246.0	154.8 / -7.10	2477 Old Bronte Road Oakville ON L6M 4J2	EHS
Order No:	20200527131			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	01-JUN-20			Search Radius (km):	.25
Date Received:	27-MAY-20			X:	-79.7743716
Previous Site Name:				Y:	43.4345736
Lot/Building Size:					
Additional Info Ordered:					
147	3 of 4	ESE/246.0	154.8 / -7.10	2477 Old Bronte Road Oakville ON L6M 4J2	EHS
Order No:	20200527131			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	01-JUN-20			Search Radius (km):	.25
Date Received:	27-MAY-20			X:	-79.7743716
Previous Site Name:				Y:	43.4345736
Lot/Building Size:					
Additional Info Ordered:					
147	4 of 4	ESE/246.0	154.8 / -7.10	2477 Old Bronte Road Oakville ON L6M 4J2	EHS
Order No:	20200527131			Nearest Intersection:	
Status:	C			Municipality:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	01-JUN-20			Search Radius (km):	.25
Date Received:	27-MAY-20			X:	-79.7743716
Previous Site Name:				Y:	43.4345736
Lot/Building Size:					
Additional Info Ordered:					

148	1 of 1	SSE/248.1	148.7 / -13.28	Globetron Controls Inc. 3185 Dundas St W Oakville ON L6M 4J4	SCT
---------------------	--------	------------------	-----------------------	---	------------

Established: 01-SEP-88
Plant Size (ft²): 10000
Employment:

--Details--

Description: Industrial Machinery, Equipment and Supplies Wholesaler-Distributors
SIC/NAICS Code: 417230

Description: Electrical Wiring and Construction Supplies Wholesaler-Distributors
SIC/NAICS Code: 416110

Description: Plumbing, Heating and Air-Conditioning Equipment and Supplies Wholesaler-Distributors
SIC/NAICS Code: 416120

Description: Electronic Components, Navigational and Communications Equipment and Supplies Wholesaler-Distributors
SIC/NAICS Code: 417320

Description: Electronic Components, Navigational and Communications Equipment and Supplies Wholesaler-Distributors
SIC/NAICS Code: 417320

Unplottable Summary

Total: **38** Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	Upper Glen Abbey West Ph 1	Part of Lot 30, Concession 1 SDS	Oakville ON	
CA	Upper Glen Abbey West Ph 1	Part of Lot 30, Concession 1 SDS	Oakville ON	
CA	The Regional Municipality of Halton	Dundas Street (Regional Road 5)	Oakville ON	
CA	Bronte Community Developments Corporation	Part of Lot 30, Concession 1 SDS	Oakville ON	
CA	R.M. OF HALTON, MARINE DRIVE	BRONTE ROAD	OAKVILLE TOWN ON	
CA	The Regional Municipality of Halton	Dundas St	Oakville ON	
CA	BAYSHIRE INVESTMENTS LIMITED	DUNDAS ST. S.W.M.	OAKVILLE TOWN ON	
EBR	Zenon Environmental Holdings Inc.	Part of Lots 32 & 33, Concession 1, North of Dundas Street, Registered Plan 20R-13148, 3239 Dundas Street TOWN OF OAKVILLE	ON	
ECA	Melrose Investments Inc.	South of Dundas Street	Oakville ON	L6J 0A7
ECA	The Regional Municipality of Halton	Dundas St	Oakville ON	L6M 3L1
ECA	V. G. R. Investments Ltd.	Old Bronte Rd	Oakville ON	L6M 4J2
ECA	The Regional Municipality of Halton	Dundas St	Oakville ON	L6M 3L1
ECA	The Regional Municipality of Halton	Dundas Street (Regional Road 5)	Oakville ON	L6M 3L1
ECA	The Regional Municipality of Halton	Dundas Street (Regional Road 5)	Oakville ON	L6M 3L1
ECA	The Regional Municipality of Halton	Dundas Street (Regional Road 5)	Oakville ON	L6M 3L1
ECA	The Regional Municipality of Halton	Dundas St (from Old Bronte Road to Fourth Line)	Oakville ON	L6M 3L1

ECA	The Regional Municipality of Halton	William Halton Pky	Oakville ON	L6M 3L1
EHS		Dundas Street West	Oakville ON	
EHS		Bronte Rd	Oakville ON	
EHS		Old Bronte Rd	Oakville ON	
EHS		Bronte Rd	Oakville ON	
FSTH	MINISTRY OF TRANSPORTATION	WEST SIDE OF HWY 25 2KM N OF H	GENERAL (D) PALERMO ON	
FSTH	MINISTRY OF TRANSPORTATION	WEST SIDE OF HWY 25 2KM N OF H	GENERAL (D) PALERMO ON	
GEN	Hamilton Construction Ltd.	Part Lot 31, 32 & 33 Concession 1	Oakville ON	L6H7G1
PTTW	Zenon Environmental Inc.	Lot 32, Concession 1 North of Dundas Street (NDS) Town of Oakville TOWN OF OAKVILLE	ON	
PTTW	Zenon Environmental Inc.	Lot 32, Concession I NDS TOWN OF OAKVILLE	ON	
SPL	HALTON, REGIONAL MUNICIPALITY	HIGHWAY 25 MILTON WASTE DISPOSAL SITE HIGHWAY 25	OAKVILLE TOWN ON	
SPL	Suncor Energy Inc.	Bronte Road, TNPI Spill Site	Oakville ON	
SPL	Oakville Harbour Marina Office	Bronte Rd Bronte Creek	Oakville ON	
WDS		S. OF DUNDAS ST	OAKVILLE ON	
WDS		S. OF DUNDAS ST	OAKVILLE ON	
WDS		S. OF DUNDAS ST	OAKVILLE ON	
WDS		S. OF DUNDAS ST	OAKVILLE ON	
WDS		S. OF DUNDAS ST	OAKVILLE ON	
WDS		S. OF DUNDAS ST	OAKVILLE ON	
WDS		S. OF DUNDAS ST	OAKVILLE ON	
WDS		S. OF DUNDAS ST	OAKVILLE ON	
WDS		S. OF DUNDAS ST	OAKVILLE ON	
WWIS		DUNDAS ST W	ON	

Unplottable Report

Site: *Upper Glen Abbey West Ph 1*
Part of Lot 30, Concession 1 SDS Oakville ON

Database:
CA

Certificate #: 4956-534MBQ
Application Year: 01
Issue Date: 10/9/01
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Bronte Community Developments Corporation
Client Address: 161 Rebecca Street
Client City: Hamilton
Client Postal Code: L8R 1B9
Project Description: Storm and sanitary sewer construction in the Town of Oakville.
Contaminants:
Emission Control:

Site: *Upper Glen Abbey West Ph 1*
Part of Lot 30, Concession 1 SDS Oakville ON

Database:
CA

Certificate #: 3914-534MFZ
Application Year: 01
Issue Date: 10/9/01
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Bronte Community Developments Corporation
Client Address: 161 Rebecca Street
Client City: Hamilton
Client Postal Code: L8R 1B9
Project Description: Watermain construction in the Town of Oakville.
Contaminants:
Emission Control:

Site: *The Regional Municipality of Halton*
Dundas Street (Regional Road 5) Oakville ON

Database:
CA

Certificate #: 7683-8LBNUQ
Application Year: 2011
Issue Date: 9/23/2011
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: *Bronte Community Developments Corporation*
Part of Lot 30, Concession 1 SDS Oakville ON

Database:
CA

Certificate #: 8644-5JGT5R

Application Year: 2003
Issue Date: 2/7/2003
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **R.M. OF HALTON, MARINE DRIVE
BRONTE ROAD OAKVILLE TOWN ON**

Database:
CA

Certificate #: 7-0659-88-
Application Year: 88
Issue Date: 6/17/1988
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **The Regional Municipality of Halton
Dundas St Oakville ON**

Database:
CA

Certificate #: 6286-6YFLLC
Application Year: 2007
Issue Date: 2/15/2007
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **BAYSHIRE INVESTMENTS LIMITED
DUNDAS ST. S.W.M. OAKVILLE TOWN ON**

Database:
CA

Certificate #: 3-1481-92-
Application Year: 92
Issue Date: 12/1/1992
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: *Zenon Environmental Holdings Inc.*
Part of Lots 32 & 33, Concession 1, North of Dundas Street, Registered Plan 20R-13148, 3239 Dundas Street TOWN OF OAKVILLE ON

Database:
[EBR](#)

EBR Registry No: IA9E1744
Ministry Ref No: 3120599
Notice Type: Instrument Decision
Notice Stage: 800475304
Notice Date: December 21, 1999
Proposal Date: November 15, 1999
Year: 1999
Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Instrument Type: (OWRA s. 53(1)) - Approval for sewage works
Off Instrument Name:
Posted By:
Company Name: Zenon Environmental Holdings Inc.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 845 Harrington Court, Burlington Ontario, L7N 3P3
Comment Period:
URL:

Site Location Details:

Part of Lots 32 & 33, Concession 1, North of Dundas Street, Registered Plan 20R-13148, 3239 Dundas Street TOWN OF OAKVILLE

Site: *Melrose Investments Inc.*
South of Dundas Street Oakville ON L6J 0A7

Database:
[ECA](#)

Approval No: 2513-9BHJA5
Approval Date: 2013-09-30
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address: South of Dundas Street
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/3399-9B9J9E-14.pdf>

Site: *The Regional Municipality of Halton*
Dundas St Oakville ON L6M 3L1

Database:
[ECA](#)

Approval No: 9133-8PBLUJ
Approval Date: 2012-01-31
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address: Dundas St
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/8212-8GZQZK-14.pdf>

Site: *V. G. R. Investments Ltd.*
Old Bronte Rd Oakville ON L6M 4J2

Database:
[ECA](#)

Approval No: 1058-9BGPH4
Approval Date: 2013-09-30
MOE District:
City:

Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address: Old Bronte Rd
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/7976-9B3NQR-14.pdf>

Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: *The Regional Municipality of Halton*
Dundas St Oakville ON L6M 3L1

Database:
ECA

Approval No: 6286-6YFLLC
Approval Date: 2007-02-15
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address: Dundas St
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/1463-6YCPRC-14.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: *The Regional Municipality of Halton*
Dundas Street (Regional Road 5) Oakville ON L6M 3L1

Database:
ECA

Approval No: 7683-8LBNUQ
Approval Date: 2011-09-23
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address: Dundas Street (Regional Road 5)
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/5398-8LARP7-14.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: *The Regional Municipality of Halton*
Dundas Street (Regional Road 5) Oakville ON L6M 3L1

Database:
ECA

Approval No: 1689-ACRL59
Approval Date: 2016-08-15
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address: Dundas Street (Regional Road 5)
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/5930-A6DTKG-14.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: *The Regional Municipality of Halton*
Dundas Street (Regional Road 5) Oakville ON L6M 3L1

Database:
ECA

Approval No: 5144-9VYPUD
Approval Date: 2015-04-30
Status: Revoked and/or Replaced
Record Type: ECA

MOE District:
City:
Longitude:
Latitude:

Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address: Dundas Street (Regional Road 5)
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/3332-9MKHUQ-14.pdf>

Geometry X:
Geometry Y:

Site: *The Regional Municipality of Halton*
Dundas St (from Old Bronte Road to Fourth Line) Oakville ON L6M 3L1

Database:
ECA

Approval No: 3909-9P4P7H
Approval Date: 2014-09-29
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address: Dundas St (from Old Bronte Road to Fourth Line)
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/9980-9NDP2V-14.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: *The Regional Municipality of Halton*
William Halton Pky Oakville ON L6M 3L1

Database:
ECA

Approval No: 7371-ABDPWH
Approval Date: 2016-07-13
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Address: William Halton Pky
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/0382-A6UN6T-14.pdf>

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: *Dundas Street West Oakville ON*

Database:
EHS

Order No: 20101015006
Status: C
Report Type: Custom Report
Report Date: 10/25/2010
Date Received: 10/15/2010 10:15:23 AM
Previous Site Name:
Lot/Building Size:
Additional Info Ordered: Fire Insur. Maps and/or Site Plans; City Directory

Nearest Intersection: Third Line and Dundas Street West
Municipality: Halton
Client Prov/State: ON
Search Radius (km): 0.25
X: -79.773869
Y: 1

Site: *Bronte Rd Oakville ON*

Database:
EHS

Order No: 20120515039
Status: C
Report Type: Custom Report
Report Date: 5/16/2012
Date Received: 5/15/2012
Previous Site Name:
Lot/Building Size:
Additional Info Ordered:

Nearest Intersection:
Municipality:
Client Prov/State: ON
Search Radius (km): 0.25
X: -79.735297
Y: 1

Site: Old Bronte Rd Oakville ON **Database:** EHS

Order No: 20130322002 **Nearest Intersection:**
Status: C **Municipality:**
Report Type: RSC Report (Urban) **Client Prov/State:** ON
Report Date: 01-APR-13 **Search Radius (km):** .3
Date Received: 22-MAR-13 **X:** 0
Previous Site Name: **Y:** 0
Lot/Building Size:
Additional Info Ordered:

Site: Bronte Rd Oakville ON **Database:** EHS

Order No: 20100326007 **Nearest Intersection:**
Status: C **Municipality:**
Report Type: Custom Report **Client Prov/State:** ON
Report Date: 3/26/2010 **Search Radius (km):** 0.25
Date Received: 3/26/2010 **X:** -79.730155
Previous Site Name: **Y:** 1
Lot/Building Size:
Additional Info Ordered:

Site: MINISTRY OF TRANSPORTATION **Database:** FSTH
WEST SIDE OF HWY 25 2KM N OF H GENERAL (D) PALERMO ON

License Issue Date: 10/22/1990
Tank Status: Licensed
Tank Status As Of: December 2008
Operation Type: Private Fuel Outlet
Facility Type: Gasoline Station - Self Serve

--Details--

Status: Active
Year of Installation: 1987
Corrosion Protection:
Capacity: 9000
Tank Fuel Type: Liquid Fuel Single Wall UST - Gasoline

Status: Active
Year of Installation: 1987
Corrosion Protection:
Capacity: 9000
Tank Fuel Type: Liquid Fuel Single Wall UST - Diesel

Site: MINISTRY OF TRANSPORTATION **Database:** FSTH
WEST SIDE OF HWY 25 2KM N OF H GENERAL (D) PALERMO ON

License Issue Date: 10/22/1990
Tank Status: Licensed
Tank Status As Of: August 2007
Operation Type: Private Fuel Outlet
Facility Type: Gasoline Station - Self Serve

--Details--

Status: Active
Year of Installation: 1987
Corrosion Protection:
Capacity: 9000
Tank Fuel Type: Liquid Fuel Single Wall UST - Gasoline

Status: Active
Year of Installation: 1987
Corrosion Protection:
Capacity: 9000
Tank Fuel Type: Liquid Fuel Single Wall UST - Diesel

Site: **Hamilton Construction Ltd.**
Part Lot 31, 32 & 33 Concession 1 Oakville ON L6H7G1

Database:
GEN

Generator No: ON3770469
Status:
Approval Years: 07,08
Contam. Facility:
MHSW Facility:
SIC Code:
SIC Description:

PO Box No:
Country:
Choice of Contact:
Co Admin:
Phone No Admin:

Detail(s)

Waste Class: 251
Waste Class Desc: OIL SKIMMINGS & SLUDGES

Site: **Zenon Environmental Inc.**
Lot 32, Concession 1 North of Dundas Street (NDS) Town of Oakville TOWN OF OAKVILLE ON

Database:
PTTW

EBR Registry No: IA05E1404
Ministry Ref No: 2581-5Z6LHX
Notice Type: Instrument Decision
Notice Stage:
Notice Date: January 27, 2006
Proposal Date: September 09, 2005
Year: 2005

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Instrument Type: (OWRA s. 34) - Permit to Take Water
Off Instrument Name:
Posted By:
Company Name: Zenon Environmental Inc.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 3239 Dundas Street West, Oakville Ontario, L6M 4B2
Comment Period:
URL:

Site Location Details:

Lot 32, Concession 1 North of Dundas Street (NDS) Town of Oakville TOWN OF OAKVILLE

Site: **Zenon Environmental Inc.**
Lot 32, Concession 1 NDS TOWN OF OAKVILLE ON

Database:
PTTW

EBR Registry No: IA9E0523
Ministry Ref No: 99P3013
Notice Type: Instrument Decision
Notice Stage:
Notice Date: June 16, 1999
Proposal Date: April 28, 1999
Year: 1999

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Instrument Type: (OWRA s. 34) - Permit to Take Water
Off Instrument Name:
Posted By:
Company Name: Zenon Environmental Inc.
Site Address:
Location Other:

Proponent Name:
Proponent Address: 845 Harrington Court, Burlington Ontario, L7N 3P3
Comment Period:
URL:

Site Location Details:

Lot 32, Concession I NDS TOWN OF OAKVILLE

Site: HALTON, REGIONAL MUNICIPALITY
HIGHWAY 25 MILTON WASTE DISPOSAL SITE HIGHWAY 25 OAKVILLE TOWN ON

Database:
SPL

Ref No: 129354
Site No:
Incident Dt: 7/16/1996
Year:
Incident Cause: CONTAINER OVERFLOW
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: NOT ANTICIPATED
Nature of Impact:
Receiving Medium: LAND
Receiving Env:
MOE Response:
Dt MOE Arvl on Scn:
MOE Reported Dt: 7/16/1996
Dt Document Closed:
Incident Reason: EQUIPMENT FAILURE
Site Name:
Site County/District:
Site Geo Ref Meth:
Incident Summary: BACKENTRY:REGION OF HALTON- LEACHATE TANK OVERFILL.
Contaminant Qty:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality: 14403
Site Lot:
Site Conc:
Northing:
Easting:
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class:
Source Type:

Site: Suncor Energy Inc.
Bronte Road, TNPI Spill Site Oakville ON

Database:
SPL

Ref No: 7523-83FVQP
Site No:
Incident Dt:
Year:
Incident Cause: Unknown
Incident Event:
Contaminant Code:
Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: Confirmed
Nature of Impact: Surface Water Pollution
Receiving Medium:
Receiving Env:
MOE Response: Priority Field Response
Dt MOE Arvl on Scn: 3/12/2010
MOE Reported Dt: 3/11/2010
Dt Document Closed:
Incident Reason:
Site Name: Bronte Creek
Site County/District:
Site Geo Ref Meth:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality:
Site Lot:
Site Conc:
Northing: NA
Easting: NA
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class: Pollution Incident Reports (PIRs) and ¿Other¿ calls
Source Type:

Incident Summary:
Contaminant Qty:

Suncor: Fmr Petro Canada Site - Unkn Sub to Bronte Cr.

Site: Oakville Harbour Marina Office
Bronte Rd Bronte Creek Oakville ON

Database:
SPL

Ref No: 3206-892JCN
Site No:
Incident Dt:
Year:
Incident Cause:
Incident Event:
Contaminant Code: 12
Contaminant Name: GASOLINE
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Environment Impact: Not Anticipated
Nature of Impact:
Receiving Medium:
Receiving Env:
MOE Response: No Field Response
Dt MOE Arvl on Scn:
MOE Reported Dt: 9/6/2010
Dt Document Closed:

Discharger Report:
Material Group:
Health/Env Conseq:
Client Type:
Sector Type:
Agency Involved:
Nearest Watercourse:
Site Address:
Site District Office:
Site Postal Code:
Site Region:
Site Municipality:
Site Lot:
Site Conc:
Northing: NA
Easting: NA
Site Geo Ref Accu:
Site Map Datum:
SAC Action Class: Great Lakes and their Interconnecting Channels Spills

Incident Reason:
Site Name: Bronte Harbour
Site County/District:
Site Geo Ref Meth:
Incident Summary: Pleasure Craft-3 L Gasoline to Bronte Harbour,FD.
Contaminant Qty: 3 L

Site: S. OF DUNDAS ST OAKVILLE ON

Database:
WDS

Approval No: A210406
Mob Unit Cert No:
EBR Registry No:
Status: Approved
Facility Type: Landfill
Record Type:
Link Source:
Project Type:
Application Status:
Issue Date: 08/31/1976
Input Date: 11/18/93
Date Received: 1/6/86
Est Closure Date:
Mobile Capacity: 0
Mobile Units:
Mobile Description:
Prop City: OAKVILLE, ONTARIO
Prop Postal: L6V-5A5
Prop Phone:
Serial Link: 210406
Approval Type:
Proponent: SHELL CANADA LTD. (OAKVILLE)
Prop Address: OAKVILLE REGINERY, BOX 308
Proponent County/District:
Full Address:
Site Lot: 34 AND 35, PT. DWG. 467-79-1 AND 467-79-3
Waste Class Code: 201
Waste Class: 201
Waste Type: non-hazardous solid-industrial, liquid industrial
Waste Type Other: No

Total Area (ha): 16.65
Landfill Cap (m³): 0
Transfer Area (ha): 0
Transfer Cap (m³): 0
Transfer Cert No:
Inciner. Area (ha): 0
Inciner. Cap (t): 0
Process Area (m³): 0
Process Cap (m³/d): 0
Process Vol (m³): 0
Process Feed (m³): 0
Site Concession: 4 AND 3, SDS
Site Region/County:
SWP Area Name:
MOE District:
District Office: Halton-Peel
Latitude:
Longitude:
Geometry X:
Geometry Y:

Waste Description: 100% INDUSTRIAL WASTE, TOTOAL 25 - 50 TONNES PER YEAR. DATA TAKEN FROM APPLICATION DATED: 12/1970
Landfill Monitoring:
Landfill Ctrl Type:
Site Closing Description: THERE IS NO CONDITIONS IN THE CERTIFICATE
Project Description:
Municipalities Served: POPULATION N/A
Approval Description:
Other Approvals/Permits:
PDF URL:

Site: S. OF DUNDAS ST OAKVILLE ON

Database:
WDS

Approval No:	A210406	Total Area (ha):	16.65
Mob Unit Cert No:		Landfill Cap (m³):	0
EBR Registry No:		Transfer Area (ha):	0
Status:	Approved	Transfer Cap (m³):	0
Facility Type:	Landfill	Transfer Cert No:	
Record Type:		Inciner. Area (ha):	0
Link Source:		Inciner. Cap (t):	0
Project Type:		Process Area (m³):	0
Application Status:		Process Cap (m³/d):	0
Issue Date:	08/10/1971	Process Vol (m³):	0
Input Date:	11/18/93	Process Feed (m³):	0
Date Received:	1/6/86	Site Concession:	4 AND 3, SDS
Est Closure Date:		Site Region/County:	
Mobile Capacity:	0	SWP Area Name:	
Mobile Units:		MOE District:	
Mobile Description:		District Office:	Halton-Peel
Prop City:	OAKVILLE, ONTARIO	Latitude:	
Prop Postal:	L6V-5A5	Longitude:	
Prop Phone:		Geometry X:	
Serial Link:	210406	Geometry Y:	
Approval Type:			
Proponent:	SHELL CANADA LTD. (OAKVILLE)		
Prop Address:	OAKVILLE REGINERY, BOX 308		
Proponent County/District:			
Full Address:			
Site Lot:	34 AND 35, PT. DWG. 467-79-1 AND 467-79-3		
Waste Class Code:	201		
Waste Class:	201		
Waste Type:	non-hazardous solid-industrial, liquid industrial		
Waste Type Other:	No		
Waste Description:	100% INDUSTRIAL WASTE, TOTOAL 25 - 50 TONNES PER YEAR. DATA TAKEN FROM APPLICATION DATED: 12/1970		
Landfill Monitoring:			
Landfill Ctrl Type:			
Site Closing Description:	THERE IS NO CONDITIONS IN THE CERTIFICATE		
Project Description:			
Municipalities Served:	POPULATION N/A		
Approval Description:			
Other Approvals/Permits:			
PDF URL:			

Site: S. OF DUNDAS ST OAKVILLE ON

Database:
WDS

Approval No:	A210406	Total Area (ha):	16.65
Mob Unit Cert No:		Landfill Cap (m³):	0
EBR Registry No:		Transfer Area (ha):	0
Status:	Approved	Transfer Cap (m³):	0
Facility Type:	Landfill	Transfer Cert No:	
Record Type:		Inciner. Area (ha):	0
Link Source:		Inciner. Cap (t):	0
Project Type:		Process Area (m³):	0

Application Status:
Issue Date: 01/02/1986
Input Date: 11/18/93
Date Received: 1/6/86
Est Closure Date:
Mobile Capacity: 0
Mobile Units:
Mobile Description:
Prop City: OAKVILLE, ONTARIO
Prop Postal: L6V-5A5
Prop Phone:
Serial Link: 210406
Approval Type:
Proponent: SHELL CANADA LTD. (OAKVILLE)
Prop Address: OAKVILLE REGINERY, BOX 308
Proponent County/District:
Full Address:
Site Lot: 34 AND 35, PT. DWG. 467-79-1 AND 467-79-3
Waste Class Code: 201
Waste Class: 201
Waste Type: non-hazardous solid-industrial, liquid industrial
Waste Type Other: No
Waste Description: 100% INDUSTRIAL WASTE, TOTOAL 25 - 50 TONNES PER YEAR. DATA TAKEN FROM APPLICATION DATED: 12/1970
Landfill Monitoring:
Landfill Ctrl Type:
Site Closing Description: THERE IS 1 CONDITION IN THE CERTIFICATE AND ALSO SCHEDULE "A" IS ATTACHED.
Project Description:
Municipalities Served: POPULATION N/A
Approval Description:
Other Approvals/Permits:
PDF URL:

Process Cap (m³/d): 0
Process Vol (m³): 0
Process Feed (m³): 0
Site Concession: 4 AND 3, SDS
Site Region/County:
SWP Area Name:
MOE District:
District Office: Halton-Peel
Latitude:
Longitude:
Geometry X:
Geometry Y:

Site: S. OF DUNDAS ST OAKVILLE ON

Database:
 WDS

Approval No: A210406
Mob Unit Cert No:
EBR Registry No:
Status: Approved
Facility Type: Landfill
Record Type:
Link Source:
Project Type:
Application Status:
Issue Date: 04/17/1980
Input Date: 11/18/93
Date Received: 1/6/86
Est Closure Date:
Mobile Capacity: 0
Mobile Units:
Mobile Description:
Prop City: OAKVILLE, ONTARIO
Prop Postal: L6V-5A5
Prop Phone:
Serial Link: 210406
Approval Type:
Proponent: SHELL CANADA LTD. (OAKVILLE)
Prop Address: OAKVILLE REGINERY, BOX 308
Proponent County/District:
Full Address:
Site Lot: 34 AND 35, PT. DWG. 467-79-1 AND 467-79-3
Waste Class Code: 201
Waste Class: 201
Waste Type: non-hazardous solid-industrial, liquid industrial
Waste Type Other: No
Waste Description: 100% INDUSTRIAL WASTE, TOTOAL 25 - 50 TONNES PER YEAR. DATA TAKEN FROM APPLICATION

Total Area (ha): 16.65
Landfill Cap (m³): 0
Transfer Area (ha): 0
Transfer Cap (m³): 0
Transfer Cert No:
Inciner. Area (ha): 0
Inciner. Cap (t): 0
Process Area (m³): 0
Process Cap (m³/d): 0
Process Vol (m³): 0
Process Feed (m³): 0
Site Concession: 4 AND 3, SDS
Site Region/County:
SWP Area Name:
MOE District:
District Office: Halton-Peel
Latitude:
Longitude:
Geometry X:
Geometry Y:

DATED: 12/1970

Landfill Monitoring:

Landfill Ctrl Type:

Site Closing Description:

THERE ARE 2 CONDITIONS IN THE CERTIFICATE AND THERE IS ALSO THE SCHEDULE "B".

Project Description:

Municipalities Served:

POPULATION N/A

Approval Description:

Other Approvals/Permits:

PDF URL:

Site: **S. OF DUNDAS ST OAKVILLE ON** **Database:** **WDS**

Approval No:	A210406	Total Area (ha):	16.65
Mob Unit Cert No:		Landfill Cap (m³):	0
EBR Registry No:		Transfer Area (ha):	0
Status:	Approved	Transfer Cap (m³):	0
Facility Type:	Landfill	Transfer Cert No:	
Record Type:		Inciner. Area (ha):	0
Link Source:		Inciner. Cap (t):	0
Project Type:		Process Area (m³):	0
Application Status:		Process Cap (m³/d):	0
Issue Date:	07/06/1972	Process Vol (m³):	0
Input Date:	11/18/93	Process Feed (m³):	0
Date Received:	1/6/86	Site Concession:	4 AND 3, SDS
Est Closure Date:		Site Region/County:	
Mobile Capacity:	0	SWP Area Name:	
Mobile Units:		MOE District:	
Mobile Description:		District Office:	Halton-Peel
Prop City:	OAKVILLE, ONTARIO	Latitude:	
Prop Postal:	L6V-5A5	Longitude:	
Prop Phone:		Geometry X:	
Serial Link:	210406	Geometry Y:	
Approval Type:			
Proponent:	SHELL CANADA LTD. (OAKVILLE)		
Prop Address:	OAKVILLE REGINERY, BOX 308		
Proponent County/District:			
Full Address:			
Site Lot:	34 AND 35, PT. DWG. 467-79-1 AND 467-79-3		
Waste Class Code:	201		
Waste Class:	201		
Waste Type:	non-hazardous solid-industrial, liquid industrial		
Waste Type Other:	No		
Waste Description:	100% INDUSTRIAL WASTE, TOTOAL 25 - 50 TONNES PER YEAR. DATA TAKEN FROM APPLICATION DATED: 12/1970		

Landfill Monitoring:

Landfill Ctrl Type:

Site Closing Description:

THERE IS NO CONDITIONS IN THE CERTIFICATE

Project Description:

Municipalities Served:

POPULATION N/A

Approval Description:

Other Approvals/Permits:

PDF URL:

Site: **S. OF DUNDAS ST OAKVILLE ON** **Database:** **WDS**

Approval No:	A210406	Total Area (ha):	16.65
Mob Unit Cert No:		Landfill Cap (m³):	0
EBR Registry No:		Transfer Area (ha):	0
Status:	Approved	Transfer Cap (m³):	0
Facility Type:	Landfill	Transfer Cert No:	
Record Type:		Inciner. Area (ha):	0
Link Source:		Inciner. Cap (t):	0
Project Type:		Process Area (m³):	0
Application Status:		Process Cap (m³/d):	0

Issue Date:	07/24/1973	Process Vol (m³):	0
Input Date:	11/18/93	Process Feed (m³):	0
Date Received:	1/6/86	Site Concession:	4 AND 3, SDS
Est Closure Date:		Site Region/County:	
Mobile Capacity:	0	SWP Area Name:	
Mobile Units:		MOE District:	
Mobile Description:		District Office:	Halton-Peel
Prop City:	OAKVILLE, ONTARIO	Latitude:	
Prop Postal:	L6V-5A5	Longitude:	
Prop Phone:		Geometry X:	
Serial Link:	210406	Geometry Y:	
Approval Type:			
Proponent:	SHELL CANADA LTD. (OAKVILLE)		
Prop Address:	OAKVILLE REGINERY, BOX 308		
Proponent County/District:			
Full Address:			
Site Lot:	34 AND 35, PT. DWG. 467-79-1 AND 467-79-3		
Waste Class Code:	201		
Waste Class:	201		
Waste Type:	non-hazardous solid-industrial, liquid industrial		
Waste Type Other:	No		
Waste Description:	100% INDUSTRIAL WASTE, TOTOAL 25 - 50 TONNES PER YEAR. DATA TAKEN FROM APPLICATION DATED: 12/1970		
Landfill Monitoring:			
Landfill Ctrl Type:			
Site Closing Description:	THERE IS NO CONDITIONS IN THE CERTIFICATE		
Project Description:			
Municipalities Served:	POPULATION N/A		
Approval Description:			
Other Approvals/Permits:			
PDF URL:			

Site:	S. OF DUNDAS ST OAKVILLE ON	Database:	WDS
--------------	------------------------------------	------------------	------------

Approval No:	A210406	Total Area (ha):	16.65
Mob Unit Cert No:		Landfill Cap (m³):	0
EBR Registry No:		Transfer Area (ha):	0
Status:	Approved	Transfer Cap (m³):	0
Facility Type:	Landfill	Transfer Cert No:	
Record Type:		Inciner. Area (ha):	0
Link Source:		Inciner. Cap (t):	0
Project Type:		Process Area (m³):	0
Application Status:		Process Cap (m³/d):	0
Issue Date:	10/10/1975	Process Vol (m³):	0
Input Date:	11/18/93	Process Feed (m³):	0
Date Received:	1/6/86	Site Concession:	4 AND 3, SDS
Est Closure Date:		Site Region/County:	
Mobile Capacity:	0	SWP Area Name:	
Mobile Units:		MOE District:	
Mobile Description:		District Office:	Halton-Peel
Prop City:	OAKVILLE, ONTARIO	Latitude:	
Prop Postal:	L6V-5A5	Longitude:	
Prop Phone:		Geometry X:	
Serial Link:	210406	Geometry Y:	
Approval Type:			
Proponent:	SHELL CANADA LTD. (OAKVILLE)		
Prop Address:	OAKVILLE REGINERY, BOX 308		
Proponent County/District:			
Full Address:			
Site Lot:	34 AND 35, PT. DWG. 467-79-1 AND 467-79-3		
Waste Class Code:	201		
Waste Class:	201		
Waste Type:	non-hazardous solid-industrial, liquid industrial		
Waste Type Other:	No		
Waste Description:	100% INDUSTRIAL WASTE, TOTOAL 25 - 50 TONNES PER YEAR. DATA TAKEN FROM APPLICATION DATED: 12/1970		

Landfill Monitoring:
Landfill Ctrl Type:
Site Closing Description: THERE IS NO CONDITIONS IN THE CERTIFICATE
Project Description:
Municipalities Served: POPULATION N/A
Approval Description:
Other Approvals/Permits:
PDF URL:

Site: S. OF DUNDAS ST OAKVILLE ON

Database:
 WDS

Approval No:	A210406	Total Area (ha):	16.65
Mob Unit Cert No:		Landfill Cap (m³):	0
EBR Registry No:		Transfer Area (ha):	0
Status:	Approved	Transfer Cap (m³):	0
Facility Type:	Landfill	Transfer Cert No:	
Record Type:		Inciner. Area (ha):	0
Link Source:		Inciner. Cap (t):	0
Project Type:		Process Area (m³):	0
Application Status:		Process Cap (m³/d):	0
Issue Date:	06/16/1974	Process Vol (m³):	0
Input Date:	11/18/93	Process Feed (m³):	0
Date Received:	1/6/86	Site Concession:	4 AND 3, SDS
Est Closure Date:		Site Region/County:	
Mobile Capacity:	0	SWP Area Name:	
Mobile Units:		MOE District:	
Mobile Description:		District Office:	Halton-Peel
Prop City:	OAKVILLE, ONTARIO	Latitude:	
Prop Postal:	L6V-5A5	Longitude:	
Prop Phone:		Geometry X:	
Serial Link:	210406	Geometry Y:	
Approval Type:			
Proponent:	SHELL CANADA LTD. (OAKVILLE)		
Prop Address:	OAKVILLE REGINERY, BOX 308		
Proponent County/District:			
Full Address:			
Site Lot:	34 AND 35, PT. DWG. 467-79-1 AND 467-79-3		
Waste Class Code:	201		
Waste Class:	201		
Waste Type:	non-hazardous solid-industrial, liquid industrial		
Waste Type Other:	No		
Waste Description:	100% INDUSTRIAL WASTE, TOTOAL 25 - 50 TONNES PER YEAR. DATA TAKEN FROM APPLICATION DATED: 12/1970		
Landfill Monitoring:			
Landfill Ctrl Type:			
Site Closing Description:	THERE IS NO CONDITIONS IN THE CERTIFICATE		
Project Description:			
Municipalities Served:	POPULATION N/A		
Approval Description:			
Other Approvals/Permits:			
PDF URL:			

Site: DUNDAS ST W ON

Database:
 WWIS

Well ID:	7135531	Data Entry Status:	
Construction Date:		Data Src:	
Primary Water Use:		Date Received:	6/11/2009
Sec. Water Use:		Selected Flag:	Yes
Final Well Status:	0	Abandonment Rec:	
Water Type:		Contractor:	7295
Casing Material:		Form Version:	5
Audit No:	C00376	Owner:	
Tag:	A084830	Street Name:	DUNDAS ST W
Construction Method:		County:	HALTON

Elevation (m):
Elevation Reliability:
Depth to Bedrock:
Well Depth:
Overburden/Bedrock:
Pump Rate:
Static Water Level:
Flowing (Y/N):
Flow Rate:
Clear/Cloudy:

Municipality: OAKVILLE TOWN
Site Info:
Lot:
Concession:
Concession Name:
Easting NAD83:
Northing NAD83:
Zone:
UTM Reliability:

Bore Hole Information

Bore Hole ID: 1002867189
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind: This is a record from cluster log sheet
Date Completed: 4/3/2009
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone:
East83: 794534
North83: 4327049
Org CS: UTM83
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: wwr

Annular Space/Abandonment
Sealing Record

Plug ID: 1002867193
Layer:
Plug From:
Plug To:
Plug Depth UOM:

Method of Construction & Well
Use

Method Construction ID: 1002867192
Method Construction Code:
Method Construction:
Other Method Construction: BORING

Pipe Information

Pipe ID: 1002867194
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1002867196
Layer:
Material: 5
Open Hole or Material: PLASTIC
Depth From:
Depth To: 10.21
Casing Diameter:
Casing Diameter UOM:
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1002867195
Layer:
Slot:
Screen Top Depth: 10.21
Screen End Depth: 12.19
Screen Material:
Screen Depth UOM: m
Screen Diameter UOM:
Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1002867197
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM:
Rate UOM:
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1002867191
Diameter: 7.62
Depth From:
Depth To: 12.19
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1002867035	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	
Code OB:		East83:	794622
Code OB Desc:		North83:	4326200
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	9
Date Completed:	4/6/2009	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Method of Construction & Well Use

Method Construction ID: 1002867207
Method Construction Code:
Method Construction:
Other Method Construction:

Bore Hole Information

Bore Hole ID: 1002867180
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind: This is a record from cluster log sheet
Date Completed: 4/6/2009
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone:
East83: 794543
North83: 4326565
Org CS: UTM83
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: wwr

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1002867184
Layer:
Plug From:
Plug To:
Plug Depth UOM:

**Method of Construction & Well
Use**

Method Construction ID: 1002867183
Method Construction Code:
Method Construction:
Other Method Construction: BORING

Pipe Information

Pipe ID: 1002867185
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1002867187
Layer:
Material: 5
Open Hole or Material: PLASTIC
Depth From:
Depth To: 4.42
Casing Diameter:
Casing Diameter UOM:
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1002867186
Layer:
Slot:
Screen Top Depth: 4.42
Screen End Depth: 7.47
Screen Material:
Screen Depth UOM: m

Screen Diameter UOM:
Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1002867188
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM:
Rate UOM:
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1002867182
Diameter: 7.62
Depth From:
Depth To: 7.47
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1002867198	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	
Code OB:		East83:	794526
Code OB Desc:		North83:	4327128
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	9
Date Completed:	3/27/2009	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1002867202
Layer:
Plug From:
Plug To:
Plug Depth UOM:

**Method of Construction & Well
Use**

Method Construction ID: 1002867201
Method Construction Code:
Method Construction:
Other Method Construction: BORING

Pipe Information

Pipe ID: 1002867203
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1002867205
Layer:
Material: 5
Open Hole or Material: PLASTIC
Depth From:
Depth To: 9.15
Casing Diameter:
Casing Diameter UOM:
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1002867204
Layer:
Slot:
Screen Top Depth: 9.15
Screen End Depth: 13.26
Screen Material:
Screen Depth UOM: m
Screen Diameter UOM:
Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1002867206
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM:
Rate UOM:
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1002867200
Diameter: 7.62
Depth From:
Depth To: 13.26
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID: 1002867162
DP2BR: **Elevation:**
Elevrc:

Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind: This is a record from cluster log sheet
Date Completed: 3/20/2009
Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Zone:
East83: 794555
North83: 4326446
Org CS: UTM83
UTMRC: 9
UTMRC Desc: unknown UTM
Location Method: wwr

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1002867166
Layer:
Plug From:
Plug To:
Plug Depth UOM:

**Method of Construction & Well
Use**

Method Construction ID: 1002867165
Method Construction Code:
Method Construction:
Other Method Construction: BORING

Pipe Information

Pipe ID: 1002867167
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1002867169
Layer:
Material: 5
Open Hole or Material: PLASTIC
Depth From:
Depth To: 6.1
Casing Diameter:
Casing Diameter UOM:
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1002867168
Layer:
Slot:
Screen Top Depth: 6.1
Screen End Depth: 7.62
Screen Material:
Screen Depth UOM: m
Screen Diameter UOM:
Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1002867170
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM:
Rate UOM:
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1002867164
Diameter: 7.62
Depth From:
Depth To: 7.62
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1002867171	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	
Code OB:		East83:	794548
Code OB Desc:		North83:	4326517
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	9
Date Completed:	4/6/2009	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment

Sealing Record

Plug ID: 1002867175
Layer:
Plug From:
Plug To:
Plug Depth UOM:

Method of Construction & Well

Use

Method Construction ID: 1002867174
Method Construction Code:
Method Construction:
Other Method Construction: BORING

Pipe Information

Pipe ID: 1002867176
Casing No: 0

Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1002867178
Layer:
Material: 5
Open Hole or Material: PLASTIC
Depth From:
Depth To: 4.27
Casing Diameter:
Casing Diameter UOM:
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1002867177
Layer:
Slot:
Screen Top Depth: 4.27
Screen End Depth: 7.32
Screen Material:
Screen Depth UOM: m
Screen Diameter UOM:
Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1002867179
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM:
Rate UOM:
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1002867173
Diameter: 7.62
Depth From:
Depth To: 7.32
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1002867135	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	
Code OB:		East83:	794622
Code OB Desc:		North83:	4326200
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	9
Date Completed:	3/20/2009	UTMRC Desc:	unknown UTM

Remarks:
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Location Method: WWF

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1002867139
Layer:
Plug From:
Plug To:
Plug Depth UOM:

**Method of Construction & Well
Use**

Method Construction ID: 1002867138
Method Construction Code:
Method Construction:
Other Method Construction: BORING

Pipe Information

Pipe ID: 1002867140
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1002867142
Layer:
Material: 5
Open Hole or Material: PLASTIC
Depth From:
Depth To: 4.57
Casing Diameter:
Casing Diameter UOM:
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1002867141
Layer:
Slot:
Screen Top Depth: 4.57
Screen End Depth: 7.62
Screen Material:
Screen Depth UOM: m
Screen Diameter UOM:
Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1002867143
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:

Flowing Rate:
Recommended Pump Rate:
Levels UOM:
Rate UOM:
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1002867137
Diameter: 7.62
Depth From:
Depth To: 7.62
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1002867144	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	
Code OB:		East83:	794612
Code OB Desc:		North83:	4326296
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	9
Date Completed:	3/18/2009	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1002867148
Layer:
Plug From:
Plug To:
Plug Depth UOM:

**Method of Construction & Well
Use**

Method Construction ID: 1002867147
Method Construction Code:
Method Construction:
Other Method Construction: BORING

Pipe Information

Pipe ID: 1002867149
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1002867151
Layer:
Material: 5
Open Hole or Material: PLASTIC
Depth From:
Depth To: 4.57
Casing Diameter:
Casing Diameter UOM:
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1002867150
Layer:
Slot:
Screen Top Depth: 4.57
Screen End Depth: 6.1
Screen Material:
Screen Depth UOM: m
Screen Diameter UOM:
Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1002867152
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM:
Rate UOM:
Water State After Test Code:
Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID: 1002867146
Diameter: 7.62
Depth From:
Depth To: 6.1
Hole Depth UOM: m
Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1002867153	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	
Code OB:		East83:	794605
Code OB Desc:		North83:	4326367
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	9
Date Completed:	3/19/2009	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			

Source Revision Comment:
Supplier Comment:

**Annular Space/Abandonment
Sealing Record**

Plug ID: 1002867157
Layer:
Plug From:
Plug To:
Plug Depth UOM:

**Method of Construction & Well
Use**

Method Construction ID: 1002867156
Method Construction Code:
Method Construction:
Other Method Construction: BORING

Pipe Information

Pipe ID: 1002867158
Casing No: 0
Comment:
Alt Name:

Construction Record - Casing

Casing ID: 1002867160
Layer:
Material: 5
Open Hole or Material: PLASTIC
Depth From:
Depth To: 4.57
Casing Diameter:
Casing Diameter UOM:
Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1002867159
Layer:
Slot:
Screen Top Depth: 4.57
Screen End Depth: 7.62
Screen Material:
Screen Depth UOM: m
Screen Diameter UOM:
Screen Diameter:

Results of Well Yield Testing

Pump Test ID: 1002867161
Pump Set At:
Static Level:
Final Level After Pumping:
Recommended Pump Depth:
Pumping Rate:
Flowing Rate:
Recommended Pump Rate:
Levels UOM:
Rate UOM:
Water State After Test Code:

Water State After Test:
Pumping Test Method:
Pumping Duration HR:
Pumping Duration MIN:
Flowing:

Hole Diameter

Hole ID:	1002867155
Diameter:	7.62
Depth From:	
Depth To:	7.62
Hole Depth UOM:	m
Hole Diameter UOM:	cm

Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.

Abandoned Aggregate Inventory:

Provincial [AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial [AGR](#)

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Sep 2020

Abandoned Mine Information System:

Provincial [AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Oct 2018

Anderson's Waste Disposal Sites:

Private [ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial [AST](#)

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private [AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Jun 30, 2020

Borehole:

Provincial [BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities:

Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2018

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Chemical Manufacturers and Distributors:

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

Chemical Register:

Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

Government Publication Date: 1999-Jun 30, 2020

Compressed Natural Gas Stations:

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 -Dec 2020

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Nov 2020

Certificates of Property Use:

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994-Dec 31, 2020

Drill Hole Database:

Provincial [DRL](#)

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Sep 2020

Delisted Fuel Tanks:

Provincial [DTNK](#)

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

Government Publication Date: Jul 31, 2020

Environmental Activity and Sector Registry:

Provincial [EASR](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

Government Publication Date: Oct 2011-Dec 31, 2020

Environmental Registry:

Provincial [EBR](#)

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994-Dec 31, 2020

Environmental Compliance Approval:

Provincial [ECA](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011- Dec 31, 2020

Environmental Effects Monitoring:

Federal [EEM](#)

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007*

ERIS Historical Searches:

Private [EHS](#)

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Oct 31, 2020

Environmental Issues Inventory System:

Federal [EIIS](#)

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial **EMHE**

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Dec 31, 2016

Environmental Penalty Annual Report:

Provincial **EPAR**

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land / water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2019

List of Expired Fuels Safety Facilities:

Provincial **EXP**

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Federal Convictions:

Federal **FCON**

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:

Federal **FCS**

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Sep 2020

Fisheries & Oceans Fuel Tanks:

Federal **FOFT**

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal **FRST**

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

Fuel Storage Tank:

Provincial **FST**

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Fuel Storage Tank - Historic:

Provincial

[FSTH](#)

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial

[GEN](#)

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Jul 31, 2020

Greenhouse Gas Emissions from Large Facilities:

Federal

[GHG](#)

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

Government Publication Date: 2013-Dec 2018

TSSA Historic Incidents:

Provincial

[HINC](#)

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

[IAFT](#)

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial

[INC](#)

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing is a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Landfill Inventory Management Ontario:

Provincial

[LIMO](#)

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Feb 28, 2019

Canadian Mine Locations:

Private

[MINE](#)

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial [MNR](#)

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Jan 2020

National Analysis of Trends in Emergencies System (NATES):

Federal [NATE](#)

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial [NCPL](#)

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2018

National Defense & Canadian Forces Fuel Tanks:

Federal [NDFT](#)

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal [NDSP](#)

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Apr 2018

National Defence & Canadian Forces Waste Disposal Sites:

Federal [NDWD](#)

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal [NEBI](#)

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Sep 30, 2020

National Energy Board Wells:

Federal [NEBP](#)

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003*

National PCB Inventory:

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008*

National Pollutant Release Inventory:

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017

Oil and Gas Wells:

Private

OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Aug 31, 2020

Ontario Oil and Gas Wells:

Provincial

OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Jun 2020

Inventory of PCB Storage Sites:

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013

Orders:

Provincial

ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994-Dec 31, 2020

Canadian Pulp and Paper:

Private

PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register:

Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011-Dec 31, 2020

Pipeline Incidents:

Provincial PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 31, 2020

Private and Retail Fuel Storage Tanks:

Provincial PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994-Dec 31, 2020

Ontario Regulation 347 Waste Receivers Summary:

Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-2016

Record of Site Condition:

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Nov 2020

Retail Fuel Storage Tanks:

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Jun 30, 2020

Scott's Manufacturing Directory:

Private SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial SPL

List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Mar 2020; Jul 2020 - Aug 2020

Wastewater Discharger Registration Database:

Provincial

[SRDS](#)

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

Government Publication Date: 1990-Dec 31, 2017

Anderson's Storage Tanks:

Private

[TANK](#)

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal

[TCFT](#)

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970-Aug 2019

Variances for Abandonment of Underground Storage Tanks:

Provincial

[VAR](#)

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Jul 31, 2020

Waste Disposal Sites - MOE CA Inventory:

Provincial

[WDS](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011-Dec 31, 2020

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial

[WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30th, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial

[WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Apr 30, 2020

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.


Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.



Appendix C



enviroscan



An SCM Company

175 Commerce Valley Drive W
Markham, Ontario L3T 7Z3

T: 905-882-6300
W: www.optaintel.ca

Report Completed By:

Stephanie

Site Address:

Bronte Road and Dundas St W Oakville ON

Project No:

21012100298


Opta Order ID:

85058

Requested by:
Eleanor Goolab
Ecolog Eris

Date Completed:

1/28/2021 8:23:33 AM



This document is owned by Opta Information Intelligence Inc. and is subject to copyright protection. Please see the full Terms and Conditions at the front of this document.



Opta Historical Environmental Services EnviroscanTM Terms and Conditions

Report

The documents (hereinafter referred to as the "Documents") to be released as part of the report (hereinafter referred to as the "Report") to be delivered to the purchaser as set out above are documents in Opta's records relating to the described property (hereinafter referred to as the "Property"). Opta makes no representations or warranties respecting the Documents whatsoever, including, without limitation, with respect to the completeness, accuracy or usefulness of the Documents, and does not represent or warrant that these are the only plans and reports prepared in association with the Property or in Opta's possession at the time of Report delivery to the purchaser. The Documents are current as of the date(s) indicated on them. Interpretation of the Documents, if any, is by inference based upon the information which is apparent and obvious on the face of the Documents only. Opta does not represent, warrant or guarantee that interpretations other than those referred to do not exist from other sources. The Report will be prepared for use by the purchaser of the services as shown above hereof only.

Disclaimer

Opta disclaims responsibility for any losses or damages of any kind whatsoever, whether consequential or other, however caused, incurred or suffered, arising directly or indirectly as a result of the services (which services include, but are not limited to, the preparation of the Report provided hereunder), including but not limited to, any losses or damages arising directly or indirectly from any breach of contract, fundamental or otherwise, from reliance on Opta Reports or from any tortious acts or omissions of Opta's agents, employees or representatives.

Entire Agreement

The parties hereto acknowledge and agree to be bound by the terms and conditions hereof. The request form constitutes the entire agreement between the parties pertaining to the subject matter hereof and supersedes all prior and contemporaneous agreements, negotiations and discussions, whether oral or written, and there are no representations or warranties, or other agreements between the parties in connection with the subject matter hereof except as specifically set forth herein. No supplement, modification, waiver, or termination of the request shall be binding, unless confirmed in writing by the parties hereto.

Governing Document

In the event of any conflicts or inconsistencies between the provisions hereof and the Reports, the rights and obligations of the parties shall be deemed to be governed by the request form, which shall be the paramount document.

Law

This agreement shall be governed by and construed in accordance with the laws of the Province of Ontario and the laws of Canada applicable therein.



175 Commerce Valley Drive W
Markham, Ontario
L3T 7Z3

T: 905.882.6300
Toll Free: 905.882.6300
F: 905.882.6300

An SCM Company
www.optaintel.ca

Page: 4

Project Name: Palermo Bronte
Rd and Dundas St W Oakville
ON

Project #: 21012100298

P.O. #: P2101017

ENVIROSCAN Report

No Records Found

Requested by:

Eleanor Goolab

Date Completed: 01/28/2021 08:23:33



OPTA INFORMATION INTELLIGENCE

No Records Found

This document is owned by
Opta Information Intelligence
Inc. and is subject to copyright
protection. Please see the
full Terms and Conditions at
the front of this document.



Kirstin Olsen

From: Public Information Services <publicinformationsservices@tssa.org>
Sent: February 3, 2021 8:44 AM
To: john.gaviriaballen@dsconsultants.ca
Subject: RE: TSSA Records Check -4

No Records Found


Thank you for your request for confirmation of public information.

- We confirm that there are **no fuel storage tanks records** in our database at the subject address(es).

For a further search in our archives please complete our release of public information form found at https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?_mid_=392 and email the completed form to publicinformationsservices@tssa.org or through mail along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard).


Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind regards,



Connie Hill | Public Information Agent

Facilities
345 Carlingview Drive
Toronto, Ontario M9W 6N9
Tel: +1-416-734-3383 | Fax: +1-416-231-6183 | E-Mail: chill@tssa.org
www.tssa.org



From: john.gaviriaballen@dsconsultants.ca <john.gaviriaballen@dsconsultants.ca>
Sent: February 2, 2021 9:47 AM
To: Public Information Services <publicinformationsservices@tssa.org>
Subject: TSSA Records Check -4

[CAUTION]: This email originated outside the organisation.
Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

ello,

I would like to have the following addresses checked for records:


They are all located in **Oakville, Ontario.**

3135, 3156, 3157, 3158, 3159, 3160, 3161, 3162, 3163, 3164, 3165, 3166, 3167, 3168, 3169, 3170, 3171, 3172, 3173, 3174, 3175, 3176, 3177, 3178, 3179, 3180, 3181, 3182, 3183, 3184, 3185, 3186, 3187, 3188, 3189,3190, 3191, 3192, 3193, 3194, 3196, 3198, 3200, 3202, 3203 3204, 3207, 3206, 3208, 3209, 3210	Stornway Cir.
---	---------------

Regards,



John Gaviria-Ballen, B. Eng, EIT
Environmental EIT
DS Consultants Ltd
6221 Highway 7, Unit 16, Vaughan, ON, L4H 0K8
Tel: (905) 264-9393
Cell: (613) 618-8815
www.dsconsultants.ca

Follow us here! 

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

Kirstin Olsen

From: Public Information Services <publicinformationsservices@tssa.org>
Sent: February 4, 2021 10:55 AM
To: john.gaviriaballen@dsconsultants.ca
Subject: RE: TSSA Records Check -5

No Records Found

Thank you for your request for confirmation of public information.

- We confirm that there are **no fuel storage tanks records** in our database at the subject address(es).

For a further search in our archives please complete our release of public information form found at https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?_mid=392 and email the completed form to publicinformationsservices@tssa.org or through mail along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard).

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind regards,



Connie Hill | Public Information Agent

Facilities

345 Carlingview Drive

Toronto, Ontario M9W 6N9

Tel: +1-416-734-3383 | Fax: +1-416-231-6183 | E-Mail: chill@tssa.org

www.tssa.org



From: john.gaviriaballen@dsconsultants.ca <john.gaviriaballen@dsconsultants.ca>

Sent: February 4, 2021 6:32 AM

To: Public Information Services <publicinformationsservices@tssa.org>

Subject: TSSA Records Check -5

[CAUTION]: This email originated outside the organisation.

Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Hello,

I would like to have the following addresses checked for records:

They are all located in **Oakville, Ontario.**

3101, 3103, 3105, 3107, 3109, 3111, 3113,
3115, 3117, 3119, 3121, 3123, 3125, 3127,
3129, 3143, 3147

Stornway Cir.

Regards,



John Gaviria-Ballen, B. Eng, EIT

Environmental EIT

DS Consultants Ltd

6221 Highway 7, Unit 16, Vaughan, ON, L4H 0K8

Tel: (905) 264-9393

Cell: (613) 618-8815

www.dsconsultants.ca

Follow us here!    

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

Kirstin Olsen

From: Public Information Services <publicinformationsservices@tssa.org>
Sent: February 5, 2021 1:26 PM
To: john.gaviriaballen@dsconsultants.ca
Subject: RE: TSSA Records Check -6

Good afternoon,

Thank you for your request for confirmation of public information.

We confirm that there are no records in our database of any fuel storage tanks at the subject addresses.

For a further search in our archives please complete our release of public information form found at https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?_mid_=392 and email the completed form to publicinformationsservices@tssa.org or through mail along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard) or with a Cheque made payable to TSSA.

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Thanks,



Sherees Thompson | Public Information Agent

Facilities
345 Carlingview Drive
Toronto, Ontario M9W 6N9
Tel: +1-416-734-3363 | Fax: +1-416-231-6183 | E-Mail: sthompson@tssa.org
www.tssa.org



From: john.gaviriaballen@dsconsultants.ca <john.gaviriaballen@dsconsultants.ca>
Sent: February 5, 2021 9:06 AM
To: Public Information Services <publicinformationsservices@tssa.org>
Subject: TSSA Records Check -6

[CAUTION]: This email originated outside the organisation.
Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Hello,

I would like to have the following addresses checked for records:

They are all located in **Oakville, Ontario.**

3064, 3068, 3070, 3072, 3074, 3076, 3077, 3078, 3080, 3081, 3082, 3084, 3086, 3088, 3090, 3091, 3092, 3094, 3095, 3096, 3097, 3098, 3099, 3100	Stornway Cir.
---	---------------

Regards,



John Gaviria-Ballen, B. Eng, EIT
Environmental EIT
DS Consultants Ltd
6221 Highway 7, Unit 16, Vaughan, ON, L4H 0K8
Tel: (905) 264-9393
Cell: (613) 618-8815
www.dsconsultants.ca

Follow us here! A row of four circular icons: a globe with 'www', the LinkedIn 'in' logo, the Instagram camera logo, and the Facebook 'f' logo.

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

Kirstin Olsen

From: Public Information Services <publicinformationsservices@tssa.org>
Sent: February 8, 2021 3:15 PM
To: john.gaviriaballen@dsconsultants.ca
Subject: RE: TSSA Records Check -7

Good afternoon,

Thank you for your request for confirmation of public information.

We confirm that there are no records in our database of any fuel storage tanks at the subject addresses.

For a further search in our archives please complete our release of public information form found at https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?_mid_=392 and email the completed form to publicinformationsservices@tssa.org or through mail along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard) or with a Cheque made payable to TSSA.

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Thanks,



Sherees Thompson | Public Information Agent

Facilities
345 Carlingview Drive
Toronto, Ontario M9W 6N9
Tel: +1-416-734-3363 | Fax: +1-416-231-6183 | E-Mail: sthompson@tssa.org
www.tssa.org



From: john.gaviriaballen@dsconsultants.ca <john.gaviriaballen@dsconsultants.ca>
Sent: February 8, 2021 9:18 AM
To: Public Information Services <publicinformationsservices@tssa.org>
Subject: TSSA Records Check -7

[CAUTION]: This email originated outside the organisation.
Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Hello,

I would like to have the following addresses checked for records:

They are all located in **Oakville, Ontario.**

3031, 3032, 3033, 3034, 3035, 3036, 3037,
3038, 3039, 3040, 3041, 3042, 3043, 3044,
3045, 3046, 3047, 3048, 3049, 3050, 3051,
3052, 3053, 3054, 3055, 3056, 3057, 3058,
3059, 3060, 3061, 3062, 3063, 3064

Dewridge Ave.

Regards,



John Gaviria-Ballen, B. Eng, EIT
Environmental EIT
DS Consultants Ltd
6221 Highway 7, Unit 16, Vaughan, ON, L4H 0K8
Tel: (905) 264-9393
Cell: (613) 618-8815
www.dsconsultants.ca

Follow us here! A row of four circular social media icons: a globe for the website, LinkedIn, Instagram, and Facebook.

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

Kirstin Olsen

From: Public Information Services <publicinformationsservices@tssa.org>
Sent: January 29, 2021 6:28 AM
To: john.gaviriaballen@dsconsultants.ca
Subject: RE: TSSA Records

Please refrain from sending documents to head office and only submit your requests electronically via email along with credit card payment. We are all working remotely and mailing in applications with cheques will lengthen the overall processing time.

Records Found

Hello,

Thank you for your request for confirmation of public information.

- We confirm the following **fuel storage tanks records** in our database at the subject address(es).

Inst Number	Context	Address	City	Province
61927595	FS Fuel Oil Tank	3171 REGIONAL ROAD 25	OAKVILLE	ON

<https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?mid=392> and email the completed form to publicinformationsservices@tssa.org along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard).

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind regards,

Gaya

From: john.gaviriaballen@dsconsultants.ca <john.gaviriaballen@dsconsultants.ca>
Sent: January 28, 2021 8:59 AM
To: Public Information Services <publicinformationsservices@tssa.org>
Subject: TSSA Records

[CAUTION]: This email originated outside the organisation.
Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Hello,

Please check the following addresses checked for records:

They are all located in **Oakville, Ontario.**

3153, 3171, 3185, 3195, 3209, 3229, 3241, 3249, 3263, 3278, 3390	Regional Road 25
2119	William Halton Pky W

Regards,



John Gaviria-Ballen, B. Eng, EIT
Environmental EIT
DS Consultants Ltd
6221 Highway 7, Unit 16, Vaughan, ON, L4H 0K8
Tel: (905) 264-9393
Cell: (613) 618-8815
www.dsconsultants.ca

Follow us here!

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

Kirstin Olsen

From: Public Information Services <publicinformationsservices@tssa.org>
Sent: January 28, 2021 4:48 PM
To: john.gaviriaballen@dsconsultants.ca
Subject: RE: TSSA Records Search -1

Good afternoon,

Thank you for your request for confirmation of public information.

I have searched the below noted addresses and I have located the following record:

Inst Numb	Context	Address	City	Provinc	Postal C
9472388	FS Facility	3005 DUNDAS ST W	OAKVILLE	ON	L6M 4J4
16377854	FS Facility	3005 DUNDAS ST W	OAKVILLE	ON	L6M 4J4
11300259	FS Liquid Fuel Tank	3005 DUNDAS ST W	OAKVILLE	ON	L6M 4J4
11373679	FS Liquid Fuel Tank	3005 DUNDAS ST W	OAKVILLE	ON	L6M 4J4
11373686	FS Liquid Fuel Tank	3005 DUNDAS ST W	OAKVILLE	ON	L6M 4J4
11373695	FS Liquid Fuel Tank	3005 DUNDAS ST W	OAKVILLE	ON	L6M 4J4
11373702	FS Liquid Fuel Tank	3005 DUNDAS ST W	OAKVILLE	ON	L6M 4J4

For a further search in our archives, or for copies of documents, please complete our release of public information form found at <https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?mid=392> and email the completed form to publicinformationsservices@tssa.org or through mail along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard) or with a Cheque made payable to TSSA.

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Thanks,



Sherees Thompson | Public Information Agent

Facilities
345 Carlingview Drive
Toronto, Ontario M9W 6N9
Tel: +1-416-734-3363 | Fax: +1-416-231-6183 | E-Mail: sthompson@tssa.org
www.tssa.org



From: john.gaviriaballen@dsconsultants.ca <john.gaviriaballen@dsconsultants.ca>
Sent: January 27, 2021 4:05 PM
To: Public Information Services <publicinformationsservices@tssa.org>
Subject: TSSA Records Search -1

[CAUTION]: This email originated outside the organisation.
Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Hello,

I would like to have the following addresses checked for records:





They are all located in **Oakville, Ontario.**

2483, 2507, 2517, 2527, 3015, 3005, 3069, 3111, 3114, 3136, 3175	Dundas St W
---	-------------

Regards,



John Gaviria-Ballen, B. Eng, EIT
Environmental EIT
DS Consultants Ltd
6221 Highway 7, Unit 16, Vaughan, ON, L4H 0K8
Tel: (905) 264-9393
Cell: (613) 618-8815
www.dsconsultants.ca

Follow us here!    

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

Kirstin Olsen

From: Public Information Services <publicinformationsservices@tssa.org>
Sent: January 29, 2021 12:25 PM
To: john.gaviriaballen@dsconsultants.ca
Subject: RE: TSSA Records Check-2

Good afternoon,


Thank you for your request for confirmation of public information.

We confirm that there are no records in our database of any fuel storage tanks at the subject addresses.

For a further search in our archives please complete our release of public information form found at https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?_mid_=392 and email the completed form to publicinformationsservices@tssa.org or through mail along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard) or with a Cheque made payable to TSSA.


Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Thanks,



Sherees Thompson | Public Information Agent

Facilities
345 Carlingview Drive
Toronto, Ontario M9W 6N9
Tel: +1-416-734-3363 | Fax: +1-416-231-6183 | E-Mail: sthompson@tssa.org
www.tssa.org



From: john.gaviriaballen@dsconsultants.ca <john.gaviriaballen@dsconsultants.ca>
Sent: January 29, 2021 11:49 AM
To: Public Information Services <publicinformationsservices@tssa.org>
Subject: TSSA Records Check-2

[CAUTION]: This email originated outside the organisation.
Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Hello,

I would like to have the following addresses checked for records:

They are all located in **Oakville, Ontario.**

2490, 2512, 2525, 3023, 3035, 3043,
3057, 3065, 3073, 3087, 3109, 3113,
3121, 3131, 3141

Old Bronte Rd

Regards,



John Gaviria-Ballen, B. Eng, EIT
Environmental EIT
DS Consultants Ltd
6221 Highway 7, Unit 16, Vaughan, ON, L4H 0K8
Tel: (905) 264-9393
Cell: (613) 618-8815
www.dsconsultants.ca

Follow us here! 

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

Kirstin Olsen

From: Public Information Services <publicinformationsservices@tssa.org>
Sent: February 2, 2021 3:03 PM
To: john.gaviriaballen@dsconsultants.ca
Subject: RE: TSSA Records Check -3

No Records Found


Thank you for your request for confirmation of public information.

- We confirm that there are **no fuel storage tanks records** in our database at the subject address(es).

For a further search in our archives please complete our release of public information form found at https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?_mid_=392 and email the completed form to publicinformationsservices@tssa.org or through mail along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard).


Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind regards,



Connie Hill | Public Information Agent

Facilities
345 Carlingview Drive
Toronto, Ontario M9W 6N9
Tel: +1-416-734-3383 | Fax: +1-416-231-6183 | E-Mail: chill@tssa.org
www.tssa.org



From: john.gaviriaballen@dsconsultants.ca <john.gaviriaballen@dsconsultants.ca>
Sent: January 31, 2021 2:08 PM
To: Public Information Services <publicinformationsservices@tssa.org>
Subject: TSSA Records Check -3

[CAUTION]: This email originated outside the organisation.
Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Hello,


I would like to have the following addresses checked for records:

They are all located in **Oakville, Ontario.**

2580, 2582, 2584, 2586, 2587, 2588, 2590, 2592, 2594, 2596, 2598, 2599

Valleyridge Dr

Regards,



John Gaviria-Ballen, B. Eng, EIT
Environmental EIT
DS Consultants Ltd
6221 Highway 7, Unit 16, Vaughan, ON, L4H 0K8
Tel: (905) 264-9393
Cell: (613) 618-8815
www.dsconsultants.ca

Follow us here! 

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

Ministry of the Environment,
Conservation and Parks

Access and Privacy Office
12th Floor
40 St. Clair Avenue West
Toronto ON M4V 1M2
Tel: (416) 314-4075
Fax: (416) 314-4285

Ministère de l'Environnement, de
la Protection de la nature et des
Parcs

Bureau de l'accès à l'information et
de la protection de la vie privée
12^e étage
40, avenue St. Clair ouest
Toronto ON M4V 1M2
Tél. : (416) 314-4075
Télééc.: (416) 314-4285



March 9, 2021

John Gaviria-Ballen
DS Consultants Ltd.
6221 Highway 7, Unit 16
Vaughan, ON L4H 0K8

Dear John Gaviria-Ballen:

RE: ***Freedom of Information and Protection of Privacy Act Request***
Our File # A-2021-00534, Your Reference 19-323-100

The Ministry is in receipt of your request made pursuant to the *Freedom of Information and Protection of Privacy Act* and has received your payment in the amount of \$5.00 (non-refundable application fee), along with your \$30.00 deposit.

The search will be conducted on the following: Lot 31 Concession 1, Traf, Oakville. If there is any discrepancy please contact us immediately.

You may expect a reply or additional communication as your request is processed. For your information, the Ministry charges for search, copying and preparation time.

Due to the COVID-19 outbreak, requesters may experience some delays with FOI requests at this time.

If you have any questions regarding this matter, please contact Dany Briollais at dany.briollais@ontario.ca.

Yours truly,

EG
Noel Kent
Manager, Access and Privacy




Appendix D




Approximate
Location of Phase
One Property

County Atlas Project

 6221 Highway 7 Vaughan, ON L4H 0K8 T: 905-264-9393 F: 905-264-2685	HALTON COUNTY ATLAS: 1877		
	Scale: NTS	PHASE ONE ENVIRONMENTAL SITE ASSESSMENT Part of Lot 31, Concession 1, Trafalgar, Parts 3, 5 & 10, Oakville	Prepared By: JGB
	Date: Jun-21		Reviewed By: KO
Project: 19-323-100	Prepared For: ARGO Developments Corp.	Drawing No. D-1	





@NAPL

 6221 Highway 7 Vaughan, ON L4H 0K8 T: 905-264-9393 F: 905-264-2685	AERIAL PHOTOGRAPH: 1934		
	Scale: ~1:1800	PHASE ONE ENVIRONMENTAL SITE ASSESSMENT Part of Lot 31, Concession 1, Trafalgar, Parts 3, 5 & 10, Oakville	Prepared By: JGB
	Date: Jun-21		Reviewed By: KO
Project: 19-323-100	Prepared For: ARGO Developments Corp.	Drawing No. D-2	



©University of Toronto

 6221 Highway 7 Vaughan, ON L4H 0K8 T: 905-264-9393 F: 905-264-2685	AERIAL PHOTOGRAPH: 1954		
	Scale: ~1:2800	PHASE ONE ENVIRONMENTAL SITE ASSESSMENT Part of Lot 31, Concession 1, Trafalgar, Parts 3, 5 & 10, Oakville	Prepared By: JGB
	Date: Jun-21		Reviewed By: KO
Project: 19-323-100	Prepared For: ARGO Developments Corp.	Drawing No. D-3	



© NAPL



6221 Highway 7
 Vaughan, ON L4H 0K8
 T: 905-264-9393 F: 905-264-2685

AERIAL PHOTOGRAPH: 1965

Scale: ~1:1800	PHASE ONE ENVIRONMENTAL SITE ASSESSMENT Part of Lot 31, Concession 1, Trafalgar, Parts 3, 5 & 10, Oakville	Prepared By: JGB
Date: Jun-21		Reviewed By: KO
Project: 19-323-100	Prepared For: ARGO Developments Corp.	Drawing No. D-4



© NAPL



6221 Highway 7
 Vaughan, ON L4H 0K8
 T: 905-264-9393 F: 905-264-2685

AERIAL PHOTOGRAPH: 1974

Scale: ~1:3200	PHASE ONE ENVIRONMENTAL SITE ASSESSMENT Part of Lot 31, Concession 1, Trafalgar, Parts 3, 5 & 10, Oakville	Prepared By: JGB
Date: Jun-21		Reviewed By: KO
Project: 19-323-100	Prepared For: ARGO Developments Corp.	Drawing No. D-5



© NAPL



6221 Highway 7
 Vaughan, ON L4H 0K8
 T: 905-264-9393 F: 905-264-2685

AERIAL PHOTOGRAPH: 1985

Scale:
~1:3200

Date:
Jun-21

Project:
19-323-100

**PHASE ONE ENVIRONMENTAL SITE
 ASSESSMENT**
**Part of Lot 31, Concession 1, Trafalgar,
 Parts 3, 5 & 10, Oakville**

Prepared For: ARGO Developments Corp.

Prepared By:
JGB

Reviewed By:
KO

Drawing No.
D-6



© Town of Oakville



6221 Highway 7
 Vaughan, ON L4H 0K8
 T: 905-264-9393 F: 905-264-2685

AERIAL PHOTOGRAPH: 1995

Scale:
~1:2500

Date:
Jun-21

Project:
19-323-100

**PHASE ONE ENVIRONMENTAL SITE
 ASSESSMENT**
**Part of Lot 31, Concession 1, Trafalgar,
 Parts 3, 5 & 10, Oakville**

Prepared For: ARGO Developments Corp.

Prepared By:
JGB

Reviewed By:
KO

Drawing No.
D-7



Image © 2021 First Base Solutions

© Google Earth



6221 Highway 7
 Vaughan, ON L4H 0K8
 T: 905-264-9393 F: 905-264-2685

SATELLITE IMAGE: 2005

Scale:
 ~1:1800

Date:
 Jun-21

Project:
 19-323-100

**PHASE ONE ENVIRONMENTAL SITE
 ASSESSMENT**
**Part of Lot 31, Concession 1, Trafalgar,
 Parts 3, 5 & 10, Oakville**

Prepared For: ARGO Developments Corp.

Prepared By:
 JGB

Reviewed By:
 KO

Drawing No.
D-8



© Google Earth



6221 Highway 7
 Vaughan, ON L4H 0K8
 T: 905-264-9393 F: 905-264-2685

SATELLITE IMAGE: 2015

Scale:
 ~1:1800

Date:
 Jun-21

Project:
 19-323-100

**PHASE ONE ENVIRONMENTAL SITE
 ASSESSMENT
 Part of Lot 31, Concession 1, Trafalgar,
 Parts 3, 5 & 10, Oakville**

Prepared For: ARGO Developments Corp.

Prepared By:
 JGB

Reviewed By:
 KO

Drawing No.
D-9



© Google Earth



6221 Highway 7
 Vaughan, ON L4H 0K8
 T: 905-264-9393 F: 905-264-2685

SATELLITE IMAGE: 2018

Scale:
~1:1800

Date:
Jun-21

Project:
19-323-100

**PHASE ONE ENVIRONMENTAL SITE
 ASSESSMENT**
**Part of Lot 31, Concession 1, Trafalgar,
 Parts 3, 5 & 10, Oakville**

Prepared For: ARGO Developments Corp.

Prepared By:
JGB

Reviewed By:
KO

Drawing No.
D-10



Appendix E



Picture 1: View of farmland at northern portion of the Site, facing south (January 24, 2023).



Picture 2: View of the farmland at southern portion of the Site, facing north (January 24, 2023).



Picture 3: View of farmland at the southern portion of the Site, facing south (January 26, 2021).



Picture 4: View of west adjacent property, formerly used for agricultural purposes and currently vacant, facing north (January 26, 2021).



Picture 5: View of residential/commercial east adjacent properties (east of Old Bronte Rd.), facing east (January 26, 2021).



Picture 6: View of central and northern portion of the Site, facing north (January 26, 2021).