

# Forest Health Report Cards


**Town of Oakville**  
**Urban Forest Health Monitoring Program**

**2018 Detection Survey Results**

# Wedgewood Park


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Wedgewood Park

2.86 hectares



### Forest Health Rating Legend

- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings


- Moderate cankerworm and gypsy moth defoliation affecting variety of hardwood species throughout woodland
- Dutch elm disease present, causing crown dieback and wilting
- Trace damage due to imported willow leaf beetle
- Trace levels of beech scale present
- Some hemlock decline – unknown cause
- Low to high levels of disturbance in understory due to off-trail trampling, yard waste dumping and some vandalism

### Invasive plant presence

high <p>buckthorn</p>	high <p>garlic mustard</p>	moderate <p>purple loosestrife</p>	moderate <p>winged euonymus</p>	low <p>periwinkle</p>	low <p>phragmites</p>
--------------------------	-------------------------------	---------------------------------------	------------------------------------	--------------------------	--------------------------

### Ash mortality update


Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 2 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




# Birchview Park

Woodland is healthy with no obvious forest health issues

1



**Birchview Park**  
0.36 hectares



## Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

## Key findings

- Light cankerworm and gypsy moth defoliation affecting red oak and black cherry
- Tar spot present, causing trace damage to Norway maple
- Medium level of disturbance in understory due to off-trail trampling and encroachment from private property

## Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 4 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




## Invasive plant presence

 moderate 	 moderate 	 moderate 	 low 	 low 
buckthorn	garlic mustard	winged euonymus	periwinkle	wild grape


# Poplar Park

Woodland is healthy with no obvious forest health issues

1



**Poplar Park**  
0.17 hectares



## Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

## Key findings


- Light cankerworm and gypsy moth defoliation affecting white and red oak, silver maple, and black cherry
- Trace damage caused by imported willow leaf beetle
- No abiotic disturbances observed.

## Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




## Invasive plant presence




# Cornwall Woods North

Woodland is healthy with no obvious forest health issues

1



**Cornwall Woods North**  
0.24 hectares



## Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

## Key findings







- No abiotic or biotic disturbances observed

## Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.





## Invasive plant presence

 moderate	 moderate	 moderate	 moderate	 moderate	 moderate
buckthorn	dog strangling vine	honeysuckle	phragmites	purple loosestrife	Wild grape

# Morrison-Wedgewood Channel West - 2

Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Morrison-Wedgewood Channel West - 2

0.07 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- No biotic or abiotic disturbance observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 4 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

**high**

**moderate**



buckthorn

garlic mustard

# Falgarwood Park


Woodland is healthy with no obvious forest health issues

1



## Falgarwood Park

1.78 hectares



### Forest Health Rating Legend

- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light cankerworm defoliation affecting sugar maple, red oak and white oak
- Light defoliation caused by elm leaf beetle
- Tar spot present and causing light damage to Norway maple
- Low level disturbance in understory due to off-trail trampling and storm damage


### Invasive plant presence

high	high	moderate	low	low	low
buckthorn	garlic mustard	colts foot	English ivy	honeysuckle	phragmites

wild grape (low)

### Ash mortality update


Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 4 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



# Gainsborough Park


Woodland is healthy with no obvious forest health issues

1



## Gainsborough Park

0.13 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Trace defoliation caused by imported willow leaf beetle
- Tar spot present and causing trace damage to Norway maple
- Low level disturbance in understory due to off-trail trampling

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

 moderate 	 moderate 	 moderate 	 low 
buckthorn	garlic mustard	winged euonymus	periwinkle



# Sheridan Hills Park


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

**2**



## Sheridan Hills Park

0.47 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Tar spot present and causing light damage to Norway maple
- Low level of disturbance in understory due to off-trail trampling, yard waste dumping and encroachment from private property
- Woodland is dominated by buckthorn

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 9 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

high 	moderate 	moderate 	moderate 	low 	low 
buckthorn	garlic mustard	honeysuckle	periwinkle	bindweed	English ivy

# Sheridan Hills Park


Woodland is healthy with no obvious forest health issues

1



## Sheridan Hills Park

0.05 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Woodland is dominated by invasive plants
- No biotic or abiotic disturbance observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

 <b>high</b>	 <b>moderate</b>	 <b>moderate</b>
 periwinkle	 buckthorn	 garlic mustard

# Sheridan Hills Park


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Sheridan Hills Park

1.44 hectares



### Forest Health Rating Legend

- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings


- Light cankerworm defoliation affecting shagbark hickory, white elm, red maple, white oak and bur oak
- Trace damage due to imported willow leaf beetle and leaf roller
- Medium level disturbance in understory due to off-trail trampling and yard waste dumping
- Woodland is dominated by buckthorn

### Invasive plant presence

 high  buckthorn	 moderate  garlic mustard	 moderate  honeysuckle
---------------------------	------------------------------------	---------------------------------

### Ash mortality update


Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



# Lancaster Woods


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Lancaster Woods

0.24 hectares



### Forest Health Rating Legend


- 1 Healthy; no obvious forest health issues
- 2 Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light cankerworm defoliation affecting shagbark hickory, white elm and white oak
- Leaf roller causing trace damage on shagbark hickory
- Low to medium level disturbance in understory due to off-trail trampling and yard waste dumping
- Woodland is dominated by buckthorn

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.





### Invasive plant presence

 high  buckthorn	 moderate  garlic mustard	 moderate  honeysuckle	 moderate  periwinkle	 low  winged euonymus
---------------------------	------------------------------------	---------------------------------	--------------------------------	--------------------------------

# Valleybrook Park


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

**2**



## Valleybrook Park

0.41 hectares




### Forest Health Rating Legend

- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings


- Trace cankerworm defoliation affecting Manitoba maple, white elm and white oak
- Dutch elm disease present and causing moderate damage
- Tar spot present and causing trace damage to Norway maple
- Low level disturbance in understory due to off-trail trampling, yard waste dumping and some storm damage

### Invasive plant presence



### Ash mortality update


Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 15 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



# Nena Woods Park


Woodland is healthy with no obvious forest health issues

1



## Nena Woods Park

2.27 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Trace cankerworm defoliation affecting red oak and shagbark hickory
- Medium level disturbance in understory due to off-trail trampling
- White pine and red maple decline
- Woodland is dominated by buckthorn

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

<p>high</p> <p>buckthorn</p>	<p>moderate</p> <p>garlic mustard</p>	<p>moderate</p> <p>honeysuckle</p>	<p>low</p> <p>bindweed</p>	<p>low</p> <p>purple loosestrife</p>
------------------------------	---------------------------------------	------------------------------------	----------------------------	--------------------------------------


# Crosstown Trail (I.R.) - 2

Woodland is healthy with no obvious forest health issues

1



**Crosstown Trail (I.R.) - 2**  
0.26 hectares



## Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

## Key findings


- Light cankerworm defoliation affecting white oak, basswood and shagbark hickory
- Low level disturbance in understory due to off-trail trampling and yard waste dumping

## Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



## Invasive plant presence



# East Joshua Creek Trail - 1



Woodland is healthy with no obvious forest health issues

1



## East Joshua Creek Trail - 1

1.76 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Low level disturbance in understory due to yard waste dumping and encroachment from private property
- Woodland is dominated by buckthorn
- No biotic disturbance observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

 <b>high</b>  buckthorn	 <b>moderate</b>  garlic mustard	 <b>moderate</b>  honeysuckle	 <b>moderate</b>  purple loosestrife	 <b>low</b>  wild grape
----------------------------------	---	--	---	----------------------------------



# Bayshire Woods Park


Woodland is healthy with no obvious forest health issues

1



## Bayshire Woods Park

10.19 hectares



### Forest Health Rating Legend


- 1 Healthy; no obvious forest health issues
- 2 Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light cankerworm defoliation affecting various hardwood species throughout woodland
- Some sugar maples declining and chlorotic
- Low to high level disturbance in understory due to off-trail trampling, tree harvesting and storm damage
- Good diversity of native flora and regeneration

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 2 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

 high 	 moderate 	 moderate 	 low 	 low 
buckthorn	garlic mustard	honeysuckle	periwinkle	phragmites

# Kings Park Woods


2

Woodland is moderately healthy; some minor issues but less than 30% tree mortality



## Kings Park Woods

1.04 hectares




### Forest Health Rating Legend

- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings


- Light cankerworm defoliation affecting various hardwood species throughout woodland
- Butternut canker present, causing moderate damage
- Trace damage caused by imported willow leaf beetle
- Low level of understory disturbance caused by yard waste dumping
- A few declining birch and poplar – unknown cause

### Invasive plant presence



### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 2 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




purple loosestrife (low)  
winged euonymus (low)

# Albion Park


Woodland is healthy with no obvious forest health issues

1



## Albion Park

0.34 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light cankerworm and gypsy moth defoliation affecting ironwood, red maple, black cherry and red oak
- Tar spot present and causing trace damage on Norway maple
- No abiotic disturbances observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

moderate <p>buckthorn</p>	moderate <p>garlic mustard</p>	moderate <p>honeysuckle</p>	moderate <p>winged euonymus</p>	low <p>English ivy</p>	low <p>wild grape</p>
------------------------------	-----------------------------------	--------------------------------	------------------------------------	---------------------------	--------------------------

# Lakeside Freight


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

**2**



## Lakeside Freight

0.45 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings


- Elm mortality – unknown cause
- Woodland is dominated by buckthorn
- No abiotic disturbance observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence



# Old Upper Middle Road Park


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

**2**



## Old Upper Middle Road Park

1.63 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light cankerworm defoliation affecting shagbark hickory
- Some dieback and decline observed in sugar maple, red oak and Norway spruce – unknown cause
- Low level disturbance in understory due to off-trail trampling

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 5 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

high	moderate	low	low	low	low
buckthorn	garlic mustard	bindweed	honeysuckle	purple loosestrife	Russian olive


# McCraney Valley Park

Woodland is healthy with no obvious forest health issues

1



**McCraney Valley Park**  
0.07 hectares



## Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

## Key findings


- Light cankerworm defoliation affecting apple, cherry and red oak
- No abiotic disturbance observed

## Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




## Invasive plant presence




# McCraney Valley Park

Woodland is healthy with no obvious forest health issues

1



**McCraney Valley Park**  
0.04 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light cankerworm defoliation affecting red oak, sugar maple and white birch
- No abiotic disturbance observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.





### Invasive plant presence

moderate  buckthorn	moderate  garlic mustard	low  honeysuckle
---------------------------	--------------------------------	------------------------

# Morrison-Wedgewood Channel West - 2

Woodland is healthy with no obvious forest health issues

1



## Morrison-Wedgewood Channel West - 2

0.05 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Trace damage caused by imported willow leaf beetle
- No abiotic disturbance observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence







# Leighland Park

Woodland is healthy with no obvious forest health issues

1



**Leighland Park**  
0.10 hectares



## Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

## Key findings

- Tar spot present causing light damage on Norway maple
- Low level disturbance in understory due to off-trail trampling
- Woodland is dominated by buckthorn

## Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




## Invasive plant presence




# Sixth Line Parkette

Woodland is healthy with no obvious forest health issues

1



**Sixth Line Parkette**  
0.07 hectares



## Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

## Key findings

- No biotic or abiotic disturbance observed

## Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



## Invasive plant presence

moderate

buckthorn


low

wild grape

# McCraney Valley Park


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## McCraney Valley Park

4.16 hectares



### Forest Health Rating Legend

- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings


- Light cankerworm defoliation affecting various hardwood species throughout woodland
- Low to medium level of disturbance in understory due to yard waste dumping
- Some decline observed in sugar maple – cause unknown
- Understory has a healthy diversity of native plant species

### Invasive plant presence

moderate  buckthorn	moderate  garlic mustard	low  colts foot	low  English ivy	low  goutweed	low  honeysuckle
---------------------------	--------------------------------	-----------------------	------------------------	---------------------	------------------------

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 17 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




periwinkle (low)

# The Parkway - 1


Woodland is healthy with no obvious forest health issues

1



## The Parkway - 1

0.24 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light cankerworm defoliation affecting Siberian elm
- Anthracnose present and causing trace damage on Siberian elm
- No abiotic disturbance observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

 moderate  buckthorn	 moderate  garlic mustard	 moderate  honeysuckle	 low  phragmites	 low  Japanese knotweed
-------------------------------	------------------------------------	---------------------------------	---------------------------	----------------------------------

# The Parkway - 1


Woodland is healthy with no obvious forest health issues

1



## The Parkway - 1

0.11 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings


- Woodland is dominated by buckthorn
- No biotic or abiotic disturbance observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence



# Kingsford Gardens


Woodland is healthy with no obvious forest health issues

1



## Kingsford Gardens

0.05 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Leaf rust causing light damage to hawthorn
- Woodland is dominated by buckthorn
- No abiotic disturbance observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

<p>high</p>	<p>moderate</p>	<p>moderate</p>
<p>buckthorn</p>	<p>garlic mustard</p>	<p>honeysuckle</p>

# Old Upper Middle Road Park


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

**2**



## Old Upper Middle Road Park

0.31 hectares




### Forest Health Rating Legend

- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings


- Light defoliation caused by elm leaf beetle
- Anthracnose present and causing light damage in Siberian elm
- Tar spot present and causing trace damage in Norway maple
- No abiotic disturbance observed
- Understory is mostly non-native species

### Invasive plant presence



### Ash mortality update


Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



# Joshua Valley Park - 1


**2**

Woodland is moderately healthy; some minor issues but less than 30% tree mortality



## Joshua Valley Park - 1

2.45 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light cankerworm defoliation affecting Manitoba maple
- No abiotic disturbances observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 34 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

high buckthorn	high dog strangling vine	high garlic mustard	high honey suckle	high phragmites	moderate purple loosestrife
-------------------	-----------------------------	------------------------	----------------------	--------------------	--------------------------------

bindweed (low)  
colts foot (low)  
wild grape (low)






# Joshua Valley Park - 1


2

Woodland is moderately healthy; some minor issues but less than 30% tree mortality



## Joshua Valley Park - 1

1.64 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light cankerworm defoliation affecting various hardwood species
- Anthracnose present on silver maple, causing trace damage
- Low disturbance in understory due to off-trail trampling, yard waste dumping and encroachment from private property

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 13 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

 <b>high</b>  garlic mustard	 <b>moderate</b>  buckthorn	 <b>moderate</b>  English ivy	 <b>moderate</b>  periwinkle	 <b>moderate</b>  winged euonymus	 <b>low</b>  honeysuckle	purple loosestrife (low)
---------------------------------------	--------------------------------------	--	---------------------------------------	--	-----------------------------------	--------------------------

# Joshua Valley Park - 1


2

Woodland is moderately healthy; some minor issues but less than 30% tree mortality



## Joshua Valley Park - 1

6.85 hectares



### Forest Health Rating Legend

- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings


- Light cankerworm defoliation affecting various hardwood species throughout woodlot
- Trace damage caused by imported willow leaf beetle
- Low to medium disturbance in understory due to yard waste dumping, off-trail trampling and encroachment from private property
- Storm damage and harvesting disturbance

### Invasive plant presence

high <p>buckthorn</p>	high <p>garlic mustard</p>	high <p>honeysuckle</p>	moderate <p>purple loosestrife</p>	low <p>colts foot</p>	low <p>periwinkle</p>
--------------------------	-------------------------------	----------------------------	---------------------------------------	--------------------------	--------------------------

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 53 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




phragmites (low)  
winged euonymus (low)


# Charnwood Park

2

Woodland is moderately healthy; some minor issues but less than 30% tree mortality



**Charnwood Park**  
0.90 hectares



## Forest Health Rating Legend


- 1 Healthy; no obvious forest health issues
- 2 Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Health is affected by obvious forest health issues; greater than 30% tree mortality

## Key findings

- Light cankerworm defoliation affecting various hardwood species throughout woodlot
- Trace levels of tar spot affecting Norway maple
- High disturbance in understory caused by off-trail trampling and yard waste dumping
- Storm damage and harvesting disturbance

## Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 8 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




## Invasive plant presence

  garlic mustard	  honeysuckle	  buckthorn	  winged euonymus	  English ivy
------------------------	---------------------	-------------------	-------------------------	---------------------

# Joshua Valley Park - 2


Woodland is healthy with no obvious forest health issues

1



## Joshua Valley Park - 2

0.20 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Low disturbance in understory due to yard waste dumping and storm damage
- Understory is dominated by invasive species
- No biotic disturbances observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 3 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

moderate  buckthorn	moderate  garlic mustard	moderate  Himalayan balsam	moderate  phragmites	moderate  wild grape	low  honeysuckle	low winged euonymus (low)
---------------------------	--------------------------------	----------------------------------	----------------------------	----------------------------	------------------------	------------------------------

# Joshua Valley Park - 2


**3**

Woodland health is affected by obvious forest health issues, greater than 30% mortality



## Joshua Valley Park - 2

0.02 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Poor health rating due to ash decline and mortality caused by emerald ash borer
- No other biotic disturbances observed
- No abiotic disturbances observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 4 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.





### Invasive plant presence

 <b>high</b>	 <b>low</b>	 <b>low</b>
honeysuckle	purple loosestrife	wild grape

# Joshua Valley Park - 2


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

**2**



## Joshua Valley Park - 2

0.03 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Butternut canker present, causing trace damage
- Decline observed in some maples
- No abiotic disturbances observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

moderate <p>garlic mustard</p>	moderate <p>honeysuckle</p>	low <p>periwinkle</p>
-----------------------------------	--------------------------------	--------------------------

# Aspen Forest Park


Woodland is healthy with no obvious forest health issues

1



## Aspen Forest Park

0.07 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- No abiotic or biotic disturbances observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

moderate <p>honeysuckle</p>	moderate <p>phragmites</p>	moderate <p>purple loosestrife</p>	low <p>buckthorn</p>	low <p>Japanese knotweed</p>
--------------------------------	-------------------------------	---------------------------------------	-------------------------	---------------------------------

# Aspen Forest Park


Woodland is healthy with no obvious forest health issues

1



## Aspen Forest Park

0.10 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Trace cankerworm defoliation affecting maple and oak
- Moderate disturbance in understory due to yard waste dumping

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

moderate

garlic mustard

low


wild grape



# Aspen Forest Park


Woodland is healthy with no obvious forest health issues

1



## Aspen Forest Park

0.02 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings


- Trace defoliation caused by elm leaf beetle affecting Siberian elm
- Anthracnose present and causing trace damage to Siberian elm
- No abiotic disturbances observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.





### Invasive plant presence



# Aspen Forest Park


2

Woodland is moderately healthy; some minor issues but less than 30% tree mortality



## Aspen Forest Park

0.44 hectares



### Forest Health Rating Legend


- 1 Healthy; no obvious forest health issues
- 2 Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light cankerworm defoliation affecting Manitoba maple, elm, and bur oak
- No abiotic disturbances observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 3 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

moderate <p>buckthorn</p>	moderate <p>garlic mustard</p>	moderate <p>honeysuckle</p>	moderate <p>purple loosestrife</p>	low <p>wild grape</p>
------------------------------	-----------------------------------	--------------------------------	---------------------------------------	--------------------------

# Aspen Forest Park


Woodland is healthy with no obvious forest health issues

1



## Aspen Forest Park

0.44 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings






- Light cankerworm defoliation affecting Manitoba maple
- Light defoliation caused by elm leaf beetle affecting Siberian elm
- Anthracnose affecting silver maple and Siberian elm causing trace damage
- Low disturbance in understory due to yard waste dumping

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

 moderate	 moderate	 moderate	 moderate	 low
buckthorn	garlic mustard	honeysuckle	purple loosestrife	Russian olive

# Beechnut Forest Park


Woodland is healthy with no obvious forest health issues

1



## Beechnut Forest Park

2.45 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light cankerworm defoliation affecting various hardwood species throughout woodland
- Beech scale present and causing trace damage
- Low to medium disturbance in understory due to yard waste dumping and off-trail trampling

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

 <b>high</b>  garlic mustard	 <b>moderate</b>  honeysuckle	 <b>low</b>  buckthorn	 <b>low</b>  English ivy	 <b>low</b>  periwinkle	 <b>low</b>  wild grape	winged euonymus (low)
---------------------------------------	--	---------------------------------	-----------------------------------	----------------------------------	----------------------------------	-----------------------

# Joshua Valley Park - 2

Woodland is moderately healthy; some minor issues but less than 30% tree mortality


**2**



24	23	22	21	20	19	18
17	16	15	14	13	12	11
10	9	8	7	6	5	4
3	2	1				

## Joshua Valley Park - 2

10.56 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light cankerworm defoliation affecting various hardwood species throughout woodland; light gypsy moth defoliation in one compartment
- Low to medium disturbance in understory due to yard waste dumping, off-trail trampling and storm damage
- Tar spot present, affecting Norway maple

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 108 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

high buckthorn	high garlic mustard	high honeysuckle	moderate colts foot	moderate purple loosestrife	low bindweed	phragmites (low) wild grape (low) winged euonymus (low)
-------------------	------------------------	---------------------	------------------------	--------------------------------	-----------------	---

# Munn's Cemetery Woodland


Woodland is healthy with no obvious forest health issues

1



## Munn's Cemetery Woodland

0.08 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- No biotic or abiotic disturbance observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

moderate

buckthorn

moderate

garlic mustard


moderate

honeysuckle

# Ontario Hydro/River Oaks


Woodland is healthy with no obvious forest health issues

1



## Ontario Hydro/River Oaks

0.07 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- No biotic or abiotic disturbance observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence



# Ontario Hydro/River Oaks


Woodland health is affected by obvious forest health issues, greater than 30% mortality

**3**



## Ontario Hydro/River Oaks

0.14 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Dutch elm disease present and causing mortality
- No abiotic disturbance observed
- Woodland is dominated by buckthorn

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence






# Lillykin Woods


Woodland health is affected by obvious forest health issues, greater than 30% mortality

2



## Lillykin Woods

0.04 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Dutch elm disease present and causing dieback and wilting
- No abiotic disturbance observed
- Woodland is dominated by buckthorn

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence



# Vineland Woods


Woodland is healthy with no obvious forest health issues

1



## Vineland Woods

0.96 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Trace cankerworm defoliation affecting red oak, bur oak and white elm
- Leaf roller causing trace damage on bur oak
- No abiotic disturbance observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

moderate  buckthorn	moderate  garlic mustard	moderate  honeysuckle	moderate  phragmites	low  purple loosestrife
---------------------------	--------------------------------	-----------------------------	----------------------------	-------------------------------

# Oak Springs Trail


Woodland is healthy with no obvious forest health issues

1



## Oak Springs Trail

1.74 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings






- Trace cankerworm defoliation affecting oak, basswood, and sugar maple
- Anthracnose causing trace damage to sugar maple
- Low to medium level disturbance in understory due to yard waste dumping and some storm damage
- Understory is predominantly buckthorn in most areas

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 3 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

 moderate	 moderate	 moderate	 moderate	 low
buckthorn	garlic mustard	honeysuckle	periwinkle	phragmites

# River Glen Park


Woodland is healthy with no obvious forest health issues

1



## River Glen Park

0.18 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Nipple gall causing trace damage on hackberry
- No abiotic disturbance observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

moderate

buckthorn


moderate

garlic mustard

# Munn's Creek Trail - 2


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Munn's Creek Trail - 2

2.77 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Some elm mortality, likely caused by Dutch elm disease
- High level of disturbance in understory due to off-trail trampling and yard waste dumping

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 5 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

high buckthorn	high garlic mustard	moderate honeysuckle	low periwinkle	low purple loosestrife
-------------------	------------------------	-------------------------	-------------------	---------------------------

# River Oaks Park


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

**2**



## River Oaks Park

0.07 hectares




### Forest Health Rating Legend

- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings


- Light gypsy moth defoliation affecting bur oak and shagbark hickory
- Tar spot present and causing trace damage to Norway maple
- Medium level disturbance in understory due to off-trail trampling
- Understory is dominated by buckthorn

### Invasive plant presence



### Ash mortality update


Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 9 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




# Neyagawa Park

Woodland is healthy with no obvious forest health issues

1



**Neyagawa Park**  
0.19 hectares



## Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

## Key findings

- Moderate damage on horsechestnut due to leaf scorch
- No abiotic disturbance observed
- Understory is dominated by buckthorn

## Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



## Invasive plant presence

high

buckthorn


moderate

garlic mustard

# Lindsay Park


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Lindsay Park

0.53 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light cankerworm defoliation affecting white oak, basswood and shagbark hickory
- Hickory tussock moth present and causing trace damage to shagbark hickory and white oak
- Medium level disturbance in understory due to off-trail trampling

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 5 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


 <b>high</b>  buckthorn	 <b>moderate</b>  garlic mustard	 <b>moderate</b>  honeysuckle
----------------------------------	---	--




# Dorval Trail

Woodland is healthy with no obvious forest health issues

1



**Dorval Trail**  
0.54 hectares



## Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

## Key findings

- Light cankerworm defoliation affecting white elm, shagbark hickory, white oak and bur oak
- Leaf roller causing trace damage to shagbark hickory
- Some disturbance in understory due to tree harvesting
- Woodland is dominated by buckthorn

## Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




## Invasive plant presence

<p>high</p>	<p>moderate</p>	<p>moderate</p>	<p>low</p>
buckthorn	garlic mustard	honeysuckle	periwinkle

# Indian Ridge Trail - 2


Woodland is healthy with no obvious forest health issues

1



## Indian Ridge Trail - 2

4.84 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light cankerworm defoliation affecting white oak
- Tar spot present and causing trace damage to Norway maple
- Trace defoliation caused by imported willow leaf beetle
- Low level disturbance in understory due to off-trail trampling, tree harvesting, yard waste dumping and some storm damage

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 9 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

high buckthorn	high garlic mustard	moderate bindweed	moderate honeysuckle	low English ivy	low periwinkle
-------------------	------------------------	----------------------	-------------------------	--------------------	-------------------



purple loosestrife (low)  
wild grape (low)



# Glen Oak Creek Trail South - 2


Woodland is healthy with no obvious forest health issues

1



## Glen Oak Creek Trail South - 2

0.69 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings







- Tar spot present and causing light damage to Norway maple
- Medium level disturbance in understory due to yard waste dumping

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 3 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.





### Invasive plant presence

 moderate	 moderate	 moderate	 moderate	 moderate	 low
buckthorn	English ivy	garlic mustard	honeysuckle	purple loosestrife	bindweed

# Glen Oak Creek Trail South - 2


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Glen Oak Creek Trail South - 2

4.97 hectares




### Forest Health Rating Legend

- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings


- Light cankerworm defoliation affecting white elm, basswood and red oak
- Dutch elm disease present and causing moderate damage to white elm
- Low to medium level disturbance in understory due to off-trail trampling, tree harvesting and yard waste dumping

### Invasive plant presence



### Ash mortality update


Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 46 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



# Glen Abbey Trail - 3


Woodland is healthy with no obvious forest health issues

1



## Glen Abbey Trail - 3

0.68 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light cankerworm defoliation affecting basswood, red oak, red maple and shagbark hickory
- Hickory tussock moth present and causing trace defoliation in shagbark hickory
- Low level disturbance in understory due to yard waste dumping and tree harvesting

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

moderate <p>buckthorn</p>	moderate <p>garlic mustard</p>	low <p>honeysuckle</p>
------------------------------	-----------------------------------	---------------------------

# Glen Abbey Trail - 3


1

Woodland is healthy with no obvious forest health issues



## Glen Abbey Trail - 3

0.04 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light cankerworm defoliation affecting shagbark hickory, basswood and red oak
- No abiotic disturbance observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence




# Taplow Creek Trail (G.A.) - 1

2

Woodland is moderately healthy; some minor issues but less than 30% tree mortality



**Taplow Creek Trail (G.A.) - 1**  
**1.70 hectares**



## Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

## Key findings







- Tar spot present and causing trace damage on Norway maple
- Leaf miner causing trace damage on Siberian elm
- Low level disturbance in understory due to off-trail trampling and yard waste dumping

## Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 14 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



## Invasive plant presence


 moderate	 moderate	 moderate	 moderate	 moderate	 low
black alder	buckthorn	garlic mustard	honeysuckle	purple loosestrife	bindweed

periwinkle (low)  
wild grape (low)


# Nottingham Park

Woodland is healthy with no obvious forest health issues

1



**Nottingham Park**  
0.28 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings


- Light cankerworm defoliation affecting shagbark hickory and basswood
- Woodland is dominated by buckthorn
- No abiotic disturbance observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence






# Nightengale Woods


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

**2**



## Nightengale Woods

3.76 hectares



### Forest Health Rating Legend

- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings


- Light cankerworm defoliation affecting various hardwood species throughout woodland
- Dutch elm disease causing elm mortality
- Leaf roller causing trace damage on shagbark hickory
- Medium level disturbance in understory due to yard waste dumping, tree harvesting and some storm damage
- Good diversity of native plant species in understory, however buckthorn dominates in patches

### Invasive plant presence

moderate	moderate	low	low
buckthorn	garlic mustard	dog strangling vine	honeysuckle

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 12 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



# Glen Oak Creek Trail North - 1

Woodland is moderately healthy; some minor issues but less than 30% tree mortality


**2**



24	23	22	21	20	19	18
17	16	15	14	13	12	11
10	9	8	7	6	5	4
3	2	1				

## Glen Oak Creek Trail North - 1

4.61 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Trace cankerworm defoliation affecting shagbark hickory, basswood, sugar maple and various oak species
- Some dieback observed in mature red and white oak
- Anthracnose causing trace damage in silver maple
- Low to medium level disturbance in understory due to off-trail trampling, yard waste dumping and some storm damage

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 10 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

moderate	moderate	low	low	low	low
buckthorn	garlic mustard	black alder	dog strangling vine	honeysuckle	periwinkle


phragmites (low)  
purple loosestrife (low)



# Taplow Creek Trail (W.O.T.)


Woodland is healthy with no obvious forest health issues

1



## Taplow Creek Trail (W.O.T.)

1.33 hectares




### Forest Health Rating Legend

- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings


- Light cankerworm defoliation affecting bur oak and shagbark hickory
- Tar spot present causing trace damage in Norway maple
- Trace defoliation caused by imported willow leaf beetle
- High level of disturbance in understory due to off-trail trampling
- Understory of woodland is dominated by buckthorn

### Invasive plant presence



### Ash mortality update


Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 8 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



# Glenayr Gate Trail


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

**2**



## Glenayr Gate Trail

1.15 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light cankerworm defoliation affecting bur oak, red oak and basswood
- Light defoliation caused by imported willow leaf beetle
- Low to medium level disturbance in understory due to yard waste dumping

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

moderate  buckthorn	moderate  garlic mustard	moderate  honeysuckle	low  colts foot	low  periwinkle	low  purple loosestrife	wild grape (low)
---------------------------	--------------------------------	-----------------------------	-----------------------	-----------------------	-------------------------------	------------------

# Glenayr Gate Trail


Woodland is healthy with no obvious forest health issues

1



## Glenayr Gate Trail

1.01 hectares



### Forest Health Rating Legend


- 1 Healthy; no obvious forest health issues
- 2 Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Anthracnose causing trace damage on silver maple
- Trace defoliation due to imported willow leaf beetle
- Low to medium level disturbance in understory due to off-trail trampling and yard waste dumping

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 6 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

moderate <p>buckthorn</p>	moderate <p>garlic mustard</p>	moderate <p>honeysuckle</p>	low <p>bindweed</p>	low <p>purple loosestrife</p>	low <p>wild grape</p>
------------------------------	-----------------------------------	--------------------------------	------------------------	----------------------------------	--------------------------

# Waubanoka Parkette


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Waubanoka Parkette

0.23 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light cankerworm defoliation affecting bur oak, basswood and hackberry
- Some dieback in bur oak
- High level of disturbance in understory due to off-trail trampling

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.





### Invasive plant presence

moderate <p>buckthorn</p>	moderate <p>garlic mustard</p>	moderate <p>honeysuckle</p>	low <p>wild grape</p>
------------------------------	-----------------------------------	--------------------------------	--------------------------

# Sixteen Hollow Park


Woodland is healthy with no obvious forest health issues

1



## Sixteen Hollow Park

0.32 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light cankerworm defoliation affecting red oak, bur oak and shagbark hickory
- Medium level disturbance in understory due to off-trail trampling
- Understory of woodland is dominated by buckthorn

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 3 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

<p>high</p>	<p>moderate</p>	<p>moderate</p>	<p>low</p>	<p>low</p>
buckthorn	garlic mustard	honeysuckle	periwinkle	wild grape


# Sheridan Garden Pond

Woodland is healthy with no obvious forest health issues

1



**Sheridan Garden Pond**  
2.27 hectares



### Forest Health Rating Legend


- 1 Healthy; no obvious forest health issues
- 2 Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- No biotic or abiotic disturbance observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 2 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


moderate  buckthorn	moderate  phragmites	moderate  purple loosestrife	low  wild grape
---------------------------	----------------------------	------------------------------------	-----------------------



# Erchless Estates


Woodland is healthy with no obvious forest health issues

1



## Erchless Estates

0.25 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Tar spot present, causing trace damage to Norway maple
- Some disturbance in understory due to harvesting

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 4 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

 moderate 	 moderate 	 moderate 	 low 
English ivy	garlic mustard	honeysuckle	winged euonymus

# Sixteen Mile Creek South QEW - 2



Woodland is healthy with no obvious forest health issues

1



## Sixteen Mile Creek South QEW - 2

14.52 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Heavy defoliation due to elm leaf beetle affecting Siberian elm
- No abiotic disturbances observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 11 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

moderate buckthorn	moderate garlic mustard	moderate honeysuckle	moderate phragmites	low purple loosestrife	low Japanese knotweed	wild grape (low)
-----------------------	----------------------------	-------------------------	------------------------	---------------------------	--------------------------	------------------

# Sixteen Mile Creek South QEW - 1


Woodland is healthy with no obvious forest health issues

1



## Sixteen Mile Creek South QEW - 1

0.63 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light cankerworm defoliation affecting basswood and various maple species (silver, sugar, Manitoba)
- Low level disturbance in understory due to harvesting

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

moderate <p>buckthorn</p>	moderate <p>garlic mustard</p>	low <p>dog strangling vine</p>	low <p>honeysuckle</p>	low <p>wild grape</p>
------------------------------	-----------------------------------	-----------------------------------	---------------------------	--------------------------

# Cornwall Road Buffer Block


**3**

Woodland health is affected by obvious forest health issues, greater than 30% mortality



## Cornwall Road Buffer Block

5.70 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings






- Highly disturbed site due to yard waste and garbage dumping

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 21 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.





### Invasive plant presence

 moderate	 moderate	 moderate	 moderate	 moderate
buckthorn	honeysuckle	phragmites	purple loosestrife	Russian olive

# Cornwall Road Buffer Block


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Cornwall Road Buffer Block

0.34 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Low level of disturbance in understory due to yard waste dumping
- No biotic disturbances observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 4 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

moderate  buckthorn	moderate  garlic mustard	moderate  Japanese knotweed	low  bindweed	low  honeysuckle	low  periwinkle
---------------------------	--------------------------------	-----------------------------------	---------------------	------------------------	-----------------------

# Cornwall Road Buffer Block


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Cornwall Road Buffer Block

0.36 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light cankerworm defoliation affecting Manitoba maple
- Low level disturbance in understory due to off-trail trampling

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

 moderate 	 moderate 	 moderate 	 low 	 low 
buckthorn	garlic mustard	wild grape	bindweed	honeysuckle

# Maple Valley Park


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

**2**



## Maple Valley Park

0.62 hectares



### Forest Health Rating Legend

- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings


- Light cankerworm defoliation affecting various hardwood species throughout
- Moderate damage on horsechestnut caused by leaf scorch
- Tar spot causing trace damage on Norway maple
- Anthracnose causing light damage on Manitoba maple
- High level disturbance in understory due to yard waste dumping and encroachment from private property

### Invasive plant presence

high	moderate	moderate	low	low	low
garlic mustard	buckthorn	English ivy	honeysuckle	Japanese knotweed	periwinkle

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




winged euonymus (low)

# Westgate Park


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Westgate Park

0.47 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light cankerworm defoliation affecting Manitoba maple and white elm
- Trace defoliation caused by imported willow leaf beetle
- Low level disturbance in understory due to off-trail trampling

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 6 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence


<p>moderate</p> <p>buckthorn</p>	<p>moderate</p> <p>garlic mustard</p>	<p>low</p> <p>wild grape</p>	<p>low</p> <p>winged euonymus</p>
----------------------------------	---------------------------------------	------------------------------	-----------------------------------



# 600 Speers Road Buffer Block


Woodland is healthy with no obvious forest health issues

1



## 600 Speers Road Buffer Block

0.16 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Heavy defoliation caused by elm leaf beetle affecting Siberian elm
- No abiotic disturbances observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

 moderate 	 moderate 	 moderate 	 low 	 low 
buckthorn	garlic mustard	purple loosestrife	honeysuckle	phragmites

# 595 Speers Road Buffer Block


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## 595 Speers Road Buffer Block

0.13 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- No biotic or abiotic disturbance observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 5 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

moderate	moderate	moderate	low
buckthorn	honeysuckle	purple loosestrife	garlic mustard

# Trafalgar Park


Woodland is healthy with no obvious forest health issues

1



## Trafalgar Park

0.24 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings


- Disturbance in understory due to tree harvesting and storm damage
- No biotic disturbances observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence



# Anderson Street Parkette

Woodland is healthy with no obvious forest health issues

1



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings


- Woodland is on a steep slope
- No biotic or abiotic disturbances observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.





### Invasive plant presence




# Shipyard Park

Woodland is healthy with no obvious forest health issues

1



**Shipyard Park**  
0.20 hectares



## Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

## Key findings

- No biotic or abiotic disturbances observed

## Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



## Invasive plant presence

moderate

garlic mustard

moderate

honeysuckle


moderate

wild grape

# Walker Street Promenade


Woodland is healthy with no obvious forest health issues

1



## Walker Street Promenade

0.98 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light cankerworm and gypsy moth defoliation affecting Manitoba maple and oaks
- Some poplars in decline
- Moderate level of disturbance in understory due to tree harvesting, off-trail trampling and some construction activity along beach

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 3 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

high	moderate	low	low	low	low	
						purple loosestrife (low)
garlic mustard	winged euonymus	bindweed	buckthorn	goutweed	honeysuckle	


# Brock Parkette

Woodland is healthy with no obvious forest health issues

1



**Brock Parkette**  
0.28 hectares



## Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

## Key findings

- Tar spot present and causing light damage to Norway maple
- Low level of disturbance in understory due to off-trail trampling, tree harvesting and yard waste dumping

## Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




## Invasive plant presence

<p>high</p>	<p>moderate</p>	<p>low</p>
<p>goutweed</p>	<p>Japanese knotweed</p>	<p>garlic mustard</p>


# Holyrood Park

Woodland is healthy with no obvious forest health issues

1



**Holyrood Park**  
0.44 hectares



## Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

## Key findings

- Medium level disturbance in understory due to yard waste dumping, tree harvesting and encroachment from private property
- No biotic disturbance observed

## Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



## Invasive plant presence


 moderate 	 moderate 	 moderate 	 low 
garlic mustard	Japanese knotweed	wild grape	winged euonymus



# Shorewood Promenade


Woodland is healthy with no obvious forest health issues

1



## Shorewood Promenade

0.39 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light gypsy moth defoliation affecting red oak and black cherry
- Low level of disturbance in understory due to off-trail trampling

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 2 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

 moderate	 low	 low
honeysuckle	garlic mustard	wild grape

# Sedgewick Forest


2

Woodland is moderately healthy; some minor issues but less than 30% tree mortality



## Sedgewick Forest

2.79 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light to moderate gypsy moth and cankerworm defoliation observed throughout woodlot on various hardwood species
- White pine mortality and red maple decline
- Medium-level disturbance due to off-trail trampling
- Ash harvesting
- Some native flora present in understory

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 12 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

moderate  buckthorn	moderate  garlic mustard	moderate  honey suckle	low  winged euonymus
---------------------------	--------------------------------	------------------------------	----------------------------

# Lakeshore West Buffer Block


Woodland is healthy with no obvious forest health issues

1



## Lakeshore West Buffer Block

0.11 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Trace cankerworm defoliation observed throughout woodlot on maple and beech
- Mostly non-native vegetation present in understory, but some native tree regeneration (including ash)

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

 moderate 	 moderate 	 moderate 	 low 
buckthorn	garlic mustard	honey suckle	wild grape

# Spring Garden Park

2


Woodland is moderately healthy; some minor issues but less than 30% tree mortality



24	23	22	21	20	19	18
17	16	15	14	13	12	11
10	9	8	7	6	5	4
3	2	1				

## Spring Garden Park

1.22 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light cankerworm defoliation observed on various hardwood species
- Trace damage caused by imported willow leaf beetle
- Low level of disturbance due to off-trail trampling and yard waste dumping
- Disturbance and mortality due to storm damage and harvesting

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 5 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

moderate buckthorn	moderate garlic mustard	moderate honey suckle	moderate purple loosestrife	moderate winged euonymus	low bindweed
-----------------------	----------------------------	--------------------------	--------------------------------	-----------------------------	-----------------

# Chris Volkes Memorial Park


Woodland is healthy with no obvious forest health issues

1



## Chris Volkes Memorial Park

0.05 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light cankerworm defoliation affecting Manitoba maples

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

moderate  
  
 buckthorn


moderate  
  
 garlic mustard

moderate  
  
 honey suckle

# Bronte Creek Trail


Woodland is healthy with no obvious forest health issues

1



## Bronte Creek Trail

0.07 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- No biotic or abiotic disturbances observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

moderate <p>bindweed</p>	moderate <p>buckthorn</p>	moderate <p>garlic mustard</p>	moderate <p>honey suckle</p>	low <p>winged euonymus</p>
-----------------------------	------------------------------	-----------------------------------	---------------------------------	-------------------------------

# Bronte Creek Trail


Woodland is healthy with no obvious forest health issues

1



## Bronte Creek Trail

0.08 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Minor understory disturbance due to yard waste dumping

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

moderate buckthorn	moderate garlic mustard	moderate honey suckle	low wild grape	low winged euonymus
-----------------------	----------------------------	--------------------------	-------------------	------------------------


# Riverview Park

Woodland is healthy with no obvious forest health issues

1



**Riverview Park**  
0.27 hectares



## Forest Health Rating Legend


- 1 Healthy; no obvious forest health issues
- 2 Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Health is affected by obvious forest health issues; greater than 30% tree mortality

## Key findings

- Minor understory disturbance due to off-trail trampling and yard waste dumping
- No biotic disturbances observed

## Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 6 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



## Invasive plant presence


 moderate 	 moderate 	 moderate 	 low 	 low 
buckthorn	garlic mustard	honey suckle	bindweed	wild grape




# Riverview Park

1

Woodland is healthy with no obvious forest health issues



**Riverview Park**  
0.32 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- No abiotic or biotic disturbances observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

moderate <p>buckthorn</p>	moderate <p>garlic mustard</p>	moderate <p>honey suckle</p>	moderate <p>purple loosestrife</p>	low <p>bindweed</p>	low <p>Russian olive</p>
------------------------------	-----------------------------------	---------------------------------	---------------------------------------	------------------------	-----------------------------

# Twelve Mile Creek Lookout


Woodland is healthy with no obvious forest health issues

1



## Twelve Mile Creek Lookout

0.43 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light damaged caused by leaf scorch affecting horsechestnut
- No abiotic disturbances observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

 moderate 	 moderate 	 low 	 low 	 low 
garlic mustard	honey suckle	buckthorn	English ivy	winged euonymus

# Bronte Creek Lands - 3


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Bronte Creek Lands - 3

1.01 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Trace to light cankerworm and gypsy moth defoliation affecting various hardwood species throughout woodland
- Butternut canker present and causing severe damage
- Low to medium level disturbance in understory due to off-trail trampling throughout woodland
- Some chlorosis on white oaks

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 20 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

moderate 	moderate 	moderate 	low 	low 	low 
buckthorn	garlic mustard	honeysuckle	giant hogweed	periwinkle	wild grape

# Shell Park

2

Woodland is moderately healthy; some minor issues but less than 30% tree mortality



## Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

## Key findings







- Light cankerworm defoliation affecting maple and basswood
- Trace damage on willows caused by imported willow leaf beetle
- Low disturbance in understory due to off-trail trampling and encroachment from private properties

## Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 31 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



## Invasive plant presence


 moderate	 moderate	 moderate	 low	 low	 low
buckthorn	garlic mustard	honey suckle	English ivy	goutweed	Japanese knotweed

periwinkle (low)  
purple loosestrife (low)  
wild grape (low)  
winged euonymus (low)

# South Shell Waterfront Park


2

Woodland is moderately healthy; some minor issues but less than 30% tree mortality



## South Shell Waterfront Park

0.86 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Trace damage caused by tar spot affecting Norway maple
- Some dieback observed in Norway maple
- Low disturbance in understory caused by off-trail trampling

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

 moderate 	 moderate 	 moderate 	 low 
buckthorn	garlic mustard	honey suckle	purple loosestrife

# South Shell Waterfront Park


Woodland is healthy with no obvious forest health issues

1



## South Shell Waterfront Park

0.15 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings


- Trace damage caused by imported willow leaf beetle
- Low disturbance in understory caused by off-trail trampling

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence



# Sheldon Creek Trail

2


Woodland is moderately healthy; some minor issues but less than 30% tree mortality



24	23	22	21	20	19	18
17	16	15	14	13	12	11
10	9	8	7	6	5	4
3	2	1				

## Sheldon Creek Trail

10.86 hectares



### Forest Health Rating Legend

- 1 Healthy; no obvious forest health issues
- 2 Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings


- Light cankerworm and gypsy moth defoliation affecting Manitoba maple, elm and black cherry
- Trace damage caused by imported willow leaf beetle
- Anthracnose affecting silver maples causing trace damage
- Declining black locusts along Creek Path Ave.
- Low disturbance in understory due to off-trail trampling, yard waste dumping and encroachment from private property

### Invasive plant presence

high <p>buckthorn</p>	high <p>garlic mustard</p>	high <p>honey suckle</p>	moderate <p>purple loosestrife</p>	low <p>bindweed</p>	low <p>black alder</p>
--------------------------	-------------------------------	-----------------------------	---------------------------------------	------------------------	---------------------------

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 76 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



phragmites (low)  
wild grape (low)  
winged euonymus (low)

# Creek Path Woods


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Creek Path Woods

9.81 hectares



### Forest Health Rating Legend

- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings


- Light cankerworm defoliation affecting various hardwood species throughout woodland
- Low to medium disturbance in understory due to yard waste dumping, off-trail trampling, encroachment and storm damage
- Dutch elm disease present, causing moderate elm decline
- Trace levels of beech scale present

### Invasive plant presence

high	high	moderate	low	low
buckthorn	garlic mustard	honeysuckle	bindweed	wild grape

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 86 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.







# Hillmer Park

Woodland is healthy with no obvious forest health issues

1



**Hillmer Park**  
0.02 hectares



## Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

## Key findings


- Moderate cankerworm defoliation affecting Manitoba maple
- Low level disturbance in understory due to storm damage

## Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




## Invasive plant presence



# Municipal Parking Lot #11B Buffer


Woodland is healthy with no obvious forest health issues

1



## Municipal Parking Lot #11B Buffer

0.05 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Heavy defoliation due to elm leaf beetle affecting Siberian elm
- No abiotic disturbances observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

 <b>high</b>	 <b>moderate</b>	 <b>moderate</b>	 <b>low</b>
garlic mustard	bindweed	honeysuckle	buckthorn

# Brook Valley Park


Woodland is healthy with no obvious forest health issues

1



## Brook Valley Park

0.32 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light cankerworm defoliation affecting Manitoba maple
- High level of disturbance in understory due to encroachment from private property

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

 moderate 	 moderate 	 low 	 low 	 low 
buckthorn	garlic mustard	colts foot	English ivy	purple loosestrife

# Central Operations Woods


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Central Operations Woods

0.18 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Some dieback observed in sugar maple and shagbark hickory
- Woodland is dominated by buckthorn
- No abiotic disturbances observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 7 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

 <b>high</b>	 <b>moderate</b>	 <b>moderate</b>	 <b>moderate</b>	 <b>low</b>
buckthorn	bindweed	garlic mustard	purple loosestrife	phragmites

# 1007 South Service Road West Buffer


Woodland is healthy with no obvious forest health issues

1



## 1007 South Service Road West Buffer

0.22 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- No biotic or abiotic disturbances observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

moderate	moderate	moderate	moderate	low	low
buckthorn	honeysuckle	phragmites	purple loosestrife	black alder	wild grape

# Sixteen Mile Creek Trail North UMR


Woodland is healthy with no obvious forest health issues

1



## Sixteen Mile Creek Trail North UMR

0.26 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Some disturbance in understory due to storm damage
- No biotic disturbance observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

 moderate <p>buckthorn</p>	 moderate <p>garlic mustard</p>	 low <p>honeysuckle</p>
----------------------------------	---------------------------------------	-------------------------------

# Sixteen Mile Creek Trail North UMR


Woodland is healthy with no obvious forest health issues

1



## Sixteen Mile Creek Trail North UMR

0.42 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Some disturbance in understory due to tree harvesting
- No biotic disturbance observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

 moderate 	 low 	 low 
garlic mustard	bindweed	honeysuckle

# Sixteen Mile Creek Trail North UMR


Woodland is healthy with no obvious forest health issues

1



## Sixteen Mile Creek Trail North UMR

0.17 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- No biotic or abiotic disturbance observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence






# 2125 South Service Road West Buffer


**2**

Woodland is moderately healthy; some minor issues but less than 30% tree mortality



## 2125 South Service Road West Buffer

1.49 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Trace defoliation caused by imported willow leaf beetle
- No abiotic disturbance observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 10 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

moderate 	moderate 	low 	low 	low 	low 
buckthorn	honeysuckle	garlic mustard	phragmites	purple loosestrife	wild grape

# Bronte Creek Lands - 2


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

**2**



## Bronte Creek Lands - 2

0.23 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light gypsy moth defoliation affecting various hardwood species throughout woodland
- Medium level of disturbance in understory due to off-trail trampling and encroachment from private property

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 2 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

 moderate 	 moderate 	 moderate 	 low 
buckthorn	garlic mustard	honeysuckle	periwinkle

# Bronte Creek Lands - 1


Woodland is healthy with no obvious forest health issues

1



## Bronte Creek Lands - 1

0.53 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Moderate cankerworm defoliation affecting Manitoba maple and basswood
- Light defoliation caused by imported willow leaf beetle
- Low to medium level of disturbance in understory due to off-trail trampling throughout woodland
- Some beaver damage on willow

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 5 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

 moderate 	 moderate 	 moderate 	 moderate 	 low 	 low 
colts foot	giant hogweed	Himalayan balsam	purple loosestrife	bindweed	wild grape


# Woodlot 235

Woodland health is affected by obvious forest health issues, greater than 30% mortality

**3**



**Woodlot 235**  
0.45 hectares



## Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

## Key findings

- No biotic or abiotic disturbance observed

## Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 17 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




## Invasive plant presence

moderate  buckthorn	moderate  honeysuckle	low  wild grape
---------------------------	-----------------------------	-----------------------

# Petro Canada Woods


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Petro Canada Woods

10.31 hectares



### Forest Health Rating Legend


- 1 Healthy; no obvious forest health issues
- 2 Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light cankerworm defoliation affecting various hardwood species throughout woodland
- Low level disturbance in understory due to off-trail trampling and yard waste dumping

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 55 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

moderate	moderate	low	low	low	low	Russian olive (low)
buckthorn	honeysuckle	bindweed	black alder	garlic mustard	purple loosestrife	


# Petro Canada North

Woodland is healthy with no obvious forest health issues

1



**Petro Canada North**  
4.07 hectares



## Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

## Key findings


- No biotic or abiotic disturbance observed

## Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




## Invasive plant presence



# Red Oak Trail


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Red Oak Trail

3.80 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings







- No biotic or abiotic disturbance observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 27 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence

 moderate	 moderate	 moderate	 moderate	 moderate	 moderate
bindweed	buckthorn	garlic mustard	honeysuckle	purple loosestrife	wild grape


Japanese knotweed (low)  
phragmites (low)  
Russian olive (low)




# Woodlot 242

**2**

Woodland is moderately healthy; some minor issues but less than 30% tree mortality



**Woodlot 242**  
0.30 hectares



## Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

## Key findings

- No biotic or abiotic disturbance observed

## Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 12 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



## Invasive plant presence


 <b>high</b>  buckthorn	 <b>moderate</b>  garlic mustard	 <b>moderate</b>  honeysuckle
----------------------------------	---	--



# Glen Abbey Trail - 1


Woodland is healthy with no obvious forest health issues

1



## Glen Abbey Trail - 1

0.41 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings


- No biotic or abiotic disturbance observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 2 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence



# Glen Abbey Trail - 1


Woodland is healthy with no obvious forest health issues

1



## Glen Abbey Trail - 1

0.21 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Medium level disturbance in understory due to yard waste dumping
- No biotic disturbance observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

moderate <p>buckthorn</p>	moderate <p>garlic mustard</p>	low <p>honeysuckle</p>
------------------------------	-----------------------------------	---------------------------


# Glen Abbey Trail - 1

Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



**Glen Abbey Trail - 1**  
**0.20 hectares**



## Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

## Key findings

- Low level disturbance in understory due to yard waste dumping
- Woodland is dominated by buckthorn
- No biotic disturbance observed

## Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 8 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.





## Invasive plant presence

 high  buckthorn	 moderate  garlic mustard	 low  honeysuckle
---------------------------	------------------------------------	----------------------------

# Manor Parkette


Woodland is healthy with no obvious forest health issues

1



## Manor Parkette

0.18 hectares



### Forest Health Rating Legend


- 1 Healthy; no obvious forest health issues
- 2 Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings


- Light cankerworm defoliation affecting bur oak, white oak, and white elm
- Low level disturbance in understory due to off-trail trampling
- Woodland is dominated by buckthorn

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence



# Brockberry Woods Park


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Brockberry Woods Park

0.29 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings


- Trace cankerworm defoliation affecting shagbark hickory
- Shagbark hickory in decline
- Low level disturbance in understory due to yard waste dumping
- Understory of woodland is dominated by buckthorn – very few native species

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 3 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence



# Grand Oak Woods


Woodland is healthy with no obvious forest health issues

1



## Grand Oak Woods

0.40 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings


- Trace cankerworm defoliation affecting bur oak, white oak and shagbark hickory
- Trace damage on bur oak, potentially caused by leaf scorch
- Understory of woodland is dominated by buckthorn
- No abiotic disturbance observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



### Invasive plant presence



# Colonel Williams Woods


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

**2**



## Colonel Williams Woods

10.13 hectares



### Forest Health Rating Legend

- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings


- Light cankerworm defoliation affecting basswood, red oak, white oak, shagbark hickory and sugar maple
- Scots pine in decline along edge of woodland
- Low to medium level disturbance in understory due to off-trail trampling, yard waste dumping, encroachment from private property and some storm damage
- Good diversity of native species in understory in some areas

### Invasive plant presence

 <b>high</b> 	 <b>moderate</b> 	 <b>moderate</b> 	 <b>low</b> 	 <b>low</b> 	 <b>low</b> 
garlic mustard	buckthorn	purple loosestrife	bindweed	colts foot	honeysuckle

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 24 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



wild grape (low)  
winged euonymus (low)


# Woodlot 277

Woodland is moderately healthy; some minor issues but less than 30% tree mortality

**2**




DUNDAS ST E



## Woodlot 277

0.03 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Majority of woodland has been cleared for development – remaining patches of weedy vegetation and a few planted trees
- All planted trees are in decline
- No biotic or abiotic disturbance observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence




# Donovan Bailey Park - 1

Woodland is healthy with no obvious forest health issues

1



**Donovan Bailey Park - 1**  
0.07 hectares



## Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

## Key findings

- Light defoliation caused by elm leaf beetle
- Light damage caused by anthracnose affecting Siberian elm
- No abiotic disturbance observed

## Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




## Invasive plant presence

 moderate <p>buckthorn</p>	 moderate <p>garlic mustard</p>	 low <p>honeysuckle</p>
----------------------------------	---------------------------------------	-------------------------------

# Fourth Line Buffer Block


Woodland is healthy with no obvious forest health issues

1



## Fourth Line Buffer Block

1.22 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings






- No biotic or abiotic disturbances observed

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

 moderate bindweed	 moderate buckthorn	 moderate honeysuckle	 moderate phragmites	 moderate purple loosestrife
--	--	--	---	--


# Donovan Bailey Park - 1

Woodland is healthy with no obvious forest health issues

1



**Donovan Bailey Park - 1**  
0.09 hectares



## Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

## Key findings

- No biotic or abiotic disturbance observed

## Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 14 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




## Invasive plant presence

 moderate <p>buckthorn</p>	 moderate <p>garlic mustard</p>	 moderate <p>Himalayan balsam</p>	 low <p>colts foot</p>	 low <p>purple loosestrife</p>
----------------------------------	---------------------------------------	---	------------------------------	--------------------------------------

# Arkendo Park


Woodland is moderately healthy; some minor issues but less than 30% tree mortality

2



## Arkendo Park

1.83 hectares



### Forest Health Rating Legend

- 1 Healthy; no obvious forest health issues
- 2 Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Trace cankerworm and gypsy moth defoliation affecting Manitoba maple, red oak and basswood
- Tar spot present, affecting Norway maple
- Heavy defoliation caused by elm leaf beetle affecting Siberian elm
- Trace damage caused by imported willow leaf beetle
- Medium disturbance in understory due to off-trail trampling, yard waste dumping, encroachment from private property, and beaver damage
- Pear mortality in one compartment – unknown cause


### Invasive plant presence

high <p>garlic mustard</p>	high <p>Himalayan balsam</p>	high <p>honeysuckle</p>	moderate <p>buckthorn</p>	moderate <p>purple loosestrife</p>	low <p>bindweed</p>
-------------------------------	---------------------------------	----------------------------	------------------------------	---------------------------------------	------------------------

phragmites (low)  
wild grape (low)

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 49 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



# Great Lakes Woods

Woodland is healthy with no obvious forest health issues

1



## Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

## Key findings


- Light cankerworm defoliation affecting shagbark hickory and ironwood
- Low level disturbance in understory due to shelter building
- Woodland dominated by buckthorn

## Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 10 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




## Invasive plant presence



# Woodlot 2562


**2**

Woodland is moderately healthy; some minor issues but less than 30% tree mortality



## Woodlot 2562

0.14 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Moderate defoliation caused by cankerworm and gypsy moth affecting red oak, basswood, hickory and Manitoba maple
- Moderate defoliation caused by elm leaf beetle affecting Siberian elm
- Medium disturbance in understory due to off-trail trampling

### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

 moderate buckthorn	 moderate garlic mustard	 moderate honey suckle	 low purple loosestrife
---------------------------	--------------------------------	------------------------------	-------------------------------

# Linbrook Woods


Woodland is healthy with no obvious forest health issues

1



## Linbrook Woods

0.48 hectares



### Forest Health Rating Legend


- 1** Healthy; no obvious forest health issues
- 2** Moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Health is affected by obvious forest health issues; greater than 30% tree mortality

### Key findings

- Light cankerworm and gypsy moth defoliation affecting various hardwood species throughout woodland
- Medium level of understory disturbance caused by off-trail trampling and yard waste dumping


### Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




### Invasive plant presence

moderate




buckthorn

moderate



garlic mustard

moderate



winged euonymus