



Facility Emissions of Health-Risk Air Pollutants in the Town of Oakville

As part of the town’s commitment to improve air quality in Oakville, the town passed the [Health Protection Air Quality By-law 2010-035 \(HPAQB\)](#) on February 1, 2010. Under the HPAQB, facilities in Oakville that emit above the “negligible quantity” of any health-risk air pollutant are required to submit an emission report to the town.

<i>Health-risk air pollutants</i>	<i>Negligible quantity (kg/year)</i>	<i>Major Emission (kg/year)</i>	<i>Potential emission sources</i>
Fine Particulate Matter, PM _{2.5}	1	300	Combustion from vehicles and stationary sources, unpaved roads, processes generating dusts, and chemical formation from precursors
Oxides of Nitrogen, expressed in NO ₂	10	20,000	Combustion from vehicles and utilities, and other industrial processes
Sulphur Dioxides, SO ₂	10	20,000	Combustion from vehicles and utilities, and industrial processes, such as petroleum refining, cement and concrete manufacturing
Ammonia, NH ₃	10	10,000	Nitrogen or oxides of nitrogen reduction processes for wastewater treatment plant or power plant, other industrial processes, and agricultural activities
Volatile Organic Compounds, VOC	10	10,000	Combustion from vehicles and stationary sources, fuel-refilling, general solvent use, industrial processes, such as paint/coating application, petroleum refining, plastics manufacturing, food processing, agricultural activities, and wood processing and burning.

This requirement to report provides disclosure to the public of information on local health-risk air pollutant emissions from local facilities in Oakville. This feature of the HPAQB is similar to Toronto’s Environmental Reporting and Disclosure By-law.

In addition to industrial processes, other local sources of health-risk air pollutants come from vehicle emissions and operating buildings. Everyone can take action to improve our air quality by using their vehicles less, using active and public transportation, and practicing energy conservation to use less energy for appliances use and to heat and cool homes.

The town has adopted and implemented the following green initiatives and best practices to reduce health-risk air pollutant emissions from the town’s facilities and operations:

- [Anti-Idling By-law 2002-153](#) – controls vehicle idling in Oakville.
- [Climate Change Adaptation Strategy](#) – creates a corporate Climate Change Adaption Plan
- [Corporate Energy Management Plan](#) – provides energy actions and best practices, as well as energy efficiency targets.
- [Energy Conservation Outreach Program](#) – Annual Conservation Fair, Earth Hour, BIA ‘Doors Closed’ campaigns.
- [Environmental Strategic Plan](#) – outlines actions to improve the environment in Oakville.
- [Environmental Sustainability Plan](#) – promotes environmental initiatives advancing Oakville as a sustainable community.
- [New Communities of Oakville](#) – develops a transit-first, sustainable, walkable community for lands north of Dundas.



Facility Emissions of Health-Risk Air Pollutants in the Town of Oakville

- [Livable Oakville Official Plan](#) – growth directed considering sustainable development principles to protect the natural environment, heritage and stable neighbourhoods, and green community development and building. For example, new town buildings over 500 m² are to be built to achieve [LEED](#) Silver certification.
- [Partners for Climate Change Protection \(PCP\) Milestone Program](#) – committed to a corporate operations greenhouse gas (GHG) emissions target of 20% below 2004 levels by 2014.
- [Private Tree Protection By-law 2017-038](#) – preserves significant trees on all private properties within the town and to sustain Oakville's urban forest.
- [Sustainable Building Design Procedure](#) – reduces emissions and improves energy efficiency for new and existing facilities.
- [Sustainable Green Fleet Procedure](#) – reduces emissions and improves fuel efficiency for vehicle operations.
- [Sustainable Purchasing Procedure](#) – promotes purchasing sustainable products and services that lessen environmental impacts.
- [Towards Zero Waste Procedure](#) – improves waste reduction and diversion efforts for town's operations and events.
- [Transportation Master Plan / Active Transportation Master Plan](#) – establishes transportation policies and infrastructure plans for all travel modes in Oakville (vehicles, transit, cycling, walking).
- [Transit Service Improvements](#) – Improved, more fuel-efficient routes for better service, PRESTO farecard.
- [Urban Forest Strategic Management Plan](#) – establishes policies and actions to effectively manage “green infrastructure” and increases overall canopy cover in Oakville.

Similar to facility specific improvements, these policies and procedures are implemented across the corporation and they will improve Oakville's livability through actions supporting resilience and sustainability.

In the following table, you will find:

- company and facility names;
- locations of facilities;
- the daily and the yearly emissions in both **average** and **worst-case** scenarios;
- whether the facilities are sources of major emission as defined in the by-law; and
- green features, best environmental practices and technologies, and/or sustainability plans that demonstrate their commitment to the environment by limiting and reducing their emissions.

Disclaimer:

The data presented is current as of August 31, 2018. While the town conducts periodic reviews of submissions for compliance purposes, the town makes no representation or warranty of the accuracy or completeness of the information reported by facilities subject to the provisions of the Health Protection Air Quality By-law. It is an offence under the By-law for an owner or operator of a facility subject to the By-law to fail to provide emission information required pursuant to s. 4 or to provide false information to the town under any provision of the By-law.

Facility Emissions of Health-Risk Air Pollutants in the Town of Oakville

Company	Facility	Emission (kg)	PM _{2.5}	NO ₂	SO ₂	NH ₃	VOC	Major Emission	Note
1379259 Ontario Inc.	Royal Ready-Mix Inc. 2465 Royal Windsor Drive	Daily Avg.	0.275	0.1556	0.001		0.0086		
		Annual Avg.	58.17	47.294	0.284		2.60		
		Daily Max.	0.556	1.5816	0.010		2.885		
		Annual Max.	142.6	480.82	2.885		26.44		
2135967 Ontario Limited	2189 Speers Road	Daily Avg.	0.06	0.71			0.04		
		Annual Avg.	20.5	269.6			14.8		
		Daily Max.	0.14	1.85			0.1		
		Annual Max.	26.6	350.5			19.3		
2159978 Ontario Ltd.	Toronto Redi-Mix & Draglam Salt (Oakville RMC Plant & Salt Depot) 1040 Winston Churchill Blvd.	Daily Avg.	0.023	0.0347					
		Annual Avg.	6.77	10.4					
		Daily Max.	0.707	1.3					
		Annual Max.	212	389					
Allcolour Paint Limited	Allcolour Paint Limited 1257 Speers Road	Daily Avg.	0.1	1	0.01		27.6		
		Annual Avg.	21	262	1.6		6976		
		Daily Max.	0.6	6.5	0.1		139		
		Annual Max.	23	278	2		7821		
All Seasons Equipment	ASE 2170 Winston Park Drive	Daily Avg.	0.029	1.33			19.5		
		Annual Avg.	9.99	180			2934		
		Daily Max.	0.029	2.49			62.1		
		Annual Max.	10.2	527			9314		
Alphora Research Inc.	Alphora Research Inc. 2884 Portland Drive	Daily Avg.	0.011	0.560			4.54		
		Annual Avg.	3.89	205			1650		
		Daily Max.	0.014	0.736			9.05		
		Annual Max.	5.1	268			3290		
Automacs Collision	Automacs Collision 1091 Speers Road	Daily Avg.	0.02	0.23			3.3273		Use low VOC paint, use high volume low pressure to reduce over spray, reduce solvent cleaning for spray gun system, sanding in a control environment to reduce PM
		Annual Avg.	6.4	84.2			833.4		
		Daily Max.	0.05	0.61			4.5192		
		Annual Max.	8.3	109.4			1128.35		
Backrack Inc.	Backrack Inc. 475 Wycroft Road	Daily Avg.	0.015	0.7702			0.04246		
		Annual Avg.	3.816	200.5			11.018		
		Daily Max.	0.083	4.39			0.2409		
		Annual Max.	21.66	1138.7			62.64		
Beckton Dickinson Canada Inc.	BD 2771 Bristol Circle	Daily Avg.	0.08	1.06			0.06		
		Annual Avg.	14.7	192.8			10.6		
		Daily Max.	0.4	5.22			0.29		
		Annual Max.	72.4	952.0			52.6		

Facility Emissions of Health-Risk Air Pollutants in the Town of Oakville

Company	Facility	Emission (kg)	PM _{2.5}	NO ₂	SO ₂	NH ₃	VOC	Major Emission	Note
Benlan Inc.	Benlan Inc. 2760 Brighton Road	Daily Avg.	0.08	0.16			0.06		
		Annual Avg.	30.27	58.90			22.25		
		Daily Max.	0.47	2.55			0.35		
		Annual Max.	103.4	66.43			76.09		
Bentall Kennedy (Canada) LP	1235 North Service Road West	Daily Avg.	0.004	0.226					
		Annual Avg.	1.62	85.3					
		Daily Max.	0.005	0.264					
		Annual Max.	1.83	96.4					
Bentall Kennedy (Canada) LP	1275 North Service Road West	Daily Avg.	0.997	5.72			0.0359		
		Annual Avg.	238	275			10.4		
		Daily Max.	4.98	63.1			0.125		
		Annual Max.	243	360			11.5		
BCS Inc.	Bio Clean Services Inc. 735 Weller Court	Daily Avg.		0.0488					
		Annual Avg.		17.8					
		Daily Max.		0.0508					
		Annual Max.		18.5					
Budds' Collision Services Ltd.	Budds' Collision Services Ltd. 2071 South Service Road West	Daily Avg.	0.050	0.656			17.036		Use low VOC paint, use high volume low pressure to reduce over spray, reduce solvent cleaning for spray gun system, installed low energy lighting (LED and Fluorescent)
		Annual Avg.	18.21	239.62			3813.379		
		Daily Max.	0.139	1.831			34.101		
		Annual Max.	23.67	311.51			4775.33		
Bunge Canada Holdings I ULC	Bunge Canada - Oakville Operations 2190 South Service Road West	Daily Avg.	0.10	1.33			0.07		
		Annual Avg.	36.9	485.8			26.7		
		Daily Max.	0.19	2.44			0.13		
		Annual Max.	48.0	631.6			34.7		
Can Crete Ltd.	Can Crete Concrete Mobile Mix 740 Weller Court, Unit D	Daily Avg.	0.188	0.07					use environmentally friendly vegetable oil spray for dust suppression
		Annual Avg.	57.4	24.0					
		Daily Max.	0.365	0.18					
		Annual Max.	113.6	31.1					
Canadian Electrical Raceways Inc.	Canadian Electrical Raceways Inc. 900 Winston Churchill Boulevard	Daily Avg.	0.280	0.388			0.805		
		Annual Avg.	68.59	141.61			188.697		
		Daily Max.	0.596	1.231			2.420		
		Annual Max.	129.8	184.10			552.849		
Canadian Gypsum Company Ltd.	CGC Oakville Plant 735 Fourth Line	Daily Avg.	0.02	0.97	0.01		0.05		
		Annual Avg.	4.79	251.93	1.51		13.86		
		Daily Max.	0.07	3.65	0.02		0.2		
		Annual Max.	18.04	949.58	5.70		52.23		

Facility Emissions of Health-Risk Air Pollutants in the Town of Oakville

Company	Facility	Emission (kg)	PM _{2.5}	NO ₂	SO ₂	NH ₃	VOC	Major Emission	Note
Canadian Hospital Specialties Ltd.	Canadian Hospital Specialties Ltd. 2810 Coventry Road	Daily Avg.	0.02	0.25					
		Annual Avg.	6.84	89.97					
		Daily Max.	0.16	2.10					
		Annual Max.	8.81	115.94					
Champion Freeze Dry LP	Champion Freeze Dry LP 579 Speer Road	Daily Avg.	0.245	1.51			0.365		
		Annual Avg.	89.4	551			133		
		Daily Max.	0.245	1.51			0.553		
		Annual Max.	89.4	553			202		
Con Cast Pipe Ltd.	Ontario Concrete Products Inc. 641 Burloak Drive	Daily Avg.	0.30	2.5			0.1		
		Annual Avg.	65.63	545.7			30.0		
		Daily Max.	0.38	3.1			0.2		
		Annual Max.	98.44	818.5			45.0		
CRH Canada Group Inc.	Dufferin Construction - Oakville Maintenance Facility 731 Third Line	Daily Avg.	6.32	13.47	1.21		6.61	PM _{2.5}	
		Annual Avg.	1052.4	4917.6	443.4		2413.35		
		Daily Max.	5.93	27.61	3.21		28.63		
		Annual Max.	1476.8	9620.0	1170		10426.37		
Dana Canada Corporation	Dana Oakville Advance Road 1400 Advance Road	Daily Avg.	0.00	0.30			39.22		
		Annual Avg.	1.15	60.76			8074.89		
		Daily Max.	0.01	0.37			60.82		
		Annual Max.	1.45	76.33			12633.81		
Dana Canada Corporation	Dana Oakville Kerr Street 656 Kerr Street	Daily Avg.	0.05	2.42	0.01	12.49	14.35		
		Annual Avg.	11.51	605.56	3.63	3122	3586.74		
		Daily Max.	0.05	2.87	0.02	12.49	23.79		
		Annual Max.	13.62	716.91	4.30	4558	5948.35		
Dorval Medical Holdings Inc.	Dorval Medical Holdings Inc. 465 Morden Road	Daily Avg.	0.004	0.0529					Installed an energy efficient A/C unit and a new white PVC membrane roof, ducts insulation, Led exit signs.
		Annual Avg.	1.5	19.3					
		Daily Max.	0.012	0.1592					
		Annual Max.	1.9	25.1					
Finewood Products Limited	Finewood Products Limited & Starfleet Construction 1200 Speers Road, Unit 6	Daily Avg.	0.06				0.69		
		Annual Avg.	14.34				231.29		
		Daily Max.	0.39				6.62		
		Annual Max.	93.26				1230.72		
Ford Motor Company of Canada, Limited	Oakville Assembly Complex The Canadian Road	Daily Avg.	21.88	8.86	0.05	0.04	1944.97	PM _{2.5} NO ₂ VOC	Since 1990s, reduced VOCs, NO _x , PM emissions by 55%, 33% & 23%, lowered electrical load from 55Mw to 29Mw, ISO 14001 EMS registered, installed PM removal technology and regenerative thermal oxidizers (RTOs), Improvement in automation, paint materials & practices
		Annual Avg.	6300.3	3235	19.41	15.85	560150		
		Daily Max.	120.53	18.20	0.109	0.089	6066.53		
		Annual Max.	52794	4205.5	25.23	20.60	2657138		

Facility Emissions of Health-Risk Air Pollutants in the Town of Oakville

Company	Facility	Emission (kg)	PM _{2.5}	NO ₂	SO ₂	NH ₃	VOC	Major Emission	Note
Fruition Fruits and Fills	Fruition Fruits and Fills 2379 Speers Road	Daily Avg.	0.033	1.73			0.112		
		Annual Avg.	12.0	632			40.7		
		Daily Max.	0.036	1.92			6.08		
		Annual Max.	13.3	700			44.5		
GE Betz Canada Company	GE Water and Process Technology, Oakville 3239 Dundas Street West	Daily Avg.	0.056	0.7364			0.0679		
		Annual Avg.	20.4	268.8			24.8		
		Daily Max.	0.150	1.97			0.1631		
		Annual Max.	22.6	349.4			39.2		
GE Canada, GE Home & Business Solutions	Master Distribution Center 1290 South Service Road West	Daily Avg.	0.09	1.14			0.06		
		Annual Avg.	31.7	416.7			22.9		
		Daily Max.	0.39	5.17			0.28		
		Annual Max.	41.2	541.7			29.8		
Halton Condominium Corporation 114	Ennisclare II on the Lake 2180 Marine Drive	Daily Avg.	0.140	1.842	0.011		0.101		
		Annual Avg.	51.088	672.21	4.033		36.971		
		Daily Max.	0.860	11.312	0.068		0.622		
		Annual Max.	53.134	699.13	4.195		38.452		
Halton Condominium Corporation 129	Ennisclare II on the Lake 2170 Marine Drive	Daily Avg.	0.109	1.430	0.009		0.079		
		Annual Avg.	39.674	552.03	3.132		28.711		
		Daily Max.	.0.725	9.534	0.057		0.524		
		Annual Max.	43.695	574.93	3.450		31.621		
Halton District School Board	Abbey Lane Public School 1160 Old Abbey Lane	Daily Avg.	0.02	0.23					
		Annual Avg.	6.2	82.2					
		Daily Max.	0.05	0.65					
		Annual Max.	8.1	106.8					
Halton District School Board	Abbey Park Secondary School 1455 Glen Abbey Gate	Daily Avg.	0.05	0.60			0.03		
		Annual Avg.	16.6	217.9			12.0		
		Daily Max.	0.12	1.59			0.09		
		Annual Max.	21.5	283.3			15.6		
Halton District School Board	Brookdale Public School 1195 Bridge Road	Daily Avg.	0.02	0.30					
		Annual Avg.	8.5	111.2					
		Daily Max.	0.07	0.88					
		Annual Max.	11.0	144.6					
Halton District School Board	Captain R. Wilson Public School 2145 Grand Oak Trail	Daily Avg.	0.03	0.38					
		Annual Avg.	10.6	139.7					
		Daily Max.	0.06	0.81					
		Annual Max.	13.8	181.6					



Facility Emissions of Health-Risk Air Pollutants in the Town of Oakville

Company	Facility	Emission (kg)	PM _{2.5}	NO ₂	SO ₂	NH ₃	VOC	Major Emission	Note
Halton District School Board	E.J. James Public School 338 Cairncroft Road	Daily Avg.	0.02	0.31					
		Annual Avg.	8.7	114.7					
		Daily Max.	0.06	0.80					
		Annual Max.	11.3	149.0					
Halton District School Board	Eastview Public School 2266 Hixon Street	Daily Avg.	0.03	0.35					
		Annual Avg.	9.7	127.0					
		Daily Max.	0.08	1.01					
		Annual Max.	12.6	165.1					
Halton District School Board	Emily Carr Public School 2255 Pine Glen Road	Daily Avg.	0.02	0.26					
		Annual Avg.	7.2	95.2					
		Daily Max.	0.06	0.84					
		Annual Max.	9.4	123.7					
Halton District School Board	Falgarwood Public School 1385 Gainsborough Drive	Daily Avg.	0.03	0.39					
		Annual Avg.	10.9	143.5					
		Daily Max.	0.09	1.22					
		Annual Max.	14.2	186.6					
Halton District School Board	Forest Trail Public School 1406 Pine Glen Road	Daily Avg.	0.02	0.26					
		Annual Avg.	7.1	93.3					
		Daily Max.	0.07	0.94					
		Annual Max.	9.2	121.2					
Halton District School Board	Gladys Speers Public School 2150 Samway Road	Daily Avg.	0.02	0.27					
		Annual Avg.	7.4	97.3					
		Daily Max.	0.07	0.91					
		Annual Max.	9.6	126.5					
Halton District School Board	Heritage Glen Public School 1641 Heritage Way	Daily Avg.	0.02	0.33					
		Annual Avg.	9.1	120.0					
		Daily Max.	0.07	0.86					
		Annual Max.	11.9	156.0					
Halton District School Board	Iroquois Ridge Secondary School 1123 Glenashton Drive	Daily Avg.	0.07	0.95			0.05		
		Annual Avg.	26.3	346.1			19.0		
		Daily Max.	0.18	2.32			0.13		
		Annual Max.	34.2	449.9			24.7		
Halton District School Board	James W. Hill Public School 2860 Kingsway Drive	Daily Avg.	0.01	0.15					
		Annual Avg.	4.1	54.6					
		Daily Max.	0.03	0.42					
		Annual Max.	5.4	71.0					

Facility Emissions of Health-Risk Air Pollutants in the Town of Oakville

Company	Facility	Emission (kg)	PM _{2.5}	NO ₂	SO ₂	NH ₃	VOC	Major Emission	Note
Halton District School Board	Joshua Creek Public School 1450 Arrowhead Road	Daily Avg.	0.02	0.26					
		Annual Avg.	7.2	95.2					
		Daily Max.	0.06	0.76					
		Annual Max.	9.4	123.8					
Halton District School Board	Maple Grove Public School 288 Maple Grove Drive	Daily Avg.	0.02	0.28					
		Annual Avg.	7.9	103.9					
		Daily Max.	0.06	0.73					
		Annual Max.	10.3	135.0					
Halton District School Board	Montclair Public School 1285 Montclair Drive	Daily Avg.	0.03	0.35					
		Annual Avg.	9.8	128.7					
		Daily Max.	0.09	1.2					
		Annual Max.	12.7	167.3					
Halton District School Board	Munn's Public School 1511 Sixth Line	Daily Avg.	0.03	0.34					
		Annual Avg.	9.4	123.2					
		Daily Max.	0.09	1.14					
		Annual Max.	12.2	160.2					
Halton District School Board	New Central Public School 133 Balsam Drive	Daily Avg.	0.02	0.22					
		Annual Avg.	6.0	78.9					
		Daily Max.	0.05	0.72					
		Annual Max.	7.8	102.6					
Halton District School Board	Oakville Trafalgar High School 1460 Devon Road	Daily Avg.	0.05	0.72			0.04		
		Annual Avg.	19.9	262.2			14.4		
		Daily Max.	0.17	2.29			0.13		
		Annual Max.	25.9	340.8			18.7		
Halton District School Board	Oakwood Public School 357 Bartos Drive	Daily Avg.	0.01	0.19					
		Annual Avg.	5.2	68.5					
		Daily Max.	0.04	0.50					
		Annual Max.	6.8	89.0					
Halton District School Board	Palermo Public School 2561 Valleyridge Drive	Daily Avg.	0.01	0.18					
		Annual Avg.	5.1	66.8					
		Daily Max.	0.03	0.44					
		Annual Max.	6.6	86.9					
Halton District School Board	Pilgrim Wood Public School 1551 Pilgrims Way	Daily Avg.	0.01	0.18					
		Annual Avg.	5.0	66.2					
		Daily Max.	0.06	0.81					
		Annual Max.	5.6	86.1					

Facility Emissions of Health-Risk Air Pollutants in the Town of Oakville

Company	Facility	Emission (kg)	PM _{2.5}	NO ₂	SO ₂	NH ₃	VOC	Major Emission	Note
Halton District School Board	Pine Grove Public School 529 Fourth Line	Daily Avg.	0.03	0.42					
		Annual Avg.	11.6	152.7					
		Daily Max.	0.09	1.17					
		Annual Max.	15.1	198.5					
Halton District School Board	Post's Corners Public School 2220 Caldwell Drive	Daily Avg.	0.02	0.26					
		Annual Avg.	7.3	96.1					
		Daily Max.	0.04	0.57					
		Annual Max.	9.5	124.9					
Halton District School Board	River Oaks Public School 2173 Munn's Avenue	Daily Avg.	0.01	0.17					
		Annual Avg.	4.8	63.6					
		Daily Max.	0.05	0.70					
		Annual Max.	6.3	82.7					
Halton District School Board	Sheridan Public School 1555 Lancaster Drive	Daily Avg.	0.01	0.17					
		Annual Avg.	4.6	61.0					
		Daily Max.	0.03	0.43					
		Annual Max.	6.0	79.4					
Halton District School Board	Sunningdale Public School 1434 Oxford Avenue	Daily Avg.	0.02	0.28					
		Annual Avg.	7.8	103.2					
		Daily Max.	0.06	0.79					
		Annual Max.	10.2	134.1					
Halton District School Board	Thomas A. Blakelock Secondary School 1160 Rebecca Street	Daily Avg.	0.10	1.29			0.07		
		Annual Avg.	35.8	471.6			25.9		
		Daily Max.	0.31	4.04			0.22		
		Annual Max.	46.6	613.1			33.7		
Halton District School Board	West Oak Public School 2071 Fourth Line	Daily Avg.	0.02	0.28					
		Annual Avg.	7.9	103.4					
		Daily Max.	0.06	0.76					
		Annual Max.	10.2	134.4					
Halton District School Board	W.H. Morden Public School 180 Morden Road	Daily Avg.	0.03	0.36					
		Annual Avg.	10.0	132.0					
		Daily Max.	0.10	1.32					
		Annual Max.	13.0	171.6					
Halton District School Board	White Oaks Secondary School 1330 Montclair Drive	Daily Avg.	0.09	1.21			0.07		
		Annual Avg.	33.5	441.4			24.3		
		Daily Max.	0.24	3.12			0.17		
		Annual Max.	43.6	573.9			31.6		

Facility Emissions of Health-Risk Air Pollutants in the Town of Oakville

Company	Facility	Emission (kg)	PM _{2.5}	NO ₂	SO ₂	NH ₃	VOC	Major Emission	Note
Halton District School Board	White Oaks Secondary School North 1055 McCraney Street East	Daily Avg.	0.06	0.74			0.04		
		Annual Avg.	20.5	269.2			14.8		
		Daily Max.	0.14	1.83			0.10		
		Annual Max.	26.6	350.0			19.3		
Halton Healthcare Services	Oakville Trafalgar Memorial Hospital 3001 Hospital Gate	Daily Avg.	2.35	12.01	0.61		0.99	PM _{2.5}	The facility opened in Dec, 2015. Data presented are from the HPAQB approval application. Actual data will be available in early 2017.
		Annual Avg.	859.25	4383.5	222.4		361.98		
		Daily Max.	2.70	14.25	0.64		1.24		
		Annual Max.	983.76	5202.7	232.2		452.08		
Halton Regional Police Service	Halton Regional Police Service – 20 Division 95 Oakwalk Drive	Daily Avg.	0.027	0.351					
		Annual Avg.	9.730	128.03					
		Daily Max.	0.058	0.765					
		Annual Max.	12.65	166.44					
Hooper Welding Enterprises Limited	Hooper Welding Enterprises Limited 1390 Advance Road	Daily Avg.	1.124	1.106	0.358		0.03		
		Annual Avg.	287	282	91.3		12		
		Daily Max.	1.35	1.331	0.503		0.04		
		Annual Max.	478.9	472.58	161.2		19.7		
Iovate Health Sciences Inc.	Iovate Office Building 381 North Service Road West	Daily Avg.	0.05	0.68			0.04		Implemented energy awareness programs and water conservation measures, efficient lighting retrofit, building automation system
		Annual Avg.	18.7	246.5			13.6		
		Daily Max.	0.09	1.19			0.07		
		Annual Max.	24.7	324.7			17.9		
InnVest Hotels GP X Ltd.	Holiday Inn and Suites Oakville @ Bronte 2525 Wycroft Road	Daily Avg.	0.049	0.645			0.034		
		Annual Avg.	18.0	236.9			12.4		
		Daily Max.	0.086	1.136			0.060		
		Annual Max.	23.4	307.9			16.1		
InnVest Hotels GP X Ltd.	Staybridge Suites Oakville – Burlington 2511 Wycroft Road	Daily Avg.	0.033	0.437			0.024		
		Annual Avg.	12.1	159.6			8.8		
		Daily Max.	0.061	0.803			0.044		
		Annual Max.	15.8	207.5			11.4		
JemPak GK Inc.	JemPak GK Inc. 1485 Speers Road	Daily Avg.	0.101	4.69	13.6		1.35		
		Annual Avg.	23.1	1150	4523		321		
		Daily Max.	0.122	5.29	18.1		3.13		
		Annual Max.	27.4	1322	6782		403		
Kencro Chemicals Ltd.	Kencro Chemicals Ltd. 2192 Wycroft Road	Daily Avg.		0.046	0.001				
		Annual Avg.		16.3	11.7				
		Daily Max.		0.18	0.042				
		Annual Max.		25.2	11.7				

Facility Emissions of Health-Risk Air Pollutants in the Town of Oakville

Company	Facility	Emission (kg)	PM _{2.5}	NO ₂	SO ₂	NH ₃	VOC	Major Emission	Note
Kennedy Ford Sales Limited	Kennedy Ford 280 South Service Road West	Daily Avg.	0.04	0.39			1.63		
		Annual Avg.	9.94	98.58			407.26		
		Daily Max.	0.45	5.84			1.82		
		Annual Max.	10.84	110.4			407.91		
Kraft Canada Inc.	Oakville Facility 2830 Plymouth Drive	Daily Avg.	0.7	7.2	0.0		1.2		
		Annual Avg.	179.7	1876.2	11.3		311.9		
		Daily Max.	0.8	8.5	0.1		1.4		
		Annual Max.	226.5	2387.0	14.3		376.7		
LPF Realty Office Inc.	Liuna Centre 1315 North Service Road East	Daily Avg.	0.27	0.498			0.196		LEED silver certified, high efficiency mech. equipment & systems, lighting controls / occupancy sensors, low VOC materials in the construction & recycled building material.
		Annual Avg.	75.38	181.74			54.55		
		Daily Max.	0.96	4.056			0.695		
		Annual Max.	208.5	1116.1			150.898		
Magnum 2000 Inc.	Magnum 2000 Inc. 1137 North Service Road East	Daily Avg.	0.284	0.091			0.429		Implement energy efficient lighting, use environmental friendly cutting oils
		Annual Avg.	80.63	33.24			121.5		
		Daily Max.	0.392	0.489			0.571		
		Annual Max.	103.4	43.21			155.8		
Mancor Industries, Inc.	Mancor Royal Windsor Drive 2481 Royal Windsor Drive	Daily Avg.	1.05	7.6	0.059		29.68		Installed a weld fume filtration system in January 2014 - successfully completed their Major Emission Reduction Strategy and reduced PM _{2.5} emission below the major emission level.
		Annual Avg.	210	1672	13		6530		
		Daily Max.	1.33	10	0.08		38.58		
		Annual Max.	265	2174	17		8490		
Mancor Industries, Inc.	Mancor Speers Road 2485 Speers Road	Daily Avg.	0.901	1.3308			0.060		
		Annual Avg.	227.2	458.58			22.50		
		Daily Max.	1.346	3.757			0.190		
		Annual Max.	356.2	1337.4			69.90		
Memorial Gardens Canada Limited	Glen Oaks Memorial Garden 3164 Ninth Line	Daily Avg.	0.132	0.992	0.006		0.055		
		Annual Avg.	31.68	238.12	1.429		13.097		
		Daily Max.	0.193	1.451	0.009		0.080		
		Annual Max.	46.31	348.13	2.089		19.417		
Monarch Group	Monarch Plastics Ltd. 2335 Speers Road	Daily Avg.	0.4	1.8	0.01		3.0		
		Annual Avg.	118	608	3.6		997		
		Daily Max.	0.5	2.8	0.02		3.8		
		Annual Max.	176	913	5.4		1244		
North American Hard Chrome Inc.	North American Hard Chrome Inc. 2230 Speers Road	Daily Avg.		0.22			0.12		
		Annual Avg.		55			30		
		Daily Max.		0.22			0.12		
		Annual Max.		55			30		

Facility Emissions of Health-Risk Air Pollutants in the Town of Oakville

Company	Facility	Emission (kg)	PM _{2.5}	NO ₂	SO ₂	NH ₃	VOC	Major Emission	Note
Oakville Place Holdings Inc.	Oakville Place 240 Leighland Avenue	Daily Avg.	0.574	1.16			0.0784		
		Annual Avg.	209	371			21.1		
		Daily Max.	0.576	1.28			0.085		
		Annual Max.	210	415			23.6		
Oakville Stamping & Bending Limited	OSB 2200 Speers Road	Daily Avg.	0.005	0.238					
		Annual Avg.	1.40	64.6					
		Daily Max.	0.006	0.254					
		Annual Max.	1.55	68.9					
Oakville Volkswagen Inc. / Audi Centre	Oakville Volkswagon Inc. / Audi Centre 1345-1355 North Service Road West	Daily Avg.	0.02	0.28	0.00		0.02		
		Annual Avg.	7.87	103.56	0.62		5.70		
		Daily Max.	0.38	5.04	0.03		0.28		
		Annual Max.	7.97	104.87	0.63		5.77		
Ontario Chrome, a Division of Quadraspec inc.	Ontario Chrome Inc. 1328 Speers Road	Daily Avg.	0.036	0.17					
		Annual Avg.	13.09	63.8					
		Daily Max.	0.134	0.52					
		Annual Max.	39.84	73.3					
Pelmorex Inc.	The Weather Network 2655 Bristol Circle	Daily Avg.	0.030	0.3938					
		Annual Avg.	10.92	143.73					
		Daily Max.	0.073	0.9573					
		Annual Max.	14.24	187.36					
Pinty's Delicious Foods Inc.	Pinty's Delicious Foods Inc. 2714 Bristol Circle	Daily Avg.	0.400	5.30	0.03		0.300		
		Annual Avg.	104.7	1378.2	8.30		75.90		
		Daily Max.	1.00	13.7	0.100		0.800		
		Annual Max.	271.0	3566.0	21.4		196.5		
Praxair Canada Inc.	Praxair Canada Inc. 2393 Speers Road	Daily Avg.	0.007	0.3616			8		
		Annual Avg.	2.51	132			2764		
		Daily Max.	0.009	0.4958			10		
		Annual Max.	3.43	181			3774		
Procor Limited	Procor Limited 2063 Speers Road	Daily Avg.	0.146	0.041	0.015		37.21		In process of replacing high VOC content paints with low VOC content paints and expected to complete switch over by 2013.
		Annual Avg.	53.34	701.9	4.211		9314		
		Daily Max.	0.993	13.07	0.078		345.6		
		Annual Max.	362.4	4768.7	28.61		86490		
Promation Engineering Ltd.	Promation Engineering Ltd. 2767 Brighton Road	Daily Avg.	0.02	0.12			3.76		Replace high pressure sodium lighting to T8 lighting
		Annual Avg.	7.36	44.8			1058.87		
		Daily Max.	0.06	0.53			4.83		
		Annual Max.	9.51	58.3			1357.52		

Facility Emissions of Health-Risk Air Pollutants in the Town of Oakville

Company	Facility	Emission (kg)	PM _{2.5}	NO ₂	SO ₂	NH ₃	VOC	Major Emission	Note
R&W Hoist Repairs Ltd.	R&W Hoist Repairs Ltd. 790 Redwood Square, Unit 5,6 & 7	Daily Avg.	0.00	0.06			0.07851		
		Annual Avg.	1.7	22.5			28.6536		
		Daily Max.	0.01	0.16			0.10450		
		Annual Max.	2.2	29.2			35.879		
The Regional Municipality of Halton	Halton Regional Centre 1151 Bronte Road	Daily Avg.	0.744	1.73			0.0951		
		Annual Avg.	271	631			34.7		
		Daily Max.	0.749	2.03			0.112		
		Annual Max.	274	742			40.8		
The Regional Municipality of Halton	South Operations Centre 1179 Bronte Road	Daily Avg.	0.344	5.38			0.0394		
		Annual Avg.	12.1	329			11.9		
		Daily Max.	2.67	39.0			0.0931		
		Annual Max.	20.4	466			13.3		
The Regional Municipality of Halton	Post-Inn Long Term Care Facility 139 Georgian Drive	Daily Avg.		0.0474					
		Annual Avg.		17.30					
		Daily Max.		0.0492					
		Annual Max.		17.98					
The Regional Municipality of Halton	Post-Inn Long Term Care Facility 203 Georgian Drive	Daily Avg.	0.541	1.70	0.010		0.0934		
		Annual Avg.	198	620	3.72		34.1		
		Daily Max.	0.542	1.72	0.010		0.0944		
		Annual Max.	198	627	3.76		34.5		
The Regional Municipality of Halton	Water Processing Plant 21 Kerr Street	Daily Avg.	0.015	0.762			0.0807		
		Annual Avg.	5.29	278			29.5		
		Daily Max.	0.016	0.849			0.0855		
		Annual Max.	5.89	310			31.2		
The Regional Municipality of Halton	Oakville Water Processing Plant Outlying Facility 2217 Eighth Line	Daily Avg.		0.0356					
		Annual Avg.		13.0					
		Daily Max.		0.0391					
		Annual Max.		14.3					
The Regional Municipality of Halton	Mid-Halton Wastewater Treatment Plant 2195 North Service Road West	Daily Avg.	0.168	19.5	0.239	0.705	6.58		
		Annual Avg.	61.2	7120	87.3	257	2400		
		Daily Max.	0.223	30.2	0.329	1.12	10.4		
		Annual Max.	81.3	11000	120	407	3790		
The Regional Municipality of Halton	Southeast Wastewater Treatment Plant 2477 Lakeshore Road East	Daily Avg.	0.0645	9.15	0.083	0.344	3.20		
		Annual Avg.	23.5	3340	30.3	126	1170		
		Daily Max.	0.0686	12.2	0.089	0.473	4.37		
		Annual Max.	25.1	4450	32.4	173	1590		

Facility Emissions of Health-Risk Air Pollutants in the Town of Oakville

Company	Facility	Emission (kg)	PM _{2.5}	NO ₂	SO ₂	NH ₃	VOC	Major Emission	Note
The Regional Municipality of Halton	Southwest Wastewater Treatment Plant 1385 Lakeshore Road West	Daily Avg.	0.0641	1.41	0.092	0.442	4.09		
		Annual Avg.	23.4	514	33.5	161	1490		
		Daily Max.	0.074	1.61	0.105	0.675	6.22		
		Annual Max.	27	589	38.2	246	2270		
Retaylor's Interiors Inc.	Retaylor's Interiors Inc. 487 Speers Road	Daily Avg.	0.035	0.15			4.15		Member of Canadian & USA Green Building Councils , Use FSC sourced materials in production when possible & in office, promote & supply North American made counter tops, use low VOC & water based adhesives, implement waste reduction and recycling program.
		Annual Avg.	10.42	55.5			1058.39		
		Daily Max.	0.097	0.63			6.23		
		Annual Max.	17.38	72.2			1587.59		
Reunion Island Coffee Limited	Reunion Island Coffee 2421 Royal Windsor Road	Daily Avg.	0.791	1.342			0.2630		
		Annual Avg.	197.8	335.5			65.76		
		Daily Max.	1.075	1.845			0.3581		
		Annual Max.	268.7	461.3			89.53		
Royal Windsor Holding Inc.	Royal Ready Construction 2447 Royal Windsor Drive	Daily Avg.	0.729	6.949	0.452		0.565		
		Annual Avg.	110.3	1054.8	67.90		85.452		
		Daily Max.	1.032	9.549	0.617		0.775		
		Annual Max.	157.0	1460.9	92.69		117.752		
Sheridan College Institute of Technology and Advanced Learning	Trafalgar Campus 1430 Trafalgar Road	Daily Avg.	3.72	11.93	0.26		6.46		
		Annual Avg.	222.1	2575.4	15.83		249.87		
		Daily Max.	6.31	45.85	0.46		8.33		
		Annual Max.	226.3	2593.5	15.94		250.87		
Shrader Canada Limited	Shrader Canada Limited 830 Progress Court	Daily Avg.	0.046	0.6081			10.70		Installed sealed lids on mixing tanks to reduce VOC emissions during production; Changes to exhaust systems to reduce evaporative and fugitive emissions.
		Annual Avg.	17.88	235.3			3905.28		
		Daily Max.	0.053	0.7016			11.77		
		Annual Max.	19.46	256.1			4295.65		
Shred-It Canada Corporation Inc.	Shred-It Canada Corporation Inc. 1218 South Service Road West	Daily Avg.	0.036	1.918	0.012		0.1054		
		Annual Avg.	11.347	598.5	3.60		32.937		
		Daily Max.	0.228	11.95	0.072		0.6588		
		Annual Max.	70.996	3735.6	22.39		205.857		
Sigma-Aldrich Canada Co.	Sigma-Aldrich Canada Ltd. 2149 Winston Park Drive	Daily Avg.	0.009	0.496		0.122	0.106		
		Annual Avg.	3.44	181		30.4	29.6		
		Daily Max.	0.010	0.520		0.488	0.503		
		Annual Max.	3.61	190		30.7	30.5		
SM Cyclo of Canada Ltd.	Sumitomo Drive Technologies 1453 Cornwall Road	Daily Avg.	0.09	0.14			1.55		
		Annual Avg.	22.82	51.76			368.51		
		Daily Max.	0.32	1.81			2.77		
		Annual Max.	47.75	52.82			639.36		

Facility Emissions of Health-Risk Air Pollutants in the Town of Oakville

Company	Facility	Emission (kg)	PM _{2.5}	NO ₂	SO ₂	NH ₃	VOC	Major Emission	Note
Suncor Energy Inc.	Oakville Distribution Terminal 3275 Rebecca Street	Daily Avg.	0.13	14	0.08	0.087	112.76	PM _{2.5} VOC	
		Annual Avg.	48	5041	30.5	31.9	34744		
		Daily Max.	2.980	39.213	0.235	0.192	2491.448		
		Annual Max.	906.96	11934	71.60	58.5	137271.2		
Superior Solutions Ltd	Superior Solutions Ltd. 851 Progress Court	Daily Avg.	0.03	0.33			0.033		
		Annual Avg.	9.1	120.2			11.212		
		Daily Max.	0.06	0.76			0.056		
		Annual Max.	11.9	156.3			14.595		
Tate ASP Access Floors	Tate ASP Access Floors 880 Equestrian Court	Daily Avg.	0	0.2			12.9		
		Annual Avg.	3	39			3094		
		Daily Max.	0	0.3			21.5		
		Annual Max.	5	66			5157		
Town of Oakville	Town Hall 1225 Trafalgar Road	Daily Avg.	0.06	0.75			0.04		Building Automation System & Domestic Water Fixture Upgrade, Building Envelope (Air Sealing), Restore Radiant Heating System, Verdiem Surveyor , rooftop solar panels
		Annual Avg.	20.68	272.17			14.97		
		Daily Max.	0.11	1.48			0.08		
		Annual Max.	26.89	353.82			19.46		
Town of Oakville	Glen Abbey Community Centre 1415 Third Line	Daily Avg.	0.12	1.59			0.09		Replace Heating Boiler, Building Envelope (Air Sealing), Lighting Retrofit & Redesign, Replace Rooftop Fan Systems; Replace zamboni with ice edger with emission control
		Annual Avg.	44.03	579.35			31.86		
		Daily Max.	0.21	2.74			0.15		
		Annual Max.	57.24	753.15			41.42		
Town of Oakville	Iroquois Ridge Community Centre 1051 Glenashton Drive	Daily Avg.	0.08	1.04			0.06		
		Annual Avg.	28.94	380.74			20.94		
		Daily Max.	0.16	2.07			0.11		
		Annual Max.	37.62	494.96			27.22		
Town of Oakville	River Oaks Community Centre 2400 Sixth Line	Daily Avg.	0.06	0.77			0.04		Lighting Retrofit & Redesign, Occupancy Sensors, Heat Recovery System, Insulate Brine Headers, Building Envelope (Air Sealing), Install LED Lighting
		Annual Avg.	21.29	280.17			15.41		
		Daily Max.	0.11	1.51			0.08		
		Annual Max.	27.68	364.22			20.03		
Town of Oakville	Queen Elizabeth Park Community & Cultural Centre 2302 Bridge Road	Daily Avg.	0.06	0.85			0.05		LEED Silver Certified
		Annual Avg.	23.51	309.40			17.02		
		Daily Max.	0.13	1.71			0.09		
		Annual Max.	30.57	402.22			22.12		
Town of Oakville	Joshua's Creek Arena 1663 North Service Road East	Daily Avg.	0.04	0.54			0.03		
		Annual Avg.	15.06	198.21			10.90		
		Daily Max.	0.07	0.90			0.05		
		Annual Max.	19.58	257.68			14.17		

Facility Emissions of Health-Risk Air Pollutants in the Town of Oakville

Company	Facility	Emission (kg)	PM _{2.5}	NO ₂	SO ₂	NH ₃	VOC	Major Emission	Note
Town of Oakville	Kinoak Arena 363 Warminster Drive	Daily Avg.	0.01	0.07					Insulate Brine Headers, Building Envelope (Air Sealing), Upgrade Exterior Lighting, Green roof pilot
		Annual Avg.	2.00	26.33					
		Daily Max.	0.01	0.20					
		Annual Max.	2.60	34.23					
Town of Oakville	Maplegrave Arena 2237 Devon Road	Daily Avg.	0.01	0.12					Insulate Brine Headers, Building Envelope (Air Sealing), Upgrade Exterior Lighting
		Annual Avg.	3.24	42.66					
		Daily Max.	0.02	0.30					
		Annual Max.	4.21	55.46					
Town of Oakville	Sixteen Mile Sports Complex 3070 Neyagawa Boulevard	Daily Avg.	0.10	1.34			0.07		LEED Gold Certified, Maximize Natural Lighting, High Efficiency Refrigeration System, Heat Recovery from Refrigeration System
		Annual Avg.	37.13	488.55			26.87		
		Daily Max.	0.17	2.20			0.12		
		Annual Max.	48.27	635.11			34.93		
Town of Oakville	Oakville Transit Facility 430 Wyecroft Road	Daily Avg.	0.17	2.18			0.12		LEED Silver Certified, Geo-Thermal Heating & Cooling System, Energy Star Roof to reduce heat, High-Recycled Content Building Materials, Maximize Natural Lighting, Water Efficient Features
		Annual Avg.	60.41	794.81			43.71		
		Daily Max.	0.44	5.72			0.31		
		Annual Max.	78.53	1033.3			56.83		
Town of Oakville	Central Operations 1140 South Service Road West	Daily Avg.	0.10	1.35			0.07		Building Automation System Upgrade, Building Envelope (Air Sealing), Install Destratification Fans
		Annual Avg.	37.35	491.50			27.03		
		Daily Max.	0.37	4.89			0.27		
		Annual Max.	48.56	638.96			35.14		
Town of Oakville	Southeast Depot 1151 Cornwall Road	Daily Avg.	0.01	0.10					
		Annual Avg.	2.74	36.01					
		Daily Max.	0.02	0.26					
		Annual Max.	3.56	46.81					
Town of Oakville	Greenhouse 1100 Cornwall Road	Daily Avg.	0.02	0.32					
		Annual Avg.	8.80	115.78					
		Daily Max.	0.07	0.87					
		Annual Max.	11.44	150.51					
Town of Oakville	Og2 in Gairloch Gardens 1306 Lakeshore Road East	Daily Avg.	0.01	0.15					Replace Heating System
		Annual Avg.	4.03	53.08					
		Daily Max.	0.02	0.28					
		Annual Max.	5.24	69.01					
Town of Oakville	Fire Station 1 2535 Rebecca Street	Daily Avg.	0.00	0.03					
		Annual Avg.	0.96	12.64					
		Daily Max.	0.01	0.09					
		Annual Max.	1.25	16.43					

Facility Emissions of Health-Risk Air Pollutants in the Town of Oakville

Company	Facility	Emission (kg)	PM _{2.5}	NO ₂	SO ₂	NH ₃	VOC	Major Emission	Note
Town of Oakville	Fire Station 2 2264 Cornwall Road	Daily Avg.	0.00	0.04					
		Annual Avg.	1.19	15.63					
		Daily Max.	0.01	0.12					
		Annual Max.	1.54	20.32					
Town of Oakville	Fire Station 3 125 Randall Street	Daily Avg.	0.00	0.06					
		Annual Avg.	1.70	22.36					
		Daily Max.	0.02	0.21					
		Annual Max.	2.21	29.07					
Town of Oakville	Fire Station 4 2024 Sixth Line	Daily Avg.	0.00	0.06					
		Annual Avg.	1.76	23.18					
		Daily Max.	0.01	0.16					
		Annual Max.	2.29	30.13					
Town of Oakville	Fire Station 5 & Fire Training Centre 1144-1146 South Service Road West	Daily Avg.	0.01	0.17					
		Annual Avg.	4.71	62.03					
		Daily Max.	0.04	0.46					
		Annual Max.	6.13	80.63					
Town of Oakville	Fire Station 6 1510 Postmaster Drive	Daily Avg.	0.00	0.06					
		Annual Avg.	1.64	21.62					
		Daily Max.	0.01	0.15					
		Annual Max.	2.14	28.11					
Town of Oakville	Fire Station 7 2010 Joshua Creek Drive	Daily Avg.	0.00	0.05					
		Annual Avg.	1.35	17.76					
		Daily Max.	0.01	0.12					
		Annual Max.	1.75	23.09					
Town of Oakville	OPL Central Branch, Centennial Pool & Oakville Centre for the Performing Arts 120-130 Navy Street	Daily Avg.	0.09	1.12			0.06		Lighting Retrofit & Redesign, Occupancy Sensors, Building Envelope (Air Sealing), Domestic Water Fixture Upgrade, Replace Heating Boiler
		Annual Avg.	31.06	408.73			22.48		
		Daily Max.	0.18	2.43			0.13		
		Annual Max.	40.38	531.35			29.22		
Town of Oakville	OPL Woodside Branch 1274 Rebecca Street	Daily Avg.	0.00	0.04					
		Annual Avg.	1.13	14.87					
		Daily Max.	0.01	0.12					
		Annual Max.	1.47	19.33					
Town of Oakville	Bronte Pool 2184 Hixon Street	Daily Avg.	0.00	0.04					
		Annual Avg.	0.98	12.85					
		Daily Max.	0.01	0.15					
		Annual Max.	1.27	16.71					

Facility Emissions of Health-Risk Air Pollutants in the Town of Oakville

Company	Facility	Emission (kg)	PM _{2.5}	NO ₂	SO ₂	NH ₃	VOC	Major Emission	Note
Town of Oakville	Brookdale Pool 1215 Bridge Road	Daily Avg.	0.00	0.06					
		Annual Avg.	1.54	20.24					
		Daily Max.	0.02	0.20					
		Annual Max.	2.00	26.32					
Town of Oakville	Falgarwood Pool 1349 Gainsborough Drive	Daily Avg.	0.00	0.05					
		Annual Avg.	1.36	17.96					
		Daily Max.	0.02	0.24					
		Annual Max.	1.77	23.35					
Town of Oakville	Lions Pool 159 Felan Avenue	Daily Avg.	0.01	0.08					
		Annual Avg.	2.21	29.05					
		Daily Max.	0.02	0.27					
		Annual Max.	2.87	37.76					
Town of Oakville	Wedgewood Pool 351 Cairncroft Road	Daily Avg.	0.00	0.04					
		Annual Avg.	1.04	13.64					
		Daily Max.	0.01	0.18					
		Annual Max.	1.35	17.74					
Town of Oakville	Oakville Senior Citizens' Recreation Centre 263 Kerr Street	Daily Avg.	0.00	0.03					
		Annual Avg.	0.86	11.27					
		Daily Max.	0.01	0.08					
		Annual Max.	1.11	14.65					
Town of Oakville	Sir John Colborne Recreation Centre 1565 Lakeshore Road West	Daily Avg.	0.01	0.12					Lighting Retrofit & Redesign
		Annual Avg.	3.28	43.10					
		Daily Max.	0.02	0.30					
		Annual Max.	4.26	56.03					
Town of Oakville	Coach House 114 King Street	Daily Avg.	0.00	0.03					
		Annual Avg.	0.78	10.28					
		Daily Max.	0.01	0.09					
		Annual Max.	1.02	13.37					
Town of Oakville	Oakville Harbour Workshop 2508 Lakeshore Road West	Daily Avg.	0.00	0.06					
		Annual Avg.	1.68	22.14					
		Daily Max.	0.02	0.22					
		Annual Max.	2.19	28.78					
Town of Oakville	Bronte Youth Centre 1565 Lakeshore Road West	Daily Avg.	0.00	0.03					
		Annual Avg.	0.74	9.75					
		Daily Max.	0.01	0.08					
		Annual Max.	0.96	12.67					



Facility Emissions of Health-Risk Air Pollutants in the Town of Oakville

Company	Facility	Emission (kg)	PM _{2.5}	NO ₂	SO ₂	NH ₃	VOC	Major Emission	Note
Town of Oakville	Former Post Office 193 Church Street	Daily Avg.	0.02	0.20					
		Annual Avg.	5.58	73.39					
		Daily Max.	0.04	0.54					
		Annual Max.	7.25	95.40					
Town of Oakville	Former Brantwood School 221 Allan Street	Daily Avg.	0.01	0.14					
		Annual Avg.	3.81	50.18					
		Daily Max.	0.03	0.35					
		Annual Max.	4.96	65.23					
Town of Oakville	North Operations 3250 Neyagawa Boulevard	Daily Avg.	0.02	0.26					
		Annual Avg.	7.15	94.04					
		Daily Max.	0.06	0.76					
		Annual Max.	9.29	122.25					
Tumblers & Trays Inc.	Tumblers & Trays Inc. 872 Cranberry Court	Daily Avg.		0.0636					
		Annual Avg.		23.22					
		Daily Max.		0.4236					
		Annual Max.		154.61					
UTC Aerospace Systems	UTC Aerospace Systems 1400 South Service Road West	Daily Avg.	0.58	2.8	0.017		27.88		Implementing Major Emission Reduction Strategy and reduced VOC emissions to below major emission threshold in 2016.
		Annual Avg.	213.2	1024	6.15		10425		
		Daily Max.	0.77	3.8	0.023		36.25		
		Annual Max.	282.2	1387	8.323		12654		
Vac Aero International	Thermal 1339 & 1371 Speers Road	Daily Avg.	0.06	0.85	0.01		13.22		
		Annual Avg.	23.49	309.07	1.85		4824		
		Daily Max.	0.81	10.62	0.06		69.33		
		Annual Max.	294.53	3875	23.25		7938		
Virox Technologies Inc.	Virox Technologies Inc. 2770 Coventry Road	Daily Avg.	0.02	0.26					
		Annual Avg.	7.2	94.5					
		Daily Max.	0.05	0.62					
		Annual Max.	9.3	122.8					
VSM Abrasives Canada Inc.	VSM Abrasives Canada Inc. 2425 Wycroft Road	Daily Avg.	0.01	0.10			2.77		
		Annual Avg.	2.7	35			678.1		
		Daily Max.	0.02	0.23			2.95		
		Annual Max.	2.9	38.5			723.4		
WellSpring Pharmaceutical Canada Corp.	WellSpring Pharmaceutical Canada Corp. 400 Iroquois Shore Road	Daily Avg.	0.88	4.7			0.29		
		Annual Avg.	67.2	1388.3			86.6		
		Daily Max.	1.0	5.2			0.31		
		Annual Max.	72.9	1488.2			94.1		