



LEGEND

| | |
|---|---------------------------------------|
| CONCRETE CURB, TWO-STAGE BARRIER (TOWN STD. 6-1) | AREA DRAIN |
| CONCRETE CURB, MOUNTABLE (OPSD 600.060) | EXISTING SINGLE CATCHBASIN |
| CONCRETE CURB, BARRIER FREE (OPSD 600.060 W/ DROPPED CURB) | EXISTING DOUBLE CATCHBASIN |
| CONCRETE CURB, FLUSH (REFER TO LANDSCAPE PLANS FOR DETAILS) | HYDRANT & VALVE |
| DROPPED CURB | VALVE AND BOX |
| STORM SEWER AND MANHOLE | 2400mm x 2400mm VALVE CHAMBER |
| SANITARY SEWER AND MANHOLE | 100mm WATER METER (RH 504.010) |
| EXISTING STORM MANHOLE | 150mm BACKFLOW PREVENTER (RH 601.010) |
| EXISTING SANITARY MANHOLE | 200mm BACKFLOW PREVENTER (RH 601.010) |
| TRANSFORMER | STREET LIGHT |

SANITARY SEWER INVERTS

| SAN MH | MH SIZE | TOP EL. | IN INV. | OUT INV. |
|-------------|-----------------------|---------|---------|----------|
| MH1A | 1200mm (OPSD 701.010) | 173.40 | 169.00 | 168.91 |
| MH2A | 1200mm (OPSD 701.010) | 172.65 | 168.49 | 168.43 |
| MH3A | 1200mm (OPSD 701.010) | 172.88 | 168.25 | 168.19 |
| MH4A | 1200mm (OPSD 701.010) | 173.10 | 168.09 | 168.00 |
| MH5A | 1200mm (OPSD 701.010) | 171.99 | 167.83 | 167.74 |
| EX.MH21A | 1200mm (OPSD 701.010) | 171.87 | 167.70 | |
| SAN. PLUG 1 | | | | 169.03 |
| SAN. PLUG 2 | | | | 168.52 |
| SAN. PLUG 3 | | | | 168.29 |
| SAN. PLUG 4 | | | | 167.78 |

STORM SEWER INVERTS & OBVERTS

| STM MH | MH SIZE | TOP EL. | IN INV. | IN OBV. | OUT INV. | OUT OBV. |
|-----------|-----------------------|---------|---------|---------|----------|----------|
| MH1 | 1500mm (OPSD 701.011) | 173.16 | | | 169.82 | 170.57 |
| MH2 | 1500mm (OPSD 701.011) | 172.65 | 169.39 | 170.14 | 169.34 | 170.09 |
| STM. PLUG | | | | | 169.23 | 169.83 |
| EX.MH60 | | 172.70 | 169.24 | 169.99 | 169.81 | |

- NOTES:**
- FOR DETAILS OF EXISTING SEWERS REFER TO PROJECT 12-370 PHASE 2.
 - NEW WATER SERVICES TO BE BUILT WITH PHYSICAL SEPARATION FROM LIVE WATER SERVICES FOR TESTING PURPOSES.
 - ANY CONNECTION TO AN EXISTING SERVICE PREVIOUSLY INSTALLED SHALL BE SWABBED, FLUSHED AND SAMPLED BY THE REGION AT THE SOLE EXPENSE OF THE APPLICANT.
- BENCHMARK NOTE:**
ELEVATIONS HEREON ARE GEODETIC AND ARE REFERRED TO THE TOWN OF OAKVILLE BENCHMARK No. 34 LOCATED ON THE NORTH EAST SIDE OF 7TH LINE ROAD, MIDWAY BETWEEN HIGHWAY No. 5 AND UPPER MIDDLE ROAD, DESCRIBED AS A CONCRETE MONUMENT WITH A BRASS CAP 4.6 METRES EAST OF THE BACK OF CURB OR THE EAST SIDE OF TRAFALGAR ROAD, OPPOSITE BUILDING No. 2274 TRAFALGAR ROAD, HAVING AN ELEVATION OF 162.917 METRES.
- | NO. | REVISIONS | DATE | BY |
|-----|-----------------------|----------------|------|
| 4 | FOURTH SPA SUBMISSION | SEPT. 23, 2021 | T.L. |
| 3 | THIRD SPA SUBMISSION | NOV. 11, 2020 | T.L. |
| 2 | SECOND SPA SUBMISSION | JUN. 24, 2020 | T.L. |

**MINTO COMMUNITIES
BLOCKS 10 & 11, PLAN 20M-1211**

REGIONAL MUNICIPALITY OF HALTON
TOWN OF OAKVILLE

REGION FILE No. _____
MUNICIPAL PLANNING No. ***** SITE PLAN No. **SP-1312.012/01**

APPROVED IN PRINCIPLE SUBJECT TO DETAIL CONSTRUCTION CONFORMING TO TOWN STANDARDS AND SPECIFICATIONS.

SIGNED: _____ DATE: _____
MANAGER OF DEVELOPMENT ENGINEERING

urbantech
Infrastructure Planning & Policy

SERVICING PLAN

| | | |
|----------------|----------------------|---------------------|
| DESIGNED: T.L. | CHECKED: J.O. | PROJECT No.: 17-555 |
| DRAWN: T.L. | DATE: SEPTEMBER 2021 | SHEET No.: |
| SCALE: 1:250 | DRAWING No.: | SP-1 |

Plans and drawings approved pursuant to the Planning Act. Planning Services Department.

01-January-2022

Town of Oakville

