



DS Project No. 20-186-100

July 14, 2023

TO: The Corporation of the Town of Oakville
1225 Trafalgar Road
Oakville, ON L6H 0H3
Attention: Jeffrey Lee

TO: The Regional Municipality of Halton
1151 Bronte Road
Oakville, ON L6M 3L1
Attention: Behnam Doulatyari

RE: Reliance Letter for 1300, 1316, 1326, 1342 and 1350 Bronte Road, Oakville, Ontario
(the "Property")

DS Consultants Ltd. (DS) (the "Consultant") has prepared the following report on behalf on Bronte River LP Ltd. (the "Client"):

is letter to allow the use of and reliance on the following reports by the Bronte River LP:

- *"Phase One Environmental Site Assessment, "Area 1" - 1326 and 1350 Bronte Road & Part of 1300, 1316, 1342 and 1350 Bronte Road, Oakville, Ontario". Prepared by DS Consultants Ltd, project number 20-186-100. Dated March 22, 2023 (the "Area 1" Phase One ESA Report)".*
- *"Phase Two Environmental Site Assessment, "Area 1" - 1326 and 1350 Bronte Road & Part of 1300, 1316, 1342 and 1350 Bronte Road, Oakville, Ontario". Prepared by DS Consultants Ltd, project number 20-186-100. Dated July 12, 2023 (the "Area 1" Phase Two ESA Report)".*
- *"Phase One Environmental Site Assessment, "Area 2" - Part of 1300, 1316 and 1342 Bronte Road, Oakville, Ontario". Prepared by DS Consultants Ltd, project number 20-186-100. Dated March 22, 2023 (the "Area 2" Phase One ESA Report)".*
- *"Phase Two Environmental Site Assessment, "Area 2" - Part of 1300, 1316 and 1342 Bronte Road, Oakville, Ontario". Prepared by DS Consultants Ltd, project number 20-186-100. Dated July 14, 2023 (the "Area 2" Phase Two ESA Report)".*

We confirm the Report including the representations, assumptions, findings, opinions and recommendations contained in the Report, can be relied on by The Corporation of the Town of Oakville (the "Town"), The Regional Municipality of Halton (the "Region") and their peer reviewers as if the Report was prepared for the use and benefit of the Town and the Region notwithstanding any statement to the contrary contained in the Report and excluding any limitation on liability agreed to by the Client. The Consultant further agrees that in the case of any inconsistency between this Reliance Letter and any limitations within the Report provided to the Town, the provisions in this Reliance Letter shall prevail.

We acknowledge and agree that the Town and the Region will utilize the Report for the purposes of assessing the environmental risk of the Property. We confirm that the Report was prepared, and completed by or under the supervision of a Qualified Person as defined under Ontario Regulation 153/04 (as amended), and in accordance with environmental laws and regulations applicable at the time of the investigation.



DS CONSULTANTS LTD.

Geotechnical ♦ Environmental ♦ Materials ♦ Hydrogeology

The Consultant has and will maintain Professional Liability insurance coverage of no less than \$2,000,000 and attached to this letter is proof of the insurance.

Yours truly,

DS CONSULTANTS LTD.

Patrick Fioravanti, B.Sc., P.Geo., QP_{ESA}

Manager – Environmental Services