

Wedgewood Park

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting red oak and basswood.
- Imported willow leaf beetle present and causing minor damage on willow.
- Light defoliation due to elm leaf beetle affecting Siberian elm.
- Moderate beech scale present on American beech.
- Several dead elms, some declining black cherry.
- Tar spot present on Norway maple.
- Isolated pocket of yard waste dumping
- Moderate to high level of off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 5 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate	moderate	low	low	low	low
buckthorn	garlic mustard	coltsfoot	English ivy	euonymus	goutweed

Other species:
 Japanese knotweed (low)
 periwinkle (low)
 phragmites (low)
 purple loosestrife (low)

Birchview Park

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend

- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation due to LDD moth affecting red oak and willow.
- Imported willow leaf beetle present and causing minor damage on willow.
- Tar spot present on Norway maple.
- Anthracnose present on red oak.
- One declining white birch.
- Both glossy and European buckthorn present.
- Tree of Heaven present.
- Isolated pocket of yard waste dumping.

Invasive plant presence

moderate 	moderate 	moderate 	low 	low
buckthorn	euonymus	garlic mustard	periwinkle	wild grape

Ash mortality update


Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 4 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Poplar Park

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings







- Imported willow leaf beetle present and causing minor damage on willow.
- Willow decline, cause unknown.
- Isolated pocket of yard waste dumping.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash tree was surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

 moderate	 low	 low
		
garlic mustard	goutweed	wild grape

Cornwall Woods North

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Imported willow leaf beetle present and causing minor damage on willow.
- No abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate	moderate	moderate	moderate	moderate	low
buckthorn	dog strangling vine	garlic mustard	honeysuckle	phragmites	wild grape

Morrison-Wedgewood Channel West - 2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality

2



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Anthracnose present on bur oak.
- No abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 3 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Falgarwood Park

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting red and white oak.
- Imported willow leaf beetle present on willow causing minor damage.
- Low level of off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash tree was surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

 moderate 	 moderate 	 low 	 low 	 low 	 low
buckthorn	garlic mustard	coltsfoot	English ivy	honeysuckle	wild grape

Gainsborough Park

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation due to imported willow leaf beetle affecting willow.
- Scattered pockets of yard waste dumping and a moderate level of off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Sheridan Hills Park

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings











- Light defoliation due to LDD moth affecting English oak.
- Anthracnose present on silver maple.
- Low level of off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash tree was surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

 high	 moderate	 low	 low	 low
				
buckthorn	garlic mustard	bindweed	honeysuckle	periwinkle

Sheridan Hills Park

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings







- Anthracnose present on Norway maple.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

high	moderate	moderate
 	 	 
periwinkle	buckthorn	garlic mustard

Sheridan Hills Park


Canopy is moderately healthy; some minor issues but less than 30% tree mortality

2



Sheridan Hills Park

1.44 hectares



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Moderate to severe defoliation due to LDD moth affecting oak, hickory, and hawthorn.
- Low level of off-trail trampling.
- Oak mortality.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



buckthorn

garlic mustard

Lancaster Woods

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting red, white, and bur oak.
- Isolated pocket of yard waste dumping.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate buckthorn	moderate garlic mustard	moderate honeysuckle	moderate periwinkle
---------------------------	--------------------------------	-----------------------------	----------------------------

Valleybrook Park

Canopy is moderately healthy; some minor issues but less than 30% tree mortality

2









Forest Health Rating Legend

- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Elm mortality due to Dutch elm disease.
- Light defoliation due to LDD moth affecting white and swamp white oak.
- Imported willow leaf beetle present on willow causing minor damage.
- Anthracnose present on swamp white oak and tar spot present on Norway maple.
- Low level of off-trail trampling.

Invasive plant presence

 moderate  buckthorn	 moderate  garlic mustard	 low  honeysuckle
---	---	---

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 4 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Nena Woods Park

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting oak, hawthorn, and hickory.
- Imported willow leaf beetle present causing minor damage to willow.
- Oak leaf blister disease present on red oak and anthracnose present on swamp white oak.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate <p>buckthorn</p>	moderate <p>garlic mustard</p>	moderate <p>honeysuckle</p>	low <p>bindweed</p>	low <p>purple loosestrife</p>
------------------------------	-----------------------------------	--------------------------------	------------------------	----------------------------------

Crosstown Trail (I.R.) - 2

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings







- Light defoliation due to LDD moth affecting oaks and hickory.
- Oak leaf blister disease present on red oak and anthracnose present on bur oak.
- Isolated pocket of yard waste dumping and a low level of off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

high	moderate	low
 	 	 
buckthorn	garlic mustard	honeysuckle

East Joshua Creek Trail - 1


Canopy is healthy with no obvious forest health issues

1



East Joshua Creek Trail - 1

1.76 hectares



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Anthracnose present on white elm.
- Scattered pockets of yard waste dumping and some encroachment.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash tree was surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

moderate <p>buckthorn</p>	moderate <p>garlic mustard</p>	moderate <p>honeysuckle</p>	moderate <p>purple loosestrife</p>	low <p>wild grape</p>
------------------------------	-----------------------------------	--------------------------------	---------------------------------------	--------------------------

Bayshire Woods Park

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting oaks, basswood, beech, hickory, and ironwood.
- Isolated pocket of yard waste dumping.
- Low level of off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

 moderate 	 moderate 	 moderate 	 low 	 low
buckthorn	garlic mustard	honeysuckle	periwinkle	phragmites

Kings Park Woods

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting basswood.
- Imported willow leaf beetle present and causing minor damage on willow.
- Both glossy and European buckthorn present.
- No abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate	moderate	moderate	low	low	low
buckthorn	garlic mustard	honeysuckle	English ivy	euonymus	goutweed

Other species:
periwinkle (low)
purple loosestrife (low)
wild grape (low)

Albion Park

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting red oak.
- No abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate	moderate	moderate	moderate	low	low
buckthorn	euonymus	garlic mustard	honeysuckle	English ivy	wild grape

Lakeside Freight

Canopy is moderately healthy; some minor issues but less than 30% tree mortality

2



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting cottonwood.
- Imported willow leaf beetle present causing minor damage to willow.
- Elm mortality due to Dutch elm disease.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash tree was surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

high	moderate	moderate	moderate	low
buckthorn	garlic mustard	honeysuckle	wild grape	phragmites

Edgeward Park

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting red oak and basswood.
- Isolated pocket of yard waste dumping.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

<p>high</p> <p>buckthorn</p>	<p>moderate</p> <p>garlic mustard</p>
-------------------------------------	--

Fleetwood Park

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- No biotic or abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Old Upper Middle Road Park

Canopy is moderately healthy; some minor issues but less than 30% tree mortality

2



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting red oak.
- Anthracnose present on red and bur oak and leaf scorch present on hawthorn.
- Low level of off-trail trampling.
- Blowdown damage.
- White pine decline and mortality, cause unknown.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 4 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

 moderate <p>buckthorn</p>	 moderate <p>garlic mustard</p>	 moderate <p>honeysuckle</p>	 low <p>coltsfoot</p>
---	--	---	------------------------------------

McCraney Valley Park

Canopy is moderately healthy; some minor issues but less than 30% tree mortality

2



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation due to LDD moth affecting red oak.
- Elm mortality due to Dutch elm disease.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



McCraney Valley Park

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation due to LDD moth affecting red and bur oak.
- Isolated pocket of yard waste dumping.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



buckthorn

honeysuckle

Morrison-Wedgewood Channel West - 2

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to imported willow leaf beetle affecting willow.
- No abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

 high buckthorn	 moderate garlic mustard	 moderate honeysuckle
----------------------------------	---	--

Leighland Park


Canopy is healthy with no obvious forest health issues

1



Leighland Park

0.10 hectares



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Low level of off-trail trampling.
- No biotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

<p>high</p> <p>buckthorn</p>	<p>moderate</p> <p>garlic mustard</p>
-------------------------------------	--

Sixth Line Parkette

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation due to LDD moth affecting red oak.
- No abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence



McCraney Valley Park

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation due to LDD moth affecting red oak, white oak, and basswood.
- Oak leaf blister disease present on red oak and anthracnose present on red maple and red oak.
- Scattered pockets of yard waste dumping and a moderate level of off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 4 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence



The Parkway - 1

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to elm leaf beetle affecting Siberian elm.
- Anthracnose present on Siberian elm.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

 high buckthorn	 moderate garlic mustard	 moderate honeysuckle
----------------------------------	---	--

The Parkway - 1

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Imported willow leaf beetle present causing minor damage to willow.
- Light defoliation due to elm leaf beetle affecting Siberian elm.
- Anthracnose present on Siberian elm.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

 high	 moderate	 low	 low	 low	 low
buckthorn	garlic mustard	honeysuckle	phragmites	purple loosestrife	wild grape

Kingsford Gardens

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- No biotic or abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

high	moderate	moderate
buckthorn	garlic mustard	honeysuckle

Old Upper Middle Road Park

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to elm leaf beetle affecting Siberian elm.
- Anthracnose present on silver maple.
- No abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

moderate <p>bindweed</p>	moderate <p>garlic mustard</p>	low <p>honeysuckle</p>	low <p>Japanese knotweed</p>
-----------------------------	-----------------------------------	---------------------------	---------------------------------

Joshua Valley Park - 1

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings







- Light defoliation due to LDD moth affecting willow.
- Imported willow leaf beetle present and causing minor damage on willow.
- No abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **35** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence


 moderate	 moderate	 moderate	 moderate	 low	 low
dog strangling vine	honeysuckle	phragmites	purple loosestrife	bindweed	buckthorn

Other species:
 coltsfoot (low)
 garlic mustard (low)
 wild grape (low)

Joshua Valley Park - 1

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Imported willow leaf beetle present and causing minor damage on willow.
- A few dead poplars and one dead maple, cause unknown.
- Scattered pockets of yard waste dumping.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 5 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

high	moderate	moderate	low
garlic mustard	buckthorn	periwinkle	purple loosestrife

Joshua Valley Park - 1

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting red oak, basswood, and white birch.
- Imported willow leaf beetle present and causing minor damage on willow.
- Light defoliation due to elm leaf beetle affecting Siberian elm.
- Anthracnose present on sugar maple.
- Isolated pocket of yard waste dumping.
- Low level of off-trail trampling.
- Mortality recorded in maple, white birch, white elm, and white pine.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **53** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate buckthorn	moderate garlic mustard	moderate purple loosestrife	low bindweed	low coltsfoot	low English ivy
-----------------------	----------------------------	--------------------------------	-----------------	------------------	--------------------

Other species:
 euonymus (low)
 honeysuckle (low)
 periwinkle (low)
 phragmites (low)
 wild grape (low)

Charnwood Park

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting red oak and white birch.
- Moderate level of off-trail trampling.
- White birch in decline, some mortality, cause unknown.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 7 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

moderate	moderate	low	low	low	low
garlic mustard	honeysuckle	buckthorn	English ivy	euonymus	periwinkle

Joshua Valley Park - 2

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings







- No biotic or abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

 moderate	 moderate	 moderate	 moderate	 low	 low
buckthorn	garlic mustard	Himalayan balsam	Japanese knotweed	honeysuckle	periwinkle

Other species:
phragmites (low)
purple loosestrife (low)
wild grape (low)

Joshua Valley Park - 2


2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Joshua Valley Park - 2

0.02 hectares



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Sugar maple mortality.
- Scattered pockets of yard waste dumping.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

 moderate 	 low 	 low
garlic mustard	honeysuckle	wild grape

Joshua Valley Park - 2


1

Canopy is healthy with no obvious forest health issues



Joshua Valley Park - 2

0.03 hectares



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- No biotic or abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Aspen Forest Park

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings






- Light defoliation due to LDD moth affecting red oak.
- Recent harvesting activity.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **6** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

 <p>moderate</p>	 <p>moderate</p>	 <p>moderate</p>	 <p>low</p>	 <p>low</p>
garlic mustard	honeysuckle	wild grape	buckthorn	phragmites

Aspen Forest Park

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting red oak.
- Elm leaf beetle present and causing minor damage on Siberian elm.
- Scattered pockets of yard waste dumping.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash tree was surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

 moderate <p>garlic mustard</p>	 low <p>honeysuckle</p>	 low <p>wild grape</p>
--	--------------------------------------	-------------------------------------

Aspen Forest Park

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation due to elm leaf beetle affecting Siberian elm.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence



Aspen Forest Park

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation due to LDD moth affecting bur oak.
- One bur oak in decline, potentially due to LDD moth.
- Anthracnose present on silver maple.
- Low level of off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 3 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Aspen Forest Park

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting English and red oak.
- Elm leaf beetle present and causing minor damage on Siberian elm.
- Several dead trembling aspen and one dead white elm, cause unknown.
- No abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash tree was surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate	moderate	moderate	moderate	moderate	low
bindweed	buckthorn	garlic mustard	honeysuckle	purple loosestrife	wild grape

Beechnut Forest Park

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting bur oak, red oak, basswood, American beech, and black cherry.
- Imported willow leaf beetle present and causing minor damage on willow.
- Anthracnose affecting bur oak.
- Maple decline and mortality recorded, cause unknown.
- Isolated pockets of yard waste dumping.
- Moderate level of off-trail trampling.
- Both glossy and European buckthorn present.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate	moderate	low	low	low	low
buckthorn	garlic mustard	honeysuckle	periwinkle	purple loosestrife	wild grape

Joshua Valley Park - 2

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting basswood, white birch, and willow.
- Imported willow leaf beetle present and causing minor damage on willow.
- Birch leaf miner present and causing minor damage on white birch.
- A few declining white birch and sugar maple, cause unknown.
- Low to moderate level of off-trail trampling and some encroachment.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **72** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence


moderate buckthorn	moderate euonymus	moderate garlic mustard	moderate honeysuckle	low coltsfoot	low purple loosestrife
-----------------------	----------------------	----------------------------	-------------------------	------------------	---------------------------

Other species:
wild grape (low)

Munn's Cemetery Woodland

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings









- No biotic or abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

high	moderate	moderate	moderate
			
			
buckthorn	garlic mustard	honeysuckle	periwinkle

Ontario Hydro/River Oaks


Canopy is healthy with no obvious forest health issues

1



Ontario Hydro/River Oaks

0.07 hectares



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- No biotic or abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



high
buckthorn

Ontario Hydro/River Oaks

Canopy health is affected by obvious forest health issues, greater than 30% mortality

3



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Dutch elm disease present causing severe damage and mortality of white elm.
- Anthracnose present on white elm.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

high	moderate	low	low
buckthorn	bindweed	honeysuckle	purple loosestrife

Lillykin Woods

Canopy is moderately healthy; some minor issues but less than 30% tree mortality

2



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Elm mortality due to Dutch elm disease.
- Anthracnose present on white elm.
- No abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Vineland Woods

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Moderate defoliation due to LDD moth affecting oaks and basswood.
- Anthracnose present on bur oak.
- No abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

 moderate <p>buckthorn</p>	 moderate <p>garlic mustard</p>	 moderate <p>phragmites</p>	 low <p>honeysuckle</p>
---	--	--	--------------------------------------

Oak Springs Trail

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings







- Light defoliation due to LDD moth affecting oaks, basswood, Norway maple, and trembling aspen.
- Imported willow leaf beetle present causing minor damage to willow.
- Scattered pockets of yard waste dumping and a low level of off-trail trampling.
- Harvesting damage.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 2 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

 moderate	 moderate	 moderate	 low	 low	 low
buckthorn	garlic mustard	honeysuckle	goutweed	phragmites	periwinkle

River Glen Park

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- No biotic or abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **2** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Munn's Creek Trail - 2

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend

- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting oaks, basswood, and hawthorn.
- Imported willow leaf beetle present causing minor damage to willow.
- Leaf roller present on white elm and anthracnose present on red oak.
- Scattered pockets of yard waste dumping and a moderate level of off-trail trampling.


Invasive plant presence

moderate 	moderate 	moderate 	low 	low 	low
buckthorn	garlic mustard	honeysuckle	purple loosestrife	periwinkle	wild grape

Other species:
euonymus (low)

Ash mortality update


Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



River Oaks Park

Canopy is moderately healthy; some minor issues but less than 30% tree mortality

2



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting bur oak.
- Anthracnose present on bur oak.
- Moderate level of off-trail trampling.
- Bur oak decline.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 4 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

moderate <p>buckthorn</p>	moderate <p>garlic mustard</p>	low <p>honeysuckle</p>
------------------------------	-----------------------------------	---------------------------

Neyagawa Park

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting hawthorn.
- Leaf scorch present on hawthorn.
- No abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **2** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

high 	moderate 	low
buckthorn	garlic mustard	wild grape

Lindsay Park

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation due to LDD moth affecting red oak.
- Oak leaf blister present on red oak and anthracnose present on bur oak.
- Isolated pocket of yard waste dumping and a low level of off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence



Dorval Trail

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting red oak, bur oak, and shagbark hickory.
- No abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

 high <p>buckthorn</p>	 moderate <p>garlic mustard</p>	 low <p>periwinkle</p>
-------------------------------------	--	-------------------------------------

Indian Ridge Trail - 2

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend

- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation due to LDD moth affecting red, bur, and swamp white oaks.
- Imported willow leaf beetle present causing minor damage to willow.
- Anthracnose present on red oak and silver maple.
- Scattered pockets of yard waste dumping.
- Low level of off-trail trampling and some encroachment.
- Isolated pocket of white pine mortality.

Invasive plant presence

moderate	moderate	low	low	low	low
buckthorn	garlic mustard	bindweed	English ivy	honeysuckle	periwinkle

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 5 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Other species:
purple loosestrife (low)
wild grape (low)

Glen Oak Creek Trail South - 2

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation on willow due to imported willow leaf beetle.
- Tar spot present on Norway maple.
- No abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash tree was surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate 	moderate 	moderate 	low 	low 	low
buckthorn	garlic mustard	honeysuckle	English ivy	periwinkle	purple loosestrife

Other species:
wild grape (low)

Glen Oak Creek Trail South - 2

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend

- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting oaks, apple, basswood, hickory, and willow.
- Imported willow leaf beetle present causing minor damage to willow.
- Anthracnose present on sugar maple.
- Isolated pocket of yard waste dumping and a low level of off-trail trampling.


Invasive plant presence

moderate buckthorn	moderate garlic mustard	low bindweed	low dog strangling vine	low euonymus	low goutweed
-----------------------	----------------------------	-----------------	----------------------------	-----------------	-----------------

Other species:
periwinkle (low)

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **9** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Glen Abbey Trail - 3

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting red oak, apple, basswood, and hawthorn.
- Oak leaf blister disease present on red oak.
- Isolated pocket of yard waste dumping.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

 moderate <p>buckthorn</p>	 moderate <p>garlic mustard</p>	 low <p>English ivy</p>
---	--	--------------------------------------

Glen Abbey Trail - 3


Canopy is healthy with no obvious forest health issues

1



Glen Abbey Trail - 3

0.04 hectares



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation due to LDD moth affecting red oak and shagbark hickory.
- No abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence




high
buckthorn

Taplow Creek Trail (G.A.) - 1

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings







- Light defoliation due to LDD moth affecting red oak and willow.
- Imported willow leaf beetle present causing minor damage to willow.
- Fire blight present on pear.
- Scattered pockets of yard waste dumping and a low level of off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 4 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

 moderate	 moderate	 moderate	 moderate	 moderate	 low
buckthorn	black alder	garlic mustard	honeysuckle	purple loosestrife	bindweed

Other species: wild grape (low)

Nottingham Park

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings







- Light defoliation due to LDD moth affecting red oak.
- Isolated pocket of yard waste dumping.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **2** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

high	moderate	low
 	 	 
buckthorn	garlic mustard	wild grape

Nightengale Woods

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting oaks, basswood, beech, and hickory.
- Dutch elm disease causing moderate damage to white elm.
- Leaf roller present on ironwood and basswood.
- Isolated pocket of yard waste dumping and some encroachment.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

 moderate 	 moderate 	 low
buckthorn	garlic mustard	English ivy

Glen Oak Creek Trail North - 1

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting oaks, basswood, and hickory.
- Anthracnose present on bur oak and silver maple.
- Scattered pockets of yard waste dumping.
- Moderate level of off-trail trampling and some encroachment.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **2** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate 	moderate 	moderate 	low 	low 	low
buckthorn	garlic mustard	honeysuckle	purple loosestrife	periwinkle	black alder

Other species:
phragmites (low)

Taplow Creek Trail (W.O.T.)

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting red oak, bur oak, and shagbark hickory.
- Anthracnose present on bur oak and silver maple and tar spot present on Norway maple.
- Moderate level of off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate <p>buckthorn</p>	moderate <p>garlic mustard</p>	moderate <p>honeysuckle</p>	low <p>purple loosestrife</p>	low <p>periwinkle</p>
------------------------------	-----------------------------------	--------------------------------	----------------------------------	--------------------------

Glenayr Gate Trail

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings













- Light defoliation due to LDD moth affecting red oak, bur oak, and basswood.
- Imported willow leaf beetle present causing minor damage to willow.
- Isolated pocket of yard waste dumping and some encroachment.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

 moderate	 moderate	 moderate	 moderate	 low	 low
					
buckthorn	garlic mustard	periwinkle	honeysuckle	purple loosestrife	wild grape

Other species:
phragmites (low)

Glenayr Gate Trail

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to imported willow leaf beetle affecting willow species.
- Low level of off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

moderate buckthorn	moderate garlic mustard	moderate honeysuckle	low English ivy	low periwinkle	low purple loosestrife
---------------------------	--------------------------------	-----------------------------	------------------------	-----------------------	-------------------------------

Waubanoka Parkette

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Moderate defoliation due to LDD moth affecting bur oak and basswood.
- Anthracnose present on bur oak.
- Heavy off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

high	moderate	moderate
buckthorn	garlic mustard	honeysuckle

Sixteen Hollow Park

Canopy is moderately healthy; some minor issues but less than 30% tree mortality

2



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation due to LDD moth affecting red and bur oak.
- Anthracnose present on sugar maple and bur oak.
- Fire blight present on pear.
- Scattered pockets of yard waste dumping and a moderate level of off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 4 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Sheridan Garden Pond

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings







- Light defoliation due to elm leaf beetle affecting Siberian elm.
- No abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 4 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate  buckthorn	moderate  garlic mustard	moderate  phragmites	moderate  purple loosestrife	moderate  wild grape	low  honeysuckle
--	--	--	--	---	--

Erchless Estates

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Low level of off-trail trampling.
- No biotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash tree was surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

moderate	moderate	moderate	low
English ivy	garlic mustard	honeysuckle	euonymus

Sixteen Mile Creek South QEW -2

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting bur oak, red oak, and basswood.
- Imported willow leaf beetle present and causing minor damage on willow.
- Anthracnose present on bur oak.
- Several dead and declining willows.
- Storm damage.
- Scattered pockets of yard waste dumping.
- Low level of off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 5 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence


moderate	moderate	moderate	low	low	low
buckthorn	garlic mustard	honeysuckle	coltsfoot	Japanese knotweed	periwinkle

Other species:
phragmites (low)
purple loosestrife (low)
wild grape (low)

Sixteen Mile Creek South QEW - 1

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting red oak.
- Imported willow leaf beetle present and causing minor damage on willow.
- No abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

moderate <p>buckthorn</p>	moderate <p>garlic mustard</p>	moderate <p>honeysuckle</p>	low <p>dog strangling vine</p>	low <p>wild grape</p>
------------------------------	-----------------------------------	--------------------------------	-----------------------------------	--------------------------

Cornwall Road Buffer Block

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Imported willow leaf beetle present and causing minor damage on willow.
- Dumping of debris and rail equipment.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **15** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

moderate	moderate	moderate	moderate	low
buckthorn	honeysuckle	phragmites	purple loosestrife	garlic mustard

Cornwall Road Buffer Block

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Imported willow leaf beetle present and causing minor damage on willow.
- Scattered pockets of yard waste dumping.
- Low level of off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence


moderate 	moderate 	moderate 	moderate 	low 	low
buckthorn	garlic mustard	honeysuckle	Japanese knotweed	bindweed	dog strangling vine

Other species:
periwinkle (low)
wild grape (low)

Cornwall Road Buffer Block

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Imported willow leaf beetle present and causing minor damage on willow.
- Low level of off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate	moderate	moderate	moderate	low	low
bindweed	buckthorn	garlic mustard	honeysuckle	Japanese knotweed	wild grape

Maple Valley Park

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings













- Imported willow leaf beetle present and causing minor damage on willow.
- Scattered pockets of yard waste dumping.
- Low to moderate level of off-trail trampling
- Significant encroachment.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

 high	 low	 low	 low	 low	 low
					
garlic mustard	buckthorn	English ivy	euonymus	honeysuckle	Japanese knotweed

Other species:
periwinkle (low)

Westgate Park

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Imported willow leaf beetle present and causing minor damage on willow.
- Storm damage.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 3 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

moderate	moderate	moderate	low
buckthorn	garlic mustard	honeysuckle	euonymus

600 Speers Road Buffer Block

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting poplar.
- Imported willow leaf beetle present and causing minor damage on willow.
- Light defoliation due to elm leaf beetle affecting Siberian elm.
- No abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

moderate	moderate	moderate	low	low
buckthorn	garlic mustard	honeysuckle	phragmites	wild grape

595 Speers Road Buffer Block

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Imported willow leaf beetle present and causing minor damage on willow.
- No abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate 	moderate 	moderate 	low 	low
buckthorn	honeysuckle	purple loosestrife	bindweed	dog strangling vine

Trafalgar Park

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting red oak and shagbark hickory.
- Imported willow leaf beetle present and causing minor damage on willow.
- Tar spot present on Norway maple.
- Isolated pocket of yard waste dumping.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

high	moderate	low	low
garlic mustard	buckthorn	euonymus	wild grape

Anderson Street Parkette

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Imported willow leaf beetle present and causing minor damage on willow.
- Tar spot present on Norway maple.
- Isolated pocket of yard waste dumping.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence



Shipyard Park

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- No biotic or abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate <p>garlic mustard</p>	moderate <p>honeysuckle</p>	moderate <p>wild grape</p>	low <p>bindweed</p>	low <p>Japanese knotweed</p>
-----------------------------------	--------------------------------	-------------------------------	------------------------	---------------------------------

Walker Street Promenade

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting red and white oak.
- Recent harvesting activity.
- Low level of off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence


moderate	low	low	low	low	low
garlic mustard	bindweed	buckthorn	euonymus	goutweed	honeysuckle

Other species:
purple loosestrife (low)
wild grape (low)

Brock Parkette

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings





- Butternut canker present and causing minor damage on hybrid butternut.
- Isolated pocket of yard waste dumping.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

<p>high</p>  <p>goutweed</p>	<p>moderate</p>  <p>garlic mustard</p>	<p>low</p>  <p>honeysuckle</p>	<p>low</p>  <p>Japanese knotweed</p>
---	--	--	--

Holyrood Park

1

Canopy is healthy with no obvious forest health issues



Holyrood Park

0.44 hectares

Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings







- Light defoliation due to LDD moth affecting poplar.
- Imported willow leaf beetle present and causing minor damage on willow.
- Butternut canker present and causing minor damage on hybrid butternut.
- Anthracnose present on silver maple and tar spot present on Norway maple.
- Scattered pockets of yard waste dumping.
- Low level of off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

high	moderate	low
 	 	 
wild grape	garlic mustard	buckthorn

Shorewood Promenade

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation due to LDD moth affecting red oak.
- Low level of off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence



Sedgewick Forest

Canopy is moderately healthy; some minor issues but less than 30% tree mortality

2



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light to moderate defoliation due to LDD moth affecting oak and poplar; oak decline and mortality.
- Imported willow leaf beetle present and causing minor damage to willow.
- Isolated pocket of yard waste dumping.
- Moderate level off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 8 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence



Lakeshore West Buffer Block

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings





- Light defoliation due to LDD moth affecting beech.
- Low level of beech scale present.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

 moderate	 moderate	 moderate	 moderate
buckthorn	garlic mustard	honeysuckle	wild grape

Spring Garden Park

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting oak, apple, and willow.
- Imported willow leaf beetle present and causing minor damage on willow.
- Low level of off-trail trampling.
- Minor storm damage.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **2** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate	moderate	moderate	moderate	moderate	low
buckthorn	garlic mustard	honeysuckle	purple loosestrife	wild grape	euonymus

Chris Volkes Memorial Park

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- No biotic or abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate <p>buckthorn</p>	moderate <p>garlic mustard</p>	moderate <p>honeysuckle</p>
------------------------------	-----------------------------------	--------------------------------

Bronte Creek Trail

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Sumac decline and mortality.
- No abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate 	moderate 	moderate 	moderate 	low
bindweed	buckthorn	garlic mustard	honeysuckle	euonymus

Bronte Creek Trail

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Anthracnose present on silver maple.
- Scattered pockets of yard waste dumping.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash tree was surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Riverview Park

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation due to LDD moth affecting red and white oak.
- Scattered pockets of yard waste dumping.
- Low level of off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Riverview Park

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting bur oak.
- Imported willow leaf beetle present and causing light damage on willow.
- Tar spot present on Norway maple.
- Low level of off-trail trampling.
- Beaver activity.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate	moderate	moderate	moderate	low	low
buckthorn	garlic mustard	honeysuckle	purple loosestrife	bindweed	Russian olive

Other species:
wild grape (low)

Twelve Mile Creek Lookout

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation due to LDD moth affecting red oak.
- Red oaks declining, potentially due to LDD moth defoliation.
- Isolated pocket of yard waste dumping.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **2** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence



Bronte Creek Lands - 3

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Ash, basswood, and oak mortality recorded.
- Light defoliation due to LDD moth affecting red oak.
- Imported willow leaf beetle present and causing light damage on willow.
- Butternut canker present on hybrid butternut.
- Anthracnose affecting red oak; tar spot present on Norway maple.
- Isolated pocket of yard waste dumping.
- Moderate level of off-trail trampling and some encroachment.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **6** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate	low	low	low	low	low
garlic mustard	bindweed	buckthorn	Himalayan balsam	honeysuckle	periwinkle

Other species:
purple loosestrife (low)
wild grape (low)

Shell Park

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings







- Light defoliation due to LDD moth affecting various hardwood species.
- Imported willow leaf beetle present and causing minor damage on willow.
- Anthracnose present on silver maple.
- Several dead butternut.
- Storm damage.
- Scattered pockets of yard waste dumping.
- Low level of off-trail trampling and some encroachment.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **34** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence


 moderate	 moderate	 moderate	 low	 low	 low
buckthorn	garlic mustard	honeysuckle	black alder	euonymus	goutweed

Other species:
periwinkle (low)
purple loosestrife (low)

South Shell Waterfront Park

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Several sugar maples in decline.
- Tar spot present on Norway maple.
- Recent harvesting activity.
- Moderate level of off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate	moderate	low
garlic mustard	honeysuckle	buckthorn

South Shell Waterfront Park

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Imported willow leaf beetle present and causing light damage on willow.
- Tar spot present on Norway maple.
- Low level of off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

 moderate 	 low 	 low
garlic mustard	buckthorn	honeysuckle

Sheldon Creek Trail

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting red oak and basswood.
- Imported willow leaf beetle present and causing minor damage on willow.
- Anthracnose present on silver maple, sugar maple, and red oak.
- Several dead black locust.
- Scattered pockets of yard waste dumping.
- Low level of off-trail trampling.
- Additional invasive plant – oriental bittersweet.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **66** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate	moderate	low	low	low	low
buckthorn	garlic mustard	bindweed	black alder	coltsfoot	English ivy

Other species:
 euonymus (low)
 honeysuckle (low)
 phragmites (low)
 purple loosestrife (low)
 wild grape (low)

Creek Path Woods

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings







- Light defoliation due to LDD moth affecting bur oak, red oak, beech, basswood, and white birch.
- Imported willow leaf beetle present and causing light damage on willow.
- Beech erineum mite present and causing light damage on beech.
- Anthracnose affecting oak and maple.
- Scattered pockets of yard waste dumping and some encroachment.
- Low level of off-trail trampling.
- Understory is dominated by native species.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **18** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

 moderate	 moderate	 moderate	 low	 low	 low
buckthorn	garlic mustard	honeysuckle	bindweed	dog strangling vine	purple loosestrife

Other species: wild grape (low)

Hillmer Park

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings







- No biotic or abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

 moderate	 moderate	 low
		
garlic mustard	honeysuckle	buckthorn

Municipal Parking Lot #11B Buffer

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation due to elm leaf beetle affecting Siberian elm.
- No abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Brook Valley Park

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Imported willow leaf beetle present and causing minor damage on willow.
- Tar spot present on Norway maple.
- No abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 5 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Central Operations Woods

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Clearing due to construction.
- No biotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **2** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

high	moderate	moderate	moderate
buckthorn	garlic mustard	phragmites	purple loosestrife

1007 South Service Road West Buffer

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- No biotic or abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate <p>buckthorn</p>	moderate <p>honeysuckle</p>	moderate <p>purple loosestrife</p>	low <p>wild grape</p>
------------------------------	--------------------------------	---------------------------------------	--------------------------

Sixteen Mile Creek Trail North U.M.R.

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting red oak.
- Anthracnose present on red oak.
- No abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate	moderate	low
garlic mustard	buckthorn	bindweed

Sixteen Mile Creek Trail North U.M.R.

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting English oak.
- Anthracnose present on Norway maple.
- No abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash tree was surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

high 	moderate 	low 	low
garlic mustard	buckthorn	wild grape	bindweed

Sixteen Mile Creek Trail North U.M.R.

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation due to LDD moth affecting English oak.
- No abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash tree was surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



2125 South Service Road West Buffer

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Imported willow leaf beetle present and causing minor damage on willow.
- No abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 3 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

moderate	moderate	low	low	low	low
garlic mustard	honeysuckle	bindweed	buckthorn	phragmites	wild grape

Bronte Creek Lands - 2

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting red oak, basswood, and black cherry.
- Anthracnose present on sugar maple.
- Scattered pockets of yard waste dumping.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

moderate	moderate	moderate	low
buckthorn	garlic mustard	honeysuckle	periwinkle

Bronte Creek Lands - 1

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings







- Imported willow leaf beetle present and causing minor to moderate damage on willow.
- Moderate level of off-trail trampling.
- Beaver activity.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **6** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

 low	 low	 low	 low	 low	 low
bindweed	buckthorn	coltsfoot	garlic mustard	giant hogweed	Himalayan balsam

Other species:
 honeysuckle (low)
 purple loosestrife (low)
 wild grape (low)

Woodlot 235

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- No biotic or abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence



Petro Canada Woods

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings







- Light defoliation due to LDD moth affecting red and white oak.
- Imported willow leaf beetle present and causing minor damage on willow.
- Anthracnose present on bur oak.
- Oak and hickory decline.
- No abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **21** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

 moderate	 moderate	 moderate	 low	 low	 low
buckthorn	garlic mustard	honeysuckle	bindweed	black alder	purple loosestrife

Other species:
Russian olive (low)

Petro Canada North

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings







- No biotic or abiotic disturbances recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence


 moderate	 moderate	 moderate	 moderate	 low	 low
bindweed	garlic mustard	honeysuckle	Russian olive	buckthorn	dog strangling vine

Other species:
purple loosestrife (low)

Red Oak Trail

Canopy is moderately healthy; some minor issues but less than 30% tree mortality

2



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings







- Light defoliation due to LDD moth affecting bur oak.
- Imported willow leaf beetle present causing minor damage to willow.
- Anthracnose present on bur oak.
- Poplar mortality and willow decline, cause unknown.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **31** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

 moderate	 moderate	 moderate	 moderate	 low	 low
bindweed	buckthorn	garlic mustard	wild grape	honeysuckle	phragmites

Other species:
purple loosestrife (low)
Russian olive (low)



Woodlot 242

Canopy is moderately healthy; some minor issues but less than 30% tree mortality

2



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- No biotic or abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 4 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

high **moderate**

buckthorn

honeysuckle

Glen Abbey Trail - 1


Canopy is healthy with no obvious forest health issues

1



Glen Abbey Trail - 1

0.41 hectares



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Tar spot present on Norway maple.
- No abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate	moderate	low
buckthorn	garlic mustard	honeysuckle

Glen Abbey Trail - 1


Canopy is healthy with no obvious forest health issues

1



Glen Abbey Trail - 1

0.21 hectares



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- No biotic or abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

 moderate <p>buckthorn</p>	 moderate <p>garlic mustard</p>	 low <p>honeysuckle</p>
---	--	--------------------------------------

Glen Abbey Trail - 1


Canopy is healthy with no obvious forest health issues

1



Glen Abbey Trail - 1

0.20 hectares



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Isolated pocket of yard waste dumping.
- No biotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

high	moderate	low
buckthorn	garlic mustard	wild grape

Manor Parkette

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation due to LDD moth affecting oaks.
- Anthracnose present on white and bur oak.
- Isolated pocket of yard waste dumping.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



buckthorn

Brockberry Woods Park

Canopy is moderately healthy; some minor issues but less than 30% tree mortality

2



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation due to LDD moth affecting shagbark hickory.
- Isolated pocket of yard waste dumping and a low level of off-trail trampling.
- Mature hickories declining.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Grand Oak Woods

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting bur oak and shagbark hickory.
- Anthracnose present on bur oak.
- Isolated pocket of yard waste dumping.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

● high	● low
buckthorn	wild grape

Colonel Williams Woods

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Moderate defoliation due to LDD moth affecting red and white oak, basswood, and willow. Some small pockets of severe defoliation.
- Leaf roller present on hickory and basswood.
- Scattered pockets of yard waste dumping.
- Low level of off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence


moderate buckthorn	moderate garlic mustard	moderate honeysuckle	moderate purple loosestrife	low coltsfoot	low wild grape
-----------------------	----------------------------	-------------------------	--------------------------------	------------------	-------------------

Other species:
bindweed (low)

Woodlot 277


Canopy is healthy with no obvious forest health issues

1



Woodlot 277

0.03 hectares



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- No biotic or abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence



Donovan Bailey Park - 1

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Elm leaf beetle present and causing minor damage on Siberian elm.
- Anthracnose present on silver maple.
- Low level of off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

high 	moderate 	low
 garlic mustard	 buckthorn	 euonymus

Fourth Line Buffer Block

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings






- No biotic or abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

high	moderate	moderate	moderate	low
				
phragmites	buckthorn	honeysuckle	purple loosestrife	garlic mustard

Donovan Bailey Park - 1

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Imported willow leaf beetle present and causing minor damage on willow.
- No abiotic disturbance recorded.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **21** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate 	moderate 	moderate 	moderate 	low 	low
buckthorn	garlic mustard	Himalyan balsam	wild grape	euonymus	periwinkle

Arkendo Park

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Imported willow leaf beetle present and causing minor damage on willow.
- Light defoliation due to elm leaf beetle affecting Siberian elm.
- Tar spot present on Norway maple.
- Red pine decline.
- Scattered pockets of yard waste dumping.
- Low level of off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **42** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate	moderate	moderate	low	low	low
buckthorn	garlic mustard	honeysuckle	bindweed	English ivy	Himalayan balsam

Other species:
 phragmites (low)
 purple loosestrife (low)
 wild grape (low)

Great Lakes Woods

Canopy is moderately healthy; some minor issues but less than 30% tree mortality

2



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation due to LDD moth affecting bur oak and hickory.
- Anthracnose present on bur oak.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **12** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

 high buckthorn	 moderate garlic mustard	 low bindweed	 low coltsfoot
----------------------------------	---	--------------------------------	---------------------------------

Woodlot 2562

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Moderate defoliation due to LDD moth affecting bur oak, red oak, and shagbark hickory.
- Light defoliation due to elm leaf beetle affecting Siberian elm.
- Low level of off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

moderate	moderate	low	low
buckthorn	garlic mustard	honeysuckle	purple loosestrife

Linbrook Woods

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings









- Light defoliation due to LDD moth affecting red oak.
- Light beech scale present on American beech.
- Scattered pockets of yard waste dumping.
- Moderate level of off-trail trampling.
- Storm damage.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

 high	 moderate	 moderate	 moderate
			
garlic mustard	buckthorn	euonymus	honeysuckle