

Wedgewood Park

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Beech bark disease present, causing minor damage.
- Light defoliation of oak and basswood, possibly due to cankerworm.
- Oak leaf blister disease present on red oak, causing minor damage.
- Scattered pockets of yard waste dumping.
- Moderate off-trail trampling.
- Pockets of white pine decline and mortality.


Invasive plant presence

moderate




buckthorn

moderate




euonymus

moderate




garlic mustard

moderate




honeysuckle

low



coltsfoot


low



goutweed

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 8 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



- Other species:
- Japanese knotweed (low)
 - periwinkle (low)
 - phragmites (low)
 - purple loosestrife (low)
 - wild grape (low)
- BioForest

Birchview Park

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation of red oak, possibly due to cankerworm.
- Tar spot present on Norway maple, causing minor damage.
- Isolated pocket of yard waste dumping.
- Decline and mortality affecting several species.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 3 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Poplar Park

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- No biotic or abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Cornwall Woods North

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- No biotic or abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Morrison-Wedgewood Channel West - 2

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of bur oak, possibly due to cankerworm.
- No abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Falgarwood Park

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of oak, possibly due to cankerworm.
- Moderate defoliation of basswood and elm due to Japanese beetle.
- Elm leaf beetle and anthracnose affecting Siberian elm, causing minor damage.
- Blowdown of canopy trees.
- Scattered patches of yard waste dumping.
- Pocket of white pine decline.


Invasive plant presence

high




buckthorn

moderate




garlic mustard

moderate




wild grape

low



English ivy


low



honeysuckle

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Gainsborough Park

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of willow due to imported willow leaf beetle.
- Light defoliation of apple due to Japanese beetle.
- Tar spot present on Norway maple, causing minor damage.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

high

buckthorn

high

garlic mustard

low

euonymus

low

periwinkle

Sheridan Hills Park

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend

- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Anthracnose present on silver maple, causing minor damage.
- Tar spot present on Norway maple, causing minor damage.
- Moderate off-trail trampling.
- Scattered pockets of yard waste dumping.
- Low-level encroachment from backyard gardens.

Invasive plant presence

high

buckthorn

moderate


garlic mustard

low

periwinkle

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Sheridan Hills Park

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Tar spot present on Norway maple, causing minor damage.
- Isolated pocket of yard waste dumping.


Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

high




buckthorn

high



periwinkle

moderate



garlic mustard

Sheridan Hills Park

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of oaks and hickory, possibly due to cankerworm.
- Anthracnose present on bur oak, causing minor damage.
- Oak leaf blister disease present on red oak, causing minor damage.
- Scattered pockets of yard waste dumping.
- Low-level off-trail trampling.


Invasive plant presence

high




buckthorn

high




garlic mustard

low



honeysuckle


low



wild grape

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Lancaster Woods

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of oaks and hickory, possibly due to cankerworm.
- Abundant pockets of yard waste dumping.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

high

buckthorn

moderate

garlic mustard

moderate

honeysuckle

moderate

periwinkle

Valleybrook Park

Canopy is moderately healthy; some minor issues but less than 30% tree mortality

2



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of willow due to imported willow leaf beetle.
- Anthracnose present on swamp white oak, causing minor damage.
- Dutch elm disease causing severe damage and mortality of American elm.
- Low-level off-trail trampling.
- Isolated pocket of yard waste dumping.


Invasive plant presence

high




buckthorn

high




garlic mustard

moderate



wild grape


low



honeysuckle

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Nena Woods Park

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings













- Light defoliation of oaks and hickory, possibly due to cankerworm.
- Harvesting of canopy trees.
- Scattered pockets of yard waste dumping.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

 	 	 	 	 	 
buckthorn	bindweed	garlic mustard	honeysuckle	purple loosestrife	wild grape

Crosstown Trail (I.R.) - 2

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of oaks, possibly due to cankerworm.
- Light defoliation of basswood due to Japanese beetle.
- Low-level off-trail trampling.
- Scattered pockets of yard waste dumping.


Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

high




buckthorn

low



garlic mustard

low



wild grape

East Joshua Creek Trail - 1

Canopy health is affected by obvious forest health issues, greater than 30% mortality

3




Forest Health Rating Legend

- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation of bur oak, possibly due to cankerworm.
- Light defoliation of elm due to Japanese beetle.
- Dutch elm disease causing severe decline and mortality of American elm.
- Leaf rust present on hawthorn, causing minor damage.
- Low-level off-trail trampling.
- Scattered pockets of yard waste dumping.
- Mortality of multiple canopy tree species.

Invasive plant presence



Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash tree was surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Bayshire Woods Park

Canopy health is affected by obvious forest health issues, greater than 30% mortality

3



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of various hardwood species, possibly due to cankerworm.
- Dutch elm disease causing moderate decline of American elm.
- Oak leaf blister disease present on red oak, causing minor damage.
- Moderate off-trail trampling.
- Scattered pockets of yard waste dumping.
- Mortality of multiple canopy tree species.


Invasive plant presence

moderate




buckthorn

low




English ivy

low




garlic mustard

low




honeysuckle

low



phragmites


low



wild grape

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Kings Park Woods

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Pocket of white pine decline.


Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

moderate




buckthorn

moderate




garlic mustard

moderate




honeysuckle

low




English ivy

low



euonymus

low



goutweed

Other species:
periwinkle (low)

Albion Park

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of red oak and basswood, possibly due to cankerworm.
- Tar spot present on Norway maple, causing minor damage.
- Isolated pocket of yard waste dumping.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash tree was surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate

buckthorn

moderate

euonymus

moderate

honeysuckle

low

garlic mustard

low

wild grape

Lakeside Freight

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Dumping of debris and garbage.
- No biotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

high

buckthorn

moderate

phragmites

low

garlic mustard

low

honeysuckle

low

Russian olive

low

wild grape

Edgeware Park

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation of oak and basswood, possibly due to cankerworm.
- Isolated pocket of yard waste dumping.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Fleetwood Park

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- No biotic or abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Old Upper Middle Road Park

Canopy is moderately healthy; some minor issues but less than 30% tree mortality

2



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of oak and hickory, possibly due to cankerworm.
- Anthracnose present on oaks, causing minor damage.
- Leaf rust present on hawthorn, causing moderate damage.
- Low-level off-trail trampling.
- Pockets of white pine decline and mortality; cause unknown.


Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash tree was surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

high




buckthorn

moderate




honeysuckle

low




coltsfoot

low



garlic mustard

low



Russian olive

Other species:
tree of heaven
(low)

McCraney Valley Park

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of red oak, possibly due to cankerworm.
- No abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



buckthorn

McCraney Valley Park

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation of oaks, possibly due to cankerworm.
- Anthracnose present on bur oak, causing minor damage.
- Tar spot present on Norway maple, causing minor damage.
- Storm damage to canopy trees.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Morrison-Wedgewood Channel West - 2

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of willow due to imported willow leaf beetle.
- No abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



buckthorn

Leighland Park

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Tar spot present on Norway maple, causing minor damage.
- Leaf rust present on hawthorn, causing minor damage.
- Moderate off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



buckthorn

Sixth Line Parkette

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- No biotic or abiotic disturbances observed.
- Pocket of maple mortality.


Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash tree was surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

low



buckthorn

low




wild grape

McCraney Valley Park

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of oak, basswood, and elm, possibly due to cankerworm.
- Dutch elm disease present, causing moderate damage to American elm.
- Oak leaf blister disease present on red oak, causing minor damage.
- Scattered pockets of yard waste dumping.
- Low-level off-trail trampling.
- Maple and oak decline and mortality.


Invasive plant presence

moderate




buckthorn

moderate




garlic mustard

low




coltsfoot

low




English ivy

low



honeysuckle

low




periwinkle

Other species:
purple
loosestrife (low)
wild grape (low)



Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



The Parkway - 1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of Siberian elm due to elm leaf beetle.
- Anthracnose present on Siberian elm, causing minor damage.
- No abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

high

buckthorn

moderate

wild grape

low

garlic mustard

low

honeysuckle

The Parkway - 1

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- No biotic or abiotic disturbances observed.


Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

high




buckthorn

high




garlic mustard

moderate



bindweed

low



wild grape

Kingsford Gardens

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Tar spot present on Norway maple, causing minor damage.
- No abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

high

buckthorn

moderate

garlic mustard

moderate

honeysuckle

Old Upper Middle Road Park

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of Siberian elm due to elm leaf beetle.
- No abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate

buckthorn

low

honeysuckle

low

Japanese knotweed

Joshua Valley Park - 1

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings













- No biotic or abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **15** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence


 moderate  buckthorn	 moderate  dog-strangling vine	 moderate  honeysuckle	 moderate  wild grape	 low  bindweed	 low  garlic mustard
---	--	--	---	--	--

Other species:
phragmites (low)
purple loosestrife (low)

Joshua Valley Park - 1

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Tar spot present on Norway maple, causing minor damage.
- Isolated pocket of yard waste dumping.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Other species:
wild grape (low)

Joshua Valley Park - 1

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality















Forest Health Rating Legend

- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation of oak and basswood, possibly due to cankerworm.
- Dutch elm disease affecting American elm, causing severe damage and mortality.
- Blow-down of canopy trees.
- Low-level off-trail trampling.
- Isolated pocket of yard waste dumping.
- Pockets of white pine decline and mortality.

Invasive plant presence

 high	 moderate	 moderate	 moderate	 low	 low
					
buckthorn	euonymus	garlic mustard	honeysuckle	phragmites	purple loosestrife

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 18 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Other species:
wild grape (low)

Charnwood Park

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation of red oak, possibly due to cankerworm.
- Tar spot present on Norway maple, causing minor damage.
- Scattered pockets of yard waste dumping.
- Pockets of mortality affecting pine, birch, and cherry.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Joshua Valley Park - 2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality

2



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Severe defoliation of mulberry caused by undetermined insect.
- Isolated pocket of yard waste dumping.

Ash mortality update


Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 4 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence




garlic mustard




Himalayan balsam



phragmites



wild grape



buckthorn

Joshua Valley Park - 2

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- No biotic or abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Joshua Valley Park - 2

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Anthracnose and elm leaf miner affecting Siberian elm, causing minor damage.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Aspen Forest Park

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- No biotic or abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Aspen Forest Park

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of red oak, possibly due to cankerworm.
- Scattered pockets of yard waste dumping.


Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

moderate




garlic mustard

moderate



wild grape

low



buckthorn

Aspen Forest Park

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Elm leaf miner present on American elm, causing minor damage.
- Tar spot present on Norway maple, causing minor damage.
- No abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Aspen Forest Park

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of oak and elm, possibly due to cankerworm.
- No abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 6 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Aspen Forest Park

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Elm leaf miner present on Siberian elm, causing moderate damage.
- Hypoxylon canker causing mortality of poplar.
- No abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash tree was surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence




moderate

buckthorn



moderate

honeysuckle



moderate

purple loosestrife

Beechnut Forest Park

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Beech scale present and causing minor damage.
- Beech leaf disease present on understory trees, causing moderate damage.
- Light defoliation of bur oak, possibly due to cankerworm.
- Light defoliation of American elm due to Japanese beetle.
- Tar spot and anthracnose present on maples, causing minor damage.
- Moderate off-trail trampling.


Invasive plant presence

moderate




buckthorn

moderate




garlic mustard

low




English ivy

low




honeysuckle

low



periwinkle


low



wild grape

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Joshua Valley Park - 2

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Dutch elm disease affecting American elm, causing mortality.
- Tar spot present on Norway maple, causing minor damage.
- Scattered pockets of yard waste dumping.
- Low-level off-trail trampling.
- Low-level encroachment from backyard gardens.


Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 23 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

moderate




buckthorn

moderate




euonymus

moderate




garlic mustard

moderate




honeysuckle

low



bindweed

low



coltsfoot

Other species:
periwinkle (low)
purple
loosestrife (low)



Munn’s Cemetery Woodland

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- No biotic or abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree’s individual health status.



Invasive plant presence



Ontario Hydro/River Oaks

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- No biotic or abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



buckthorn

Lillykin Woods

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation of elm, possibly due to cankerworm.
- No abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Vineland Woods

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Oak leaf blister disease present on red oak, causing minor damage.
- Anthracnose present on bur oak, causing minor damage.
- No abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Oak Springs Trail

Canopy is healthy with no obvious forest health issues





Forest Health Rating Legend



- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality



Key findings



- Light defoliation of various hardwood species, possibly due to cankerworm.
- Light defoliation of elm due to Japanese beetle.
- Light defoliation of willow due to imported willow leaf beetle.
- Tar spot present on Norway maple, causing minor damage.
- Anthracnose present on oaks, causing minor damage.
- Scattered pockets of yard waste dumping.
- Pocket of white pine mortality; cause unknown.



Invasive plant presence



**moderate**

buckthorn

**moderate**

garlic mustard

**moderate**

purple loosestrife


**low**

honeysuckle

**low**

periwinkle

**low**

phragmites

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **2** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



River Glen Park

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Isolated pocket of yard waste dumping.
- Low-level off-trail trampling.
- No biotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

buckthorn

garlic mustard

Munn's Creek Trail - 2

Canopy is healthy with no obvious forest health issues

1




Forest Health Rating Legend

- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation of various hardwood species, possibly due to cankerworm.
- Oak leaf blister disease present on red oak, causing minor damage.
- Scattered pockets of yard waste dumping.
- Low-level off-trail trampling.
- Low-level encroachment from backyard gardens.

Invasive plant presence



Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 2 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



River Oaks Park

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of oak and hickory, possibly due to cankerworm.
- Tar spot present on Norway maple, causing minor damage.
- Anthracnose present on bur oak, causing minor damage.
- Heavy off-trail trampling.
- Decline and mortality of mature bur oak.


Invasive plant presence

high




buckthorn

moderate



garlic mustard


moderate



honeysuckle

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Neyagawa Park

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Fire blight present on pear, causing moderate damage..
- Leaf rust present on hawthorn, causing moderate damage.
- No abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Lindsay Park

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of oak, basswood, and hickory, possibly due to cankerworm.
- Oak leaf blister disease present on red and bur oak, causing minor damage.
- No abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

buckthorn

garlic mustard

euonymus

Dorval Trail

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation of oak and hickory, possibly due to cankerworm.
- Anthrachnose present on bur oak, causing minor damage.
- No abiotic disturbances observed.
- Pocket of white pine mortality; caused unknown.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 5 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Indian Ridge Trail - 2

Canopy is healthy with no obvious forest health issues















Forest Health Rating Legend

- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation of oaks, possibly due to cankerworm.
- Light defoliation of willow due to imported willow leaf beetle.
- Tar spot present on Norway maple, causing minor damage.
- Oak leaf blister disease present on red oak, causing minor damage.
- Scattered patches of yard waste dumping.
- Low level off-trail trampling.
- Pocket of white pine decline; cause unknown.

Invasive plant presence

 moderate	 moderate	 moderate	 low	 low	 low
					
buckthorn	garlic mustard	honeysuckle	bindweed	English ivy	periwinkle

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **10** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Other species:
purple
loosestrife (low)
wild grape (low)

Glen Oak Creek Trail South - 2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality

2



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of bur oak, possibly due to cankerworm.
- Light defoliation of willow due to imported willow leaf beetle.
- Tar spot present on Norway maple, causing minor damage.
- Isolated pocket of yard waste dumping.
- Decline and mortality of Scots pine; cause unknown.


Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 3 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

moderate




buckthorn

moderate




English ivy

moderate




euonymus

moderate




garlic mustard

moderate



honeysuckle

low



bindweed

Other species:
goutweed (low)
periwinkle (low)
purple loosestrife (low)



Glen Oak Creek Trail South - 2

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of various hardwood species, possibly due to cankerworm.
- Light defoliation of willow due to imported willow leaf beetle.
- Light defoliation of Siberian elm due to elm leaf beetle.
- Tar spot present on Norway maple, causing minor damage.
- Anthracnose present on maples and oaks, causing minor damage.
- Scattered pockets of yard waste dumping.
- Low-level off-trail trampling.


Invasive plant presence

moderate




buckthorn

moderate




garlic mustard

moderate




periwinkle

low




bindweed

low



coltsfoot

low




dog-strangling vine

Other species:
euonymus (low)



Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash tree was surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Glen Abbey Trail - 3

Canopy is healthy with no obvious forest health issues




Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation of various hardwood species, possibly due to cankerworm.
- Oak leaf blister disease present on red oak, causing minor damage.
- Anthracnose present on oaks, causing minor damage.
- Leaf rust present on hawthorn, causing minor damage.
- No abiotic disturbances observed.


Invasive plant presence

**high**





buckthorn

**moderate**





garlic mustard

**low**



English ivy


**low**



honeysuckle

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Glen Abbey Trail - 3

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of various hardwood species, possibly due to cankerworm.
- Oak leaf blister disease present on red oak, causing minor damage.
- No abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence




buckthorn

Taplow Creek Trail (G.A.) - 1

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of red oak, possibly due to cankerworm.
- Light defoliation of Siberian elm due to elm leaf beetle.
- Leaf rust present on hawthorn, causing minor damage.
- Storm damage to canopy trees.
- Scattered pockets of yard waste dumping.
- Low-level off-trail trampling.


Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 6 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

moderate




black alder

moderate




buckthorn

moderate




garlic mustard

moderate




honeysuckle

low



purple loosestrife

low



wild grape

Nottinghill Park

Canopy is healthy with no obvious forest health issues




Forest Health Rating Legend

- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation of oak and basswood, possibly due to cankerworm.
- Oak leaf blister disease present on red oak, causing minor damage.
- Leaf rust present on hawthorn, causing moderate damage.
- No abiotic disturbances observed.

Invasive plant presence



Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash tree was surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Nightengale Woods

Canopy is moderately healthy; some minor issues but less than 30% tree mortality

2



Forest Health Rating Legend

- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of various hardwood species, possibly due to cankerworm.
- Beech bark scale present, causing minor damage to American beech.
- Dutch elm disease causing heavy damage to American elm.
- Oak leaf blister disease present, causing minor damage to bur oak.
- Scattered pockets of yard waste dumping.

Invasive plant presence

moderate



buckthorn

low



dog-strangling vine

low



English ivy

low



garlic mustard


low



honeysuckle

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Glen Oak Creek Trail North - 1

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation of various hardwood species, possibly due to cankerworm.
- Anthracnose present on bur oak, causing minor damage.
- Scattered pockets of yard waste dumping.
- Low-level off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash tree was surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Taplow Creek Trail (W.O.T.)

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of oak and hickory, possibly due to cankerworm.
- Anthracnose present on bur oak, causing minor damage.
- Tar spot present on Norway maple, causing minor damage.
- Low-level off-trail trampling.


Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 5 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

high




buckthorn

moderate




garlic mustard

low




English ivy

low




honeysuckle

low



periwinkle

low



purple loosestrife

Glenayr Gate Trail

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of oak and basswood, possibly due to cankerworm.
- Leaf rust present on hawthorn, causing moderate damage.
- Oak leaf blister disease present on red oak, causing minor damage.
- Scattered pockets of yard waste dumping.
- Storm damage to canopy trees.


Invasive plant presence

moderate




buckthorn

moderate




garlic mustard

moderate




honeysuckle

low




dog-strangling vine

low



periwinkle

low




phragmites

Other species:
purple loosestrife (low)
wild grape (low)



Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Glenayr Gate Trail

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of oaks, possibly due to cankerworm.
- Light defoliation of willow due to imported willow leaf beetle.
- Scattered pockets of yard waste dumping.
- Low-level off-trail trampling.
- Low-level encroachment from backyard gardens.


Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash tree was surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

moderate




buckthorn

moderate




garlic mustard

moderate




honeysuckle

low




bindweed

low



English ivy

low



periwinkle

Other species:
purple loosestrife
(low)

Waubanoka Parkette

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of oaks and basswood, possibly due to cankerworm.
- Anthracnose present on bur oak, causing minor damage.
- Heavy off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

high

buckthorn

moderate

garlic mustard

low

honeysuckle

Sixteen Hollow Park

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation of oaks, possibly due to cankerworm.
- Anthracnose present on oaks and maples, causing minor damage.
- Heavy off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Sheridan Garden Pond

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings













- No biotic or abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 2 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

 moderate	 moderate	 moderate	 moderate	 moderate	 low
					
buckthorn	garlic mustard	phragmites	purple loosestrife	wild grape	honeysuckle

Other species:
Russian olive (low)

Erchless Estates

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Tar spot present on Norway maple, causing minor damage.
- Isolated pocket of yard waste dumping.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

	high		high		moderate		low		low		low
	garlic mustard		English ivy		wild grape		bindweed		honeysuckle		Japanese knotweed

Sixteen Mile Creek South QEW - 2

1

Canopy is healthy with no obvious forest health issues




Forest Health Rating Legend

- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation of red oak and basswood, possibly due to cankerworm.
- Light defoliation of Siberian elm due to elm leaf beetle.
- Tar spot present on Norway maple, causing minor damage.
- Low-level off-trail trampling and encroachment from backyard gardens.
- Isolated pocket of yard waste dumping.

Invasive plant presence




moderate

buckthorn




moderate

garlic mustard




moderate

honeysuckle




low

bindweed



low

coltsfoot



low


dog-strangling vine

Other species:
Japanese knotweed (low)
periwinkle (low)
phragmites (low)
purple loosestrife (low)
wild grape (low)



Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 6 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Sixteen Mile Creek South QEW - 1

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of red oak, possibly due to cankerworm.
- No abiotic disturbances observed.


Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

high




buckthorn

high




wild grape

moderate




dog-strangling vine

moderate



garlic mustard

low




honeysuckle

Cornwall Road Buffer Block

Canopy is moderately healthy; some minor issues but less than 30% tree mortality

2



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of Siberian elm due to elm leaf beetle.
- Isolated pocket of yard waste dumping.
- Multiple pockets of debris and garbage dumping.


Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 12 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

high




buckthorn

moderate




honeysuckle

moderate




phragmites

moderate




purple loosestrife

moderate



Russian olive

low



bindweed

Other species:
dog-strangling vine (low)

Cornwall Road Buffer Block

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Tar spot present on Norway maple, causing minor damage.
- Isolated pocket of yard waste dumping.


Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

high




garlic mustard

moderate




buckthorn

moderate




Japanese knotweed

low




bindweed

low



honeysuckle

low



periwinkle

Other species:
wild grape (low)

Cornwall Road Buffer Block

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings













- No biotic or abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

 high	 high	 moderate	 moderate	 low	 low
					
buckthorn	garlic mustard	honeysuckle	wild grape	bindweed	Japanese knotweed

Maple Valley Park

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of elm and maple, possibly due to cankerworm.
- Tar spot present on Norway maple, causing minor damage.
- Anthracnose present on silver maple, causing minor damage.
- Scattered pockets of yard waste dumping.
- Low-level off-trail trampling.
- High-level encroachment from backyard gardens.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

high

garlic mustard

moderate

buckthorn

moderate

wild grape

low

English ivy

low

goutweed

low

Japanese knotweed

Westgate Park

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- No biotic disturbances observed.
- Isolated patch of yard waste dumping.
- Low-level off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



600 Speers Road Buffer Block

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Scattered patches of yard waste dumping.
- Decline of elm and willow.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

high

buckthorn

high

wild grape

moderate

garlic mustard

low

honeysuckle

low

phragmites


low

purple loosestrife

595 Speers Road Buffer Block

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Isolated patch of yard waste dumping.
- No biotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

high	moderate	moderate	low	low	low
buckthorn	purple loosestrife	wild grape	bindweed	dog-strangling vine	honeysuckle

Trafalgar Park

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Tar spot present on Norway maple, causing minor damage.
- Scattered pockets of yard waste dumping.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

high

garlic mustard

moderate

wild grape

low

buckthorn

Anderson Street Parkette

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Tar spot present on Norway maple, causing minor damage.
- No abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Shipyard Park

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings



- Isolated pocket of yard waste dumping.
- No biotic disturbances observed.



Ash mortality update



Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.





Invasive plant presence

**high**

garlic mustard

**high**

wild grape

**moderate**

honeysuckle

**moderate**

Japanese knotweed

Other species:
Tree of heaven (low)

Walker Street Promenade

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of red oak, possibly due to cankerworm.
- Scattered pockets of yard waste dumping.


Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

moderate




bindweed

moderate




garlic mustard

moderate




Japanese knotweed

moderate




wild grape

low



buckthorn

low



euonymus

Other species:
goutweed (low)
honeysuckle (low)
tree of heaven (low)



Brock Parkette

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Tar spot present on Norway maple, causing minor damage.
- Butternut canker present on possible hybrid butternut, causing moderate damage.
- Scattered pockets of yard waste dumping.
- Low-level off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

high

goutweed

moderate

Japanese knotweed

low

buckthorn

low

garlic mustard

Other species:
tree of heaven (low)

Holyrood Park

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Butternut canker present on possible hybrid butternut, causing minor damage.
- Isolated pocket of yard waste dumping.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

high

wild grape

moderate

garlic mustard

moderate

Japanese knotweed

low

buckthorn

Shorewood Promenade

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation of red oak and basswood, possibly due to cankerworm.
- No abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence



Sedgewick Forest

Canopy is moderately healthy; some minor issues but less than 30% tree mortality

2



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Dutch elm disease causing heavy damage to American elm.
- Light defoliation of oaks, maples, and basswood, possibly due to cankerworm.
- Isolated patch of yard waste dumping.
- Moderate off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 5 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Lakeshore West Buffer Block

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- No biotic or abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Spring Garden Park

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings













- Light defoliation of red oak, possibly due to cankerworm.
- Light off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash tree was surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

 	 	 	 	 	 
buckthorn	euonymus	garlic mustard	honeysuckle	coltsfoot	goutweed

Other species:
purple
loosestrife (low)

Chris Volkes Memorial Park

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- No biotic or abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Bronte Creek Trail

Canopy is moderately healthy; some minor issues but less than 30% tree mortality

2



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Sumac decline and mortality.


Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

moderate




buckthorn

moderate




garlic mustard

moderate



honeysuckle

low



euonymus

Bronte Creek Trail

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- No biotic disturbances observed.
- Isolated patch of yard waste dumping.


Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

moderate




buckthorn

low




English ivy

low




euonymus

low



honeysuckle

low



wild grape

Riverview Park

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation of red and white oak, possibly due to cankerworm.
- Leaf rust affecting hawthorn, causing light damage.
- Moderate off-trail trampling.
- Isolated patch of yard waste dumping.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Riverview Park

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- No biotic disturbances observed.
- Low-level off-trail trampling.
- Beaver damage to a few small trees.


Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

moderate




buckthorn

moderate




garlic mustard

moderate




honeysuckle

moderate




wild grape

low



Russian olive

low



purple loosestrife

Twelve Mile Creek Lookout

Canopy is moderately healthy; some minor issues but less than 30% tree mortality

2



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation of maple and oak, possibly due to cankerworm.
- Leaf scorch causing light damage to horsechestnut.
- Low-level off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash tree was surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Bronte Creek Lands - 3

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of oak and hickory, possibly due to cankerworm.
- Butternut canker present on butternut (possible hybrid), causing moderate damage.
- Scattered patches of yard waste dumping.
- Moderate off-trail trampling.
- Low-level encroachment from backyard gardens.


Invasive plant presence

moderate




buckthorn

moderate




euonymus

moderate




garlic mustard

moderate




Himalayan balsam

moderate



periwinkle

low




honeysuckle

Other species:
purple loosestrife (low)
wild grape (low)



Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 6 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Shell Park

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality




Forest Health Rating Legend

- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation of hardwood species, possibly due to cankerworm.
- Light defoliation of willow due to imported willow leaf beetle.
- Anthracnose and tar spot present on maples, causing minor damage.
- Isolated patch of yard waste dumping.
- Low-level off-trail trampling.
- Low-level encroachment from backyard gardens.

Invasive plant presence



Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 21 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Other species:
Japanese knotweed (low)
periwinkle (low)
purple loosestrife (low)
wild grape (low)



South Shell Waterfront Park

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of Siberian elm due to elm leaf beetle.
- Elm leaf miner present on American elm, causing minor damage.
- Tar spot present on Norway maple, causing minor damage.
- Blow-down of canopy trees.
- Moderate off-trail trampling.


Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

moderate




buckthorn

moderate




garlic mustard

moderate




honeysuckle

low



Japanese knotweed

low



purple loosestrife

Other species:
Tree of heaven
(moderate)

South Shell Waterfront Park

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- No biotic disturbances observed.
- Moderate off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate

garlic mustard

moderate

honeysuckle

moderate

Japanese knotweed

Other species:
Tree of heaven
(moderate)

Sheldon Creek Trail

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation of oaks, possibly due to cankerworm.
- Low-level off-trail trampling.
- Scattered pockets of yard waste dumping.
- Storm damage to canopy trees.
- Low-level encroachment from backyard gardens.
- Scattered pockets of white pine decline and mortality.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 49 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Other species:
euonymus (low)
phragmites (low)
purple loosestrife (low)
wild grape (low)



Creek Path Woods

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality









Forest Health Rating Legend

- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of various hardwood species, possibly due to cankerworm.
- Tar spot present on Norway maple, causing minor damage.
- Oak leaf blister disease present on red oak, causing minor damage.
- Low-level off-trail trampling.
- Scattered pockets of yard waste dumping.
- Multiple pockets of mortality, affecting several species.

Invasive plant presence


 buckthorn	 garlic mustard	 honeysuckle	 bindweed	 dog-strangling vine	 euonymus
---	---	--	---	---	---

Other species:
purple loosestrife (low)
wild grape (low)



Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 6 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Hillmer Park

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation of Manitoba maple, due to cankerworm.
- No abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Municipal Parking Lot #11B Buffer

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Leaf miner and elm leaf beetle affecting Siberian elm, causing minor damage.
- Anthracnose present on Siberian elm, causing minor damage.
- No abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Shorewood Promenade

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- European elm scale present on American elm, but no damage visible.
- Tar spot present on Norway maple, causing minor damage.
- No abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Central Operations Woods

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- No biotic or abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

buckthorn

phragmites

purple loosestrife

1007 South Service Road West Buffer

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- No biotic or abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Sixteen Mile Creek Trail North U.M.R.

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings











- Light defoliation of oak, basswood, and maple, possibly due to cankerworm.
- Low-level off-trail trampling.
- Decline and mortality of pine and spruce; cause unknown.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

 moderate  buckthorn	 moderate  garlic mustard	 moderate  honeysuckle	 low  bindweed	 low  wild grape
--	--	---	---	--

Sixteen Mile Creek Trail North U.M.R.

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of red oak, possibly due to cankerworm.
- No abiotic disturbances observed.


Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 3 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

moderate




buckthorn

moderate




garlic mustard

moderate




honeysuckle

low



bindweed

low



wild grape

Sixteen Mile Creek Trail North U.M.R.

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation of oaks, possibly due to cankerworm.
- No abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



2125 South Service Road West Buffer

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Leaf rust present on hawthorn, causing moderate damage.
- Debris and garbage dumping.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 4 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Bronte Creek Lands - 2

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of various hardwood species, possibly due to cankerworm.
- Leaf rust present on hawthorn, causing moderate damage.
- Oak leaf blister disease present on red oak, causing moderate damage.
- Moderate off-trail trampling.
- Scattered large pockets of yard waste dumping.

Invasive plant presence

high




buckthorn

moderate



garlic mustard


moderate



honeysuckle

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 1 ash tree was surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Bronte Creek Lands - 1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of willow due to imported willow leaf beetle.
- Blowdown of canopy trees.
- Moderate off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **2** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

moderate

moderate

low

low

low

low

Other species:
purple loosestrife
(low)



Woodlot 235

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- No biotic or abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

high

buckthorn

moderate

honeysuckle

low

purple loosestrife

Petro Canada Woods

Canopy is moderately healthy; some minor issues but less than 30% tree mortality

2



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of oaks, possibly due to cankerworm.
- European elm scale present on American elm, but no damage visible.
- Dutch elm disease causing decline of American elm.
- Oak leaf blister disease present on red oak, causing minor damage.
- Debris and garbage dumping.


Invasive plant presence

moderate




black alder

moderate




buckthorn

moderate




honeysuckle

moderate




purple loosestrife

low



bindweed


low



Russian olive

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 22 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Petro Canada North

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- No biotic disturbances observed.
- Low-level off-trail trampling.


Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

moderate




bindweed

moderate




buckthorn

moderate




Russian olive

moderate




purple loosestrife

low



black alder

low



garlic mustard

Red Oak Trail

Canopy is moderately healthy; some minor issues but less than 30% tree mortality

2



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Hypoxylon canker present on cottonwood poplar, causing moderate damage.
- Anthrachnose present on bur oak, causing minor damage.
- No abiotic disturbances observed.


Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 17 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

moderate




buckthorn

moderate




honeysuckle

low




bindweed

low




dog-strangling vine

low



garlic mustard

low



phragmites

Other species:
Russian olive (low)
purple loosestrife (low)
wild grape (low)



Woodlot 242

Canopy is moderately healthy; some minor issues but less than 30% tree mortality

2



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Leaf rust present on hawthorn, causing moderate damage.
- No abiotic disturbances observed.


Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 11 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

high



buckthorn

moderate



honeysuckle

Glen Abbey Trail - 1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Tar spot present on Norway maple, causing minor damage.
- Low-level off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

high

garlic mustard

moderate

buckthorn

low

Japanese knotweed

low

periwinkle

Glen Abbey Trail - 1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- No biotic or abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

buckthorn

garlic mustard

honeysuckle

Glen Abbey Trail - 1

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Leaf rust present on hawthorn, causing moderate damage.
- No abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 3 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Manor Parkette

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation of oaks, possibly due to cankerworm.
- Anthracnose present on bur oak, causing minor damage.
- Moderate off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Brockberry Woods Park

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of basswood and hickory, possibly due to cankerworm.
- Low-level off-trail trampling.


Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence

high



buckthorn

low



garlic mustard

Grand Oak Woods

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation of oaks and hickory, possibly due to cankerworm.
- Anthracnose present on bur oak, causing minor damage.
- Low-level off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence



Colonel Williams Woods

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of various hardwood species, possibly due to cankerworm.
- Oak leaf blister disease present on red oak, causing minor damage.
- Scattered pockets of yard waste dumping.
- Low-level off-trail trampling.
- Blow-down and storm damage of canopy trees.
- Maple mortality and oak decline.


Invasive plant presence

moderate




buckthorn

moderate




garlic mustard

low




bindweed

low




euonymus

low



honeysuckle

low




purple loosestrife

Other species:
wild grape (low)



Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 5 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Woodlot 277

Canopy is moderately healthy; some minor issues but less than 30% tree mortality

2



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Decline and mortality of planted trees.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence



Donovan Bailey Park - 1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation of Siberian elm, due to elm leaf beetle.
- Low-level off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 3 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.




Invasive plant presence



Fourth Line Buffer Block

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings











- No biotic or abiotic disturbances observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 2 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

 high	 moderate	 moderate	 moderate	 low
				
phragmites	buckthorn	honeysuckle	purple loosestrife	dog-strangling vine

Donovan Bailey Park - 1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings











- No biotic or abiotic disturbance observed.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **21** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

 high  garlic mustard	 moderate  buckthorn	 moderate  Himalayan balsam	 low  euonymus	 low  periwinkle
---	---	--	---	--

Arkendo Park

2

Canopy is moderately healthy; some minor issues but less than 30% tree mortality



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings







- Light defoliation of red oak, possibly due to cankerworm.
- Tar spot present on Norway maple, causing minor damage.
- Slime flux present on Siberian elm, causing minor damage.
- Scattered pockets of yard waste dumping.
- Low-level off-trail trampling.
- Harvesting of trees.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 40 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

 buckthorn	 garlic mustard	 Himalayan balsam	 wild grape	 English ivy	 honeysuckle
---	---	---	---	---	--

Other species:
Japanese knotweed (low)
phragmites (low)
purple loosestrife (low)



Great Lakes Woods

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend


- 1** Canopy is healthy; no obvious forest health issues
- 2** Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3** Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings


- Light defoliation of hickory and oak, possibly due to cankerworm.
- Anthracnose present on bur oak, causing minor damage.
- Isolated pocket of yard waste dumping.


Ash mortality update


Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of **0** ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.





Invasive plant presence


**high**



buckthorn


**low**



coltsfoot


**low**


garlic mustard

**low**


honeysuckle

**low**


purple loosestrife

Woodlot 2562

1

Canopy is healthy with no obvious forest health issues



Forest Health Rating Legend

- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Light defoliation of oaks and maples, possibly due to cankerworm.
- Light defoliation of Siberian elm due to elm leaf beetle.
- Oak leaf blister disease present on red oak, causing light damage.
- Low-level off-trail trampling.

Invasive plant presence

moderate


buckthorn

moderate

garlic mustard

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Linbrook Woods

Canopy is healthy with no obvious forest health issues

1



Forest Health Rating Legend


- 1 Canopy is healthy; no obvious forest health issues
- 2 Canopy is moderately healthy; some minor forest health issues but less than 30% tree mortality
- 3 Canopy health is affected by obvious forest health issues; greater than 30% tree mortality

Key findings

- Beech scale present, causing minor damage.
- Beech leaf disease present, causing minor damage.
- Oak leaf blister disease present on red oak, causing minor damage.
- Moderate level off-trail trampling.

Ash mortality update

Emerald Ash Borer (EAB) has significantly affected the health of ash trees in Oakville. A total of 0 ash trees were surveyed in this woodland to assess the impact of EAB to date. The graph represents each tree's individual health status.



Invasive plant presence

