

THE CORPORATION OF THE TOWN OF OAKVILLE

BY-LAW NUMBER 2022-XXX

A by-law to amend the North Oakville Zoning By-law 2009-189 to permit the use of lands described as Part of Lot 16, Concession 1, N.D.S., Town of Oakville (ARGO (West Morrison Creek) Limited, File No.Z.1316.07)

COUNCIL ENACTS AS FOLLOWS:

- 1. Map 12(4) of By-law 2009-189 is amended by rezoning the lands as depicted on Schedule 'A' to this By-law.
- 2. Section 8, <u>Special Provisions</u>, of By-law 2009-189, as amended, is further amended by adding a new Section 8.*, 8.**, 8.*** and 8.**** as follows:

8.*		Part of Lot 16, Concession 1, NDS (ARGO (West Morrison Creek) Limited))	Parent Zone: NC	
Мар	12(4)		(2022-XXX)	
8.*.1	8.*.1 Zone Regulations for All Lands			
The fol	lowing re	gulations apply to all <i>buildings</i> :		
	The <i>lot line</i> abutting Sixth Line shall be deemed to be the <i>front lot line</i>			
a)	Any podium, stepped back, or terraced portions of a <i>building</i> are permitted below the minimum <i>height</i>			
b)	Maximu building	m Floor Space Index of a mixed use	3.7 FSI	
c)	Maximum <i>height</i> of a <i>mixed use building</i>		8 storeys	
d)		m floor area for non-residential uses in ise building.	300 m ²	
e)	The maximum <i>building height</i> shall not apply to the portion of the building used to access the rooftop amenity area.			
f)	The maximum building height shall not apply to <i>accessory structures</i> associated with the roof top amenity area.			



8	**	Part of Lot 16, Concession 1, NDS (ARGO (West Morrison Creek) Limited))	Parent Zone: NC
Мар	12(4)		(2022-XXX)
8.**.1	Zone	Regulations for All Lands	
The fol	lowing re	gulations apply to all <i>buildings</i> :	
a)	4.21(g), Bow Wi may be	standing the maximum width in Table the maximum width of Bay, Box Out and ndows with or without foundations which a maximum of three <i>storeys</i> in height and nay include a door.	4.0 m
b)	For <i>corner lots</i> , a <i>porch</i> shall have a minimum depth from the exterior of the <i>building</i> to the outside edge of the <i>porch</i> of 1.5 metres. Required depths shall be provided for a minimum of 40% of the <i>porch</i> . However, steps and columns may encroach a maximum of 0.3 metres into the required depth.		
c)	Porches shall have walls that are open and unenclosed for at least 40% of the total area of the vertical planes forming its perimeter, other than where it abuts the exterior of the <i>building</i> or insect screening.		

			r	
	8.***	Part of Lot 16, Concession 1, NDS	Parent Zone: S	
Ma	ap 12(4)	(ARGO (West Morrison Creek) Limited))	(2022-xxx)	
8.**	8.***.1 Zone Regulations for All Lands			
	The following regulations apply to all lands identified as subject to this special provision:			
a)	the ma Window maximu	Notwithstanding the maximum width in Table 4.21(g), the maximum width of Bay, Box Out and Bow Windows with or without foundations which may be a maximum of three <i>storeys</i> in height and which may include a door.4.0 m		
b)	For <i>corner lots</i> or lots abutting the Natural Heritage System (NHS) zone, a <i>porch</i> shall have a minimum depth from the exterior of the <i>building</i> to the outside edge of the <i>porch</i> of 1.5 metres. Required depths shall be provided for a minimum of 40% of the <i>porch</i> . However, steps and columns may encroach a maximum of 0.3 metres into the required depth.			



c) Porches shall have walls that are open and unenclosed for at least 40% of the total area of the vertical planes forming its perimeter, other than where it abuts the exterior of the *building* or insect screening.

8	8.***	Part of Lot 16, Concession 1, NDS	Parent Zone: S	
Ma	ap 12(4)	(ARGO (West Morrison Creek) Limited))	(2022-xxx)	
8.**	**.1 Zoı	ne Regulations for All Lands		
	The following regulations apply to all lands identified as subject to this special provision:			
a)	the ma Window	standing the maximum width in Table 4.21(g), ximum width of Bay, Box Out and Bow s with or without foundations which may be a m of three <i>storeys</i> in height and which may a door.	4.0 m	
b)	For <i>corner lots</i> or lots abutting the Natural Heritage System (NHS) zone, a <i>porch</i> shall have a minimum depth from the exterior of the <i>building</i> to the outside edge of the <i>porch</i> of 1.5 metres. Required depths shall be provided for a minimum of 40% of the <i>porch</i> . However, steps and columns may encroach a maximum of 0.3 metres into the required depth.			
c)	Porches shall have walls that are open and unenclosed for at least 40% of the total area of the vertical planes forming its perimeter, other than where it abuts the exterior of the <i>building</i> or insect screening.			
e)	Section	standing the minimum <i>rear setback yard</i> in 7.7.2, the minimum <i>rear yard setback</i> for a <i>detached dwelling street</i> access attached garage	6.0 m	

3. Section 9, <u>Holding Provision</u>, of By-law 200-189, as amended, is further amended by adding a new section 9.3.XX.

HXX	Part of Lot 16, Concession 1, NDS (Digram Developments Oakville Inc.)	Parent Zone: NC	
Map 12(4)		(2022-xxx)	
9.3.XX.1 Only Permitted Uses Prior to Removal of the "H"			
For such time as the "H" symbol is in place, these lands shall only be <i>used</i>			
for the following:			
a) Uses pe	ermitted in the ED <i>zone</i> .		



9.3.XX.2 Conditions for Removal of the "H"

The "H" symbol shall, upon application by the landowner, be removed by Town Council passing a By-law under Section 36 of the Planning Act. The following condition(s) shall first be completed to the satisfaction of the Town of Oakville:

- a) That water and wastewater Servicing Allocation has been secured for the subject lands and the proposed development through Halton Region; and that Halton Region provides correspondence indicating that sufficient water and wastewater servicing allocation has been secured to support the development.
- 4. This By-law comes into force in accordance with Section 34 of the *Planning Act*, R.S.O. 1990, c. P.13, as amended.


PASSED this XXth day of _____, 2022

MAYOR

CLERK

Schedule 'A' to

Schedule "A" To 2022 - ***



1:3000