


**PROJECT No.: SM 220059-E**

**APRIL 22, 2022**

**PHASE ONE ENVIRONMENTAL SITE ASSESSMENT  
349 DAVIS ROAD  
OAKVILLE, ONTARIO**

**PREPARED FOR:**

**1539059 ONTARIO INC.**



**BY**

**SOIL-MAT ENGINEERS & CONSULTANTS LTD.  
130 LANCING DRIVE  
HAMILTON, ONTARIO  
L8W 3A1**

PROJECT No.: SM 220059-E



APRIL 22, 2022

**PHASE ONE ENVIRONMENTAL SITE ASSESSMENT  
349 DAVIS ROAD  
OAKVILLE, ONTARIO**

**PREPARED FOR:**

**1539059 ONTARIO INC.**

**BY**

**SOIL-MAT ENGINEERS & CONSULTANTS LTD.  
130 LANCING DRIVE  
HAMILTON, ONTARIO  
L8W 3A1**

## 1.0 EXECUTIVE SUMMARY

The Phase One Environmental Site Assessment [ESA] conducted for this property consisted of a historical records review, interviews and a reconnaissance of the subject lands.

At the time of this Report, the Phase One Property was comprised of an irregular shaped parcel of land that was occupied by a single storey, basementless, commercial use building located on the southern portion of the Phase One Property. The remainder of the Phase One Property was comprised of an asphaltic-concrete covered parking lot to the north, east and south of the existing structure and grass covered areas across the remainder of the Phase One Property. In addition, a concrete pad, associated with a former storage shed, was observed on the northern portion of the Phase One Property, some mature trees were observed along the western limit of the Phase One Property and two [2] groundwater monitoring wells were observed near the eastern limit of the Phase One Property.

The Phase One ESA research revealed one potentially contaminating activity [PCA] on the Phase One Property, including the following:

- A review of available fire insurance plans revealed that a portion of the existing structure on the Phase One Property was former utilised for battery storage. [PCA No. 6].

The lands in the general vicinity of the Phase One Property are comprised of a mixture of industrial, commercial and vacant undeveloped lands. The Phase One ESA research revealed a combination of six [6] current and historical PCAs on lands in the Phase One Study Area that are considered likely to cause an area of potential environmental concern [APEC] on the Phase One Property, including the following:

- Information gathered from an existing environmental report, completed for the Phase One Property, by Others [Geo-Canada Ltd.'s Phase 1 ESA report number G-04.0106 dated March 2004] revealed an underground storage tank [UST] was removed immediately adjacent to the east of the Phase One Property. In addition, the report by Others indicates that residual levels of petroleum hydrocarbons are present in both the soil and groundwater mediums on the Phase One Property near the location of the former off-site UST [PCA No. 28];
- Information gathered during our reconnaissance of the Phase One Property, as well as information gathered from available Criss-Cross City Directories, indicates an autobody shop maintains operations adjacent to the east of the Phase One Property. Specifically, Oaktown Collision has maintained operations on the adjacent property since circa 1995. Prior to 1995, Doan's Auto Sales operated on the property circa 1994-1996 and Super 7 Autos operated on the property circa 1991 to 1994 [PCA Nos. 10 and 39];
- Information gathered from available Criss-Cross City Directories indicates Ferro Industrial Products Ltd. [a Manufacturer of enamel paints, fibreglass, and other products] maintained operations on a nearby property [approximately 30 metres southeast of the Site] from circa pre-1960 to 1997 [PCA Nos. 33 and 43], and;
- Information contained in the Ecolog ERIS Report revealed a Landfill Inventory Management Ontario record at Ferro Industrial Products Ltd. [PCA No. 58].



The specific PCA numbers associated with the identified PCAs is provided in table format below:

PCA Number	PCA Description	Location of the PCA
6	Battery Manufacturing, Recycling and Bulk Storage	On-Site
28	Gasoline and Associated Products Storage in Fixed Tanks	Off-Site: Adjacent property to the east of the Phase One Property.
10	Commercial Autobody Shops	Off-Site: Adjacent property to the east of the Phase One Property.
39	Paints Manufacturing, Processing and Bulk Storage	Off-Site: Adjacent to the east of the Phase One Property
33	Metal Treatment, Coating, Playing and Finishing	Off-Site: South of the Phase One Property
43	Plastics (including Fibreglass) Manufacturing and Processing	Off-Site: South of the Phase One Property
58	Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than the use of biosoils as soil containers	Off-Site: South of the Phase One Property

In addition to the above, a concrete pad was observed on the northern portion of the Phase One Property. Information gathered during the completion of this report suggests the concrete pad is associated with a former storage shed, although this was not confirmed or refuted to be the case. As such, it is recommended that a Ground Penetrating Radar [GPR] and an Electro-Magnetic Survey [EMS] be conducted in the immediate vicinity of the concrete pad to assess the area for potential unknown buried features.

Based on the findings of the Phase One Environmental Site Assessment, SOIL-MAT ENGINEERS & CONSULTANTS LTD. find the potential of Site contamination to be considered **HIGH** and therefore recommend that additional investigations **ARE** required at this time, pending the results of the Ministry of the Environment database search which will be forwarded to 1539059 ONTARIO INC. under a separate cover once they are received in our Office.

To reduce SOIL-MAT ENGINEERS' degree of uncertainty associated with the environmental liabilities listed above, further assessment activities are recommended.

Each environmental liability, and our rationale for further assessment activities, is provided below:

Environmental Liability	Recommendation	Rationale
1. PCA No.: 6: Battery Manufacturing, Recycling and Bulk Storage.	Advance three [3] boreholes including one within the northeast portion of the structure.  The contaminants of potential concern [COPCs] should include Metals, As, Sb, Se, BHWS, CN, Electrical Conductivity [EC], Cr (VI), Hg and SAR, pH.	Assess the potential adverse impacts to the soil medium as a result of the former battery storage area.



Environmental Liability	Recommendation	Rationale
2. PCA No.: 28: Gasoline and Associated Products Storage in Fixed Tanks.	Advance three [3] boreholes and install a groundwater monitoring well in the vicinity of the UST formerly located immediately east of the Phase One Property.  The COPCs should include Metals, petroleum hydrocarbons [PHCs] and benzene, toluene, ethylbenzene, and xylenes [BTEX].	Assess the potential adverse impacts to the soil and groundwater medium as a result of the former off-site underground fuel storage tank.
3. PCA No.: 10: Commercial Autobody Shops	Advance three [3] boreholes and install groundwater monitoring wells along the eastern limit of the Phase One Property.  The COPCs should include Metals, As, Sb, Se, BHWS, CN, Electrical Conductivity, Cr (VI), Hg, SAR, PHCs, VOCs, BTEX, and polycyclic aromatic hydrocarbons [PAHs]	Assess the potential adverse impacts to the soil and groundwater medium as a result of the adjacent autobody shop.
4. PCA No.: 39: Paints Manufacturing, Processing and Bulk Storage	Advance a borehole and install a groundwater monitoring well adjacent to the former paint bay.  The COPCs should Metals, As, Sb, Se, BHWS, CN, EC, Cr (VI), Hg, SAR, and VOCs	Assess the potential adverse impacts to the soil and groundwater medium as a result of the former paint bay.
5. PCA No.: 33: Metal Treatment, Coating, Plating and Finishing.	Advance three [3] boreholes and install a monitoring well along the southern limit of the Phase One Property.  The COPCs should include Metals, As, Sb, Se, BHWS, CN, Electrical Conductivity, Cr (VI), Hg, SAR, PHCs, VOCs, BTEX, and Acid, Base, and Neutral Extractables [ABNs].	Assess the potential adverse impacts to the soil and groundwater medium as a result of the former industrial enamel manufacturer.
6. PCA No.: 43: Plastics (including Fibreglass) Manufacturing and Processing.	Advance three [3] boreholes and install a monitoring well along the southern limit of the Phase One Property.  The COPCs should include Metals, As, Sb, Se, BHWS, CN, Electrical Conductivity, Cr (VI), Hg, SAR, PHCs, VOCs, BTEX, and Acid, Base, and Neutral Extractables [ABNs].	Assess the potential adverse impacts to the soil and groundwater medium as a result of the former fiberglass manufacturer.
7. PCA No.: 58: Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than the use of biosoils as soil containers.	Advance three [3] boreholes and install a monitoring well along the southern limit of the Phase One Property.  The COPCs should include Metals, As, Sb, Se, BHWS, CN, Electrical Conductivity, Cr (VI), Hg, SAR, PHCs, VOCs, BTEX, and Acid, Base, and Neutral Extractables [ABNs].	Assess the potential adverse impacts to the soil and groundwater medium as a result of the off-site landfill.

Although not considered an environmental liability to the Site, given the construction date of the building, it is possible that designated substances, such as asbestos containing materials, and ozone depleting substances, may be present in the buildings. As such, it is recommended that a non-intrusive designated substance survey of the



buildings be undertaken before any planned demolition activities that may disturb building materials to identify where possible, designated substances that may be present in the buildings.

In addition to the above, this Office should be contacted to make arrangements for the existing groundwater monitoring wells to be decommissioned by a licensed well contractor. In addition, if a suspected groundwater well is encountered during future construction activities to make arrangements for the water well to be abandoned as per Ontario Regulation 903 – Water Wells.

## 2.0 INTRODUCTION

1539059 ONTARIO INC. retained SOIL-MAT ENGINEERS & CONSULTANTS LTD. [SOIL-MAT ENGINEERS] to conduct a Phase One ESA for the property located at 349 Davis Road in the Town of Oakville, Ontario. For the purpose of this report, the subject lands are hereinafter referred to as the 'Phase One Property' and/or the 'Site'.

### 2(A) PHASE ONE PROPERTY INFORMATION

The Phase One Property is comprised of the following parcel of land:

1. 349 Davis Road, Oakville, Ontario. The property identification number [PIN] is '24806-0003'. The registered property owner is 1539059 Ontario Inc.

At the time of this Report, the Phase One Property was comprised of an irregular shaped parcel of land that was occupied by a single storey, basementless, commercial use building located on the southern portion of the Phase One Property. The remainder of the Phase One Property was comprised of an asphaltic-concrete covered parking lot to the north, east and south of the existing structure and grass covered areas across the remainder of the Phase One Property. In addition, a concrete pad, associated with a former storage shed, was observed on the northern portion of the Phase One Property, some mature trees were observed along the western limit of the Phase One Property and two [2] groundwater monitoring wells were observed near the eastern limit of the Phase One Property.

The Site was bounded to the north by vacant undeveloped land and South Service Road East, to the east by existing commercial lands, to the south by Davis Road, and to the west by vacant undeveloped land and South Service Road East.

For descriptive purposes, Davis Road has been designated as having an east-west alignment.

The legal description of the Site is "Part Lot 12, Concession 3 Trafalgar South Dundas Street, as in 734763 (see HR 277871); Oakville".

The geographic coordinates of the Site using a hand held global positioning unit are [NAD 83] 17T 606665E/ 4812810N.

A general site location drawing and overview of the Phase One Study Area are included in Appendix 'A' for reference.



### 3.0 SCOPE OF INVESTIGATION

The Phase One ESA follows the protocol outlined in *Ontario Regulation 153/04 [as amended]*, which suggests a four-step approach to Phase One Environmental Site Assessments, including the following;

1. RECORDS REVIEW: including aerial photographs, property use records, title search, previous Phase One ESA reports, regulatory agency documentation, company records, Site specific geotechnical reports and any other relevant material;
2. SITE VISITATION: including a visual reconnaissance of the Site, suspect adjacent properties, and the different land uses within the vicinity of the Site;
3. INTERVIEWS: including persons that may have pertinent information with regard to the Site, including contacts from the Town of Oakville, Ministry of Environment, Conservation and Parks [MOE], and current / previous land owners, etc.;
4. EVALUATIONS: Based on the information gathered, a professional evaluation of the property is presented in a final Phase One ESA Report.

*Ontario Regulation 153/04 [as amended]* lists fifty-nine [59] potentially contaminating activities [PCAs] that require intrusive assessment activities, i.e. a Phase Two ESA, to determine if an adverse environmental impact is present on the Site if a PCA is found to have occurred on the Phase One Property. In some circumstances a Phase Two ESA may be required if a PCA has occurred on a neighbouring or nearby property within the Phase One Study Area if deemed necessary by the Qualified Person [QP] overseeing the Phase One ESA. However, it is noted that under *Ontario Regulation 153/04 [as amended]* the mandatory Phase Two ESA activities apply only to properties that are subject to a Record of Site Condition [RSC] filing. It is our understanding that this Phase One ESA report is required as a supporting document for the submission of a Record of Site Condition for the Site.





## 4.0 RECORDS REVIEW

### 4(a)i PHASE ONE ESA STUDY AREA DETERMINATION

The Phase One Study Area consists of the lands generally in a 250-metre radius from the limits of the Phase One Property. These lands are primarily comprised of a mixture of retail commercial, residential, industrial and vacant undeveloped lands.

The research undertaken during this Phase One ESA revealed information that suggests there are PCAs on the Site as well as on nearby properties that are considered likely to cause an APEC on the Phase One Property.

Additional information, specific to the nature of the land use of the properties of interest in the Phase One ESA Study Area is presented in Section 4(a)iii, 4(a)iv, 4(a)v, 4(a)vi, 4(b), 4(c), and 6(B) of this Report.

### 4(a)ii FIRST DEVELOPED USE DETERMINATION

Based on the available information compiled during the completion of this Report, including City directories, aerial photographs, topographic and fire plans, etc., the first developed use of the Site was between 1938 and 1954 as commercial lands.

### 4(a)iii FIRE INSURANCE PLANS

The Underwriter's Survey Bureau Limited Fire Insurance Plans were reviewed for the purpose of identifying structures, building materials and/ or underground storage tanks that may have been present on/ or near the Site.

A summary of SOIL-MAT ENGINEERS' findings is present below:

Date of Plan	Findings
Feb. 1967	The Northeast corner of the existing structure on the Phase One Property is illustrated as being a Batteries and Tire Storage Area which is considered a PCA.
Feb. 1967	There is a 'spray-paint' booth illustrated on 359 Davis Road, which is located adjacent to the east limit of the Phase One Property. This operation is considered a PCA likely to cause an APEC on the Phase One Property.
Feb. 1967	There is an underground storage tank illustrated at an automotive service station on 562 Trafalgar Road, which is located approximately 270 metres south-southeast from the Site. Given the location of this property to the Site with respect to the inferred groundwater flow direction [down-gradient], and the distance between this property and the Site an adverse environmental impact to the Site from this property is considered remote.
Feb. 1967	There is an underground storage tank illustrated at an automotive service station on 374 South Service Road East, which is located approximately 140 metres north from the Site. Given the location of this property to the Site with respect to the inferred groundwater flow direction [trans-gradient], and the distance between this property and the Site an adverse environmental impact to the Site from this property is considered remote.



Date of Plan	Findings
Feb. 1967	There are two [2] fuel oil tanks illustrated on 389 Davis Road, which is located approximately 150 metres northeast from the Site. Given the location of this property to the Site with respect to the inferred groundwater flow direction [trans-gradient], and the distance between this property and the Site an adverse environmental impact to the Site from this property is considered remote.
Feb. 1967	There is an underground storage tank, as well as an aboveground tank, illustrated at 547 Trafalgar Road which is located approximately 200 metres south from the Site. Given the location of this property to the Site with respect to the inferred groundwater flow direction [down-gradient], and the distance between this property and the Site an adverse environmental impact to the Site from this property is considered remote.
Feb. 1967	There is an auto body shop illustrated on 312 Davis Road, which his located approximately 120 metres south-southwest from the Site. Given the location of this property to the Site with respect to the inferred groundwater flow direction [down-gradient], and the distance between this property and the Site an adverse environmental impact to the Site from this property is considered remote.
Feb. 1967	<p>There following is illustrated on 354 Davis Road, associated with Ferro Enamels (Canada) Ltd., which is located approximately 30 metres southeast from the Site:</p> <ul style="list-style-type: none"> <li>- Two aboveground fuel oil tanks</li> <li>- One bunker fuel oil tank</li> <li>- A sodium and potassium nitrate storage building</li> <li>- A maintenance shop</li> <li>- A machine shop</li> <li>- Two smelting areas</li> </ul> <p>Although this property is situated down-gradient with respect to the inferred ground waterflow direction, given the close proximity from this property and the Site, the operations conducted on this property are considered PCAs likely to cause an APEC on the Site.</p>
March 1967	<p>There following is illustrated on 420 South Service Road East, associated with Canadian General Electric Co. Ltd. [Lamp Manufacturing], which is located approximately 250 metres northeast from the Site:</p> <ul style="list-style-type: none"> <li>- Two argon storage units</li> <li>- A maintenance and machine shop</li> <li>- Two [2] fuel oil tanks</li> <li>- A coating and mixing room</li> </ul> <p>Given the location of this property to the Site with respect to the inferred groundwater flow direction [trans-gradient], and the distance between this property and the Site an adverse environmental impact to the Site from this property is considered remote.</p>

#### 4(a)iv CHAIN OF TITLE

A representative of SOIL-MAT ENGINEERS undertook a title search of the Site on the Ontario Land Registry Website [<https://www.onland.ca/ui/>].

The title search of the Site did not reveal any past owners of the Site that may suggest there is a potential environmental liability on the Site.

The Site was owned by 1539059 Ontario Inc. at the time of the title search.

The chain of previous ownership is presented in table format below:

Years	Name of Owner	Description of Property Use	Property Use	Other Observations from Aerial Photographs, Fire Insurance Plans, Etc.
2004 to Present	1539059 Ontario Inc.	The property was comprised of commercial use lands.	Commercial	<ul style="list-style-type: none"> <li>Aerial photographs from 2009, 2012, 2013, and 2019 illustrate the property in its current state [as observed during the Site reconnaissance]</li> </ul>
2004 to 2004	Widex Canada Ltd.	The property was comprised of commercial use lands.	Commercial	<ul style="list-style-type: none"> <li>There were no readily available visual aids for the Phase One Property for this time period.</li> </ul>
2004 to 2004	International Hearing Aids Ltd.	The property was comprised of commercial use lands.	Commercial	<ul style="list-style-type: none"> <li>There were no readily available visual aids for the Phase One Property for this time period.</li> </ul>
2002 to 2004	Widex Canada Ltd.	The property was comprised of commercial use lands.	Commercial	<ul style="list-style-type: none"> <li>There were no readily available visual aids for the Phase One Property for this time period.</li> </ul>
1989 to 2002	International Hearing Aids Ltd.	The property was comprised of commercial use lands.	Commercial	<ul style="list-style-type: none"> <li>Aerial photographs from 1995 and 1999 illustrate the property in its current state [as observed during the Site reconnaissance]</li> <li>A topographic map from 1999 illustrates the property as developed land.</li> </ul>
1984 to 1989	Robert B. Johnston Holdings Ltd.	The property was comprised of commercial use lands.	Commercial	<ul style="list-style-type: none"> <li>There were no readily available visual aids for the Phase One Property for this time period.</li> </ul>
1983 to 1984	Robert B. Johnston	The property was comprised of commercial use lands.	Commercial	<ul style="list-style-type: none"> <li>There were no readily available visual aids for the Phase One Property for this time period.</li> </ul>
1976 to 1983	Walsh Manufacturing (Mississauga) Limited	The property was comprised of commercial use lands.	Commercial	<ul style="list-style-type: none"> <li>An aerial photograph from 1960 illustrates the existing structure on the southern portion of the Site.</li> </ul>
1966 to 1976	Aire Mathys Van Ekeris	The property was comprised of commercial use lands.	Commercial	<ul style="list-style-type: none"> <li>A fire insurance plan from 1967 illustrates the Phase One Property as commercial lands. The northeast portion of the existing structure was identified as storage areas for tires and batteries.</li> <li>A topographic map from 1968 illustrates the Phase One Property as developed lands.</li> </ul>



Years	Name of Owner	Description of Property Use	Property Use	Other Observations from Aerial Photographs, Fire Insurance Plans, Etc.
1954 to 1966	Levi Gordon Snyder & Gilbrae Dairy Limited	The property was comprised of commercial use lands.	Commercial	<ul style="list-style-type: none"> <li>An aerial photograph from 1960 illustrates the existing structure on the southern portion of the Site.</li> </ul>
1953 to 1954	Levi Gordon Snyder	The property was comprised of commercial use lands.	Commercial	<ul style="list-style-type: none"> <li>An aerial photograph from 1954 illustrates the existing structure on the southern portion of the Site.</li> </ul>
1952 to 1953	John D. H. Groothand	The property was developed as commercial lands sometime between 1938 and 1954	Commercial	<ul style="list-style-type: none"> <li>There were no readily available visual aids for the Phase One Property for this time period.</li> </ul>
1939 to 1952	Wesley John Herod	The property was developed as commercial lands sometime between 1938 and 1954	Commercial	<ul style="list-style-type: none"> <li>There were no readily available visual aids for the Phase One Property for this time period.</li> </ul>
1912 to 1939	William Sinclair Davis	The property was comprised undeveloped land.	Agriculture or Other	<ul style="list-style-type: none"> <li>A topographic map from 1938 illustrates the Phase One Property as vacant undeveloped lands.</li> </ul>
1911 to 1912	Cumberland Land Co. Ltd.	The property was comprised undeveloped land.	Agriculture or Other	<ul style="list-style-type: none"> <li>There were no readily available visual aids for the Phase One Property for this time period.</li> </ul>
1907 to 1911	Emerson Bartlett	The property was comprised undeveloped land.	Agriculture or Other	<ul style="list-style-type: none"> <li>A topographic map from 1909 illustrates the Phase One Property as vacant undeveloped lands.</li> </ul>
1903 to 1907	The Bank of Hamilton	The property was comprised undeveloped land.	Agriculture or Other	<ul style="list-style-type: none"> <li>There were no readily available visual aids for the Phase One Property for this time period.</li> </ul>
1879 to 1903	Cyrus W. Anderson	The property was comprised undeveloped land.	Agriculture or Other	<ul style="list-style-type: none"> <li>There were no readily available visual aids for the Phase One Property for this time period.</li> </ul>
1830 to 1979	Joseph B. Anderson	The property was comprised undeveloped land.	Agriculture or Other	<ul style="list-style-type: none"> <li>There were no readily available visual aids for the Phase One Property for this time period.</li> </ul>
1810 to 1830	Charles Anderson	The property was comprised undeveloped land.	Agriculture or Other	<ul style="list-style-type: none"> <li>There were no readily available visual aids for the Phase One Property for this time period.</li> </ul>



Years	Name of Owner	Description of Property Use	Property Use	Other Observations from Aerial Photographs, Fire Insurance Plans, Etc.
1809 to 1810	Samuel Fraser	The property was comprised undeveloped land.	Agriculture or Other	<ul style="list-style-type: none"> <li>There were no readily available visual aids for the Phase One Property for this time period.</li> </ul>
Up to 1809	Crown	The property was comprised undeveloped land.	Agriculture or Other	<ul style="list-style-type: none"> <li>There were no readily available visual aids for the Phase One Property for this time period.</li> </ul>

#### 4(a)v ENVIRONMENTAL REPORTS

SOIL-MAT ENGINEERS had access to the following reports, which were utilized as supporting documents during the completion of this report.

1. Report on Results of Phase I Environmental Site Assessment, 349 Davis Road, Oakville, Ontario, Reference No. G-04.0106, dated March 2004. Prepared for Andrews Carpentry/Contracting by Geo-Canada Ltd. (Geo-Canada).

The findings of Geo-Canada's Phase I ESA revealed the following:

- *The subject property is located within the municipality of Oakville and is bounded by the Queen Elizabeth Way to the north and commercial/industrial properties to the west, east, and south. The subject property, which has approximate lot dimensions of 54m x 53m, currently contains a single storey brick building with a partially paved driveway and parking along both the eastern and northern property limits.*
- *A total of five (5) decommissioned registered landfill sites are located 2.0km to the southeast of the subject property. An unauthorized private landfill is reportedly present across Davis Road to the south, within the Ferro Enameling property.*
- *An underground storage tank was recently removed from the property to the immediate east (359 Davis Road) of the subject property. Both TSSA and MOE have no record of the tank removal, but anecdotal evidence suggests that the UST was located within a few metres of the eastern property line of the subject site.*
- *The property located to the immediate south (354 Davis Road) of the subject property is classified by MOE as an unapproved landfill site. The site is currently considered a "brownfield" site and is undergoing environmental monitoring. The MOE has knowledge that concentrations of Cadmium, Copper, Boron, and Lead in groundwater samples are in excess GUSCO parameter concentrations. Detectable concentrations of Vinyl Chloride have also been reported by MOE.*
- *Previous usage of the subject property for "battery and tire storage" between 1932 and 1967 could be cause for environmental concern. The business conducted by ESSO at the subject site between 1970 and 1973 is not known and ESSO would not return our telephone calls in this respect.*

*Phase II subsurface soil and groundwater investigation work is required at this site, given the considerable environmental risks associated with neighboring site usage*

*and past usage of the subject site. A sampling and testing program for asbestos-containing materials is also recommended.*

2. As a result of the above, Geo-Canada Ltd. was retained by Andrews Carpentry / Contracting, care of Widex Canada Ltd., to carry out a Phase II ESA for the above noted property [Results of Phase 2 Subsurface Environmental Site Assessment, 349 Davis Road, Oakville, Ontario, Reference No. G-04.0106, dated March 2004].

Geo-Canada's Phase 2 ESA concluded the following:

*From the available soil and groundwater test data, the following conclusions can be drawn:*

- *The recently removed UST from the neighboring property at 359 Davis Road (currently occupied by Oaktown Auto Collision) may have adversely impacted groundwater beneath the subject site. Given that we have assumed a "Non-Potable Water Condition", however, the currently measured concentrations of petroleum hydrocarbons within the groundwater do not necessarily require remediation under MOE guidelines. It is quite possible, however, that our monitoring well locations have simply not captured the highest concentration "hydrocarbon plume" from the UST source.*
- *The surface soil sample from Borehole 04-6 was found to contain copper concentrations very close to the MOE Table 'B' GUSCO criteria. While the MOE guidelines were not exceeded in this particular case, that is not to say that other samples from the same general area may not exceed the guidelines.*
- *The detection of Acetone in the Borehole 04-2 and 04-3 monitoring wells may suggest that (i) the former 'gasoline' UST may have been used as a waste solvent holding tank; or (ii) there may be additional point sources (such as UST's or surface spills) of solvents in the vicinity of the subject property, which are presently unknown to us. The presence of Acetone within the groundwater samples could also be explained by the presence of a spray painting booth at 359 Davis Road.*
- *The groundwater flow direction inferred from measurements in the three monitoring wells reveals a very flat hydraulic gradient to the south-southeast. This somewhat lessens the potential concern over 354 Davis Road (Formerly occupied by Ferro Industrial Products) causing cross-boundary impairment of the subject site. Because this gradient is flat, however, it is not inconceivable that northward groundwater flow could occur, for example, via a utility trench connecting the two sites.*

*In light of the presence of trace concentrations of petroleum hydrocarbon constituents and some volatile organic components in groundwater samples obtained from the three monitoring wells at this site, Phase III subsurface investigation work is warranted in order to better assess the environmental soil and groundwater quality and to determine if the source of these compounds is still in the ground.*

*As a minimum, we would recommend that several test pits be excavated in the area where the former UST is believed to have been located, as well as in the vicinity of the former paint booth and near the rear doors of the subject building. Sampling and testing of the existing structure for asbestos-containing materials and the examination*



*of soil samples obtained from beneath the floor slab is also recommended, given the building's age and former use as a tire and battery storage facility.*

*The existing groundwater monitoring well installations should be periodically monitored for water level and the potential presence of free-petroleum product.*

*We also recommend that MOE files be obtained under the Freedom of Information Act pertaining to the neighboring Ferro Industrial Products Ltd. property.*

It should be noted that when comparing the data from Geo-Canada's Phase 2 ESA to the current O. Reg. 153/04 Table 3 Standards in a Full Depth Generic Site Condition Standards in a Non-Potable Ground Water condition [Table 3 RPI], there are exceedances in copper in three [3] of the samples. In addition, although Table B from the Guideline for Use at Contaminated Sites in Ontario [GUSCO] cannot be directly translated to the current O. Reg. 153/04 Standards with respect to Petroleum Hydrocarbons, it is noted that the 4000ppm value for petroleum hydrocarbons [gas/diesel] from GUSCO would most likely result in an exceedance in the Ontario Regulation 153/04 [as amended] Table 3 RPI Standards, however, further work would be required on the Site to confirm this.

In addition to the above, SOIL-MAT ENGINEERS contacted Mr. David Addington, a Heritage Planner with the Town of Oakville to request a copy of previous environmental reports for the Site that may be on file with the Town. However, no reports were available for viewing and according to Mr. Addington, there are none on file with the Town.

In addition, a search of the MOE's *Brownfields Environmental Site Registry* did not reveal a previous Phase One ESA that may have been undertaken on the Site.

#### **4(a)VI HISTORICAL SITE USE AND CONDITIONS/PAST LAND USES**

The Criss-Cross City Directory series were reviewed dating back to 1960 [the earliest available year that the Phase One ESA area is listed] to establish the general historical land use on and in the immediate vicinity of the Site. It is noted that the 2001 directory is the most recent readily available directory for the Site and surrounding area.

A summary of SOIL-MAT ENGINEERS' findings for the Site is provided below:

Occupant	Years Occupied
International Hearing Aids (1972) Ltd.	5+ years [1996 – 2001]
Electro Medical Instruments Ltd.	10+ years [1986 – 1996]
Not Listed	1+ year[s] [1986]
Walsh Manufacturing	3+ years [1981 – 1984]
Atlas T. B. A. Agency Auto Parts	4+ years [1971 - 1975]
ESSO Home Heat (Oakville) Fuel Oil & Service	1+ year[s] [1971]
Vacant	1+ year[s] [1965]

The directories list ESSO Home Heat (Oakville) Fuel Oil & Service as a past occupant of the Site. The daily operations of this company were not known prior to the completion of this report. However, may be considered a PCA likely to cause an APEC on the Site.

With the exception of the above, the directories do not list any current or past occupant of the Site that should be considered a potential environmental liability.

A summary of the historical occupants of interest on the adjoining properties is in table format below:

Location	Property	Occupant	Years Occupied
312 Davis Road: located ~130 metres south-southwest of the Site [Down-gradient]	Commercial	Carstar	3+ years [1998 – 2001]
	Commercial	Trafalgar Collision Service	32 years [1965 – 1997]
359 Davis Road: located adjacent to the east of the Site [Trans-gradient]	Commercial	Oaktown Collision	6+ years [1995 – 2001]
	Commercial	Doan's Auto Service	1 year [1996 only year listed]
	Commercial	Super 7 Autos	3 years [1991 – 1994]
379 Davis Road: located ~80 metres northeast of the Site [Trans-gradient]	Commercial	JTM Tooling Co. Ltd.	1+ year[s] [2001 only year listed]
	Commercial	European Auto Centre	1 year [1996 only year listed]
547 Trafalgar Road: located ~190 metres south of the Site [Down-gradient]	Commercial	Towne Chevrolet Oldsmobile	26+ years [1975 – 2001]
	Industrial	British Paints (Can) Ltd.	5+ years [Before 1960 – 1965]
562 Trafalgar Road: located ~290 metres south-southwest of the Site [Down-gradient]	Commercial	ESSO Service Station	5+ years [1996 – 2001]
	Commercial	Texaco Service Station	26 years [1965 – 1991]
570 Trafalgar Road: located ~250 metres southwest of the Site [Down-gradient]	Commercial	Oak-Land Ford Lincoln Sales Ltd.	15+ years [1986 – 2001]
354 Davis Road: located ~30 metres southeast of the Site [Down-gradient]	Industrial	Ferro Industrial Products Ltd. [Ferro Enamels (Can) Ltd.]	37 years [Before 1960 – 1997]
374 South Service Road East: located ~140 metres north of the Site [Trans-gradient]	Commercial	Shell Service Station	31+ years [Before 1960 – 1991]
420 South Service Road East: located ~250 metres northeast of the Site [Trans-gradient]	Industrial	Canadian General Electric Co. Ltd.	26+ years [Before 1960 – 1986]

With respect to 359 Davis Road, given the close proximity of this property to the Site the operations conducted on this Property are considered PCAs likely to cause an APEC on the Site.

With respect to 354 Davis Road listed above, although this property is considered down-gradient with respect to the inferred groundwater flow direction, given the close proximity





of this property to the Site, the operations conducted on this property are considered PCAs likely to cause an APEC on the Site.

With respect to the remaining properties, given the location of these properties to the Site with respect to the inferred groundwater flow direction and the distance between these properties and the Site, an adverse environmental impact to the Site from one of these properties is considered remote.

With the exception of the above listed properties, the directories do not list any current or past occupant of the adjacent lands that should be considered a potential environmental liability to the Site.

#### 4(b) ENVIRONMENTAL SOURCE INFORMATION

1. National Pollutant Release Inventory: No records were found for the Site. However, twenty [20] records were found for a property located within the Phase One Study Area. Specifically, twenty [20] records were available for the property located at 420 South Service Road to the northeast of the Site. Given the location of this property to the Site with respect to the inferred groundwater flow direction [trans-gradient] and the distance between this property and the Site [approximately 250 metres northeast] an adverse environmental impact to the Site from this property is considered remote
2. A review of the Ministry of Environment and Energy's "Ontario Inventory of PCB Storage Sites", October, 1991, indicated the following Sites

Company	Site Number	Address	Major/Minor Site	Distance to Site
Canadian General Electric	30287A008	420 South Service Rd.	Major	0.25km NE
Oakville – Trafalgar Memorial Hospital	30289A100	327 Reynolds Street	Major	0.91km SE
Oakville Public Utilities Commission	30283A017	530 Lyons Lane	Minor	0.88km SW

In addition to the above, the Ecolog ERIS Report revealed the following records:

- Four [4] records in the National PCB Inventory at 320 Davis Road
- Seven [7] records in the National PCB Inventory at 420 South Service Road.
- Four [4] records in the Inventory of PCB Storage Sites at 420 South Service Road.

With respect to the PCB Storage Sites listed above, given the location of the properties to the Site with respect to the inferred groundwater flow direction [trans-gradient or down-gradient] and the distance between the properties and the Site an adverse environmental impact to the Site from these properties is considered remote.

It is noted that although the inventory is considered a comprehensive document not all of the storage sites are listed in the inventory.

3. Environmental Compliance Approvals, Permit to Take Water, Certificate of Property Use: No records were found for the Site.



4. Coal Gasification Plants: No records were found for the Site or properties within the Phase One Study Area.
5. Records Concerning Environmental Incidents, Orders, Offences, Spills, Discharges of Contaminants or Inspections Maintained by the MOE: The MOE was contacted to gather information with regard to the Site. SOIL-MAT ENGINEERS had not received the pertinent information from the MOE at the time of this Report. However, the results will be sent under a separate cover as soon as they are received in this Office.

SOIL-MAT ENGINEERS' MOE database search results are attached in Appendix 'C' for reference.

6. Waste Management Records: No records were found for the Site. However, the database search report revealed one waste generation record for inert organic waste at 359 Davis Road which is located adjacent to the east of the Site.
7. Reports Submitted to the MOE: No records were found for the Site or adjacent properties.
8. Retail Fuel Storage Tanks: SOIL-MAT ENGINEERS contacted the T.S.S.A. to undertake a search of the Site and neighbouring properties for the registered presence of any underground storage tanks. The T.S.S.A. does not have records on file of any underground storage tanks located on the Site.

The T.S.S.A. has a record of the following:

- **374 South Service Road East.** There is a record of an expired full-serve gas station and an expired propane cylinder refill centre, located approximately 140 metres north [trans-gradient] from the Site. Given the location of this property to the Site with respect to the inferred ground water flow direction and the distance between this property and the Site, an adverse environmental impact to the Site from this property is considered remote.

It is however noted that the T.S.S.A. does not have records of USTs installed prior 1987. In addition, "private use" USTs were not registered with the agency until 1990, and even then many owners of "private use" USTs do not register the tanks with T.S.S.A.

9. Notices and Instruments Posted to the MOE Registry: No records were found for the Site.
10. Identification of Areas of Natural Significance [Ministry of Natural Resources]: No records were found for area(s) of natural significance on the Site or adjacent properties.
11. Landfill Information Maintained by the MOE: A review of the Ministry of Environment and Energy's "Waste Disposal Site Inventory", June 1991, indicates no inactive or active landfill sites within a 2km radius of the Site. It is noted that although the waste disposal site inventory is considered a comprehensive inventory not all of the inactive landfill sites are listed in the inventory.

In addition, no Municipal Coal Gasification Plants or Coal Tar Distillation Plants were in operation in the area.

12. EcoLog ERIS Database Search: A review of historical records and regulatory agency databases was completed for the Site and lands located within 250 metres from the boundaries of the Phase One Property. The report includes information from the following sources:

- Abandoned Aggregate Inventory
- Aggregate Inventory
- Borehole
- Certificates of Approval
- Environmental Registry
- ERIS Historical Searches
- Fuel Storage Tanks
- Ontario Regulation 347 Waste Generators Summary
- Private and Retail Fuel Storage Tanks
- Record of Site Conditions
- Ontario Spills
- Water Well Information Systems

The EcoLog ERIS database search report revealed limited PCAs on nearby properties, including the following:

354 Davis Road – the EcoLog ERIS database revealed the following:

- One record of compliance and conviction for discharging hazardous liquid into the environment
- Two [2] records for a Certificate of Approval
- One Record in the Scott's Manufacturing Directory
- Two [2] records for Historical ERIS Searches
- Six [6] Waste Generation records
- One record in the Environmental Registry
- One Landfill Inventory Management Ontario record
- One record in the Ontario Spills registry

359 Davis Road – the EcoLog ERIS database revealed the following:

- One record for a Certificate of Approval
- One record for an Environment Compliance Approval
- One record in the Environmental Activity and Sector Registry
- One record in the Environmental Registry
- One Waste Generation Record

With respect to the 354 Davis Road property, although this property is considered down-gradient with respect to the inferred groundwater flow direction, given the close proximity of this property to the Site the historical operations on this property is considered a potential environmental liability to the Site.

With respect to 359 Davis Road listed above, given this property is adjacent to the east of the Site, the historical operations on this property are considered a potential environmental liability to the Site.

With the exception of the above noted items, given the location of the remaining records with respect to the inferred groundwater flow direction as well as the distance between these properties and the Site, an adverse environmental impact to the Site is considered remote.

A copy of the EcoLog ERIS Report is included in Appendix 'B' for reference.

#### 4(C) PHYSICAL SETTING SOURCES

1. Aerial Photographs: Aerial photographs from 1954, 1960, 1979, 1995, 1999, 2009, 2012, 2013, and 2019 were available for the Site and surrounding lands and were reviewed by SOIL-MAT ENGINEERS.

A summary of information obtained from the photographs is presented below:

Aerial Photo Date [Scale]	Site Description	Description of Adjacent Lands
1954 [1:6,600]	The existing structure, as observed during our site reconnaissance, is present on the southern portion of the Site. The structure is surrounded by a parking lot to the north, east, and south of the site building, with the remainder of the Site being grass covered.  In addition, there is a small structure on the northern portion of the Site.	The surrounding lands are comprised of a mixture of industrial and commercial lands as well as some vacant undeveloped lands.  In addition, the QEW is present to the distant northwest and there is a rail line to the distant southeast of the Site.
1960 [1:4,200]	There are no significant changes to the Site.	There is some additional commercial and industrial development to the northeast and south of the Site. In addition, the on/off ramp to the QEW are now present.
1979 [1:2,600]	There are no significant changes to the Site.	With the exception of some commercial redevelopment to the distant south of the Site, there are no significant changes to the surrounding lands.
1995 [1:3,200]	With the exception of a small addition to the southwest corner of the existing structure, there are no significant changes to the Site.	There are no significant changes to the surrounding lands.
1999 [1:3,150]	With the exception of the asphalt parking lot having been expanded, there are no significant changes to the Site.	With the exception of the industrial building southeast of the Site having been demolished, there are no significant changes to the surrounding lands.
2009 [1:3,250]	There are no significant changes to the Site.	With the exception of the industrial building to the east of the Site having been demolished, there are no significant changes to the surrounding lands.



Aerial Photo Date [Scale]	Site Description	Description of Adjacent Lands
2012 [1:3,100]	There are no significant changes to the Site.	With the exception of the industrial building to the distant northeast of the Site having been demolished, there are no significant changes to the surrounding lands.
2013 [1:3,300]	There are no significant changes to the Site.	With the exception of a commercial building having been developed to the southeast of the Site, there are no significant changes to the surrounding lands.
2019 [1:3,100]	There are no significant changes to the Site.	There are no significant changes to the surrounding lands.

With the exception of the historical industrial building illustrated to the southeast of the Site, the review of the noted aerial photographs did not reveal any information that would suggest there is a potential environmental liability on the Site.

The aerial photographs are included in Appendix 'C' for reference.

2. Topography, Hydrology, Geology: Readily available topographic maps for the Site and Phase One Study Area were reviewed as part of this Phase One ESA and revealed the following information:

Map Year [Scale]	Site Description	Description of Surrounding Lands
1909 [1:63,360]	The Site is illustrated as vacant undeveloped land.	The Phase One Study Area is comprised primarily of lands with a rail line to the distant southeast.
1938 [1:63,360]	The Site is illustrated as vacant undeveloped land.	The Phase One Study Area is comprised primarily of lands with a rail line to the distant southeast.
1968 [1:50,000]	There is one building illustrated on the Site.	The Phase One Study Area is comprised primarily of developed lands with some sparse undeveloped areas.
1999 [1:50,000]	There is one building illustrated on the Site.	The Phase One Study Area is comprised primarily of developed lands.

The review of the topographic maps did not reveal any PCAs that may cause an APEC on the Site.

A copy of the topographic maps is included in Appendix 'D' for reference.

In addition, a review of the Ministry of Northern Development and Mine's "Quaternary Geology of the Hamilton Area, Southern Ontario Sheet Map M2509" and "Paleozoic Geology of Hamilton Area, Southern Ontario Sheet Map M2336", indicates that the Site is located in an 'outcrop' area of Georgian Bay Formation Shale bedrock [Upper Ordovician].



The project area is relatively flat and level with surface water being directed to the southeast towards Davis Road.

Regional groundwater flow is expected to the southeast toward the Lake Ontario.

3. **Fill Materials:** The reconnaissance of the Site did not reveal any obvious visual evidence of significant fill material on the Site.
4. **Water Bodies and Areas of Natural Significance:** With the exception of Morrison Creek, located approximately 250 metres southeast of the Site, surface water was not encountered on the Phase One Property or within the Phase One Study Area. In addition, no areas of natural significance were identified on the Phase One Property or within the Phase One Study Area.
5. **Well Records:** The reconnaissance of the Site did not reveal any obvious visual evidence of a suspected groundwater well or cistern. However, the reconnaissance of the Site revealed two [2] monitoring wells on the southern portion of the Site. The monitoring wells are reportedly associated with the environmental assessment activities undertaken on the Site by Geo-Canada in 2004. It is noted that that the third monitoring well, noted in Geo-Canada's 2004 Phase Two ESA, was not observed or located during the Site reconnaissance.

A review of the MOE's water well records did not reveal any potable groundwater wells within the Phase One Study Area. However, there were records of fifty [50] groundwater monitoring wells located between 20 to 250 metres from the Site. The groundwater monitoring wells reportedly terminate between 4.0 to 20.1 metres below ground surface.

#### **4(d) SITE OPERATING RECORDS**

1. Title of the Information Sheet or Document: Not Applicable
2. Description of Data, Analysis or Findings as the Information Sheet or Document relates to the Phase One ESA Property: Not Applicable



## 5.0 INTERVIEWS

Mr. David Powell [owner], accompanied Soil-Mat Engineers' representative during the site reconnaissance. According to Mr. Powell, the previous owner manufactured hearing aids. In addition, Mr. Powell informed Soil-Mat Engineers that the Site is fully serviced with municipal services and that there are no USTs or potable groundwater wells on the property. In addition, Mr. Powell is not aware of there being any past fuel storage tanks and/or groundwater wells ever on the property. In addition, according to Mr. Powell, the concrete pad at the north end of the Site is associated with an old shed, but noted that this was before he owned the property and that there was never a structure at this location.



## 6.0 SITE RECONNAISSANCE

### 6.0 (A) GENERAL REQUIREMENTS:

Reporting Requirements	SOIL-MAT ENGINEERS' Details
Date and Time of the Reconnaissance	March 24, 2022 [11:00am to 12:00pm]
Weather Conditions	The weather conditions did not limit the visual observations of the Site.
Duration of Site Visit	~1 hour
Enhanced Investigation Property	The Site is not an Enhanced Investigation property
Field Representative	Mr. Peter Markesic [qualifications included in the appendix]

### 6.0(B) SPECIFIC OBSERVATIONS AT PHASE ONE ESA PROPERTY

Reporting Requirements	SOIL-MAT ENGINEERS' Details
Description of Structures and Other Improvements	A single storey, basementless, commercial use building was observed on the southern portion of the Site. The structure is approximately 1300 m <sup>2</sup> and was constructed between 1938 and 1954 with a small addition sometime between 1979 and 1995.
Description of the Number, Age and Depth of Below-Ground Structures	None observed
Details of all tanks (aboveground and underground)	None observed. In addition, the research did not reveal any evidence suggesting the presence of an UST or AST on the Site.  It is noted that there was an underground storage tank former located adjacent to the east of the Site; as described in Geo-Canada's 2004 Phase One ESA.
Details of any potable and non-potable water sources	The Site is serviced with a municipal water supply.
Buried Utilities	The Site is serviced with natural gas and water/sewer/storm sewer services, etc. The depth of these service trenches is not anticipated to affect contaminant distribution on the Site.
Existing Buildings: Exit/Entry Points	Access to the Site building is available via one door on the front [south end], one on the north end, and two [2] doors on the west.
Existing Buildings: Cooling / Heating System	Rooftop HVAC
Existing Buildings: Drains, Pits, Sumps, etc.	None observed
Existing Buildings: Details of any unidentified substances	None observed
Existing Buildings: Details of Stains, Corrosion on Floors other than from Water	None observed
Details of Former and Current Wells	Two [2] monitoring wells were observed at the south end of the Site.
Details of Sewage Works	The Site is serviced with a municipal sewer line.





Reporting Requirements	SOIL-MAT ENGINEERS' Details
Details of Ground Surface Cover	Asphaltic-concrete parking lot areas were observed to the north, east, and partially to the south of the structure. The remainder of the Site was comprised of landscaped areas.
Details of Former or Current Railway Lines	None observed
Details of Stained Soil, Damaged Vegetation or Pavement	None observed
Details of Stressed Vegetation	None observed
Areas Where Fill and Debris Materials Appear to be Present	None observed
PCAs	<p>PCA No. 6: Battery Manufacturing, Recycling and Bulk Storage [associated with the historical on-site battery storage]</p> <p>PCA No. 28: Gasoline and Associated Products Storage in Fixed Tanks [associated with the historical off-site UST formerly located adjacent to the east of the Site]</p> <p>PCA No. 10: Commercial Autobody Shops [associated with the adjacent auto body and auto repair operations]</p> <p>PCA No. 39: Paints Manufacturing, Processing and Bulk Storage [associated with the adjacent auto painting operations]</p> <p>PCA No. 33: Metal Treatment, Coating, Plating and Finishing [associated with the former enamel manufacturing operations at 354 Davis Road].</p> <p>PCA No. 43: Plastics (including Fibreglass) Manufacturing and Processing [associated with the former fibreglass manufacturing operations at 354 Davis Road].</p> <p>PCA No. 58: Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than the use of biosoils as soil containers. [associated with the landfill inventory management Ontario record at 354 Davis Road]</p>

### 1. Enhanced Investigation Property

Reporting Requirements	SOIL-MAT ENGINEERS' Details
Details of the Operations at the Site	Not Applicable
Hazardous Materials Used/Stored on the Site	Not Applicable
Products Manufactured on the Site	Not Applicable
By-Products and Wastes at the Site	Not Applicable
Raw Materials, including the Handling and Storage	Not Applicable
Details of Drums, Totes, Bins	Not Applicable
Details of Oil/Water Separators	Not Applicable
Details of Vehicle and Equipment Maintenance Areas	Not Applicable
Details of Known Spills	Not Applicable
Details of Liquid Discharge Points	Not Applicable
Details of Operations at the Site [processing or manufacturing and equipment used]	Not Applicable
Details of Hydraulic Lift Equipment	Not Applicable

## 6.0 (C) WRITTEN DESCRIPTION OF INVESTIGATION

The information gathered during the completion of this Phase One ESA report revealed that the Site was first developed between 1938 and 1954 as commercial lands. The first readily available visual aid for the Site is a topographic map from 1907 which illustrates the Site as undeveloped lands. Other visual aids, including aerial photographs from 1954, 1960, 1979, 1995, 1999, 2009, 2012, 2013, and 2019, topographic maps from 1909, 1938, 1968, and 1999, and fire insurance plans from 1967 confirm the development timeline above. The neighbouring and nearby lands to the Site are comprised of a mixture of industrial, commercial, and vacant undeveloped lands.

The Phase One ESA research revealed one potentially contaminating activity [PCA] on the Phase One Property, including the following:

- A review of available fire insurance plans revealed that a portion of the existing structure on the Phase One Property was former utilised for battery storage. [PCA No. 6].

The lands in the general vicinity of the Phase One Property are comprised of a mixture of industrial, commercial and vacant undeveloped lands. The Phase One ESA research revealed a combination of six [6] current and historical PCAs on lands in the Phase One Study Area that are considered likely to cause an area of potential environmental concern [APEC] on the Phase One Property, including the following:

- Information gathered from an existing environmental report, completed for the Phase One Property, by Others [Geo-Canada's Phase 1 ESA] revealed an underground storage tank [UST] was removed immediately adjacent to the east of the Phase One Property. In addition, the report by Others indicates that residual levels of petroleum hydrocarbons are present in both the soil and groundwater mediums on the Phase One Property near the location of the former off-site UST [PCA No. 28];
- Information gathered during our reconnaissance of the Phase One Property, as well as information gathered from available Criss-Cross City Directories, indicates an autobody shop maintains operations adjacent to the east of the Phase One Property. Specifically, Oaktown Collision has maintained operations on the adjacent property since circa 1995. Prior to 1995, Doan's Auto Sales operated on the property circa 1994-1996 and Super 7 Autos operated on the property circa 1991 to 1994 [PCA Nos. 10 and 39];
- Information gathered from available Criss-Cross City Directories indicates Ferro Industrial Products Ltd. [a Manufacturer of enamel paints, fibreglass, and other products] maintained operations on a nearby property [approximately 30 metres southeast of the Site] from circa pre-1960 to 1997 [PCA Nos. 33 and 43], and;
- Information contained in the Ecolog ERIS Report revealed a Landfill Inventory Management Ontario record at Ferro Industrial Products Ltd. [PCA No. 58].

## 7.0 REVIEW AND EVALUATION OF INFORMATION

- (i) Current and Past Uses: SOIL-MAT ENGINEERS' Table of Current and Past Uses is included in Appendix 'E' of this Report.
- (ii) Potential Contaminating Activity: One PCA was identified on the Site and six [6] PCAs were identified in the Phase One Study Area that may result in an APEC, including:

PCA No.: 6 – Battery Manufacturing, Recycling and Bulk Storage [associated with the historical on-site battery storage];

PCA No.: 28 – Gasoline and Associated Products Storage in Fixed Tanks [associated with the historical off-site UST adjacent to the east of the Site];

PCA No.: 10 – Commercial Autobody Shops [associated with the adjacent auto body and auto repair operations];

PCA No.: 39 – Paints Manufacturing, Processing and Bulk Storage [associated with the adjacent auto painting operations];

PCA No.: 33 – Metal Treatment, Coating, Plating and Finishing [associated with the former enamel manufacturing operations at 354 Davis Road];

PCA No.: 43 – Plastics (including Fibreglass) Manufacturing and Processing [associated with the former fibreglass manufacturing operations at 354 Davis Road];

PCA No.: 58 – Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than the use of biosoils as soil containers. [associated with the landfill inventory management Ontario record at 354 Davis Road];

- (iii) Areas of Potential Environmental Concern: SOIL-MAT ENGINEERS' APEC table is presented below:

Area of Potential Environmental Concern	Location of Area of Potential Environmental Concern on Phase One Property	Potentially Contaminating Activity	Locations of PCA (on-site or off-site)	Contaminants of Potential Concern	Media Potentially Impacted (Groundwater, soil and/or sediment)
APEC #1	The northeast portion of the existing structure.	6. Battery Manufacturing, Recycling and Bulk Storage	On-Site	Metals, As, Sb, Se, BHWS, CN, Electrical Conductivity, Cr (VI), Hg and SAR, pH	Soil



Area of Potential Environmental Concern	Location of Area of Potential Environmental Concern on Phase One Property	Potentially Contaminating Activity	Locations of PCA (on-site or off-site)	Contaminants of Potential Concern	Media Potentially Impacted (Groundwater, soil and/or sediment)
APEC #2	The eastern limit of the Phase One Property.	28. Gasoline and Associated Products Storage in Fixed Tanks.	Off-Site	Metals, PHCs, VOCs, and BTEX	Soil and groundwater
APEC #3	The eastern limit of the Phase One Property.	10. Commercial Autobody Shops	Off-Site	Metals, As, Sb, Se, BHWS, CN, Electrical Conductivity, Cr (VI), Hg, SAR, PHCs, VOCs, BTEX, and PAHs.	Soil and groundwater
APEC #4	The eastern limit of the Phase One Property.	39. Paints Manufacturing, Processing and Bulk Storage	Off-Site	Metals, As, Sb, Se, BHWS, CN, Electrical Conductivity, Cr (VI), Hg, SAR, and VOCs	Soil and groundwater
APEC #5	The southern limit of the Phase One Property.	33. Metal Treatment, Coating, Plating and Finishing	Off-Site	Metals, As, Sb, Se, BHWS, CN, Electrical Conductivity, Cr (VI), Hg, SAR, PHCs, VOCs, ABNs, and BTEX.	Soil and groundwater
		43. Plastics (including Fibreglass) Manufacturing and Processing	Off-Site	Metals, As, Sb, Se, BHWS, CN, Electrical Conductivity, Cr (VI), Hg, SAR, PHCs, VOCs, ABNs, and BTEX.	Soil and groundwater
		58. Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than the use of biosoils as soil containers.	Off-Site	Metals, As, Sb, Se, BHWS, CN, Electrical Conductivity, Cr (VI), Hg, SAR, PHCs, VOCs, ABNs, and BTEX.	Soil and groundwater



(iv) Phase One Conceptual Site Model: SOIL-MAT ENGINEERS' Phase One CSM is included in Appendix 'I' for reference.



## 8.0 CONCLUSIONS

The Phase One Environmental Site Assessment [ESA] conducted for this property consisted of a historical records review, interviews and a reconnaissance of the subject lands.

At the time of this Report, the Phase One Property was comprised of an irregular shaped parcel of land that was occupied by a single storey, basementless, commercial use building located on the southern portion of the Phase One Property. The remainder of the Phase One Property was comprised of an asphaltic-concrete covered parking lot to the north, east and south of the existing structure and grass covered areas across the remainder of the Phase One Property. In addition, a concrete pad, associated with a former storage shed, was observed on the northern portion of the Phase One Property, some mature trees were observed along the western limit of the Phase One Property and two [2] groundwater monitoring wells were observed near the eastern limit of the Phase One Property.

The Phase One ESA research revealed one potentially contaminating activity [PCA] on the Phase One Property, including the following:

- A review of available fire insurance plans revealed that a portion of the existing structure on the Phase One Property was former utilised for battery storage. [PCA No. 6].

The lands in the general vicinity of the Phase One Property are comprised of a mixture of industrial, commercial and vacant undeveloped lands. The Phase One ESA research revealed a combination of six [6] current and historical PCAs on lands in the Phase One Study Area that are considered likely to cause an area of potential environmental concern [APEC] on the Phase One Property, including the following:

- Information gathered from an existing environmental report, completed for the Phase One Property, by Others [Geo-Canada's Phase 1 ESA] revealed an underground storage tank [UST] was removed immediately adjacent to the east of the Phase One Property. In addition, the report by Others indicates that residual levels of petroleum hydrocarbons are present in both the soil and groundwater mediums on the Phase One Property near the location of the former off-site UST [PCA No. 28];
- Information gathered during our reconnaissance of the Phase One Property, as well as information gathered from available Criss-Cross City Directories, indicates an autobody shop maintains operations adjacent to the east of the Phase One Property. Specifically, Oaktown Collision has maintained operations on the adjacent property since circa 1995. Prior to 1995, Doan's Auto Sales operated on the property circa 1994-1996 and Super 7 Autos operated on the property circa 1991 to 1994 [PCA Nos. 10 and 39];
- Information gathered from available Criss-Cross City Directories indicates Ferro Industrial Products Ltd. [a Manufacturer of enamel paints, fibreglass, and other products] maintained operations on a nearby property [approximately 30 metres southeast of the Site] from circa pre-1960 to 1997 [PCA Nos. 33 and 43], and;
- Information contained in the Ecolog ERIS Report revealed a Landfill Inventory Management Ontario record at Ferro Industrial Products Ltd. [PCA No. 58].

The specific PCA numbers associated with the identified PCAs is provided in table format below:

PCA Number	PCA Description	Location of the PCA
6	Battery Manufacturing, Recycling and Bulk Storage	On-Site
28	Gasoline and Associated Products Storage in Fixed Tanks	Off-Site: Adjacent property to the east of the Phase One Property.
10	Commercial Autobody Shops	Off-Site: Adjacent property to the east of the Phase One Property.
39	Paints Manufacturing, Processing and Bulk Storage	Off-Site: Adjacent to the east of the Phase One Property
33	Metal Treatment, Coating, Polishing and Finishing	Off-Site: South of the Phase One Property
43	Plastics (including Fibreglass) Manufacturing and Processing	Off-Site: South of the Phase One Property
58	Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than the use of biosoils as soil containers	Off-Site: South of the Phase One Property

In addition to the above, a concrete pad was observed on the northern portion of the Phase One Property. Information gathered during the completion of this report suggests the concrete pad is associated with a former storage shed, although this was not confirmed or refuted to be the case. As such, it is recommended that a Ground Penetrating Radar [GPR] and an Electro-Magnetic Survey [EMS] be conducted in the immediate vicinity of the concrete pad to assess the area for potential unknown buried features.

Based on the findings of the Phase One Environmental Site Assessment, SOIL-MAT ENGINEERS & CONSULTANTS LTD. find the potential of Site contamination to be considered **HIGH** and therefore recommend that additional investigations **ARE** required at this time, pending the results of the Ministry of the Environment database search which will be forwarded to 1539059 ONTARIO INC. under a separate cover once they are received in our Office.

To reduce SOIL-MAT ENGINEERS' degree of uncertainty associated with the environmental liabilities listed above, further assessment activities are recommended.

Each environmental liability, and our rationale for further assessment activities, is provided below:

Environmental Liability	Recommendation	Rationale
1. PCA No.: 6: Battery Manufacturing, Recycling and Bulk Storage.	Advance three [3] boreholes including one within the northeast portion of the structure.  The contaminants of potential concern [COPCs] should include Metals, As, Sb, Se, BHWS, CN, Electrical Conductivity [EC], Cr (VI), Hg and SAR, pH.	Assess the potential adverse impacts to the soil medium as a result of the former battery storage area.



Environmental Liability	Recommendation	Rationale
2. PCA No.: 28: Gasoline and Associated Products Storage in Fixed Tanks.	Advance three [3] boreholes and install a groundwater monitoring well in the vicinity of the UST formerly located immediately east of the Phase One Property.  The COPCs should include Metals, petroleum hydrocarbons [PHCs] and benzene, toluene, ethylbenzene, and xylenes [BTEX].	Assess the potential adverse impacts to the soil and groundwater medium as a result of the former off-site underground fuel storage tank.
3. PCA No.: 10: Commercial Autobody Shops	Advance three [3] boreholes and install groundwater monitoring wells along the eastern limit of the Phase One Property.  The COPCs should include Metals, As, Sb, Se, BHWS, CN, Electrical Conductivity, Cr (VI), Hg, SAR, PHCs, VOCs, BTEX, and polycyclic aromatic hydrocarbons [PAHs]	Assess the potential adverse impacts to the soil and groundwater medium as a result of the adjacent autobody shop.
4. PCA No.: 39: Paints Manufacturing, Processing and Bulk Storage	Advance a borehole and install a groundwater monitoring well adjacent to the former paint bay.  The COPCs should include Metals, As, Sb, Se, BHWS, CN, EC, Cr (VI), Hg, SAR, and VOCs	Assess the potential adverse impacts to the soil and groundwater medium as a result of the former paint bay.
5. PCA No.: 33: Metal Treatment, Coating, Polishing and Finishing.	Advance three [3] boreholes and install a monitoring well along the southern limit of the Phase One Property.  The COPCs should include Metals, As, Sb, Se, BHWS, CN, Electrical Conductivity, Cr (VI), Hg, SAR, PHCs, VOCs, BTEX, and Acid, Base, and Neutral Extractables [ABNs].	Assess the potential adverse impacts to the soil and groundwater medium as a result of the former industrial enamel manufacturer.
6. PCA No.: 43: Plastics (including Fibreglass) Manufacturing and Processing.	Advance three [3] boreholes and install a monitoring well along the southern limit of the Phase One Property.  The COPCs should include Metals, As, Sb, Se, BHWS, CN, Electrical Conductivity, Cr (VI), Hg, SAR, PHCs, VOCs, BTEX, and Acid, Base, and Neutral Extractables [ABNs].	Assess the potential adverse impacts to the soil and groundwater medium as a result of the former fiberglass manufacturer.
7. PCA No.: 58: Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than the use of biosoils as soil containers.	Advance three [3] boreholes and install a monitoring well along the southern limit of the Phase One Property.  The COPCs should include Metals, As, Sb, Se, BHWS, CN, Electrical Conductivity, Cr (VI), Hg, SAR, PHCs, VOCs, BTEX, and Acid, Base, and Neutral Extractables [ABNs].	Assess the potential adverse impacts to the soil and groundwater medium as a result of the off-site landfill.

Although not considered an environmental liability to the Site, given the construction date of the building, it is possible that designated substances, such as asbestos containing materials, and ozone depleting substances, may be present in the buildings. As such, it is recommended that a non-intrusive designated substance survey of the





buildings be undertaken before any planned demolition activities that may disturb building materials to identify where possible, designated substances that may be present in the buildings.

In addition to the above, this Office should be contacted to make arrangements for the existing groundwater monitoring wells to be decommissioned by a licensed well contractor. In addition, if a suspected groundwater well is encountered during future construction activities to make arrangements for the water well to be abandoned as per Ontario Regulation 903 – Water Wells.



## 9.0 REPORT LIMITATIONS

Achieving the objectives that are stated in this report has required SOIL-MAT ENGINEERS to derive conclusions based upon the best and most recent information currently available to SOIL-MAT ENGINEERS. No investigative method can completely eliminate the possibility of obtaining partially imprecise information. SOIL-MAT ENGINEERS has expressed professional judgement in gathering and analysing the information obtained and in the formulation of its conclusions.

Information in this report was obtained from sources deemed to be reliable, however, no representation or warranty is made as to the accuracy of this information. To the best of SOIL-MAT ENGINEERS' knowledge, the information gathered from outside sources contained in this report on which SOIL-MAT ENGINEERS has formulated its opinions and conclusions, are both true and correct. SOIL-MAT ENGINEERS assumes no responsibility for any misrepresentation of facts gathered from outside sources.

This report was prepared to assess and document evidence of potential environmental contamination, and not to judge the acceptability of the risks associated with such environmental contamination. Much of the information gathered for this report is only accurate at the time of collection and a change in the Site conditions may alter the interpretation of SOIL-MAT ENGINEERS' findings. Furthermore, the reader should note

that the Site reconnaissance described in this report was an environmental assessment of the Site, not a regulatory compliance or an environmental audit of the Site.

SOIL-MAT ENGINEERS & CONSULTANTS LTD. prepared this Report for the account of the 1539059 ONTARIO INC. The material in it reflects SOIL-MAT ENGINEERS' best judgement in light of the information available to it at the time of preparation. Any use which a third party makes of this report, or any reliance on or decisions to be made based on it, are the responsibility of such third parties. SOIL-MAT ENGINEERS accepts no responsibility for damages, if any suffered by any third party as a result of decisions made or actions based on this report.



We trust that this Phase One Environmental Site Assessment is satisfactory for your purposes. Please feel free to contact the undersigned if you have any questions.

Sincerely,  
SOIL-MAT ENGINEERS & CONSULTANTS LTD.

A handwritten signature in blue ink, appearing to read "Peter Markesic".

Peter Markesic, B.Sc.  
Project Manager

A handwritten signature in black ink, appearing to read "Keith Gleadall".

Keith Gleadall, B.A., EA Dipl.  
Environmental Manager

A handwritten signature in blue ink, appearing to read "Stephen R. Sears".

Stephen R. Sears, B. Eng. Mgmt., P. Eng., QP<sub>ESA</sub>  
Senior Engineer




Distribution: 1539059 ONTARIO INC. [2]

Enclosures:


Appendix 'A'	Site Plan Drawings
Appendix 'B'	Chain of Title
Appendix 'C'	Town of Oakville Correspondence
Appendix 'D'	MOE Database Search Request
Appendix 'E'	T.S.S.A. Correspondence
Appendix 'F'	Ecolog ERIS Report
Appendix 'G'	Aerial Photographs
Appendix 'H'	Topographic Maps
Appendix 'I'	Table of Current and Past Uses
Appendix 'J'	Phase One Conceptual Site Model
Appendix 'K'	Site Photographs
Appendix 'L'	Qualifications of Assessors

### **Appendix 'A'**

1. Drawing No.: 1.: Site Plan;
2. Drawing No.: 1A.: APECs;
3. Drawing No.: 2: Study Area View;
4. Drawing No.: 3: Site Location;



**LEGEND**

 = Site Boundary

**NOTES:**

1. This map should be read in conjunction with Soil-Mat Engineers and Consultants Ltd. Report No.: SM 220059-E

**Soil-Mat**  
Engineers & Consultants Ltd.

**CLIENT**

1539059 ONTARIO INC.

**PROJECT TITLE**

Phase One Environmental Site Assessment  
349 Davis Road  
Oakville, Ontario

**DRAWING TITLE**

Site Plan Drawing

**PROJECT No.** SM 220059-E

**DATE** March 2022


**CHECKED** KG

**DRAWN** PM

**FILE NAME**

220059 Site Plan.vsd

**DRAWING No. 1**



**LEGEND**

- = Site Boundary
- = APEC #1
- = APEC #2
- = APEC #3
- = APEC #4
- = APEC #5

**NOTES:**  
 1. This map should be read in conjunction with Soil-Mat Engineers and Consultants Ltd. Report No.: SM 220059-E

**Soil-Mat**  
 Engineers & Consultants Ltd.

**CLIENT**  
 1539059 ONTARIO INC.

**PROJECT TITLE**  
 Phase One Environmental Site Assessment  
 349 Davis Road  
 Oakville, Ontario

**DRAWING TITLE**  
 APECs

**PROJECT No.** SM 220059-E

**DATE** March 2022

**CHECKED** KG

**DRAWN** PM

**FILE NAME**  
 220059 Drawing 1A - APECs.vsd

**DRAWING No. 1A**


PCA	PCA Description
10	Commercial Autobody Shops

PCA	PCA Description
39	Paints Manufacturing, Processing and Bulk Storage

PCA	PCA Description
28	Gasoline and Associated Products Storage in Fixed Tanks

PCA	PCA Description
33	Metal Treatment, Coatin, Plating and Finishing
43	Plastics (including Fibreglass) Manufacturing and Processing
58	Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than the use of biosoils as soil containers

Ballaram Inc.



**LEGEND**

 = Site Boundary

**NOTES:**

1. This map should be read in conjunction with Soil-Mat Engineers and Consultants Ltd. Report No.: SM 220059-E
2. Base map provided by: © 2022 Google

**Soil-Mat**  
*Engineers & Consultants Ltd.*

**CLIENT**

1539059 ONTARIO INC.

**PROJECT TITLE**

Phase One Environmental Site Assessment  
349 Davis Road  
Oakville, Ontario

**DRAWING TITLE**

Study Area View

**PROJECT No.** SM 301985-E

**DATE** January 2022


**CHECKED** KG

**DRAWN** PM

**FILE NAME**

301985 Site Plan 2.vsd

**DRAWING No. 2**



**LEGEND**

★ = Site Location

**NOTES:**

1. This map should be read in conjunction with Soil-Mat Engineers and Consultants Ltd. Report No.: SM 220059-E
2. Base map provided by: © 2022 Mapquest

**Soil-Mat**  
Engineers & Consultants Ltd.

**CLIENT**

1539059 ONTARIO INC.

**PROJECT TITLE**

Phase One Environmental Site Assessment  
349 Davis Road  
Oakville, Ontario

**DRAWING TITLE**

Site Location Plan

**PROJECT No.** SM 220059-E

**DATE** March 2022

**CHECKED** KG

**DRAWN** PM

**FILE NAME**

220059 Site Location.vsd

**DRAWING No. 3**





## **Appendix 'B'**

### 1. Title Search Documents

\* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT \* SUBJECT TO RESERVATIONS IN CROWN GRANT \*

PROPERTY DESCRIPTION: PT LT 12, CON 3 TRAF SDS, AS IN 734763 (SEE HR277871); OAKVILLE.

PROPERTY REMARKS:

ESTATE/QUALIFIER:  
FEE SIMPLE  
LT CONVERSION QUALIFIED

RECENTLY:  
FIRST CONVERSION FROM BOOK

PIN CREATION DATE:  
1995/12/20

OWNERS' NAMES  
1539059 ONTARIO INC.

CAPACITY SHARE  
BENO

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/CHKD
<p><b>**EFFECTIVE 2000/07/29 THE NOTATION OF THE "BLOCK IMPLEMENTATION DATE" OF 1995/12/20 ON THIS PIN**</b></p> <p><b>**WAS REPLACED WITH THE "PIN CREATION DATE" OF 1995/12/20**</b></p> <p><b>** PRINTOUT INCLUDES ALL DOCUMENT TYPES AND DELETED INSTRUMENTS SINCE 1995/12/19 **</b></p> <p><b>**SUBJECT, ON FIRST REGISTRATION UNDER THE LAND TITLES ACT, TO:</b></p> <p><b>** SUBSECTION 44(1) OF THE LAND TITLES ACT, EXCEPT PARAGRAPH 11, PARAGRAPH 14, PROVINCIAL SUCCESSION DUTIES * AND ESCHEATS OR FORFEITURE TO THE CROWN.</b></p> <p><b>** THE RIGHTS OF ANY PERSON WHO WOULD, BUT FOR THE LAND TITLES ACT, BE ENTITLED TO THE LAND OR ANY PART OF IT THROUGH LENGTH OF ADVERSE POSSESSION, PRESCRIPTION, MISDESCRIPTION OR BOUNDARIES SETTLED BY CONVENTION.</b></p> <p><b>** ANY LEASE TO WHICH THE SUBSECTION 70(2) OF THE REGISTRY ACT APPLIES.</b></p> <p><b>**DATE OF CONVERSION TO LAND TITLES: 1995/12/20 **</b></p>						
125125	1961/06/23	LEASE		*** DELETED AGAINST THIS PROPERTY ***		
734763	1989/12/15	TRANSFER		*** DELETED AGAINST THIS PROPERTY ***	INTERNATIONAL HEARING AIDS LIMITED	
HR89467	2001/12/10	APL (GENERAL)		*** COMPLETELY DELETED *** INTERNATIONAL HEARING AIDS LTD.		
REMARKS: DELETE 125125						
HR95039	2002/01/15	TRANSFER		*** COMPLETELY DELETED *** INTERNATIONAL HEARING AIDS LIMITED	INTERNATIONAL HEARING AIDS LIMITED	
HR96117	2002/01/18	TRANSFER		*** COMPLETELY DELETED *** INTERNATIONAL HEARING AIDS LIMITED	WIDEX CANADA LTD.	

NOTE: ADJOINING PROPERTIES SHOULD BE INVESTIGATED TO ASCERTAIN DESCRIPTIVE INCONSISTENCIES, IF ANY, WITH DESCRIPTION REPRESENTED FOR THIS PROPERTY.  
NOTE: ENSURE THAT YOUR PRINTOUT STATES THE TOTAL NUMBER OF PAGES AND THAT YOU HAVE PICKED THEM ALL UP.

\* CERTIFIED IN ACCORDANCE WITH THE LAND TITLES ACT \* SUBJECT TO RESERVATIONS IN CROWN GRANT \*

REG. NUM.	DATE	INSTRUMENT TYPE	AMOUNT	PARTIES FROM	PARTIES TO	CERT/ CHKD
HR257650	2004/01/19	TRANSFER		*** COMPLETELY DELETED *** WIDEX CANADA LTD.	INTERNATIONAL HEARING AIDS LIMITED	
HR257662	2004/01/19	TRANSFER		*** COMPLETELY DELETED *** INTERNATIONAL HEARING AIDS LIMITED	WIDEX CANADA LTD.	
HR277871	2004/04/15	TRANSFER	\$615,000	WIDEX CANADA LTD.	1539059 ONTARIO INC.	C
HR277872	2004/04/15	CHARGE	\$300,000	1539059 ONTARIO INC.	1464750 ONTARIO LIMITED	C
HR277873	2004/04/15	CHARGE	\$332,822	1539059 ONTARIO INC.	M. EDWARD POWELL INSURANCE BROKERS LTD.	C

## **Appendix 'C'**

1. Town of Oakville Correspondence

## Peter Markesic

---

**From:** David Addington <david.addington@oakville.ca>  
**Sent:** Wednesday, April 6, 2022 12:00 PM  
**To:** Peter Markesic  
**Subject:** RE: Information on a Property in Oakville

Hi Peter,

I have no record of a Phase One ESA being submitted to the Town. There was a pre-consultation meeting for a new proposal on this property in late 2021 and I see that a Phase One ESA was required as part of the submission so it's unlikely one would have been completed to date. So far I don't see that a development application for 349 Davis Road has been submitted.

You can try contacting the Region of Halton to confirm as well. Alexandria Pasquini-Smith with the Region might be able to help with your inquiry: Her email is:

[Alex.Pasquini-Smith@halton.ca](mailto:Alex.Pasquini-Smith@halton.ca)

Regards,

**David Addington, RPP**  
**Heritage Planner, District West**  
**Planning Services**

Town of Oakville | 905-845-6601 ext. 2919 | f: 905-338-4414 | [www.oakville.ca](http://www.oakville.ca)

[Complete our Community Development customer service survey](#)

[Canada's Best Place to Live \(MoneySense 2018\)](#)

Please consider the environment before printing this email.

<http://www.oakville.ca/privacy.html>

**David Addington**  
**Heritage Planner**  
**Planning Services**

Town of Oakville | 905-845-6601, ext.2919 | [www.oakville.ca](http://www.oakville.ca)

[Complete our Community Development customer service survey](#)

[Canada's Best Place to Live \(MoneySense 2018\)](#)

Please consider the environment before printing this email.

<http://www.oakville.ca/privacy.html>

---

**From:** ServiceOakville <ServiceOakville@oakville.ca>  
**Sent:** April 6, 2022 11:16 AM  
**To:** David Addington <david.addington@oakville.ca>; 'pmarkesic@soilmat.ca' <pmarkesic@soilmat.ca>  
**Subject:** FW: Information on a Property in Oakville

Dear Peter,

We have forwarded your email to the Planning department and they will be able to assist you with your inquiry.

Thank you for contacting ServiceOakville.

Sincerely,

Stephanie

ServiceOakville | Town of Oakville | 905-845-6601 | [www.oakville.ca](http://www.oakville.ca)

Report a problem using [ServiceOakville online](#):



[Parking](#)



[Roads](#)



[Litter](#)



[More](#)

### Canada's Best Place to Live (MoneySense 2018)

Please consider the environment before printing this email.

<http://www.oakville.ca/privacy.html>

---

**From:** Peter Markesic <[pmarkesic@soilmat.ca](mailto:pmarkesic@soilmat.ca)>

**Sent:** April 5, 2022 5:17 PM

**To:** ServiceOakville <[ServiceOakville@oakville.ca](mailto:ServiceOakville@oakville.ca)>

**Subject:** Information on a Property in Oakville

**SECURITY CAUTION:** This email originated from outside of The Town of Oakville. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hi,

I am looking for some information on a property in the Town of Oakville.

The property is 349 Davis Road and I am looking to see if the Planning Department has any Phase One Environmental Site Assessments on file with the Town in regards to this property.

Regards,

Peter Markesic, B.Sc.

Environmental Project Manager

**SOIL-MAT ENGINEERS & CONSULTANTS LTD.**

M: 905.719.9702 TF: 800.243.1922 [www.soil-mat.ca](http://www.soil-mat.ca)

**HAMILTON:** 130 Lancing Drive L8W 3A1 T: 905.318.7440 F: 905.318.7455

**MILTON:** PO Box 40012 Derry Heights PO L9T 7W4 T: 800.243.1922

This e-mail, including any attachments, is privileged, confidential and subject to copyright. Any unauthorized use or disclosure is prohibited. If you are not the intended recipient please notify the sender immediately by return e-mail and delete the message and any attachments from your system.

 *Please consider the environment before printing this email*

## **Appendix 'D'**

### 1. MOE Database Search Request



## Ministry of the Environment, Conservation and Parks

### Freedom of Information Request for Property Information

#### Instructions

Use this form to:

- submit and pay for a new FOI request for access to records/information about a property
- pay for a deposit or a final fee on an existing FOI request

Fields marked with an asterisk (\*) are mandatory.

**Are you: \***

- Submitting a new FOI Request for Property Information
- Paying a deposit or final fee for an existing FOI Request for Property Information

#### Section 1 – Description of Records Requested

##### Time Period for Records Requested

From (yyyy/mm/dd) \*

1990/01/01

To (yyyy/mm/dd) \*

2022/04/01

##### Type of Record(s) \*

- All environmental records relating to the identified property/site exclusive of Environmental Approvals and Registrations
- Environmental Approvals and Registrations (e.g. Environmental Compliance Approvals; Certificate of Approval; Renewable Energy Approvals; Environmental Activity and Sector Registry Registrations)

Select only if you are seeking access to an Approval or Registration that is not publicly available or if you are also seeking supporting documents relating to the Approval or Registration.

Operator and vendor Pesticide Licenses from September 4, 2018, final Approvals and Registrations are publicly available on the Access Environment website at:

<https://www.accessenvironment.ene.gov.on.ca/AEWeb/ae/GoSearch.action?search=basic&lang=en>.

Records of Site Condition (RSC) records are publicly available on the Brownfields Environmental Site Registry (BSER).

- RSC records between 2004 to June 30, 2011 are available at:  
<https://www.lrcsde.lrc.gov.on.ca/besrWebPublic/generalSearch>
- RSC records filed after July 2011 are available at:  
[https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/earchFiledRsc\\_search?request\\_locale=en](https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/earchFiledRsc_search?request_locale=en)

Other Specific Document(s)

##### Type of Approval/Registration \*

- Drinking Water Licenses
- No Supporting Documents  All Supporting Documents  Some Supporting Documents
- Pesticide Licenses

Only pesticide licenses post September 2018 are available. Prior to September 2018, only Pesticide license applications and supporting documentation is available

No Supporting Documents  All Supporting Documents  Some Supporting Documents

Permits to Take Water

No Supporting Documents  All Supporting Documents  Some Supporting Documents

Water Source \*

Groundwater  Surface Water

Noise Vibrations Approvals/Registrations

No Supporting Documents  All Supporting Documents  Some Supporting Documents

Air Emissions Approvals/Registrations

No Supporting Documents  All Supporting Documents  Some Supporting Documents

Water Approvals/Registrations - Ontario Water Resources Commission, treatment, ground level, standpipes & elevated storage, pumping stations (local & booster), mains

No Supporting Documents  All Supporting Documents  Some Supporting Documents

Sewage – Treatment, Stormwater, Storm, Leachate & Lieachate Treatment & Sewage pump stations, Sanitary

No Supporting Documents  All Supporting Documents  Some Supporting Documents

Waste Water - Industrial discharge

No Supporting Documents  All Supporting Documents  Some Supporting Documents

Waste Sites - Disposal, Landfill sites, Transfer stations, Processing sites, Incinerator sites

No Supporting Documents  All Supporting Documents  Some Supporting Documents

Waste Management Systems - haulers: sewage, non-hazardous & hazardous waste, mobile waste processing units, Polychlorinated Biphenyls (PCBs) storage, transfer or destruction, Waste Generator Systems)

No Supporting Documents  All Supporting Documents  Some Supporting Documents

Company Name

Waste Generator Registration - number/class

List any record(s) that should be excluded from the scope of your request (e.g. email correspondences; records originating from your organization/business; records already in your possession, prior year(s) annual reports for approvals)

Please provide any additional relevant information relating to your request. For example, does your request relate to any other ministry business? Please note that this information is being requested only in order to provide contextual information to the Access and Privacy Office and will not in any way affect or expedite the status of any related ministry business identified.

## Section 2 – Requester Information

Last Name \*  First Name \*  Middle Initial

Business/Organization Name (if applicable or indicate "N/A") \*

Project/Reference Number (if applicable)

Are you submitting this request on behalf of a client? \*

Yes  No

Please upload an authorization/consent form from your client in Section 6 (Supporting Documentation)

### Name of Client

Last Name \*  First Name \*

Business/Organization Name (if applicable or indicate "N/A") \*

### Mailing Address

Unit Number  Street Number \*  Street Name \*

PO Box  City/Town \*  Province \*  Postal Code \*

Telephone Number \*  ext.  Email Address \*

Is there an alternate contact (e.g. office admin)? \*

Yes  No

## Section 3 – Current Property Address Information

Is the property a:

Park  Lake  First Nation Band  Wind Farm  Federal Land  Island  Unsurveyed Land

Are you requesting information about multiple addresses? \*

Yes  No

### Property Address

Unit Number  Street Number  Street Name

Full Lot Number  Concession  Geographic Township

City/Town/Village \*

Closest Intersection

## Section 4 – Previous Property Address Information

Do you want the ministry to search all prior historical addresses for this property/site for the time period of the records requested? \*

Yes  No

## Section 5 – Owner Information

Please provide all present and previous property owner and/or tenant names for the search years requested.

### Current Property Owner/Tenant

349 Davis Road  
Oakville

Owner Name

1539059 Ontario Inc.

Date of Ownership (yyyy/mm/dd)

2004/04/15

Tenant Name

## Section 6 – Supporting Documents

Please attach an authorization/consent form.

Please upload any documents (e.g. Maps) that are relevant to your FOI request.

The total size of all attachments must not be more than 8 MB.

1. File Name

Total File Size

Payment confirmation number: 23234677

## **Appendix 'E'**

1. T.S.S.A Correspondence

## Peter Markesic

---

**From:** Public Information Services <publicinformationsservices@tssa.org>  
**Sent:** Wednesday, April 6, 2022 10:06 AM  
**To:** Peter Markesic  
**Subject:** RE: Underground Fuel Tanks

**Please refrain from sending documents to head office and only submit your requests electronically via email along with credit card payment. We are all working remotely and mailing in applications with cheques will lengthen the overall processing time.**

### RECORD FOUND

Hello,

Thank you for your request for confirmation of public information.

- We confirm that there are records in our database of fuel storage tanks at the subject addresses:

Inventory Number	Address	City	Province	Postal Code	Status	Asset Type / Context	Asset Class / Item
9648269	374 SOUTH SERVICE RD E	OAKVILLE	ON	L6J 2X6	EXPIRED	FS Facility	FS PROPANE REFILL CNTR - CYLR
9795912	374 SOUTH SERVICE RD E	OAKVILLE	ON	L6J 2X6	EXPIRED	FS Facility	FS GASOLINE STATION - FULL SE

For a further search in our archives please complete our release of public information form found at <https://www.tssa.org/en/about-tssa/release-of-public-information.aspx?mid=392> and email the completed form to [publicinformationsservices@tssa.org](mailto:publicinformationsservices@tssa.org) along with a fee of \$56.50 (including HST) per location. The fee is payable with credit card (Visa or MasterCard).

Although TSSA believes the information provided pursuant to your request is accurate, please note that TSSA does not warrant this information in any way whatsoever.

Kind regards,

Sherees



**Public Information Agent**

Facilities and Business Services

345 Carlingview Drive

Toronto, Ontario M9W 6N9

Tel: +1-416-734-6222 | Fax: +1-416-734-3568 | E-Mail: [publicinformationservices@tssa.org](mailto:publicinformationservices@tssa.org)

[www.tssa.org](http://www.tssa.org)



---

**From:** Peter Markesic <[pmarkesic@soilmat.ca](mailto:pmarkesic@soilmat.ca)>

**Sent:** April 5, 2022 6:00 PM

**To:** Public Information Services <[publicinformationservices@tssa.org](mailto:publicinformationservices@tssa.org)>

**Subject:** Underground Fuel Tanks

**[CAUTION]:** This email originated outside the organisation.

Please do not click links or open attachments unless you recognise the source of this email and know the content is safe.

Hi,

I'm looking for any records of underground fuel storage tanks located at the following addresses in the Town of Oakville, Ontario:

312 Davis Road

349 Davis Road

354 Davis Road

359 Davis Road

379 Davis Road

389 Davis Road

547 Trafalgar Road

374 South Service Road East

420 South Service Road East

Regards,

Peter Markesic, B.Sc.

Environmental Project Manager

**SOIL-MAT ENGINEERS & CONSULTANTS LTD.**

M: 905.719.9702 TF: 800.243.1922 [www.soil-mat.ca](http://www.soil-mat.ca)

HAMILTON: 130 Lancing Drive L8W 3A1 T: 905.318.7440 F: 905.318.7455



**MILTON:** PO Box 40012 Derry Heights PO L9T 7W4 T: 800.243.1922

This e-mail, including any attachments, is privileged, confidential and subject to copyright. Any unauthorized use or disclosure is prohibited. If you are not the intended recipient please notify the sender immediately by return e-mail and delete the message and any attachments from your system.

 *Please consider the environment before printing this email*

This electronic message and any attached documents are intended only for the named recipients. This communication from the Technical Standards and Safety Authority may contain information that is privileged, confidential or otherwise protected from disclosure and it must not be disclosed, copied, forwarded or distributed without authorization. If you have received this message in error, please notify the sender immediately and delete the original message.

## **Appendix 'F'**

1. Ecolog ERIS Report;



---

# DATABASE REPORT

**Project Property:** *349 Davis Road, Oakville, Ontario  
349 Davis Road  
Oakville ON*

**Project No:** *220059-E*

**Report Type:** *RSC Report (Urban)*

**Order No:** *22032400101*

**Requested by:** *Soil-Mat Engineers & Consultants Ltd.*

**Date Completed:** *March 29, 2022*

# Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	6
Executive Summary: Site Report Summary - Surrounding Properties.....	7
Executive Summary: Summary By Data Source.....	35
Map.....	69
Aerial.....	70
Topographic Map.....	71
Detail Report.....	72
Unplottable Summary.....	379
Unplottable Report.....	381
Appendix: Database Descriptions.....	392
Definitions.....	401

## **Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY**

**Reliance on information in Report:** This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

**License for use of information in Report:** No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

**Your Liability for misuse:** Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

**No warranty of Accuracy or Liability for ERIS:** The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

**Trademark and Copyright:** You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

# Executive Summary

## **Property Information:**

**Project Property:** 349 Davis Road, Oakville, Ontario  
349 Davis Road Oakville ON

**Project No:** 220059-E

## **Order Information:**

**Order No:** 22032400101  
**Date Requested:** March 24, 2022  
**Requested by:** Soil-Mat Engineers & Consultants Ltd.  
**Report Type:** RSC Report (Urban)

## **Historical/Products:**

**Topographic Map** RSC Maps

## Executive Summary: Report Summary

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Boundary to 0.30km</i>	<i>Total</i>
AAGR	<i>Abandoned Aggregate Inventory</i>	Y	0	0	0
AGR	<i>Aggregate Inventory</i>	Y	0	0	0
AMIS	<i>Abandoned Mine Information System</i>	Y	0	0	0
ANDR	<i>Anderson's Waste Disposal Sites</i>	Y	0	0	0
AST	<i>Aboveground Storage Tanks</i>	Y	0	0	0
AUWR	<i>Automobile Wrecking &amp; Supplies</i>	Y	0	0	0
BORE	<i>Borehole</i>	Y	0	18	18
CA	<i>Certificates of Approval</i>	Y	0	47	47
CDRY	<i>Dry Cleaning Facilities</i>	Y	0	0	0
CFOT	<i>Commercial Fuel Oil Tanks</i>	Y	0	0	0
CHEM	<i>Chemical Manufacturers and Distributors</i>	Y	0	0	0
CHM	<i>Chemical Register</i>	Y	0	0	0
CNG	<i>Compressed Natural Gas Stations</i>	Y	0	0	0
COAL	<i>Inventory of Coal Gasification Plants and Coal Tar Sites</i>	Y	0	0	0
CONV	<i>Compliance and Convictions</i>	Y	0	1	1
CPU	<i>Certificates of Property Use</i>	Y	0	0	0
DRL	<i>Drill Hole Database</i>	Y	0	0	0
DTNK	<i>Delisted Fuel Tanks</i>	Y	0	12	12
EASR	<i>Environmental Activity and Sector Registry</i>	Y	0	3	3
EBR	<i>Environmental Registry</i>	Y	0	13	13
ECA	<i>Environmental Compliance Approval</i>	Y	0	17	17
EEM	<i>Environmental Effects Monitoring</i>	Y	0	0	0
EHS	<i>ERIS Historical Searches</i>	Y	2	14	16
EIIS	<i>Environmental Issues Inventory System</i>	Y	0	0	0
EMHE	<i>Emergency Management Historical Event</i>	Y	0	0	0
EPAR	<i>Environmental Penalty Annual Report</i>	Y	0	0	0
EXP	<i>List of Expired Fuels Safety Facilities</i>	Y	0	0	0
FCON	<i>Federal Convictions</i>	Y	0	0	0
FCS	<i>Contaminated Sites on Federal Land</i>	Y	0	0	0
FOFT	<i>Fisheries &amp; Oceans Fuel Tanks</i>	Y	0	0	0
FRST	<i>Federal Identification Registry for Storage Tank Systems (FIRSTS)</i>	Y	0	0	0
FST	<i>Fuel Storage Tank</i>	Y	0	10	10
FSTH	<i>Fuel Storage Tank - Historic</i>	Y	0	0	0
GEN	<i>Ontario Regulation 347 Waste Generators Summary</i>	Y	0	74	74
GHG	<i>Greenhouse Gas Emissions from Large Facilities</i>	Y	0	0	0
HINC	<i>TSSA Historic Incidents</i>	Y	0	0	0

<b>Database</b>	<b>Name</b>	<b>Searched</b>	<b>Project Property</b>	<b>Boundary to 0.30km</b>	<b>Total</b>
IAFT	<i>Indian &amp; Northern Affairs Fuel Tanks</i>	Y	0	0	0
INC	<i>Fuel Oil Spills and Leaks</i>	Y	0	1	1
LIMO	<i>Landfill Inventory Management Ontario</i>	Y	0	1	1
MINE	<i>Canadian Mine Locations</i>	Y	0	0	0
MNR	<i>Mineral Occurrences</i>	Y	0	0	0
NATE	<i>National Analysis of Trends in Emergencies System (NATES)</i>	Y	0	0	0
NCPL	<i>Non-Compliance Reports</i>	Y	0	0	0
NDFT	<i>National Defense &amp; Canadian Forces Fuel Tanks</i>	Y	0	0	0
NDSP	<i>National Defense &amp; Canadian Forces Spills</i>	Y	0	0	0
NDWD	<i>National Defence &amp; Canadian Forces Waste Disposal Sites</i>	Y	0	0	0
NEBI	<i>National Energy Board Pipeline Incidents</i>	Y	0	0	0
NEBP	<i>National Energy Board Wells</i>	Y	0	0	0
NEES	<i>National Environmental Emergencies System (NEES)</i>	Y	0	0	0
NPCB	<i>National PCB Inventory</i>	Y	0	11	11
NPRI	<i>National Pollutant Release Inventory</i>	Y	0	20	20
OGWE	<i>Oil and Gas Wells</i>	Y	0	0	0
OOGW	<i>Ontario Oil and Gas Wells</i>	Y	0	0	0
OPCB	<i>Inventory of PCB Storage Sites</i>	Y	0	4	4
ORD	<i>Orders</i>	Y	0	0	0
PAP	<i>Canadian Pulp and Paper</i>	Y	0	0	0
PCFT	<i>Parks Canada Fuel Storage Tanks</i>	Y	0	0	0
PES	<i>Pesticide Register</i>	Y	0	1	1
PINC	<i>Pipeline Incidents</i>	Y	0	0	0
PRT	<i>Private and Retail Fuel Storage Tanks</i>	Y	0	3	3
PTTW	<i>Permit to Take Water</i>	Y	0	0	0
REC	<i>Ontario Regulation 347 Waste Receivers Summary</i>	Y	0	1	1
RSC	<i>Record of Site Condition</i>	Y	0	2	2
RST	<i>Retail Fuel Storage Tanks</i>	Y	0	4	4
SCT	<i>Scott's Manufacturing Directory</i>	Y	0	11	11
SPL	<i>Ontario Spills</i>	Y	0	31	31
SRDS	<i>Wastewater Discharger Registration Database</i>	Y	0	0	0
TANK	<i>Anderson's Storage Tanks</i>	Y	0	0	0
TCFT	<i>Transport Canada Fuel Storage Tanks</i>	Y	0	0	0
VAR	<i>Variances for Abandonment of Underground Storage Tanks</i>	Y	0	0	0
WDS	<i>Waste Disposal Sites - MOE CA Inventory</i>	Y	0	0	0
WDSH	<i>Waste Disposal Sites - MOE 1991 Historical Approval Inventory</i>	Y	0	0	0
WWIS	<i>Water Well Information System</i>	Y	0	41	41
<b>Total:</b>			2	340	342

## Executive Summary: Site Report Summary - Project Property

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev diff (m)</i>	<i>Page Number</i>
<a href="#">1</a>	EHS		349 Davis Rd Oakville ON L6J 2X2	SE/0.0	-0.61	<a href="#">72</a>
<a href="#">1</a>	EHS		349 354 and 359 Davis Rd. Oakville ON	SE/0.0	-0.61	<a href="#">72</a>



## Executive Summary: Site Report Summary - Surrounding Properties

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">2</a>	CONV	FERRO INDUSTRIAL PRODUCTS LTD.	OAKVILLE ON	ESE/15.7	-1.05	<a href="#">72</a>
<a href="#">3</a>	WWIS		ON <i>Well ID: 7247761</i>	WSW/20.0	0.32	<a href="#">73</a>
<a href="#">4</a>	WWIS		3 DAVIS AVE. Oakville ON <i>Well ID: 7173256</i>	SE/29.9	-1.51	<a href="#">73</a>
<a href="#">5</a>	WWIS		354 DAVIS DRIVE Oakville ON <i>Well ID: 7205225</i>	E/30.2	-1.57	<a href="#">77</a>
<a href="#">6</a>	CA	Oaktown Collision Inc.	359 Davis Road Oakville ON	ENE/30.9	-0.74	<a href="#">80</a>
<a href="#">7</a>	EHS		359 Davis Rd Oakville ON L6J2X2	ENE/31.0	-0.74	<a href="#">81</a>
<a href="#">8</a>	EBR	Oaktown Collision Inc.	359 Davis Road Oakville Ontario Oakville ON	ENE/31.0	-0.74	<a href="#">81</a>
<a href="#">8</a>	ECA	Oaktown Collision Inc.	359 Davis Road Oakville ON L6J 2X2	ENE/31.0	-0.74	<a href="#">81</a>
<a href="#">8</a>	GEN	ACUMEN CORPORATION DEVELOPMENT INC.	359 DAVIS ROAD OAKVILLE ON L6J 2X2	ENE/31.0	-0.74	<a href="#">82</a>
<a href="#">9</a>	EHS		354 - 364 Davis Drive Oakville ON	E/32.0	-1.29	<a href="#">82</a>
<a href="#">10</a>	EASR	FIRST GULF CORPORATION	365-465 DAVIS ROAD OAKVILLE ON L6J 2X2	NE/33.0	0.25	<a href="#">82</a>
<a href="#">11</a>	WWIS		354 DAVIS RD Oakville ON	E/37.4	-1.74	<a href="#">82</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
			<b>Well ID: 7187275</b>			
<a href="#">12</a>	WWIS		420 SOUTH SERVICE RD. EAST OAKVILLE ON <b>Well ID: 7241968</b>	ENE/41.4	-0.77	<a href="#">84</a>
<a href="#">13</a>	CA	FERRO INDUSTRIAL PROD. LTD.	354 DAVIS ROAD OAKVILLE TOWN ON L6J 2X1	SSE/42.6	-1.03	<a href="#">87</a>
<a href="#">13</a>	CA	PHOENIX FIBREGLASS INC. - CONC. 3 SDS	354 DAVIS RD., PT.LOTS 12 & 13 OAKVILLE TOWN ON L6J 2X1	SSE/42.6	-1.03	<a href="#">88</a>
<a href="#">13</a>	SCT	FERRO INDUSTRIAL PRODUCTS LTD	354 DAVIS RD OAKVILLE ON L6J 2X1	SSE/42.6	-1.03	<a href="#">88</a>
<a href="#">13</a>	EHS		354 Davis Road Oakville ON L6J 2X1	SSE/42.6	-1.03	<a href="#">88</a>
<a href="#">13</a>	GEN	FERRO INDUSTRIAL PRODUCTS LTD.	354 DAVIS ROAD OAKVILLE ON L6J 2X1	SSE/42.6	-1.03	<a href="#">88</a>
<a href="#">13</a>	GEN	FERRO INDUSTRIAL PRODUCTS LTD.	354 DAVIS ROAD OAKVILLE ON L6J 2X1	SSE/42.6	-1.03	<a href="#">89</a>
<a href="#">13</a>	GEN	FERRO INDUSTRIAL PRODUCTS LTD. 15-091	354 DAVIS ROAD OAKVILLE ON L6J 2X1	SSE/42.6	-1.03	<a href="#">90</a>
<a href="#">13</a>	GEN	FERRO INDUSTRIAL PRODUCTS LTD	354 DAVIS ROAD OAKVILLE ON L6J 2X1	SSE/42.6	-1.03	<a href="#">90</a>
<a href="#">13</a>	GEN	CHEROKEE OAKVILLE PROPERTY LIMITED PARTNERSHIP	354 DAVIS ROAD OAKVILLE ON L6J 2X1	SSE/42.6	-1.03	<a href="#">91</a>
<a href="#">13</a>	EHS		354 Davis Road Oakville ON L6J 2X1	SSE/42.6	-1.03	<a href="#">91</a>
<a href="#">13</a>	EBR	Cherokee Oakville Property Limited Partnership	354 Davis Road TOWN OF OAKVILLE ON	SSE/42.6	-1.03	<a href="#">92</a>
<a href="#">13</a>	GEN	FIRST GULF CORPORATION	354 DAVIS ROAD OAKVILLE ON	SSE/42.6	-1.03	<a href="#">92</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">13</a>	LIMO	Ferro Industrial Products Ltd. Ferro	354 Davis Road Lot 12 Concession 3 Oakville ON	SSE/42.6	-1.03	<a href="#">92</a>
<a href="#">13</a>	SPL	Liberty Algonquin Business Services	354 Davis Rd Oakville ON NA	SSE/42.6	-1.03	<a href="#">93</a>
<a href="#">14</a>	WWIS		364 DAVIS DRIVE Oakville ON <b>Well ID:</b> 7205226	SE/62.7	-1.66	<a href="#">93</a>
<a href="#">15</a>	WWIS		354 DAVIS DR Oakville ON <b>Well ID:</b> 7187274	E/67.3	-1.66	<a href="#">97</a>
<a href="#">16</a>	SCT	Duct-O-Wire Canada Ltd.	379 Davis Rd Unit 3 Oakville ON L6J 2X2	ENE/68.8	-0.72	<a href="#">99</a>
<a href="#">16</a>	SCT	JTM TOOLING CO. LTD.	379 Davis Rd Unit 1 Oakville ON L6J 2X2	ENE/68.8	-0.72	<a href="#">99</a>
<a href="#">16</a>	GEN	DUCT-O-WIRE CANADA LIMITED	379 DAVIS ROAD, UNIT #3 OAKVILLE ON L6J 2X2	ENE/68.8	-0.72	<a href="#">99</a>
<a href="#">16</a>	GEN	DUCT-O-WIRE CANADA LIMITED	379 DAVIS ROAD, UNIT #3 OAKVILLE ON L6J 2X2	ENE/68.8	-0.72	<a href="#">100</a>
<a href="#">16</a>	GEN	DUCT-O-WIRE CANADA LIMITED	379 DAVIS ROAD, UNIT #3 OAKVILLE ON L6J 2X2	ENE/68.8	-0.72	<a href="#">100</a>
<a href="#">16</a>	EHS		379 Davis Rd Oakville ON L6J 2X2	ENE/68.8	-0.72	<a href="#">100</a>
<a href="#">17</a>	WWIS		DAVIS AVE. Oakville ON <b>Well ID:</b> 7173259	E/76.9	-2.69	<a href="#">100</a>
<a href="#">18</a>	WWIS		ON <b>Well ID:</b> 7259855	SSW/80.1	0.27	<a href="#">103</a>
<a href="#">19</a>	CA	R.M. OF HALTON DAVIS RD. BOOSTER ST. EXP	320 DAVIS RD. OAKVILLE TOWN ON L6J 2X1	S/84.3	-0.38	<a href="#">104</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">19</a>	NPCB	REGIONAL MUNICIPALITY OF HALTON	DAVIS ROAD BOOSTER STATION; 320 DAVIS ROAD OAKVILLE ON L6J 2X1	S/84.3	-0.38	<a href="#">104</a>
<a href="#">19</a>	NPCB	REGIONAL MUNICIPALITY OF HALTON	320 DAVIS ROAD DAVIS ROAD OAKVILLE ON L6J 2X1	S/84.3	-0.38	<a href="#">105</a>
<a href="#">19</a>	NPCB	REGIONAL MUNICIPALITY OF HALTON	320 DAVIS ROAD DAVIS ROAD BOOSTER STATION Oakville ON L6J 2X1	S/84.3	-0.38	<a href="#">105</a>
<a href="#">19</a>	NPCB	REGIONAL MUNICIPALITY OF HALTON	DAVIS ROAD BOOSTER STATION 320 DAVIS ROAD OAKVILLE ON L6J 2X1	S/84.3	-0.38	<a href="#">106</a>
<a href="#">19</a>	GEN	Regional Municipality of Halton	320 Davis Road Oakville ON L6J 2X1	S/84.3	-0.38	<a href="#">106</a>
<a href="#">20</a>	CA	R.M. OF HALTON-CONTRACT NO. WO-1090-89	DAVIS RD. BOOSTER STATION EXP. OAKVILLE TOWN ON	S/84.3	-0.38	<a href="#">106</a>
<a href="#">20</a>	CA	R.M. OF HALTON	DAVIS RD. WATER BOOSTER P.S. OAKVILLE TOWN ON	S/84.3	-0.38	<a href="#">107</a>
<a href="#">20</a>	GEN	Regional Municipality of Halton	320 Davis Road Oakville ON	S/84.3	-0.38	<a href="#">107</a>
<a href="#">21</a>	WWIS		354 DAVIS RD OAKVILLE ON <b>Well ID:</b> 2810455	ESE/86.0	-2.62	<a href="#">107</a>
<a href="#">21</a>	WWIS		354 DAVIS RD OAKVILLE ON <b>Well ID:</b> 2810456	ESE/86.0	-2.62	<a href="#">110</a>
<a href="#">22</a>	WWIS		354 DAVIS RD Oakville ON <b>Well ID:</b> 7187272	ENE/88.2	-1.41	<a href="#">112</a>
<a href="#">23</a>	WWIS		DAVIS AVE. Oakville ON <b>Well ID:</b> 7173260	ENE/88.5	-1.77	<a href="#">114</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">24</a>	WWIS		354 DAVIS RD Oakville ON <b>Well ID:</b> 7187273	ENE/95.0	-1.80	<a href="#">117</a>
<a href="#">25</a>	NPRI	GENERAL ELECTRIC CANADA CO.	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	E/95.2	-2.72	<a href="#">119</a>
<a href="#">25</a>	NPRI	GENERAL ELECTRIC CANADA CO.	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	E/95.2	-2.72	<a href="#">119</a>
<a href="#">26</a>	WWIS		354 DAVIS RD Oakville ON <b>Well ID:</b> 7187271	ENE/95.8	-1.80	<a href="#">120</a>
<a href="#">26</a>	WWIS		354 DAVIS RD Oakville ON <b>Well ID:</b> 7187270	ENE/95.8	-1.80	<a href="#">122</a>
<a href="#">27</a>	WWIS		354 DAVIS DRIVE Oakville ON <b>Well ID:</b> 7205229	SE/96.1	-2.68	<a href="#">124</a>
<a href="#">28</a>	SCT	PHOENIX FIBREGLASS INC	364 DAVIS RD OAKVILLE ON L6J 2X1	ENE/101.6	-1.69	<a href="#">127</a>
<a href="#">28</a>	GEN	PHOENIX FIBREGLASS INC. 31-824	364 DAVIS ROAD OAKVILLE ON L6J 2X1	ENE/101.6	-1.69	<a href="#">128</a>
<a href="#">28</a>	RSC	Cherokee-Oakville Property G. P., Inc.	00364 Davis Road, Oakville, Ontario, L6J 2X1 ON	ENE/101.6	-1.69	<a href="#">128</a>
<a href="#">28</a>	RSC	Cherokee-Oakville Property G.P., Inc.	364 DAVIS RD, OAKVILLE, ON, L6J 2X1 OAKVILLE ON L6J 2X1	ENE/101.6	-1.69	<a href="#">128</a>
<a href="#">29</a>	BORE		ON	WNW/110.0	6.08	<a href="#">129</a>
<a href="#">30</a>	EBR	Carstar Corporate Collision Centres Inc.	312 Davis Road Oakville Ontario L6J 2X1 Oakville ON	SSW/110.1	0.84	<a href="#">129</a>
<a href="#">30</a>	CA	Carstar Corporate Collision Centres Inc.	312 Davis Road Oakville ON L6J 2X1	SSW/110.1	0.84	<a href="#">130</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">30</a>	ECA	Carstar Corporate Collision Centres Inc.	312 Davis Road Oakville ON L6J 2X1	SSW/110.1	0.84	<a href="#">130</a>
<a href="#">30</a>	GEN	1737126 Ontario Ltd.	312 Davis Road Oakville ON L6J 2X1	SSW/110.1	0.84	<a href="#">130</a>
<a href="#">31</a>	BORE		ON	WNW/113.4	5.12	<a href="#">131</a>
<a href="#">32</a>	BORE		ON	WNW/116.9	5.74	<a href="#">132</a>
<a href="#">33</a>	EHS		389 Davis Rd Oakville ON L6J2X2	NE/119.5	-0.76	<a href="#">133</a>
<a href="#">34</a>	SPL	St. Lawrence Cement Inc.	Trafalger Rd. and South Service Rd. Oakville ON	WNW/122.9	6.28	<a href="#">134</a>
<a href="#">35</a>	SCT	R-METRICS LTD.	389 DAVIS RD OAKVILLE ON L6J 2X2	NE/123.3	-0.70	<a href="#">134</a>
<a href="#">35</a>	SCT	NON DESTRUCTIVE TESTING PROD	389 DAVIS RD OAKVILLE ON L6J 2X2	NE/123.3	-0.70	<a href="#">134</a>
<a href="#">35</a>	GEN	ATLAS TESTING & LAB SERVICES	389 DAVIS RD. OAKVILLE ON L6J 2X2	NE/123.3	-0.70	<a href="#">135</a>
<a href="#">35</a>	GEN	ATLAS TESTING & LAB SERVICES	389 DAVIS RD. OAKVILLE ON L6J 2X2	NE/123.3	-0.70	<a href="#">135</a>
<a href="#">35</a>	GEN	ATLAS TESTING LABS AND SERVICES	389 DAVIS ROAD OAKVILLE ON L6J 2X2	NE/123.3	-0.70	<a href="#">135</a>
<a href="#">35</a>	GEN	ATLAS TESTING LABS AND SERVICES 03-227	389 DAVIS ROAD OAKVILLE ON L6J 2X2	NE/123.3	-0.70	<a href="#">136</a>
<a href="#">35</a>	GEN	AITEC INC.	389 DAVIS ROAD OAKVILLE ON L6J 2X2	NE/123.3	-0.70	<a href="#">136</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">35</a>	GEN	TEAM Industrial Services Inspection Services Canad	389 DAVIS ROAD OAKVILLE ON L6J 2X2	NE/123.3	-0.70	<a href="#">137</a>
<a href="#">35</a>	GEN	TISI Inspection Services East, Inc.	389 DAVIS ROAD OAKVILLE ON L6J 2X2	NE/123.3	-0.70	<a href="#">137</a>
<a href="#">35</a>	GEN	TISI Canada Inc.	389 DAVIS ROAD OAKVILLE ON L6J 2X2	NE/123.3	-0.70	<a href="#">138</a>
<a href="#">35</a>	GEN	TISI Canada Inc.	389 DAVIS ROAD OAKVILLE ON L6J 2X2	NE/123.3	-0.70	<a href="#">139</a>
<a href="#">36</a>	SPL	Emlink Logistics	QEW Eastbound Oakville ON	NW/124.4	4.73	<a href="#">140</a>
<a href="#">37</a>	WWIS		354 DAVIS DRIVE Oakville ON <b>Well ID:</b> 7205227	SE/127.6	-3.05	<a href="#">140</a>
<a href="#">38</a>	WWIS		ON <b>Well ID:</b> 7217180	NE/128.2	0.14	<a href="#">143</a>
<a href="#">39</a>	BORE		ON	WNW/134.5	5.30	<a href="#">144</a>
<a href="#">40</a>	EHS		374 Service Rd S E Oakville ON L6J2X6	NNW/136.8	3.29	<a href="#">145</a>
<a href="#">41</a>	PRT	HOMER PROVOST SHELL SERVICE	374 SOUTH SERVICE RD OAKVILLE ON	NNW/136.8	3.29	<a href="#">145</a>
<a href="#">41</a>	DTNK	HOMER PROVOST SHELL SERVICE	374 SOUTH SERVICE RD E OAKVILLE ON L6J 2X6	NNW/136.8	3.29	<a href="#">146</a>
<a href="#">41</a>	DTNK	HOMER PROVOST SHELL SERVICE	374 SOUTH SERVICE RD E OAKVILLE ON	NNW/136.8	3.29	<a href="#">146</a>
<a href="#">42</a>	WWIS		354 DAVIS RD OAKVILLE ON	ENE/137.0	-2.08	<a href="#">147</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
			<b>Well ID:</b> 7104345			
<a href="#">43</a>	WWIS		354 DAVIS RD Oakville ON <b>Well ID:</b> 7187276	E/138.7	-3.41	<a href="#">150</a>
<a href="#">44</a>	BORE		ON	W/141.3	6.28	<a href="#">152</a>
<a href="#">45</a>	BORE		ON	WNW/141.5	6.28	<a href="#">153</a>
<a href="#">46</a>	WWIS		DAVIS AVE. Oakville ON <b>Well ID:</b> 7173258	ESE/147.0	-3.72	<a href="#">154</a>
<a href="#">47</a>	BORE		ON	WNW/149.6	6.28	<a href="#">157</a>
<a href="#">48</a>	SPL	TRANSPORT TRUCK	Q.E.W. WESTBOUND LANE JUST EAST OF TRAFALGAR ROAD. TRANSPORT TRUCK (CARGO) OAKVILLE TOWN ON	NW/150.1	4.69	<a href="#">158</a>
<a href="#">49</a>	WWIS		420 SOUTH SERVICE RD. E OAKVILLE ON <b>Well ID:</b> 7241911	E/150.2	-2.72	<a href="#">159</a>
<a href="#">50</a>	WWIS		354 DAVIS RD Oakville ON <b>Well ID:</b> 7187278	ESE/151.9	-3.72	<a href="#">162</a>
<a href="#">51</a>	BORE		ON	NW/152.6	5.32	<a href="#">164</a>
<a href="#">52</a>	WWIS		420 SOUTH SERVICE RD. E OAKVILLE ON <b>Well ID:</b> 7241910	E/152.7	-2.72	<a href="#">165</a>
<a href="#">53</a>	WWIS		DAVIS AVE. Oakville ON <b>Well ID:</b> 7173257	SE/154.7	-3.72	<a href="#">168</a>
<a href="#">54</a>	WWIS		354 DAVIS RD Oakville ON <b>Well ID:</b> 7187277	ESE/155.1	-3.72	<a href="#">171</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">55</a>	WWIS		354 DAVIS DRIVE Oakville ON <b>Well ID:</b> 7205230	E/155.8	-2.72	<a href="#">173</a>
<a href="#">56</a>	WWIS		354 DAVIS RD Oakville ON <b>Well ID:</b> 7207704	SE/156.1	-3.72	<a href="#">176</a>
<a href="#">57</a>	BORE		ON	WNW/160.7	6.28	<a href="#">180</a>
<a href="#">58</a>	SPL	UNKNOWN	QUEEN ELIZABETH WAY AND TRAFALGAR OAKVILLE TOWN ON	WNW/162.1	6.28	<a href="#">181</a>
<a href="#">58</a>	SPL	PROCTOR'S CARTAGE	QEW WESTBOUND AT TRAFALGAR ROAD TRANSPORT TRUCK (CARGO) OAKVILLE TOWN ON	WNW/162.1	6.28	<a href="#">181</a>
<a href="#">58</a>	SPL	PRIVATE OWNER	TRAFALGAR RD AT QEW MOTOR VEHICLE (OPERATING FLUID) OAKVILLE TOWN ON	WNW/162.1	6.28	<a href="#">182</a>
<a href="#">58</a>	SPL	PUROLATOR COURIER LTD.	QEW AT TRAFALGAR RD - EASTBOUND TRANSPORT TRUCK (CARGO) MISSISSAUGA ON	WNW/162.1	6.28	<a href="#">182</a>
<a href="#">58</a>	SPL	Ryder Truck Rental Canada Ltd.	QEW Westbound, Trafalgar Road Bridge<UNOFFICIAL> Oakville ON	WNW/162.1	6.28	<a href="#">183</a>
<a href="#">58</a>	SPL	QEW Collision Centre Inc.	QEW at Trafalgar, Toronto bound Oakville ON	WNW/162.1	6.28	<a href="#">183</a>
<a href="#">58</a>	SPL		QEW at QEW and Trafalgar Rd. Oakville ON	WNW/162.1	6.28	<a href="#">184</a>
<a href="#">58</a>	SPL		QEW Eastbound under Trafalgar Rd Oakville ON	WNW/162.1	6.28	<a href="#">184</a>
<a href="#">59</a>	WWIS		354 DAVIS DRIVE Oakville ON <b>Well ID:</b> 7205228	SE/167.3	-3.72	<a href="#">185</a>
<a href="#">60</a>	BORE		ON	WNW/170.2	6.28	<a href="#">188</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">61</a>	BORE		ON	NW/173.3	5.75	<a href="#">190</a>
<a href="#">62</a>	EASR	1555935 ONTARIO INC	547 TRAFALGAR RD OAKVILLE ON L6J 3J1	SSE/176.9	-3.53	<a href="#">191</a>
<a href="#">62</a>	GEN	Terrapex Environmental Ltd.	547 Trafalgar Road Oakville ON L6J 3J1	SSE/176.9	-3.53	<a href="#">191</a>
<a href="#">62</a>	GEN	Gears Bike Shop	547 Trafalgar Road Oakville ON	SSE/176.9	-3.53	<a href="#">191</a>
<a href="#">62</a>	GEN	Gears Bike Shop	547 Trafalgar Road Oakville ON	SSE/176.9	-3.53	<a href="#">192</a>
<a href="#">62</a>	GEN	Gears Bike Shop	547 Trafalgar Road Oakville ON L6J 3J1	SSE/176.9	-3.53	<a href="#">192</a>
<a href="#">62</a>	GEN	Gears Bike Shop	547 Trafalgar Road Oakville ON L6J 3J1	SSE/176.9	-3.53	<a href="#">192</a>
<a href="#">62</a>	GEN	Gears Bike Shop	547 Trafalgar Road Oakville ON L6J 3J1	SSE/176.9	-3.53	<a href="#">192</a>
<a href="#">62</a>	GEN	Gears Bike Shop	547 Trafalgar Road Oakville ON L6J 3J1	SSE/176.9	-3.53	<a href="#">193</a>
<a href="#">62</a>	GEN	Gears Bike Shop	547 Trafalgar Road Oakville ON L6J 3J1	SSE/176.9	-3.53	<a href="#">193</a>
<a href="#">62</a>	EASR	TRANS-NORTHERN PIPELINES INC./ PIPELINES TRANS-NORD INC.	547 Trafalgar RD Oakville ON L6J 3J1	SSE/176.9	-3.53	<a href="#">193</a>
<a href="#">62</a>	GEN	Gears Bike Shop	547 Trafalgar Road Oakville ON L6J 3J1	SSE/176.9	-3.53	<a href="#">193</a>
<a href="#">62</a>	EHS		547 Trafalgar Road Oakville ON L6J 3J1	SSE/176.9	-3.53	<a href="#">194</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">63</a>	BORE		ON	WNW/179.0	6.28	<a href="#">194</a>
<a href="#">64</a>	BORE		ON	WNW/180.9	6.28	<a href="#">195</a>
<a href="#">65</a>	WWIS		547 TRAFALGAR RD OAKVILLE ON <i>Well ID: 7152039</i>	S/185.8	-1.71	<a href="#">196</a>
<a href="#">66</a>	BORE		ON	WNW/188.2	6.28	<a href="#">225</a>
<a href="#">67</a>	BORE		ON	WNW/191.3	6.28	<a href="#">226</a>
<a href="#">68</a>	GEN	TransNorthern Pipelines Inc	300 South Service Road East Oakville ON L6J 0A5	SE/192.0	-3.72	<a href="#">226</a>
<a href="#">69</a>	BORE		ON	WNW/194.1	6.28	<a href="#">227</a>
<a href="#">70</a>	BORE		ON	WNW/200.6	6.28	<a href="#">228</a>
<a href="#">71</a>	WWIS		354 DAVIS DRIVE Oakville ON <i>Well ID: 7205231</i>	E/200.9	-3.72	<a href="#">229</a>
<a href="#">72</a>	BORE		ON	WNW/205.9	6.28	<a href="#">232</a>
<a href="#">73</a>	WWIS		547 TRAFALGAR RD Oakville ON <i>Well ID: 7100453</i>	S/209.4	-2.19	<a href="#">233</a>
<a href="#">74</a>	SPL	The Corporation of the Town of Oakville	300 Cross Ave. Oakville ON	SE/216.1	-3.71	<a href="#">238</a>
<a href="#">75</a>	WWIS		ON	SSW/217.2	-0.98	<a href="#">239</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
			<b>Well ID:</b> 7376602			
<a href="#">76</a>	SPL	TRANSPORT TRUCK	QEW OFF-RAMP TO HWY 25, TRAFALGAR ROAD TRANSPORT TRUCK (CARGO) OAKVILLE TOWN ON	WNW/225.3	6.28	<a href="#">239</a>
<a href="#">77</a>	SPL	Trans-Northern Pipelines Inc.	43.458577, -79.679528 Oakville ON	SE/225.7	-4.11	<a href="#">240</a>
<a href="#">78</a>	WWIS		562 TAFALGAR RD Oakville ON <b>Well ID:</b> 7263647	SSW/232.8	-1.42	<a href="#">240</a>
<a href="#">79</a>	WWIS		562 TAFALGAR RD Oakville ON <b>Well ID:</b> 7263650	SSW/233.8	-1.83	<a href="#">243</a>
<a href="#">80</a>	FST	MAC'S CONVENIENCE STORES INC	562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	SSW/241.5	-2.29	<a href="#">246</a>
<a href="#">80</a>	FST	MAC'S CONVENIENCE STORES INC	562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	SSW/241.5	-2.29	<a href="#">246</a>
<a href="#">80</a>	FST	MAC'S CONVENIENCE STORES INC	562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	SSW/241.5	-2.29	<a href="#">247</a>
<a href="#">80</a>	FST	MAC'S CONVENIENCE STORES INC	562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	SSW/241.5	-2.29	<a href="#">248</a>
<a href="#">80</a>	RST	ZULFI ESSO	562 TRAFALGAR RD OAKVILLE ON L6J3J2	SSW/241.5	-2.29	<a href="#">248</a>
<a href="#">80</a>	FST	GEETANJALI ADHYAPAK O/A GAS STN	562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	SSW/241.5	-2.29	<a href="#">248</a>
<a href="#">80</a>	FST		562 TRAFALGAR RD OAKVILLE ON L6J 3J2	SSW/241.5	-2.29	<a href="#">249</a>
<a href="#">80</a>	FST	GEETANJALI ADHYAPAK O/A GAS STN	562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	SSW/241.5	-2.29	<a href="#">249</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">80</a>	FST	GEETANJALI ADHYAPAK O/A GAS STN	562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	SSW/241.5	-2.29	<a href="#">250</a>
<a href="#">80</a>	FST	GEETANJALI ADHYAPAK O/A GAS STN	562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	SSW/241.5	-2.29	<a href="#">250</a>
<a href="#">80</a>	FST	GEETANJALI ADHYAPAK O/A GAS STN	562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	SSW/241.5	-2.29	<a href="#">251</a>
<a href="#">81</a>	SPL	PRIVATELY OWNED	562 TRAFALGAR RD. MOTOR VEHICLE (OPERATING FLUID) OAKVILLE TOWN ON L6J 3J2	SSW/245.8	-2.10	<a href="#">251</a>
<a href="#">81</a>	SPL	PRIVATELY OWNED	562 TRAFALGAR RD. TEXACO SERVICE STATION MOTOR VEHICLE (OPERATING FLUID) OAKVILLE TOWN ON L6J 3J2	SSW/245.8	-2.10	<a href="#">252</a>
<a href="#">81</a>	SPL	ESSO PETROLEUM CANADA	562 TRAFALGAR RD SERVICE STATION OAKVILLE TOWN ON L6J 3J2	SSW/245.8	-2.10	<a href="#">252</a>
<a href="#">81</a>	PRT	TRAFALGAR ESSO SELF SERVE 487346 ONTARIO LTD	562 TRAFALGAR RD OAKVILLE ON L6J 3J2	SSW/245.8	-2.10	<a href="#">253</a>
<a href="#">81</a>	RST	TRAFALGAR ESSO	562 TRAFALGAR RD OAKVILLE ON L6J3J2	SSW/245.8	-2.10	<a href="#">253</a>
<a href="#">81</a>	RST	1285118 ONT INC	562 TRAFALGAR RD OAKVILLE ON L6J 3J2	SSW/245.8	-2.10	<a href="#">253</a>
<a href="#">81</a>	EHS		562 Trafalgar Rd Oakville ON L6J 3J2	SSW/245.8	-2.10	<a href="#">254</a>
<a href="#">81</a>	RST	ZULFI ESSO	562 TRAFALGAR RD OAKVILLE ON L6J 3J2	SSW/245.8	-2.10	<a href="#">254</a>
<a href="#">81</a>	CA	Imperial Oil Limited	562 Trafalgar Rd Oakville ON L6J 3J2	SSW/245.8	-2.10	<a href="#">254</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">81</a>	DTNK	GEETANJALI ADHYAPAK O/A GAS STN	562 TRAFALGAR RD OAKVILLE ON	SSW/245.8	-2.10	<a href="#">254</a>
<a href="#">81</a>	DTNK	GEETANJALI ADHYAPAK O/A GAS STN	562 TRAFALGAR RD OAKVILLE ON	SSW/245.8	-2.10	<a href="#">255</a>
<a href="#">81</a>	DTNK	GEETANJALI ADHYAPAK O/A GAS STN	562 TRAFALGAR RD OAKVILLE ON	SSW/245.8	-2.10	<a href="#">255</a>
<a href="#">81</a>	DTNK	GEETANJALI ADHYAPAK O/A GAS STN	562 TRAFALGAR RD OAKVILLE ON	SSW/245.8	-2.10	<a href="#">256</a>
<a href="#">81</a>	DTNK	GEETANJALI ADHYAPAK O/A GAS STN	562 TRAFALGAR RD OAKVILLE ON	SSW/245.8	-2.10	<a href="#">257</a>
<a href="#">81</a>	DTNK	GEETANJALI ADHYAPAK O/A GAS STN	562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	SSW/245.8	-2.10	<a href="#">257</a>
<a href="#">81</a>	DTNK	GEETANJALI ADHYAPAK O/A GAS STN	562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	SSW/245.8	-2.10	<a href="#">257</a>
<a href="#">81</a>	DTNK	GEETANJALI ADHYAPAK O/A GAS STN	562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	SSW/245.8	-2.10	<a href="#">257</a>
<a href="#">81</a>	DTNK	GEETANJALI ADHYAPAK O/A GAS STN	562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	SSW/245.8	-2.10	<a href="#">257</a>
<a href="#">81</a>	DTNK	GEETANJALI ADHYAPAK O/A GAS STN	562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	SSW/245.8	-2.10	<a href="#">258</a>
<a href="#">81</a>	EHS		562 Trafalgar Rd Oakville ON L6J3J2	SSW/245.8	-2.10	<a href="#">258</a>
<a href="#">81</a>	ECA	Imperial Oil Limited	562 Trafalgar Rd Oakville ON M3C 1K5	SSW/245.8	-2.10	<a href="#">258</a>
<a href="#">82</a>	WWIS		562 TAFALGAR RD Oakville ON	S/253.1	-2.67	<a href="#">258</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
			<b>Well ID:</b> 7263649			
<a href="#">83</a>	WWIS		562 TAFALGAR RD Oakville ON <b>Well ID:</b> 7263648	SSW/262.3	-1.97	<a href="#">261</a>
<a href="#">84</a>	SPL	PRIVATE OWNER	570 TRAFALGAR ROAD OAKLAND MERCURY MOTOR VEHICLE (OPERATING FLUID) OAKVILLE TOWN ON L6J 3J2	SW/264.2	-0.76	<a href="#">264</a>
<a href="#">84</a>	PRT	OAK-LAND LINCOLN MERCURY SALES	570 TRAFALGAR RD OAKVILLE ON L6J 3J2	SW/264.2	-0.76	<a href="#">264</a>
<a href="#">85</a>	EHS		570 Trafalgar Road Oakville ON L6J 3J2	SW/264.2	-0.76	<a href="#">264</a>
<a href="#">86</a>	SPL	TDI<UNOFFICIAL>	Westbound offramp from the QEW to Trafalgar Road, Oakville Oakville ON	NW/267.5	6.28	<a href="#">265</a>
<a href="#">87</a>	WWIS		547 TRAFALGAR RD ON <b>Well ID:</b> 7101141	SSE/269.3	-4.72	<a href="#">265</a>
<a href="#">88</a>	CA	GENERAL ELECTRIC CANADA INC.	PT.LOT 12/CONC.3 SDS,LOT 113 OAKVILLE TOWN ON	NNE/276.2	2.28	<a href="#">272</a>
<a href="#">89</a>	WWIS		420 SOUTH SERVICE RD E OAKVILLE ON <b>Well ID:</b> 7241965	ENE/276.9	-2.72	<a href="#">272</a>
<a href="#">90</a>	WWIS		ON <b>Well ID:</b> 7214121	ENE/277.4	-2.72	<a href="#">275</a>
<a href="#">91</a>	GEN	CORMACK ANIMAL CLINIC LIMITED	234 SOUTH SERVICE ROAD ANIMAL HOSPITAL OF OAKVILLE OAKVILLE ON L6J 2X5	WSW/278.8	0.18	<a href="#">276</a>
<a href="#">91</a>	GEN	Animal Hospital of Oakville	234 South Service Rd. Oakville ON	WSW/278.8	0.18	<a href="#">276</a>
<a href="#">91</a>	GEN	Animal Hospital of Oakville	234 South Service Rd. Oakville ON	WSW/278.8	0.18	<a href="#">276</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">91</a>	GEN	Animal Hospital of Oakville	234 South Service Rd. Oakville ON	WSW/278.8	0.18	<a href="#">277</a>
<a href="#">91</a>	GEN	Animal Hospital of Oakville	234 South Service Rd. Oakville ON L6J 2X5	WSW/278.8	0.18	<a href="#">277</a>
<a href="#">91</a>	GEN	Animal Hospital of Oakville	234 South Service Rd. Oakville ON	WSW/278.8	0.18	<a href="#">277</a>
<a href="#">91</a>	GEN	Animal Hospital of Oakville	234 South Service Rd. Oakville ON L6J 2X5	WSW/278.8	0.18	<a href="#">278</a>
<a href="#">91</a>	GEN	Animal Hospital of Oakville	234 South Service Rd. Oakville ON L6J 2X5	WSW/278.8	0.18	<a href="#">278</a>
<a href="#">91</a>	GEN	Animal Hospital of Oakville	234 South Service Rd. Oakville ON L6J 2X5	WSW/278.8	0.18	<a href="#">278</a>
<a href="#">91</a>	GEN	Animal Hospital of Oakville	234 South Service Rd. Oakville ON L6J 2X5	WSW/278.8	0.18	<a href="#">279</a>
<a href="#">91</a>	GEN	Animal Hospital of Oakville	234 South Service Rd. Oakville ON L6J 2X5	WSW/278.8	0.18	<a href="#">279</a>
<a href="#">91</a>	GEN	Animal Hospital of Oakville	234 South Service Rd. Oakville ON L6J 2X5	WSW/278.8	0.18	<a href="#">279</a>
<a href="#">92</a>	GEN	Animal Hospital of Oakville	234 South Service Rd. Oakville ON L6J 2X5	WSW/278.8	0.18	<a href="#">280</a>
<a href="#">93</a>	SPL	LIQUID CARGO LINES	NORTH SERVICE ROAD, WEST OF TRAFALGAR (WESTBOUND) TANK TRUCK (CARGO) OAKVILLE TOWN ON	WNW/280.1	6.28	<a href="#">280</a>
<a href="#">94</a>	GEN	Regional Municipality of Halton Health Department	232 South Service Road Unit B Oakville ON L6J 2X5	WSW/281.4	1.58	<a href="#">280</a>
<a href="#">95</a>	CA	GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD OAKVILLE TOWN ON	NNE/297.4	1.44	<a href="#">281</a>



<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">95</a>	CA	GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD EAST OAKVILLE TOWN ON L6J 2X6	NNE/297.4	1.44	<a href="#">281</a>
<a href="#">95</a>	CA	G.E. LIGHTING IN CANADA	420 SOUTH SERVICE RD. OAKVILLE TOWN ON	NNE/297.4	1.44	<a href="#">281</a>
<a href="#">95</a>	CA	GENERAL ELECTRIC CANADA, INC.	420 SOUTH SERVICE ROAD OAKVILLE TOWN ON	NNE/297.4	1.44	<a href="#">282</a>
<a href="#">95</a>	CA	GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE RD. OAKVILLE TOWN ON	NNE/297.4	1.44	<a href="#">282</a>
<a href="#">95</a>	CA	GENERAL ELECTRIC CANADA LIMITED	420 SOUTH SERVICE ROAD EAST OAKVILLE TOWN ON L6J 2X6	NNE/297.4	1.44	<a href="#">282</a>
<a href="#">95</a>	CA	GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE RD. E OAKVILLE TOWN ON L6J 2X6	NNE/297.4	1.44	<a href="#">282</a>
<a href="#">95</a>	CA	GENERAL ELECTRIC CANADA-G.E. LIGHTING	420 SOUTH SERVICE ROAD OAKVILLE TOWN ON	NNE/297.4	1.44	<a href="#">283</a>
<a href="#">95</a>	CA	GE CANADA (OAKVILLE EAST LAMP PLANT)	420 SOUTH SERVICE RD. OAKVILLE TOWN ON	NNE/297.4	1.44	<a href="#">283</a>
<a href="#">95</a>	CA	GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD OAKVILLE TOWN ON	NNE/297.4	1.44	<a href="#">283</a>
<a href="#">95</a>	CA	GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD OAKVILLE TOWN ON	NNE/297.4	1.44	<a href="#">284</a>
<a href="#">95</a>	CA	GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD OAKVILLE TOWN ON	NNE/297.4	1.44	<a href="#">284</a>
<a href="#">95</a>	CA	GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD OAKVILLE TOWN ON	NNE/297.4	1.44	<a href="#">284</a>
<a href="#">95</a>	CA	GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD EAST OAKVILLE TOWN ON L6J 2X6	NNE/297.4	1.44	<a href="#">285</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">95</a>	CA	GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD EAST OAKVILLE TOWN ON L6J 2X6	NNE/297.4	1.44	<a href="#">285</a>
<a href="#">95</a>	CA	GENERAL ELECTRIC CANADA LIMITED	420 SOUTH SERVICE ROAD EAST OAKVILLE TOWN ON L6J 2X6	NNE/297.4	1.44	<a href="#">285</a>
<a href="#">95</a>	CA	GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD EAST OAKVILLE ON L6J 2X6	NNE/297.4	1.44	<a href="#">286</a>
<a href="#">95</a>	CA	GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD EAST OAKVILLE ON L6J 2X6	NNE/297.4	1.44	<a href="#">286</a>
<a href="#">95</a>	NPCB	CANADIAN GENERAL ELECTRIC CO LTD	OAKVILLE EAST LAMP PLANT; 420 SOUTH SERVICE ROAD OAKVILLE ON L6J 2X6	NNE/297.4	1.44	<a href="#">286</a>
<a href="#">95</a>	CA	GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD EAST OAKVILLE TOWN ON L6J 2X6	NNE/297.4	1.44	<a href="#">287</a>
<a href="#">95</a>	CA	GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD EAST OAKVILLE TOWN ON L6J 2X6	NNE/297.4	1.44	<a href="#">287</a>
<a href="#">95</a>	CA	GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD EAST OAKVILLE TOWN ON L6J 2X6	NNE/297.4	1.44	<a href="#">288</a>
<a href="#">95</a>	CA	GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD EAST OAKVILLE TOWN ON L6J 2X6	NNE/297.4	1.44	<a href="#">288</a>
<a href="#">95</a>	NPCB	CANADIAN GENERAL ELECTRIC	420 SOUTH SERVICE RD. SOUTH SERVICE RD. OAKVILLE ON L6J 5E2	NNE/297.4	1.44	<a href="#">288</a>
<a href="#">95</a>	NPRI	OAKVILLE EAST LAMP PLANT	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	NNE/297.4	1.44	<a href="#">289</a>
<a href="#">95</a>	NPRI	GE LIGHTING, CANADA, OAKVILLE LAMP PLANT	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	NNE/297.4	1.44	<a href="#">289</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">95</a>	NPRI	GE LIGHTING, CANADA, OAKVILLE LAMP PLANT	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	NNE/297.4	1.44	<a href="#">290</a>
<a href="#">95</a>	NPRI	GE LIGHTING, CANADA	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	NNE/297.4	1.44	<a href="#">292</a>
<a href="#">95</a>	NPRI	GE LIGHTING, CANADA	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	NNE/297.4	1.44	<a href="#">293</a>
<a href="#">95</a>	NPRI	GE LIGHTING, CANADA	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	NNE/297.4	1.44	<a href="#">294</a>
<a href="#">95</a>	NPRI	GE LIGHTING, CANADA	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	NNE/297.4	1.44	<a href="#">296</a>
<a href="#">95</a>	NPRI	GE LIGHTING, CANADA	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	NNE/297.4	1.44	<a href="#">297</a>
<a href="#">95</a>	SCT	General Electric Lighting Canada Inc.	420 South Service Rd E Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">298</a>
<a href="#">95</a>	CA	GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD EAST OAKVILLE TOWN ON L6J 2X6	NNE/297.4	1.44	<a href="#">299</a>
<a href="#">95</a>	CA		Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">299</a>
<a href="#">95</a>	CA		Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">299</a>
<a href="#">95</a>	CA		Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">300</a>
<a href="#">95</a>	CA		Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">300</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">95</a>	CA		Pt Lt 12, Conc 3 SDS, Lot 113, 114 R.Plan 1009; Oakville ON	NNE/297.4	1.44	<a href="#">300</a>
<a href="#">95</a>	CA		Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">301</a>
<a href="#">95</a>	CA		Pt Lt 12, Conc 3 SDS, Lot 113, 114 R.Plan 1009; Oakville ON	NNE/297.4	1.44	<a href="#">301</a>
<a href="#">95</a>	CA		Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">301</a>
<a href="#">95</a>	EBR	General Electric Canada Ltd.	420 SOUTH SERVICE ROAD EAST, OAKVILLE TOWN Oakville ON	NNE/297.4	1.44	<a href="#">302</a>
<a href="#">95</a>	EBR	General Electric Canada Ltd.	420 SOUTH SERVICE ROAD EAST, OAKVILLE TOWN TOWN OF OAKVILLE ON	NNE/297.4	1.44	<a href="#">302</a>
<a href="#">95</a>	EBR	General Electric Canada Inc.	420 South Service Road East, part lot 12, concession 3 TOWN OF OAKVILLE ON	NNE/297.4	1.44	<a href="#">302</a>
<a href="#">95</a>	EBR	General Electric Canada Inc.	Oakville Lamp Plant, 420 South Service Rd. East Oakville Ontario Oakville ON	NNE/297.4	1.44	<a href="#">303</a>
<a href="#">95</a>	EBR	General Electric Canada Inc.	Oakville Lamp Plant, 420 South Service Rd. East Oakville Ontario Oakville ON	NNE/297.4	1.44	<a href="#">303</a>
<a href="#">95</a>	EBR	General Electric Canada Inc.	Oakville Lamp Plant, 420 South Service Rd. East Oakville Ontario Oakville ON	NNE/297.4	1.44	<a href="#">304</a>
<a href="#">95</a>	EBR	General Electric Canada Inc.	Oakville Lamp Plant, 420 South Service Rd. East Oakville Ontario Oakville ON	NNE/297.4	1.44	<a href="#">304</a>
<a href="#">95</a>	SCT	GE Lighting	420 South Service Rd E Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">305</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">95</a>	EBR	General Electric Canada Inc.	Oakville Lamp Plant, 420 South Service Rd. East Oakville Ontario Oakville ON	NNE/297.4	1.44	<a href="#">305</a>
<a href="#">95</a>	EBR	General Electric Canada Inc.	Oakville Lamp Plant, 420 South Service Rd. East Oakville Ontario Oakville ON	NNE/297.4	1.44	<a href="#">305</a>
<a href="#">95</a>	EBR	General Electric Canada Inc.	Oakville Lamp Plant, 420 South Service Rd. East Oakville Ontario Oakville ON	NNE/297.4	1.44	<a href="#">306</a>
<a href="#">95</a>	GEN	CANADIAN GENERAL ELECTRIC	420 SOUTH SERVICE RD. OAKVILLE ON	NNE/297.4	1.44	<a href="#">306</a>
<a href="#">95</a>	GEN	GENERAL ELECTRIC CANADA INC.	OAKVILLE LAMP PLANT 420 SOUTH SERVICE ROAD, EAST OAKVILLE ON L6J 2X6	NNE/297.4	1.44	<a href="#">306</a>
<a href="#">95</a>	GEN	GENERAL ELECTRIC CANADA INC.	OAKVILLE EAST LAMP PLANT 420 SOUTH SERVICE ROAD EAST OAKVILLE ON L6J 2X6	NNE/297.4	1.44	<a href="#">308</a>
<a href="#">95</a>	GEN	GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD EAST OAKVILLE ON L6J 2X6	NNE/297.4	1.44	<a href="#">309</a>
<a href="#">95</a>	GEN	GENERAL ELECTRIC CANADA INC.	GE LIGHTING CANADA, OAKVILLE LAMP PLANT 420 SOUTH SERVICE ROAD EAST OAKVILLE ON L6J 2X6	NNE/297.4	1.44	<a href="#">310</a>
<a href="#">95</a>	GEN	GE LIGHTING CANADA	420 SOUTH SERVICE ROAD EAST OAKVILLE ON L6J 2X6	NNE/297.4	1.44	<a href="#">311</a>
<a href="#">95</a>	GEN	GE CONSUMER PRODUCTS	420 South Service Rd East Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">312</a>
<a href="#">95</a>	NPRI	GE CONSUMER PRODUCTS CANADA	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	NNE/297.4	1.44	<a href="#">313</a>
<a href="#">95</a>	SCT	GE Consumer Product	420 South Service Rd E Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">316</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">95</a>	NPRI	GENERAL ELECTRIC CANADA CONSUMER & INDUSTRIAL	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	NNE/297.4	1.44	<a href="#">316</a>
<a href="#">95</a>	NPCB	CANADIAN GENERAL ELECTRIC CO LTD	420 SOUTH SERVICE ROAD OAKVILLE EAST LAMP PLANT Oakville ON	NNE/297.4	1.44	<a href="#">318</a>
<a href="#">95</a>	NPRI	GENERAL ELECTRIC CANADA CONSUMER AND INDUSTRIAL	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	NNE/297.4	1.44	<a href="#">319</a>
<a href="#">95</a>	NPRI	GENERAL ELECTRIC CANADA CONSUMER AND INDUSTRIAL	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	NNE/297.4	1.44	<a href="#">321</a>
<a href="#">95</a>	SCT	GE Consumer & Industrial	420 South Service Rd E Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">323</a>
<a href="#">95</a>	EHS		420 South Service Road East Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">324</a>
<a href="#">95</a>	NPRI	GENERAL ELECTRIC CANADA HOME & BUSINESS SOLUTIONS	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	NNE/297.4	1.44	<a href="#">324</a>
<a href="#">95</a>	NPRI	GENERAL ELECTRIC CANADA HOME & BUSINESS SOLUTIONS	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	NNE/297.4	1.44	<a href="#">326</a>
<a href="#">95</a>	SPL	General Electric Canada	420 South Service Road East<UNOFFICIAL> Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">329</a>
<a href="#">95</a>	SPL	General Electric Canada	420 South Service Rd E Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">329</a>
<a href="#">95</a>	NPCB	CANADIAN GENERAL ELECTRIC	420 SOUTH SERVICE RD OAKVILLE ON L6J 5E2	NNE/297.4	1.44	<a href="#">330</a>
<a href="#">95</a>	NPCB	GENERAL ELECTRIC CANADA (GENERAL ELECTRIC LIGHTING CANADA)	420 SOUTH SERVICE RD. E. OAKVILLE ON L6J 2X6	NNE/297.4	1.44	<a href="#">330</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">95</a>	NPRI	GENERAL ELECTRIC CANADA HOME & BUSINESS SOLUTIONS	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	NNE/297.4	1.44	<a href="#">330</a>
<a href="#">95</a>	SPL	General Electric Canada	420 South Service Rd E Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">332</a>
<a href="#">95</a>	SPL	General Electric Canada	420 South Service Rd E Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">333</a>
<a href="#">95</a>	SPL	General Electric Canada	420 South Service Rd E Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">333</a>
<a href="#">95</a>	SPL	General Electric Canada	420 South Service Rd E Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">334</a>
<a href="#">95</a>	SPL	General Electric Canada	420 South Service Rd E Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">334</a>
<a href="#">95</a>	EHS		420 South Service Road East Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">335</a>
<a href="#">95</a>	EHS		420 South Service Road East Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">335</a>
<a href="#">95</a>	CA	General Electric Canada Inc.	420 South Service Rd E Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">335</a>
<a href="#">95</a>	CA	General Electric Canada Inc.	420 South Service Road East Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">336</a>
<a href="#">95</a>	CA	General Electric Canada Inc.	Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">336</a>
<a href="#">95</a>	CA	General Electric Canada Inc.	420 South Service Road East Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">336</a>
<a href="#">95</a>	CA	General Electric Canada Inc.	420 South Service Rd E Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">336</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">95</a>	CA	General Electric Canada Inc.	420 South Service Road East Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">337</a>
<a href="#">95</a>	NPRI	GENERAL ELECTRIC CANADA HOME & BUSINESS SOLUTIONS	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	NNE/297.4	1.44	<a href="#">337</a>
<a href="#">95</a>	SCT	General Electric Canada Inc.	420 South Service Rd E Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">339</a>
<a href="#">95</a>	SPL	Iron Mountain Canada Corporation	420 South Service Rd E Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">339</a>
<a href="#">95</a>	NPRI	GENERAL ELECTRIC CANADA CO.	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	NNE/297.4	1.44	<a href="#">340</a>
<a href="#">95</a>	GEN	General Electric Canada	420 South Service Rd East Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">341</a>
<a href="#">95</a>	GEN	General Electric Canada	420 South Service Rd East Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">342</a>
<a href="#">95</a>	GEN	General Electric Canada	420 South Service Rd East Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">344</a>
<a href="#">95</a>	GEN	General Electric Canada	420 South Service Rd East Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">345</a>
<a href="#">95</a>	SPL	General Electric Canada Company	420 South Service Road East Oakville ON	NNE/297.4	1.44	<a href="#">346</a>
<a href="#">95</a>	GEN	General Electric Canada	420 South Service Rd East Oakville ON	NNE/297.4	1.44	<a href="#">347</a>
<a href="#">95</a>	INC		420 SOUTH SERVICE ROAD EAST, OAKVILLE ON	NNE/297.4	1.44	<a href="#">348</a>



<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">95</a>	SPL	GE Canada Commercial, Insurance & Credit Investments G.P.	420 South Service Rd E Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">349</a>
<a href="#">95</a>	NPRI	GENERAL ELECTRIC CANADA CO.	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	NNE/297.4	1.44	<a href="#">350</a>
<a href="#">95</a>	ECA	General Electric Canada Inc.	420 South Service Road East Oakville ON L5N 5P9	NNE/297.4	1.44	<a href="#">350</a>
<a href="#">95</a>	ECA	General Electric Canada Inc.	Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L5N 5P9	NNE/297.4	1.44	<a href="#">350</a>
<a href="#">95</a>	ECA	General Electric Canada Inc.	Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L5N 5P9	NNE/297.4	1.44	<a href="#">351</a>
<a href="#">95</a>	ECA	General Electric Canada Inc.	Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L5N 5P9	NNE/297.4	1.44	<a href="#">351</a>
<a href="#">95</a>	ECA	General Electric Canada Inc.	420 South Service Rd E Oakville ON L5N 5P9	NNE/297.4	1.44	<a href="#">351</a>
<a href="#">95</a>	ECA	General Electric Canada Inc.	420 South Service Rd Oakville ON L5N 5P9	NNE/297.4	1.44	<a href="#">352</a>
<a href="#">95</a>	ECA	General Electric Canada Inc.	Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L5N 5P9	NNE/297.4	1.44	<a href="#">352</a>
<a href="#">95</a>	ECA	General Electric Canada Inc.	420 South Service Rd Oakville ON L5N 5P9	NNE/297.4	1.44	<a href="#">352</a>
<a href="#">95</a>	ECA	General Electric Canada Inc.	420 South Service Road East Oakville ON L5N 5P9	NNE/297.4	1.44	<a href="#">353</a>
<a href="#">95</a>	ECA	General Electric Canada Inc.	Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L5N 5P9	NNE/297.4	1.44	<a href="#">353</a>
<a href="#">95</a>	ECA	General Electric Canada Inc.	Oakville Lamp Plant, 420 South Service Rd. East	NNE/297.4	1.44	<a href="#">353</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
			Oakville ON L5N 5P9			
<a href="#">95</a>	ECA	General Electric Canada Inc.	420 South Service Rd E Oakville ON L5N 5P9	NNE/297.4	1.44	<a href="#">354</a>
<a href="#">95</a>	ECA	General Electric Canada Inc.	420 South Service Road East Oakville ON L5N 5P9	NNE/297.4	1.44	<a href="#">354</a>
<a href="#">95</a>	ECA	General Electric Canada Inc.	Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L5N 5P9	NNE/297.4	1.44	<a href="#">354</a>
<a href="#">95</a>	GEN	FIRST GULF REAL ESTATE CORPORATION	420 SOUTH SERVICE ROAD EAST OAKVILLE ON L6J 2X6	NNE/297.4	1.44	<a href="#">354</a>
<a href="#">95</a>	GEN	General Electric Canada	420 South Service Rd East Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">355</a>
<a href="#">95</a>	GEN	General Electric Canada	420 South Service Rd East Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">356</a>
<a href="#">95</a>	GEN	General Electric Canada	420 South Service Rd East Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">358</a>
<a href="#">95</a>	GEN	General Electric Canada GE HOME & BUSINESS SOLUTIONS, OAKVILLE	420 South Service Rd East Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">359</a>
<a href="#">95</a>	GEN	General Electric Canada GE HOME & BUSINESS SOLUTIONS, OAKVILLE	420 South Service Rd East Oakville ON L6J 2X6	NNE/297.4	1.44	<a href="#">360</a>
<a href="#">95</a>	REC	CANADIAN GENERAL ELECTRIC	420 SOUTH SERVICE RD. OAKVILLE ON	NNE/297.4	1.44	<a href="#">360</a>
<a href="#">96</a>	NPCB	CANADIAN GENERAL ELECTRIC	420 SOUTH SERVICE RD. OAKVILLE ON L6J 5C1	NNE/297.4	1.44	<a href="#">361</a>
<a href="#">96</a>	OPCB	CANADIAN GENERAL ELECTRIC	420 SOUTH SERVICE RD. OAKVILLE ON L6J 5C1	NNE/297.4	1.44	<a href="#">361</a>

<b>Map Key</b>	<b>DB</b>	<b>Company/Site Name</b>	<b>Address</b>	<b>Dir/Dist (m)</b>	<b>Elev Diff (m)</b>	<b>Page Number</b>
<a href="#">96</a>	OPCB	CANADIAN GENERAL ELECTRIC	420 SOUTH SERVICE RD. OAKVILLE ON L6J 5C1	NNE/297.4	1.44	<a href="#">362</a>
<a href="#">96</a>	OPCB	CANADIAN GENERAL ELECTRIC	420 SOUTH SERVICE RD. OAKVILLE ON L6J 5C1	NNE/297.4	1.44	<a href="#">363</a>
<a href="#">96</a>	OPCB	CANADIAN GENERAL ELECTRIC	420 SOUTH SERVICE RD. OAKVILLE ON L6J 5C1	NNE/297.4	1.44	<a href="#">363</a>
<a href="#">96</a>	GEN	CANADIAN GENERAL ELECTRIC CO. LTD.	420 SOUTH SERVICE ROAD OAKVILLE ON L6J 5C1	NNE/297.4	1.44	<a href="#">363</a>
<a href="#">96</a>	GEN	CANADIAN GENERAL ELECTRIC CO. LTD.	420 SOUTH SERVICE ROAD OAKVILLE ON L6J 5C1	NNE/297.4	1.44	<a href="#">364</a>
<a href="#">96</a>	GEN	GE LIGHTING CANADA	DIV. OF GE CANADA 420 SOUTH SERVICE RD. OAKVILLE ON L6J 5C1	NNE/297.4	1.44	<a href="#">364</a>
<a href="#">96</a>	GEN	General Electric Canada	420 South Service Rd East Oakville ON	NNE/297.4	1.44	<a href="#">365</a>
<a href="#">96</a>	NPCB	GENERAL ELECTRIC CANADA (CANADIAN GENERAL ELECTRIC CO LTD)	OAKVILLE EAST LAMP PLANT 420 SOUTH SERVICE ROAD OAKVILLE ON L6J 2X6	NNE/297.4	1.44	<a href="#">366</a>
<a href="#">97</a>	CA	TACO BELL OF CANADA	546 TRAFALGAR ROAD OAKVILLE TOWN ON L6J 3J2	S/297.5	-3.58	<a href="#">376</a>
<a href="#">97</a>	PES	BEAVER LUMBER CO LTD	546 TRAFALGAR RD OAKVILLE ON L6J 3J2	S/297.5	-3.58	<a href="#">376</a>
<a href="#">98</a>	GEN	Regional Municipality of Halton	232 South Service Road Unit B Oakville ON L6J 2X5	WSW/297.5	1.29	<a href="#">377</a>
<a href="#">98</a>	GEN	Regional Municipality of Halton	232 South Service Road Unit B Oakville ON L6J 2X5	WSW/297.5	1.29	<a href="#">377</a>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<a href="#">98</a>	GEN	Regional Municipality of Halton Health Department	232 South Service Road Unit B Oakville ON L6J 2X5	WSW/297.5	1.29	<a href="#">377</a>
<a href="#">98</a>	GEN	Regional Municipality of Halton Health Department	232 South Service Road Unit B Oakville ON L6J 2X5	WSW/297.5	1.29	<a href="#">378</a>
<a href="#">98</a>	GEN	Regional Municipality of Halton Health Department	232 South Service Road Unit B Oakville ON L6J 2X5	WSW/297.5	1.29	<a href="#">378</a>

## Executive Summary: Summary By Data Source

### **BORE - Borehole**

A search of the BORE database, dated 1875-Jul 2018 has found that there are 18 BORE site(s) within approximately 0.30 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	ON	110.0	<a href="#"><u>29</u></a>
	ON	113.4	<a href="#"><u>31</u></a>
	ON	116.9	<a href="#"><u>32</u></a>
	ON	134.5	<a href="#"><u>39</u></a>
	ON	141.3	<a href="#"><u>44</u></a>
	ON	141.5	<a href="#"><u>45</u></a>
	ON	149.6	<a href="#"><u>47</u></a>
	ON	152.6	<a href="#"><u>51</u></a>
	ON	160.7	<a href="#"><u>57</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	170.2	<a href="#">60</a>
	ON	173.3	<a href="#">61</a>
	ON	179.0	<a href="#">63</a>
	ON	180.9	<a href="#">64</a>
	ON	188.2	<a href="#">66</a>
	ON	191.3	<a href="#">67</a>
	ON	194.1	<a href="#">69</a>
	ON	200.6	<a href="#">70</a>
	ON	205.9	<a href="#">72</a>

### **CA - Certificates of Approval**

A search of the CA database, dated 1985-Oct 30, 2011\* has found that there are 47 CA site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Oaktown Collision Inc.	359 Davis Road Oakville ON	30.9	<a href="#">6</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
FERRO INDUSTRIAL PROD. LTD.	354 DAVIS ROAD OAKVILLE TOWN ON L6J 2X1	42.6	<a href="#"><u>13</u></a>
PHOENIX FIBREGLASS INC. - CONC. 3 SDS	354 DAVIS RD., PT.LOTS 12 & 13 OAKVILLE TOWN ON L6J 2X1	42.6	<a href="#"><u>13</u></a>
R.M. OF HALTON DAVIS RD. BOOSTER ST. EXP	320 DAVIS RD. OAKVILLE TOWN ON L6J 2X1	84.3	<a href="#"><u>19</u></a>
R.M. OF HALTON-CONTRACT NO. WO-1090-89	DAVIS RD. BOOSTER STATION EXP. OAKVILLE TOWN ON	84.3	<a href="#"><u>20</u></a>
R.M. OF HALTON	DAVIS RD. WATER BOOSTER P.S. OAKVILLE TOWN ON	84.3	<a href="#"><u>20</u></a>
Carstar Corporate Collision Centres Inc.	312 Davis Road Oakville ON L6J 2X1	110.1	<a href="#"><u>30</u></a>
Imperial Oil Limited	562 Trafalgar Rd Oakville ON L6J 3J2	245.8	<a href="#"><u>81</u></a>
GENERAL ELECTRIC CANADA INC.	PT.LOT 12/CONC.3 SDS,LOT 113 OAKVILLE TOWN ON	276.2	<a href="#"><u>88</u></a>
GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD OAKVILLE TOWN ON	297.4	<a href="#"><u>95</u></a>
G.E. LIGHTING IN CANADA	420 SOUTH SERVICE RD. OAKVILLE TOWN ON	297.4	<a href="#"><u>95</u></a>
GENERAL ELECTRIC CANADA, INC.	420 SOUTH SERVICE ROAD OAKVILLE TOWN ON	297.4	<a href="#"><u>95</u></a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE RD. OAKVILLE TOWN ON	297.4	<a href="#"><u>95</u></a>
GENERAL ELECTRIC CANADA LIMITED	420 SOUTH SERVICE ROAD EAST OAKVILLE TOWN ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE RD. E OAKVILLE TOWN ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
GENERAL ELECTRIC CANADA-G.E. LIGHTING	420 SOUTH SERVICE ROAD OAKVILLE TOWN ON	297.4	<a href="#"><u>95</u></a>
GE CANADA (OAKVILLE EAST LAMP PLANT)	420 SOUTH SERVICE RD. OAKVILLE TOWN ON	297.4	<a href="#"><u>95</u></a>
GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD OAKVILLE TOWN ON	297.4	<a href="#"><u>95</u></a>
GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD OAKVILLE TOWN ON	297.4	<a href="#"><u>95</u></a>
GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD OAKVILLE TOWN ON	297.4	<a href="#"><u>95</u></a>
GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD OAKVILLE TOWN ON	297.4	<a href="#"><u>95</u></a>
GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD EAST OAKVILLE TOWN ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD EAST OAKVILLE TOWN ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
GENERAL ELECTRIC CANADA LIMITED	420 SOUTH SERVICE ROAD EAST OAKVILLE TOWN ON L6J 2X6	297.4	<a href="#"><u>95</u></a>



<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD EAST OAKVILLE ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD EAST OAKVILLE ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD EAST OAKVILLE TOWN ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD EAST OAKVILLE TOWN ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD EAST OAKVILLE TOWN ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD EAST OAKVILLE TOWN ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD EAST OAKVILLE TOWN ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
	Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
	Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
	Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
	Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
	Pt Lt 12, Conc 3 SDS, Lot 113, 114 R.Plan 1009; Oakville ON	297.4	<a href="#"><u>95</u></a>
	Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
	Pt Lt 12, Conc 3 SDS, Lot 113, 114 R.Plan 1009; Oakville ON	297.4	<a href="#"><u>95</u></a>
	Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
General Electric Canada Inc.	420 South Service Rd E Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
General Electric Canada Inc.	420 South Service Road East Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
General Electric Canada Inc.	Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
General Electric Canada Inc.	420 South Service Road East Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
General Electric Canada Inc.	420 South Service Rd E Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
General Electric Canada Inc.	420 South Service Road East Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD EAST OAKVILLE TOWN ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
TACO BELL OF CANADA	546 TRAFALGAR ROAD OAKVILLE TOWN ON L6J 3J2	297.5	<a href="#"><u>97</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
-------------	----------------	---------------------	----------------

### **CONV - Compliance and Convictions**

A search of the CONV database, dated 1989-Jan 2022 has found that there are 1 CONV site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
FERRO INDUSTRIAL PRODUCTS LTD.	OAKVILLE ON	15.7	<a href="#">2</a>

### **DTNK - Delisted Fuel Tanks**

A search of the DTNK database, dated May 31, 2021 has found that there are 12 DTNK site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
HOMER PROVOST SHELL SERVICE	374 SOUTH SERVICE RD E OAKVILLE ON L6J 2X6	136.8	<a href="#">41</a>
HOMER PROVOST SHELL SERVICE	374 SOUTH SERVICE RD E OAKVILLE ON	136.8	<a href="#">41</a>
GEETANJALI ADHYAPAK O/A GAS STN	562 TRAFALGAR RD OAKVILLE ON	245.8	<a href="#">81</a>
GEETANJALI ADHYAPAK O/A GAS STN	562 TRAFALGAR RD OAKVILLE ON	245.8	<a href="#">81</a>
GEETANJALI ADHYAPAK O/A GAS STN	562 TRAFALGAR RD OAKVILLE ON	245.8	<a href="#">81</a>
GEETANJALI ADHYAPAK O/A GAS STN	562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	245.8	<a href="#">81</a>
GEETANJALI ADHYAPAK O/A GAS STN	562 TRAFALGAR RD OAKVILLE ON	245.8	<a href="#">81</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
GEETANJALI ADHYAPAK O/A GAS STN	562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	245.8	<a href="#">81</a>
GEETANJALI ADHYAPAK O/A GAS STN	562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	245.8	<a href="#">81</a>
GEETANJALI ADHYAPAK O/A GAS STN	562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	245.8	<a href="#">81</a>
GEETANJALI ADHYAPAK O/A GAS STN	562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	245.8	<a href="#">81</a>
GEETANJALI ADHYAPAK O/A GAS STN	562 TRAFALGAR RD OAKVILLE ON	245.8	<a href="#">81</a>

### **EASR - Environmental Activity and Sector Registry**

A search of the EASR database, dated Oct 2011- Feb 28, 2022 has found that there are 3 EASR site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
FIRST GULF CORPORATION	365-465 DAVIS ROAD OAKVILLE ON L6J 2X2	33.0	<a href="#">10</a>
TRANS-NORTHERN PIPELINES INC./ PIPELINES TRANS-NORD INC.	547 Trafalgar RD Oakville ON L6J 3J1	176.9	<a href="#">62</a>
1555935 ONTARIO INC	547 TRAFALGAR RD OAKVILLE ON L6J 3J1	176.9	<a href="#">62</a>

### **EBR - Environmental Registry**

A search of the EBR database, dated 1994 - Feb 28, 2022 has found that there are 13 EBR site(s) within approximately 0.30 kilometers

of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Oaktown Collision Inc.	359 Davis Road Oakville Ontario Oakville ON	31.0	<a href="#"><u>8</u></a>
Cherokee Oakville Property Limited Partnership	354 Davis Road TOWN OF OAKVILLE ON	42.6	<a href="#"><u>13</u></a>
Carstar Corporate Collision Centres Inc.	312 Davis Road Oakville Ontario L6J 2X1 Oakville ON	110.1	<a href="#"><u>30</u></a>
General Electric Canada Inc.	Oakville Lamp Plant, 420 South Service Rd. East Oakville Ontario Oakville ON	297.4	<a href="#"><u>95</u></a>
General Electric Canada Inc.	420 South Service Road East, part lot 12, concession 3 TOWN OF OAKVILLE ON	297.4	<a href="#"><u>95</u></a>
General Electric Canada Inc.	Oakville Lamp Plant, 420 South Service Rd. East Oakville Ontario Oakville ON	297.4	<a href="#"><u>95</u></a>
General Electric Canada Inc.	Oakville Lamp Plant, 420 South Service Rd. East Oakville Ontario Oakville ON	297.4	<a href="#"><u>95</u></a>
General Electric Canada Inc.	Oakville Lamp Plant, 420 South Service Rd. East Oakville Ontario Oakville ON	297.4	<a href="#"><u>95</u></a>
General Electric Canada Inc.	Oakville Lamp Plant, 420 South Service Rd. East Oakville Ontario Oakville ON	297.4	<a href="#"><u>95</u></a>
General Electric Canada Inc.	Oakville Lamp Plant, 420 South Service Rd. East Oakville Ontario Oakville ON	297.4	<a href="#"><u>95</u></a>
General Electric Canada Ltd.	420 SOUTH SERVICE ROAD EAST, OAKVILLE TOWN Oakville ON	297.4	<a href="#"><u>95</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
General Electric Canada Ltd.	420 SOUTH SERVICE ROAD EAST, OAKVILLE TOWN TOWN OF OAKVILLE ON	297.4	<a href="#"><u>95</u></a>
General Electric Canada Inc.	Oakville Lamp Plant, 420 South Service Rd. East Oakville Ontario Oakville ON	297.4	<a href="#"><u>95</u></a>

## **ECA - Environmental Compliance Approval**

A search of the ECA database, dated Oct 2011- Feb 28, 2022 has found that there are 17 ECA site(s) within approximately 0.30 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Oaktown Collision Inc.	359 Davis Road Oakville ON L6J 2X2	31.0	<a href="#"><u>8</u></a>
Carstar Corporate Collision Centres Inc.	312 Davis Road Oakville ON L6J 2X1	110.1	<a href="#"><u>30</u></a>
Imperial Oil Limited	562 Trafalgar Rd Oakville ON M3C 1K5	245.8	<a href="#"><u>81</u></a>
General Electric Canada Inc.	Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L5N 5P9	297.4	<a href="#"><u>95</u></a>
General Electric Canada Inc.	420 South Service Road East Oakville ON L5N 5P9	297.4	<a href="#"><u>95</u></a>
General Electric Canada Inc.	Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L5N 5P9	297.4	<a href="#"><u>95</u></a>
General Electric Canada Inc.	Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L5N 5P9	297.4	<a href="#"><u>95</u></a>
General Electric Canada Inc.	420 South Service Road East Oakville ON L5N 5P9	297.4	<a href="#"><u>95</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
General Electric Canada Inc.	420 South Service Rd Oakville ON L5N 5P9	297.4	<a href="#">95</a>
General Electric Canada Inc.	Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L5N 5P9	297.4	<a href="#">95</a>
General Electric Canada Inc.	420 South Service Rd Oakville ON L5N 5P9	297.4	<a href="#">95</a>
General Electric Canada Inc.	420 South Service Rd E Oakville ON L5N 5P9	297.4	<a href="#">95</a>
General Electric Canada Inc.	Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L5N 5P9	297.4	<a href="#">95</a>
General Electric Canada Inc.	Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L5N 5P9	297.4	<a href="#">95</a>
General Electric Canada Inc.	Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L5N 5P9	297.4	<a href="#">95</a>
General Electric Canada Inc.	420 South Service Road East Oakville ON L5N 5P9	297.4	<a href="#">95</a>
General Electric Canada Inc.	420 South Service Rd E Oakville ON L5N 5P9	297.4	<a href="#">95</a>

### **EHS - ERIS Historical Searches**

A search of the EHS database, dated 1999-Nov 30, 2021 has found that there are 16 EHS site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	349 Davis Rd Oakville ON L6J 2X2	0.0	<a href="#"><u>1</u></a>
	349 354 and 359 Davis Rd. Oakville ON	0.0	<a href="#"><u>1</u></a>
	359 Davis Rd Oakville ON L6J2X2	31.0	<a href="#"><u>7</u></a>
	354 - 364 Davis Drive Oakville ON	32.0	<a href="#"><u>9</u></a>
	354 Davis Road Oakville ON L6J 2X1	42.6	<a href="#"><u>13</u></a>
	354 Davis Road Oakville ON L6J 2X1	42.6	<a href="#"><u>13</u></a>
	379 Davis Rd Oakville ON L6J 2X2	68.8	<a href="#"><u>16</u></a>
	389 Davis Rd Oakville ON L6J2X2	119.5	<a href="#"><u>33</u></a>
	374 Service Rd S E Oakville ON L6J2X6	136.8	<a href="#"><u>40</u></a>
	547 Trafalgar Road Oakville ON L6J 3J1	176.9	<a href="#"><u>62</u></a>
	562 Trafalgar Rd Oakville ON L6J3J2	245.8	<a href="#"><u>81</u></a>
	562 Trafalgar Rd Oakville ON L6J 3J2	245.8	<a href="#"><u>81</u></a>



<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	570 Trafalgar Road Oakville ON L6J 3J2	264.2	<a href="#">85</a>
	420 South Service Road East Oakville ON L6J 2X6	297.4	<a href="#">95</a>
	420 South Service Road East Oakville ON L6J 2X6	297.4	<a href="#">95</a>
	420 South Service Road East Oakville ON L6J 2X6	297.4	<a href="#">95</a>

### **FST - Fuel Storage Tank**

A search of the FST database, dated May 31, 2021 has found that there are 10 FST site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
MAC'S CONVENIENCE STORES INC	562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	241.5	<a href="#">80</a>
MAC'S CONVENIENCE STORES INC	562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	241.5	<a href="#">80</a>
MAC'S CONVENIENCE STORES INC	562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	241.5	<a href="#">80</a>
MAC'S CONVENIENCE STORES INC	562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	241.5	<a href="#">80</a>
GEETANJALI ADHYAPAK O/A GAS STN	562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	241.5	<a href="#">80</a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	562 TRAFALGAR RD OAKVILLE ON L6J 3J2	241.5	<a href="#"><u>80</u></a>
GEETANJALI ADHYAPAK O/A GAS STN	562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	241.5	<a href="#"><u>80</u></a>
GEETANJALI ADHYAPAK O/A GAS STN	562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	241.5	<a href="#"><u>80</u></a>
GEETANJALI ADHYAPAK O/A GAS STN	562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	241.5	<a href="#"><u>80</u></a>
GEETANJALI ADHYAPAK O/A GAS STN	562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	241.5	<a href="#"><u>80</u></a>

### **GEN - Ontario Regulation 347 Waste Generators Summary**

A search of the GEN database, dated 1986-Nov 30, 2021 has found that there are 74 GEN site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
ACUMEN CORPORATION DEVELOPMENT INC.	359 DAVIS ROAD OAKVILLE ON L6J 2X2	31.0	<a href="#"><u>8</u></a>
FERRO INDUSTRIAL PRODUCTS LTD.	354 DAVIS ROAD OAKVILLE ON L6J 2X1	42.6	<a href="#"><u>13</u></a>
FERRO INDUSTRIAL PRODUCTS LTD.	354 DAVIS ROAD OAKVILLE ON L6J 2X1	42.6	<a href="#"><u>13</u></a>
FERRO INDUSTRIAL PRODUCTS LTD. 15-091	354 DAVIS ROAD OAKVILLE ON L6J 2X1	42.6	<a href="#"><u>13</u></a>
FERRO INDUSTRIAL PRODUCTS LTD	354 DAVIS ROAD OAKVILLE ON L6J 2X1	42.6	<a href="#"><u>13</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
CHEROKEE OAKVILLE PROPERTY LIMITED PARTNERSHIP	354 DAVIS ROAD OAKVILLE ON L6J 2X1	42.6	<a href="#"><u>13</u></a>
FIRST GULF CORPORATION	354 DAVIS ROAD OAKVILLE ON	42.6	<a href="#"><u>13</u></a>
DUCT-O-WIRE CANADA LIMITED	379 DAVIS ROAD, UNIT #3 OAKVILLE ON L6J 2X2	68.8	<a href="#"><u>16</u></a>
DUCT-O-WIRE CANADA LIMITED	379 DAVIS ROAD, UNIT #3 OAKVILLE ON L6J 2X2	68.8	<a href="#"><u>16</u></a>
DUCT-O-WIRE CANADA LIMITED	379 DAVIS ROAD, UNIT #3 OAKVILLE ON L6J 2X2	68.8	<a href="#"><u>16</u></a>
Regional Municipality of Halton	320 Davis Road Oakville ON L6J 2X1	84.3	<a href="#"><u>19</u></a>
Regional Municipality of Halton	320 Davis Road Oakville ON	84.3	<a href="#"><u>20</u></a>
PHOENIX FIBREGLASS INC. 31-824	364 DAVIS ROAD OAKVILLE ON L6J 2X1	101.6	<a href="#"><u>28</u></a>
1737126 Ontario Ltd.	312 Davis Road Oakville ON L6J 2X1	110.1	<a href="#"><u>30</u></a>
ATLAS TESTING & LAB SERVICES	389 DAVIS RD. OAKVILLE ON L6J 2X2	123.3	<a href="#"><u>35</u></a>
ATLAS TESTING & LAB SERVICES	389 DAVIS RD. OAKVILLE ON L6J 2X2	123.3	<a href="#"><u>35</u></a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
ATLAS TESTING LABS AND SERVICES	389 DAVIS ROAD OAKVILLE ON L6J 2X2	123.3	<a href="#"><u>35</u></a>
ATLAS TESTING LABS AND SERVICES 03-227	389 DAVIS ROAD OAKVILLE ON L6J 2X2	123.3	<a href="#"><u>35</u></a>
AITEC INC.	389 DAVIS ROAD OAKVILLE ON L6J 2X2	123.3	<a href="#"><u>35</u></a>
TEAM Industrial Services Inspection Services Canad	389 DAVIS ROAD OAKVILLE ON L6J 2X2	123.3	<a href="#"><u>35</u></a>
TISI Inspection Services East, Inc.	389 DAVIS ROAD OAKVILLE ON L6J 2X2	123.3	<a href="#"><u>35</u></a>
TISI Canada Inc.	389 DAVIS ROAD OAKVILLE ON L6J 2X2	123.3	<a href="#"><u>35</u></a>
TISI Canada Inc.	389 DAVIS ROAD OAKVILLE ON L6J 2X2	123.3	<a href="#"><u>35</u></a>
Terrapex Environmental Ltd.	547 Trafalgar Road Oakville ON L6J 3J1	176.9	<a href="#"><u>62</u></a>
Gears Bike Shop	547 Trafalgar Road Oakville ON	176.9	<a href="#"><u>62</u></a>
Gears Bike Shop	547 Trafalgar Road Oakville ON	176.9	<a href="#"><u>62</u></a>
Gears Bike Shop	547 Trafalgar Road Oakville ON L6J 3J1	176.9	<a href="#"><u>62</u></a>
Gears Bike Shop	547 Trafalgar Road Oakville ON L6J 3J1	176.9	<a href="#"><u>62</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Gears Bike Shop	547 Trafalgar Road Oakville ON L6J 3J1	176.9	<a href="#"><u>62</u></a>
Gears Bike Shop	547 Trafalgar Road Oakville ON L6J 3J1	176.9	<a href="#"><u>62</u></a>
Gears Bike Shop	547 Trafalgar Road Oakville ON L6J 3J1	176.9	<a href="#"><u>62</u></a>
Gears Bike Shop	547 Trafalgar Road Oakville ON L6J 3J1	176.9	<a href="#"><u>62</u></a>
TransNorthern Pipelines Inc	300 South Service Road East Oakville ON L6J 0A5	192.0	<a href="#"><u>68</u></a>
Animal Hospital of Oakville	234 South Service Rd. Oakville ON L6J 2X5	278.8	<a href="#"><u>91</u></a>
Animal Hospital of Oakville	234 South Service Rd. Oakville ON L6J 2X5	278.8	<a href="#"><u>91</u></a>
Animal Hospital of Oakville	234 South Service Rd. Oakville ON L6J 2X5	278.8	<a href="#"><u>91</u></a>
Animal Hospital of Oakville	234 South Service Rd. Oakville ON L6J 2X5	278.8	<a href="#"><u>91</u></a>
Animal Hospital of Oakville	234 South Service Rd. Oakville ON L6J 2X5	278.8	<a href="#"><u>91</u></a>
Animal Hospital of Oakville	234 South Service Rd. Oakville ON L6J 2X5	278.8	<a href="#"><u>91</u></a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
CORMACK ANIMAL CLINIC LIMITED	234 SOUTH SERVICE ROAD ANIMAL HOSPITAL OF OAKVILLE OAKVILLE ON L6J 2X5	278.8	<a href="#"><u>91</u></a>
Animal Hospital of Oakville	234 South Service Rd. Oakville ON	278.8	<a href="#"><u>91</u></a>
Animal Hospital of Oakville	234 South Service Rd. Oakville ON	278.8	<a href="#"><u>91</u></a>
Animal Hospital of Oakville	234 South Service Rd. Oakville ON	278.8	<a href="#"><u>91</u></a>
Animal Hospital of Oakville	234 South Service Rd. Oakville ON L6J 2X5	278.8	<a href="#"><u>91</u></a>
Animal Hospital of Oakville	234 South Service Rd. Oakville ON	278.8	<a href="#"><u>91</u></a>
Animal Hospital of Oakville	234 South Service Rd. Oakville ON L6J 2X5	278.8	<a href="#"><u>92</u></a>
Regional Municipality of Halton Health Department	232 South Service Road Unit B Oakville ON L6J 2X5	281.4	<a href="#"><u>94</u></a>
CANADIAN GENERAL ELECTRIC	420 SOUTH SERVICE RD. OAKVILLE ON	297.4	<a href="#"><u>95</u></a>
GENERAL ELECTRIC CANADA INC.	OAKVILLE LAMP PLANT 420 SOUTH SERVICE ROAD, EAST OAKVILLE ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
GENERAL ELECTRIC CANADA INC.	OAKVILLE EAST LAMP PLANT 420 SOUTH SERVICE ROAD EAST OAKVILLE ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
GENERAL ELECTRIC CANADA INC.	420 SOUTH SERVICE ROAD EAST OAKVILLE ON L6J 2X6	297.4	<a href="#"><u>95</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
GENERAL ELECTRIC CANADA INC.	GE LIGHTING CANADA, OAKVILLE LAMP PLANT 420 SOUTH SERVICE ROAD EAST OAKVILLE ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
GE LIGHTING CANADA	420 SOUTH SERVICE ROAD EAST OAKVILLE ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
GE CONSUMER PRODUCTS	420 South Service Rd East Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
General Electric Canada	420 South Service Rd East Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
General Electric Canada	420 South Service Rd East Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
General Electric Canada	420 South Service Rd East Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
General Electric Canada	420 South Service Rd East Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
General Electric Canada	420 South Service Rd East Oakville ON	297.4	<a href="#"><u>95</u></a>
FIRST GULF REAL ESTATE CORPORATION	420 SOUTH SERVICE ROAD EAST OAKVILLE ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
General Electric Canada	420 South Service Rd East Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
General Electric Canada	420 South Service Rd East Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
General Electric Canada	420 South Service Rd East Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
General Electric Canada GE HOME & BUSINESS SOLUTIONS, OAKVILLE	420 South Service Rd East Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
General Electric Canada GE HOME & BUSINESS SOLUTIONS, OAKVILLE	420 South Service Rd East Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
CANADIAN GENERAL ELECTRIC CO. LTD.	420 SOUTH SERVICE ROAD OAKVILLE ON L6J 5C1	297.4	<a href="#"><u>96</u></a>
CANADIAN GENERAL ELECTRIC CO. LTD.	420 SOUTH SERVICE ROAD OAKVILLE ON L6J 5C1	297.4	<a href="#"><u>96</u></a>
GE LIGHTING CANADA	DIV. OF GE CANADA 420 SOUTH SERVICE RD. OAKVILLE ON L6J 5C1	297.4	<a href="#"><u>96</u></a>
General Electric Canada	420 South Service Rd East Oakville ON	297.4	<a href="#"><u>96</u></a>
Regional Municipality of Halton	232 South Service Road Unit B Oakville ON L6J 2X5	297.5	<a href="#"><u>98</u></a>
Regional Municipality of Halton	232 South Service Road Unit B Oakville ON L6J 2X5	297.5	<a href="#"><u>98</u></a>
Regional Municipality of Halton Health Department	232 South Service Road Unit B Oakville ON L6J 2X5	297.5	<a href="#"><u>98</u></a>
Regional Municipality of Halton Health Department	232 South Service Road Unit B Oakville ON L6J 2X5	297.5	<a href="#"><u>98</u></a>
Regional Municipality of Halton Health Department	232 South Service Road Unit B Oakville ON L6J 2X5	297.5	<a href="#"><u>98</u></a>



<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
-------------	----------------	---------------------	----------------

### **INC - Fuel Oil Spills and Leaks**

A search of the INC database, dated Feb 28, 2022 has found that there are 1 INC site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	420 SOUTH SERVICE ROAD EAST, OAKVILLE ON	297.4	<a href="#">95</a>

### **LIMO - Landfill Inventory Management Ontario**

A search of the LIMO database, dated Feb 28, 2019 has found that there are 1 LIMO site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Ferro Industrial Products Ltd. Ferro	354 Davis Road Lot 12 Concession 3 Oakville ON	42.6	<a href="#">13</a>

### **NPCB - National PCB Inventory**

A search of the NPCB database, dated 1988-2008\* has found that there are 11 NPCB site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
REGIONAL MUNICIPALITY OF HALTON	DAVIS ROAD BOOSTER STATION 320 DAVIS ROAD OAKVILLE ON L6J 2X1	84.3	<a href="#">19</a>
REGIONAL MUNICIPALITY OF HALTON	320 DAVIS ROAD DAVIS ROAD BOOSTER STATION Oakville ON L6J 2X1	84.3	<a href="#">19</a>
REGIONAL MUNICIPALITY OF HALTON	320 DAVIS ROAD DAVIS ROAD OAKVILLE ON L6J 2X1	84.3	<a href="#">19</a>
REGIONAL MUNICIPALITY OF HALTON	DAVIS ROAD BOOSTER STATION; 320 DAVIS ROAD OAKVILLE ON L6J 2X1	84.3	<a href="#">19</a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
GENERAL ELECTRIC CANADA (GENERAL ELECTRIC LIGHTING CANADA)	420 SOUTH SERVICE RD. E. OAKVILLE ON L6J 2X6	297.4	<a href="#">95</a>
CANADIAN GENERAL ELECTRIC	420 SOUTH SERVICE RD. SOUTH SERVICE RD. OAKVILLE ON L6J 5E2	297.4	<a href="#">95</a>
CANADIAN GENERAL ELECTRIC	420 SOUTH SERVICE RD OAKVILLE ON L6J 5E2	297.4	<a href="#">95</a>
CANADIAN GENERAL ELECTRIC CO LTD	OAKVILLE EAST LAMP PLANT; 420 SOUTH SERVICE ROAD OAKVILLE ON L6J 2X6	297.4	<a href="#">95</a>
CANADIAN GENERAL ELECTRIC CO LTD	420 SOUTH SERVICE ROAD OAKVILLE EAST LAMP PLANT Oakville ON	297.4	<a href="#">95</a>
CANADIAN GENERAL ELECTRIC	420 SOUTH SERVICE RD. OAKVILLE ON L6J 5C1	297.4	<a href="#">96</a>
GENERAL ELECTRIC CANADA (CANADIAN GENERAL ELECTRIC CO LTD)	OAKVILLE EAST LAMP PLANT 420 SOUTH SERVICE ROAD OAKVILLE ON L6J 2X6	297.4	<a href="#">96</a>

### **NPRI - National Pollutant Release Inventory**

A search of the NPRI database, dated 1993-May 2017 has found that there are 20 NPRI site(s) within approximately 0.30 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
GENERAL ELECTRIC CANADA CO.	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	95.2	<a href="#">25</a>
GENERAL ELECTRIC CANADA CO.	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	95.2	<a href="#">25</a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
GENERAL ELECTRIC CANADA CONSUMER AND INDUSTRIAL	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	297.4	<a href="#"><u>95</u></a>
GENERAL ELECTRIC CANADA HOME & BUSINESS SOLUTIONS	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	297.4	<a href="#"><u>95</u></a>
GENERAL ELECTRIC CANADA HOME & BUSINESS SOLUTIONS	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	297.4	<a href="#"><u>95</u></a>
GENERAL ELECTRIC CANADA HOME & BUSINESS SOLUTIONS	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	297.4	<a href="#"><u>95</u></a>
GENERAL ELECTRIC CANADA CO.	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	297.4	<a href="#"><u>95</u></a>
GENERAL ELECTRIC CANADA CO.	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	297.4	<a href="#"><u>95</u></a>
GENERAL ELECTRIC CANADA CONSUMER AND INDUSTRIAL	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	297.4	<a href="#"><u>95</u></a>
GENERAL ELECTRIC CANADA CONSUMER & INDUSTRIAL	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	297.4	<a href="#"><u>95</u></a>
GE CONSUMER PRODUCTS CANADA	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	297.4	<a href="#"><u>95</u></a>
GE LIGHTING, CANADA	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	297.4	<a href="#"><u>95</u></a>
GE LIGHTING, CANADA	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	297.4	<a href="#"><u>95</u></a>
GE LIGHTING, CANADA	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	297.4	<a href="#"><u>95</u></a>

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
GE LIGHTING, CANADA	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	297.4	<a href="#"><u>95</u></a>
GE LIGHTING, CANADA	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	297.4	<a href="#"><u>95</u></a>
GE LIGHTING, CANADA, OAKVILLE LAMP PLANT	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	297.4	<a href="#"><u>95</u></a>
GE LIGHTING, CANADA, OAKVILLE LAMP PLANT	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	297.4	<a href="#"><u>95</u></a>
OAKVILLE EAST LAMP PLANT	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	297.4	<a href="#"><u>95</u></a>
GENERAL ELECTRIC CANADA HOME & BUSINESS SOLUTIONS	420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	297.4	<a href="#"><u>95</u></a>

### **OPCB - Inventory of PCB Storage Sites**

A search of the OPCB database, dated 1987-Oct 2004; 2012-Dec 2013 has found that there are 4 OPCB site(s) within approximately 0.30 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
CANADIAN GENERAL ELECTRIC	420 SOUTH SERVICE RD. OAKVILLE ON L6J 5C1	297.4	<a href="#"><u>96</u></a>
CANADIAN GENERAL ELECTRIC	420 SOUTH SERVICE RD. OAKVILLE ON L6J 5C1	297.4	<a href="#"><u>96</u></a>
CANADIAN GENERAL ELECTRIC	420 SOUTH SERVICE RD. OAKVILLE ON L6J 5C1	297.4	<a href="#"><u>96</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
CANADIAN GENERAL ELECTRIC	420 SOUTH SERVICE RD. OAKVILLE ON L6J 5C1	297.4	<a href="#">96</a>

### **PES - Pesticide Register**

A search of the PES database, dated Oct 2011- 28 Feb 2022 has found that there are 1 PES site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
BEAVER LUMBER CO LTD	546 TRAFALGAR RD OAKVILLE ON L6J 3J2	297.5	<a href="#">97</a>

### **PRT - Private and Retail Fuel Storage Tanks**

A search of the PRT database, dated 1989-1996\* has found that there are 3 PRT site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
HOMER PROVOST SHELL SERVICE	374 SOUTH SERVICE RD OAKVILLE ON	136.8	<a href="#">41</a>
TRAFALGAR ESSO SELF SERVE 487346 ONTARIO LTD	562 TRAFALGAR RD OAKVILLE ON L6J 3J2	245.8	<a href="#">81</a>
OAK-LAND LINCOLN MERCURY SALES	570 TRAFALGAR RD OAKVILLE ON L6J 3J2	264.2	<a href="#">84</a>

### **REC - Ontario Regulation 347 Waste Receivers Summary**

A search of the REC database, dated 1986-1990, 1992-2019 has found that there are 1 REC site(s) within approximately 0.30 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
CANADIAN GENERAL ELECTRIC	420 SOUTH SERVICE RD. OAKVILLE ON	297.4	<a href="#">95</a>

## **RSC - Record of Site Condition**

A search of the RSC database, dated 1997-Sept 2001, Oct 2004-Feb 2022 has found that there are 2 RSC site(s) within approximately 0.30 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
Cherokee-Oakville Property G.P., Inc.	364 DAVIS RD, OAKVILLE, ON, L6J 2X1 OAKVILLE ON L6J 2X1	101.6	<a href="#"><u>28</u></a>
Cherokee-Oakville Property G. P., Inc.	00364 Davis Road, Oakville, Ontario, L6J 2X1 ON	101.6	<a href="#"><u>28</u></a>

## **RST - Retail Fuel Storage Tanks**

A search of the RST database, dated 1999-Sep 30, 2021 has found that there are 4 RST site(s) within approximately 0.30 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
ZULFI ESSO	562 TRAFALGAR RD OAKVILLE ON L6J3J2	241.5	<a href="#"><u>80</u></a>
1285118 ONT INC	562 TRAFALGAR RD OAKVILLE ON L6J 3J2	245.8	<a href="#"><u>81</u></a>
TRAFALGAR ESSO	562 TRAFALGAR RD OAKVILLE ON L6J3J2	245.8	<a href="#"><u>81</u></a>
ZULFI ESSO	562 TRAFALGAR RD OAKVILLE ON L6J 3J2	245.8	<a href="#"><u>81</u></a>

## **SCT - Scott's Manufacturing Directory**

A search of the SCT database, dated 1992-Mar 2011\* has found that there are 11 SCT site(s) within approximately 0.30 kilometers of the project property.

<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
FERRO INDUSTRIAL PRODUCTS LTD	354 DAVIS RD OAKVILLE ON L6J 2X1	42.6	<a href="#"><u>13</u></a>

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
JTM TOOLING CO. LTD.	379 Davis Rd Unit 1 Oakville ON L6J 2X2	68.8	<a href="#"><u>16</u></a>
Duct-O-Wire Canada Ltd.	379 Davis Rd Unit 3 Oakville ON L6J 2X2	68.8	<a href="#"><u>16</u></a>
PHOENIX FIBREGLASS INC	364 DAVIS RD OAKVILLE ON L6J 2X1	101.6	<a href="#"><u>28</u></a>
NON DESTRUCTIVE TESTING PROD	389 DAVIS RD OAKVILLE ON L6J 2X2	123.3	<a href="#"><u>35</u></a>
R-METRICS LTD.	389 DAVIS RD OAKVILLE ON L6J 2X2	123.3	<a href="#"><u>35</u></a>
General Electric Lighting Canada Inc.	420 South Service Rd E Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
General Electric Canada Inc.	420 South Service Rd E Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
GE Consumer & Industrial	420 South Service Rd E Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
GE Consumer Product	420 South Service Rd E Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
GE Lighting	420 South Service Rd E Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>

### **SPL - Ontario Spills**

A search of the SPL database, dated 1988-Sep 2020; Dec 2020-Mar 2021 has found that there are 31 SPL site(s) within approximately 0.30 kilometers of the project property.

<b>Site</b>	<b>Address</b>	<b>Distance (m)</b>	<b>Map Key</b>
Liberty Algonquin Business Services	354 Davis Rd Oakville ON NA	42.6	<a href="#"><u>13</u></a>
St. Lawrence Cement Inc.	Trafalgar Rd. and South Service Rd. Oakville ON	122.9	<a href="#"><u>34</u></a>
Emlink Logistics	QEW Eastbound Oakville ON	124.4	<a href="#"><u>36</u></a>
TRANSPORT TRUCK	Q.E.W. WESTBOUND LANE JUST EAST OF TRAFALGAR ROAD. TRANSPORT TRUCK (CARGO) OAKVILLE TOWN ON	150.1	<a href="#"><u>48</u></a>
UNKNOWN	QUEEN ELIZABETH WAY AND TRAFALGAR OAKVILLE TOWN ON	162.1	<a href="#"><u>58</u></a>
PROCTOR'S CARTAGE	QEW WESTBOUND AT TRAFALGAR ROAD TRANSPORT TRUCK (CARGO) OAKVILLE TOWN ON	162.1	<a href="#"><u>58</u></a>
PRIVATE OWNER	TRAFALGAR RD AT QEW MOTOR VEHICLE (OPERATING FLUID) OAKVILLE TOWN ON	162.1	<a href="#"><u>58</u></a>
PUROLATOR COURIER LTD.	QEW AT TRAFALGAR RD - EASTBOUND TRANSPORT TRUCK (CARGO) MISSISSAUGA ON	162.1	<a href="#"><u>58</u></a>
Ryder Truck Rental Canada Ltd.	QEW Westbound, Trafalgar Road Bridge<UNOFFICIAL> Oakville ON	162.1	<a href="#"><u>58</u></a>
	QEW Eastbound under Trafalgar Rd Oakville ON	162.1	<a href="#"><u>58</u></a>
	QEW at QEW and Trafalgar Rd. Oakville ON	162.1	<a href="#"><u>58</u></a>
QEW Collision Centre Inc.	QEW at Trafalgar, Toronto bound Oakville ON	162.1	<a href="#"><u>58</u></a>



<b><u>Site</u></b>	<b><u>Address</u></b>	<b><u>Distance (m)</u></b>	<b><u>Map Key</u></b>
The Corporation of the Town of Oakville	300 Cross Ave. Oakville ON	216.1	<a href="#"><u>74</u></a>
TRANSPORT TRUCK	QEW OFF-RAMP TO HWY 25, TRAFALGAR ROAD TRANSPORT TRUCK (CARGO) OAKVILLE TOWN ON	225.3	<a href="#"><u>76</u></a>
Trans-Northern Pipelines Inc.	43.458577, -79.679528 Oakville ON	225.7	<a href="#"><u>77</u></a>
PRIVATELY OWNED	562 TRAFALGAR RD. MOTOR VEHICLE (OPERATING FLUID) OAKVILLE TOWN ON L6J 3J2	245.8	<a href="#"><u>81</u></a>
PRIVATELY OWNED	562 TRAFALGAR RD. TEXACO SERVICE STATION MOTOR VEHICLE (OPERATING FLUID) OAKVILLE TOWN ON L6J 3J2	245.8	<a href="#"><u>81</u></a>
ESSO PETROLEUM CANADA	562 TRAFALGAR RD SERVICE STATION OAKVILLE TOWN ON L6J 3J2	245.8	<a href="#"><u>81</u></a>
PRIVATE OWNER	570 TRAFALGAR ROAD OAKLAND MERCURY MOTOR VEHICLE (OPERATING FLUID) OAKVILLE TOWN ON L6J 3J2	264.2	<a href="#"><u>84</u></a>
TDI<UNOFFICIAL>	Westbound offramp from the QEW to Trafalgar Road, Oakville Oakville ON	267.5	<a href="#"><u>86</u></a>
LIQUID CARGO LINES	NORTH SERVICE ROAD, WEST OF TRAFALGAR (WESTBOUND) TANK TRUCK (CARGO) OAKVILLE TOWN ON	280.1	<a href="#"><u>93</u></a>
General Electric Canada	420 South Service Rd E Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
Iron Mountain Canada Corporation	420 South Service Rd E Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
General Electric Canada Company	420 South Service Road East Oakville ON	297.4	<a href="#"><u>95</u></a>
GE Canada Commercial, Insurance & Credit Investments G.P.	420 South Service Rd E Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
General Electric Canada	420 South Service Rd E Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
General Electric Canada	420 South Service Rd E Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
General Electric Canada	420 South Service Rd E Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
General Electric Canada	420 South Service Rd E Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
General Electric Canada	420 South Service Rd E Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
General Electric Canada	420 South Service Rd E Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>
General Electric Canada	420 South Service Road East<UNOFFICIAL> Oakville ON L6J 2X6	297.4	<a href="#"><u>95</u></a>

### **WWIS - Water Well Information System**

A search of the WWIS database, dated Sep 30, 2021 has found that there are 41 WWIS site(s) within approximately 0.30 kilometers of the project property.


<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON  <i>Well ID: 7247761</i>	20.0	<a href="#"><u>3</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	3 DAVIS AVE. Oakville ON  <i>Well ID: 7173256</i>	29.9	<a href="#"><u>4</u></a>
	354 DAVIS DRIVE Oakville ON  <i>Well ID: 7205225</i>	30.2	<a href="#"><u>5</u></a>
	354 DAVIS RD Oakville ON  <i>Well ID: 7187275</i>	37.4	<a href="#"><u>11</u></a>
	420 SOUTH SERVICE RD. EAST OAKVILLE ON  <i>Well ID: 7241968</i>	41.4	<a href="#"><u>12</u></a>
	364 DAVIS DRIVE Oakville ON  <i>Well ID: 7205226</i>	62.7	<a href="#"><u>14</u></a>
	354 DAVIS DR Oakville ON  <i>Well ID: 7187274</i>	67.3	<a href="#"><u>15</u></a>
	DAVIS AVE. Oakville ON  <i>Well ID: 7173259</i>	76.9	<a href="#"><u>17</u></a>
	ON  <i>Well ID: 7259855</i>	80.1	<a href="#"><u>18</u></a>
	354 DAVIS RD OAKVILLE ON  <i>Well ID: 2810455</i>	86.0	<a href="#"><u>21</u></a>
	354 DAVIS RD OAKVILLE ON  <i>Well ID: 2810456</i>	86.0	<a href="#"><u>21</u></a>
	354 DAVIS RD Oakville ON  <i>Well ID: 7187272</i>	88.2	<a href="#"><u>22</u></a>
	DAVIS AVE. Oakville ON	88.5	<a href="#"><u>23</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID: 7173260</i>		
	354 DAVIS RD Oakville ON	95.0	<a href="#">24</a>
	<i>Well ID: 7187273</i>		
	354 DAVIS RD Oakville ON	95.8	<a href="#">26</a>
	<i>Well ID: 7187271</i>		
	354 DAVIS RD Oakville ON	95.8	<a href="#">26</a>
	<i>Well ID: 7187270</i>		
	354 DAVIS DRIVE Oakville ON	96.1	<a href="#">27</a>
	<i>Well ID: 7205229</i>		
	354 DAVIS DRIVE Oakville ON	127.6	<a href="#">37</a>
	<i>Well ID: 7205227</i>		
	ON	128.2	<a href="#">38</a>
	<i>Well ID: 7217180</i>		
	354 DAVIS RD OAKVILLE ON	137.0	<a href="#">42</a>
	<i>Well ID: 7104345</i>		
	354 DAVIS RD Oakville ON	138.7	<a href="#">43</a>
	<i>Well ID: 7187276</i>		
	DAVIS AVE. Oakville ON	147.0	<a href="#">46</a>
	<i>Well ID: 7173258</i>		
	420 SOUTH SERVICE RD. E OAKVILLE ON	150.2	<a href="#">49</a>
	<i>Well ID: 7241911</i>		
	354 DAVIS RD Oakville ON	151.9	<a href="#">50</a>
	<i>Well ID: 7187278</i>		


<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	420 SOUTH SERVICE RD. E OAKVILLE ON  <i>Well ID: 7241910</i>	152.7	<a href="#"><u>52</u></a>
	DAVIS AVE. Oakville ON  <i>Well ID: 7173257</i>	154.7	<a href="#"><u>53</u></a>
	354 DAVIS RD Oakville ON  <i>Well ID: 7187277</i>	155.1	<a href="#"><u>54</u></a>
	354 DAVIS DRIVE Oakville ON  <i>Well ID: 7205230</i>	155.8	<a href="#"><u>55</u></a>
	354 DAVIS RD Oakville ON  <i>Well ID: 7207704</i>	156.1	<a href="#"><u>56</u></a>
	354 DAVIS DRIVE Oakville ON  <i>Well ID: 7205228</i>	167.3	<a href="#"><u>59</u></a>
	547 TRAFALGAR RD OAKVILLE ON  <i>Well ID: 7152039</i>	185.8	<a href="#"><u>65</u></a>
	354 DAVIS DRIVE Oakville ON  <i>Well ID: 7205231</i>	200.9	<a href="#"><u>71</u></a>
	547 TRAFALGAR RD Oakville ON  <i>Well ID: 7100453</i>	209.4	<a href="#"><u>73</u></a>
	ON  <i>Well ID: 7376602</i>	217.2	<a href="#"><u>75</u></a>
	562 TAFALGAR RD Oakville ON  <i>Well ID: 7263647</i>	232.8	<a href="#"><u>78</u></a>
	562 TAFALGAR RD Oakville ON	233.8	<a href="#"><u>79</u></a>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID:</i> 7263650		
	562 TAFALGAR RD Oakville ON	253.1	<a href="#"><u>82</u></a>
	<i>Well ID:</i> 7263649		
	562 TAFALGAR RD Oakville ON	262.3	<a href="#"><u>83</u></a>
	<i>Well ID:</i> 7263648		
	547 TRAFALGAR RD ON	269.3	<a href="#"><u>87</u></a>
	<i>Well ID:</i> 7101141		
	420 SOUTH SERVICE RD E OAKVILLE ON	276.9	<a href="#"><u>89</u></a>
	<i>Well ID:</i> 7241965		
	ON	277.4	<a href="#"><u>90</u></a>
	<i>Well ID:</i> 7214121		



43°27'30"N

43°27'30"N



1:5757

### Map: 0.3 Kilometer Radius

Order Number: 22032400101  
Address: 349 Davis Road, Oakville, ON



Project Property	Freeways; Highways	Beach	Shopping & Sports Area
Buffer Outline	Traffic Circle; Ramp	Airport	University/College
Eris Sites with Higher Elevation	Major Arterial; Minor Arterial	Industrial Area	Cemetery; Golf Course
Eris Sites with Same Elevation	Local Road	Military Base	Parkt (National)
Eris Sites with Lower Elevation	Service Road; Traffic Circle; Ramp	Aircraft Roads	Park (City/County)
Eris Sites with Unknown Elevation	Rail	Native Reservation	Hospital



**Aerial** Year: 2021

Order Number: 22032400101


Address: 349 Davis Road, Oakville, ON



Source: ESRI World Imagery

© ERIS Information Limited Partnership





Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community

# Topographic Map

Address: 349 Davis Road, ON

Source: ESRI World Topographic Map

Order Number: 22032400101



© ERIS Information Limited Partnership

# Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p><u>1</u></p> <p><b>Order No:</b> 20040326011  <b>Status:</b> C  <b>Report Type:</b> Custom Report  <b>Report Date:</b> 3/30/04  <b>Date Received:</b> 3/26/04  <b>Previous Site Name:</b>  <b>Lot/Building Size:</b> 2 acres  <b>Additional Info Ordered:</b> Fire Insur. Maps and/or Site Plans</p>	1 of 2	SE/0.0	103.0 / -0.61	<p>349 Davis Rd Oakville ON L6J 2X2</p> <p><b>Nearest Intersection:</b> Davis Road &amp; South Service Road  <b>Municipality:</b> Oakville  <b>Client Prov/State:</b> ON  <b>Search Radius (km):</b> 0.40  <b>X:</b> -79.681295  <b>Y:</b> 43.460332</p>	EHS
<p><u>1</u></p> <p><b>Order No:</b> 20040216007  <b>Status:</b> C  <b>Report Type:</b> Custom Report  <b>Report Date:</b> 2/19/04  <b>Date Received:</b> 2/16/04  <b>Previous Site Name:</b>  <b>Lot/Building Size:</b>  <b>Additional Info Ordered:</b> Fire Insur. Maps and/or Site Plans</p>	2 of 2	SE/0.0	103.0 / -0.61	<p>349 354 and 359 Davis Rd. Oakville ON</p> <p><b>Nearest Intersection:</b> see diagram  <b>Municipality:</b>  <b>Client Prov/State:</b> ON  <b>Search Radius (km):</b> 0.25  <b>X:</b> -79.680941  <b>Y:</b> 43.46055</p>	EHS
<p><u>2</u></p> <p><b>File No:</b>  <b>Crown Brief No:</b>  <b>Court Location:</b>  <b>Publication City:</b>  <b>Publication Title:</b>  <b>Act:</b>  <b>Act(s):</b>  <b>First Matter:</b>  <b>Second Matter:</b>  <b>Investigation 1:</b>  <b>Investigation 2:</b>  <b>Penalty Imposed:</b>  <b>Description:</b> DISCHARGIN HAZARDOUS LIQUID INTO ENVIRONMENT  <b>Background:</b>  <b>URL:</b></p> <p><b>Additional Details</b></p> <p><b>Publication Date:</b>  <b>Count:</b> 1  <b>Act:</b> EPA  <b>Regulation:</b>  <b>Section:</b> 13(1)</p>	1 of 1	ESE/15.7	102.5 / -1.05	<p>FERRO INDUSTRIAL PRODUCTS LTD.  OAKVILLE ON</p> <p><b>Location:</b>  <b>Region:</b> CENTRAL REGION  <b>Ministry District:</b></p>	CONV

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Act/Regulation/Section:</b>		EPA- -13(1)			
<b>Date of Offence:</b>					
<b>Date of Conviction:</b>					
<b>Date Charged:</b>		92/08/27			
<b>Charge Disposition:</b>					
<b>Fine:</b>		80000			
<b>Synopsis:</b>					

<a href="#">3</a>	1 of 1	WSW/20.0	103.9 / 0.32	ON	WWIS
-------------------	--------	----------	--------------	----	------

<b>Well ID:</b>	7247761	<b>Data Entry Status:</b>	Yes
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>		<b>Date Received:</b>	9/2/2015
<b>Sec. Water Use:</b>		<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>		<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7215
<b>Casing Material:</b>		<b>Form Version:</b>	8
<b>Audit No:</b>	C27857	<b>Owner:</b>	
<b>Tag:</b>	A178658	<b>Street Name:</b>	
<b>Construction Method:</b>		<b>County:</b>	HALTON
<b>Elevation (m):</b>		<b>Municipality:</b>	OAKVILLE TOWN
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

PDF URL (Map):

**Additional Detail(s) (Map)**

<b>Well Completed Date:</b>	2015/02/09
<b>Year Completed:</b>	2015
<b>Depth (m):</b>	
<b>Latitude:</b>	43.460363034157
<b>Longitude:</b>	-79.6820126564339
<b>Path:</b>	

**Bore Hole Information**

<b>Bore Hole ID:</b>	1005667259	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	606622.00
<b>Code OB Desc:</b>		<b>North83:</b>	4812783.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	09-Feb-2015 00:00:00	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

<a href="#">4</a>	1 of 1	SE/29.9	102.1 / -1.51	3 DAVIS AVE.	WWIS
-------------------	--------	---------	---------------	--------------	------

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Oakville ON

<b>Well ID:</b>	7173256	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole	<b>Date Received:</b>	12/9/2011
<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Test Hole	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7241
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z140259	<b>Owner:</b>	
<b>Tag:</b>	A122495	<b>Street Name:</b>	3 DAVIS AVE.
<b>Construction Method:</b>		<b>County:</b>	HALTON
<b>Elevation (m):</b>		<b>Municipality:</b>	OAKVILLE TOWN
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/717\7173256.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/717\7173256.pdf)

Additional Detail(s) (Map)

**Well Completed Date:** 2011/11/17  
**Year Completed:** 2011  
**Depth (m):** 5.49  
**Latitude:** 43.4601247301057  
**Longitude:** -79.6808682478952  
**Path:** 717\7173256.pdf

Bore Hole Information

<b>Bore Hole ID:</b>	1003617680	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	606715.00
<b>Code OB Desc:</b>		<b>North83:</b>	4812758.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	17-Nov-2011 00:00:00	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

Overburden and Bedrock  
Materials Interval

**Formation ID:** 1004049233  
**Layer:** 2  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 05  
**Most Common Material:** CLAY  
**Mat2:** 12  
**Mat2 Desc:** STONES

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		0.3100000023841858			
<b>Formation End Depth:</b>		3.0999999046325684			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1004049232			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		02			
<b>Most Common Material:</b>		TOPSOIL			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		0.3100000023841858			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1004049234			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		3.0999999046325684			
<b>Formation End Depth:</b>		5.489999771118164			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004049244			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.3100000023841858			
<b>Plug To:</b>		2.130000114440918			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004049243			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.3100000023841858			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004049245			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Layer:</b>	3				
<b>Plug From:</b>		2.130000114440918			
<b>Plug To:</b>		5.489999771118164			
<b>Plug Depth UOM:</b>	m				
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1004049242				
<b>Method Construction Code:</b>	5				
<b>Method Construction:</b>	Air Percussion				
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1004049231				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	1004049238				
<b>Layer:</b>	1				
<b>Material:</b>					
<b>Open Hole or Material:</b>					
<b>Depth From:</b>	0.0				
<b>Depth To:</b>	2.440000057220459				
<b>Casing Diameter:</b>	4.03000020980835				
<b>Casing Diameter UOM:</b>	cm				
<b>Casing Depth UOM:</b>	m				
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>	1004049239				
<b>Layer:</b>	1				
<b>Slot:</b>	10				
<b>Screen Top Depth:</b>	2.440000057220459				
<b>Screen End Depth:</b>	5.489999771118164				
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>	m				
<b>Screen Diameter UOM:</b>	cm				
<b>Screen Diameter:</b>	4.820000171661377				
<b><u>Water Details</u></b>					
<b>Water ID:</b>	1004049237				
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>	m				
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>	1004049235				
<b>Diameter:</b>	7.619999885559082				
<b>Depth From:</b>	3.0999999046325684				
<b>Depth To:</b>	5.489999771118164				
<b>Hole Depth UOM:</b>	m				
<b>Hole Diameter UOM:</b>	cm				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Hole Diameter</u></b>					
Hole ID:		1004049236			
Diameter:		11.430000305175781			
Depth From:		0.0			
Depth To:		3.0999999046325684			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<a href="#">5</a>	1 of 1	E/30.2	102.0 / -1.57	354 DAVIS DRIVE Oakville ON	WWIS
Well ID:	7205225			Data Entry Status:	
Construction Date:				Data Src:	
Primary Water Use:	Monitoring and Test Hole			Date Received:	7/23/2013
Sec. Water Use:				Selected Flag:	TRUE
Final Well Status:	Test Hole			Abandonment Rec:	
Water Type:				Contractor:	7241
Casing Material:				Form Version:	7
Audit No:	Z173654			Owner:	
Tag:	A145379			Street Name:	354 DAVIS DRIVE
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map):

**Additional Detail(s) (Map)**

Well Completed Date: 2013/06/21  
Year Completed: 2013  
Depth (m): 4.87  
Latitude: 43.4605348278771  
Longitude: -79.6805132162588  
Path:

**Bore Hole Information**

Bore Hole ID:	1004448573	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	606743.00
Code OB Desc:		North83:	4812804.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	21-Jun-2013 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			1004876244		
<b>Layer:</b>			4		
<b>Color:</b>			2		
<b>General Color:</b>			GREY		
<b>Mat1:</b>			17		
<b>Most Common Material:</b>			SHALE		
<b>Mat2:</b>			92		
<b>Mat2 Desc:</b>			WEATHERED		
<b>Mat3:</b>			85		
<b>Mat3 Desc:</b>			SOFT		
<b>Formation Top Depth:</b>			3.0999999046325684		
<b>Formation End Depth:</b>			4.260000228881836		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			1004876241		
<b>Layer:</b>			1		
<b>Color:</b>			6		
<b>General Color:</b>			BROWN		
<b>Mat1:</b>			02		
<b>Most Common Material:</b>			TOPSOIL		
<b>Mat2:</b>			85		
<b>Mat2 Desc:</b>			SOFT		
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>			0.0		
<b>Formation End Depth:</b>			0.3100000023841858		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			1004876245		
<b>Layer:</b>			5		
<b>Color:</b>			2		
<b>General Color:</b>			GREY		
<b>Mat1:</b>			17		
<b>Most Common Material:</b>			SHALE		
<b>Mat2:</b>			73		
<b>Mat2 Desc:</b>			HARD		
<b>Mat3:</b>			91		
<b>Mat3 Desc:</b>			WATER-BEARING		
<b>Formation Top Depth:</b>			4.260000228881836		
<b>Formation End Depth:</b>			4.869999885559082		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			1004876242		
<b>Layer:</b>			2		
<b>Color:</b>			6		
<b>General Color:</b>			BROWN		
<b>Mat1:</b>			28		
<b>Most Common Material:</b>			SAND		
<b>Mat2:</b>			11		



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		0.3100000023841858			
<b>Formation End Depth:</b>		1.2200000286102295			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1004876243			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		1.2200000286102295			
<b>Formation End Depth:</b>		3.0999999046325684			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004876254			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.3100000023841858			
<b>Plug To:</b>		1.5199999809265137			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004876253			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.3100000023841858			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004876255			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.5199999809265137			
<b>Plug To:</b>		4.869999885559082			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004876252			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Pipe ID:</b>		1004876240			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004876248			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		1.8200000524520874			
<b>Casing Diameter:</b>		4.03000020980835			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004876249			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		1.8200000524520874			
<b>Screen End Depth:</b>		4.869999885559082			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		4.820000171661377			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004876247			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004876246			
<b>Diameter:</b>		11.430000305175781			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		4.869999885559082			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

6

1 of 1

**ENE/30.9**

**102.8 / -0.74**

**Oaktown Collision Inc.  
359 Davis Road  
Oakville ON**

**CA**

**Certificate #:** 7087-698MPW  
**Application Year:** 2005  
**Issue Date:** 2/3/2005  
**Approval Type:** Air  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contaminants:</b>					
<b>Emission Control:</b>					
<a href="#">7</a>	1 of 1	ENE/31.0	102.8 / -0.74	359 Davis Rd Oakville ON L6J2X2	EHS
<b>Order No:</b>	20160927060			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	30-SEP-16			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	27-SEP-16			<b>X:</b>	-79.680787
<b>Previous Site Name:</b>				<b>Y:</b>	43.460888
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">8</a>	1 of 3	ENE/31.0	102.8 / -0.74	Oaktown Collision Inc. 359 Davis Road Oakville Ontario Oakville ON	EBR
<b>EBR Registry No:</b>	IA04E1131			<b>Decision Posted:</b>	
<b>Ministry Ref No:</b>	1729-63ASQU			<b>Exception Posted:</b>	
<b>Notice Type:</b>	Instrument Decision			<b>Section:</b>	
<b>Notice Stage:</b>				<b>Act 1:</b>	
<b>Notice Date:</b>	February 15, 2005			<b>Act 2:</b>	
<b>Proposal Date:</b>	August 03, 2004			<b>Site Location Map:</b>	
<b>Year:</b>	2004				
<b>Instrument Type:</b>	(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)				
<b>Off Instrument Name:</b>					
<b>Posted By:</b>					
<b>Company Name:</b>	Oaktown Collision Inc.				
<b>Site Address:</b>					
<b>Location Other:</b>					
<b>Proponent Name:</b>					
<b>Proponent Address:</b>	359 Davis Road, Oakville Ontario, L6J 2X2				
<b>Comment Period:</b>					
<b>URL:</b>					
<b>Site Location Details:</b>	359 Davis Road Oakville Ontario Oakville				
<a href="#">8</a>	2 of 3	ENE/31.0	102.8 / -0.74	Oaktown Collision Inc. 359 Davis Road Oakville ON L6J 2X2	ECA
<b>Approval No:</b>	7087-698MPW			<b>MOE District:</b>	Halton-Peel
<b>Approval Date:</b>	2005-02-03			<b>City:</b>	
<b>Status:</b>	Approved			<b>Longitude:</b>	-79.681206
<b>Record Type:</b>	ECA			<b>Latitude:</b>	43.46103
<b>Link Source:</b>	IDS			<b>Geometry X:</b>	
<b>SWP Area Name:</b>	Halton			<b>Geometry Y:</b>	
<b>Approval Type:</b>	ECA-AIR				
<b>Project Type:</b>	AIR				
<b>Business Name:</b>	Oaktown Collision Inc.				
<b>Address:</b>	359 Davis Road				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/1729-63ASQU-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/1729-63ASQU-14.pdf</a>				
<b>PDF Site Location:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">8</a>	3 of 3	ENE/31.0	102.8 / -0.74	ACUMEN CORPORATION DEVELOPMENT INC. 359 DAVIS ROAD OAKVILLE ON L6J 2X2	GEN
<b>Generator No:</b>	ON4972522			<b>Status:</b> Registered	
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Dec 2017			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	150 L				
<b>Waste Class Desc:</b>	Inert organic wastes				
<a href="#">9</a>	1 of 1	E/32.0	102.3 / -1.29	354 - 364 Davis Drive Oakville ON	EHS
<b>Order No:</b>	20111116020			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Custom Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	11/22/2011			<b>Search Radius (km):</b>	0.25
<b>Date Received:</b>	11/16/2011 11:41:42 AM			<b>X:</b>	-79.680502
<b>Previous Site Name:</b>				<b>Y:</b>	43.460693
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">10</a>	1 of 1	NE/33.0	103.8 / 0.25	FIRST GULF CORPORATION 365-465 DAVIS ROAD OAKVILLE ON L6J 2X2	EASR
<b>Approval No:</b>	R-002-1312176744			<b>MOE District:</b>	
<b>Status:</b>	REGISTERED			<b>Municipality:</b>	OAKVILLE
<b>Date:</b>	2013-03-04			<b>Latitude:</b>	
<b>Record Type:</b>	EASR			<b>Longitude:</b>	
<b>Link Source:</b>	MOFA			<b>Geometry X:</b>	
<b>Project Type:</b>	Standby Power System			<b>Geometry Y:</b>	
<b>Full Address:</b>					
<b>Approval Type:</b>	EASR-Standby Power System				
<b>SWP Area Name:</b>					
<b>PDF URL:</b>					
<b>PDF Site Location:</b>					
<a href="#">11</a>	1 of 1	E/37.4	101.8 / -1.74	354 DAVIS RD Oakville ON	WWIS
<b>Well ID:</b>	7187275			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>				<b>Date Received:</b>	9/18/2012
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	Yes
<b>Water Type:</b>				<b>Contractor:</b>	6875
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z134204			<b>Owner:</b>	
<b>Tag:</b>	A122498			<b>Street Name:</b>	354 DAVIS RD
<b>Construction Method:</b>				<b>County:</b>	HALTON
<b>Elevation (m):</b>				<b>Municipality:</b>	OAKVILLE TOWN
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b>PDF URL (Map):</b>		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7187275.pdf			
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>		2012/05/07			
<b>Year Completed:</b>		2012			
<b>Depth (m):</b>					
<b>Latitude:</b>		43.4604442376611			
<b>Longitude:</b>		-79.6804657418338			
<b>Path:</b>		718\7187275.pdf			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>		1004157029		<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b> 17	
<b>Code OB:</b>				<b>East83:</b> 606747.00	
<b>Code OB Desc:</b>				<b>North83:</b> 4812794.00	
<b>Open Hole:</b>				<b>Org CS:</b> UTM83	
<b>Cluster Kind:</b>				<b>UTMRC:</b> 4	
<b>Date Completed:</b>		07-May-2012 00:00:00		<b>UTMRC Desc:</b> margin of error : 30 m - 100 m	
<b>Remarks:</b>				<b>Location Method:</b> wwr	
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004404680			
<b>Layer:</b>		1			
<b>Plug From:</b>		2.0			
<b>Plug To:</b>		4.630000114440918			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004404681			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		2.0			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004402893			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Pipe Information**

Pipe ID: 1004402887  
 Casing No: 0  
 Comment:  
 Alt Name:

**Construction Record - Casing**

Casing ID: 1004402891  
 Layer:  
 Material:  
 Open Hole or Material:  
 Depth From:  
 Depth To:  
 Casing Diameter:  
 Casing Diameter UOM: cm  
 Casing Depth UOM: m

**Construction Record - Screen**

Screen ID: 1004402892  
 Layer:  
 Slot:  
 Screen Top Depth:  
 Screen End Depth:  
 Screen Material:  
 Screen Depth UOM: m  
 Screen Diameter UOM: cm  
 Screen Diameter:

**Water Details**

Water ID: 1004402890  
 Layer: 1  
 Kind Code: 8  
 Kind: Untested  
 Water Found Depth: 1.5  
 Water Found Depth UOM: m

**Hole Diameter**

Hole ID: 1004402889  
 Diameter: 5.0  
 Depth From: 0.0  
 Depth To: 4.630000114440918  
 Hole Depth UOM: m  
 Hole Diameter UOM: cm

<a href="#">12</a>	1 of 1	ENE/41.4	102.8 / -0.77	420 SOUTH SERVICE RD. EAST OAKVILLE ON	WWIS
--------------------	--------	----------	---------------	---	------

Well ID: 7241968  
 Construction Date:  
 Primary Water Use: Monitoring and Test Hole  
 Sec. Water Use: 0  
 Final Well Status: Observation Wells  
 Water Type:  
 Casing Material:  
 Audit No: Z204489

Data Entry Status:  
 Data Src:  
 Date Received: 5/28/2015  
 Selected Flag: TRUE  
 Abandonment Rec:  
 Contractor: 7241  
 Form Version: 7  
 Owner:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

<b>Tag:</b>	A168814	<b>Street Name:</b>	420 SOUTH SERVICE RD. EAST
<b>Construction Method:</b>		<b>County:</b>	HALTON
<b>Elevation (m):</b>		<b>Municipality:</b>	OAKVILLE TOWN
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**PDF URL (Map):**

**Additional Detail(s) (Map)**

**Well Completed Date:** 2015/02/11  
**Year Completed:** 2015  
**Depth (m):** 20.1168  
**Latitude:** 43.4609602023449  
**Longitude:** -79.6807017449391  
**Path:**

**Bore Hole Information**

<b>Bore Hole ID:</b>	1005384483	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	606727.00
<b>Code OB Desc:</b>		<b>North83:</b>	4812851.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	11-Feb-2015 00:00:00	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1005609526  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 17  
**Most Common Material:** SHALE  
**Mat2:**  
**Mat2 Desc:**  
**Mat3:**  
**Mat3 Desc:**  
**Formation Top Depth:** 9.0  
**Formation End Depth:** 66.0  
**Formation End Depth UOM:** ft

**Overburden and Bedrock**

**Materials Interval**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation ID:</b>		1005609525			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		05			
<b>Mat2 Desc:</b>		CLAY			
<b>Mat3:</b>		66			
<b>Mat3 Desc:</b>		DENSE			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		9.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005609538			
<b>Layer:</b>		3			
<b>Plug From:</b>		55.0			
<b>Plug To:</b>		66.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005609537			
<b>Layer:</b>		2			
<b>Plug From:</b>		1.0			
<b>Plug To:</b>		55.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005609536			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		1.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005609535			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005609524			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005609531			
<b>Layer:</b>		1			
<b>Material:</b>		5			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		-3.0			
<b>Depth To:</b>		56.0			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005609532			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		56.0			
<b>Screen End Depth:</b>		66.0			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		1.5			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005609530			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005609529			
<b>Diameter:</b>		3.5			
<b>Depth From:</b>		30.0			
<b>Depth To:</b>		66.0			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005609527			
<b>Diameter:</b>		8.0			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		27.0			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005609528			
<b>Diameter:</b>		5.0			
<b>Depth From:</b>		27.0			
<b>Depth To:</b>		30.0			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			
<a href="#">13</a>	1 of 14	SSE/42.6	102.5 / -1.03	FERRO INDUSTRIAL PROD. LTD. 354 DAVIS ROAD OAKVILLE TOWN ON L6J 2X1	CA
<b>Certificate #:</b>		8-3142-91-			
<b>Application Year:</b>		91			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>		8/15/1991 Industrial air Approved			
<a href="#">13</a>	2 of 14	SSE/42.6	102.5 / -1.03	<b>PHOENIX FIBREGLASS INC. - CONC. 3 SDS</b> <b>354 DAVIS RD., PT.LOTS 12 &amp; 13</b> <b>OAKVILLE TOWN ON L6J 2X1</b>	CA
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>		8-3147-92- 92 6/22/1992 Industrial air Approved			
<b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>		2 BAGHOUSES FOR DUST FROM FIB-GLASS SEP. Suspended Particulate Matter, Styrene Baghouse (Incl Vent Fil.)			
<a href="#">13</a>	3 of 14	SSE/42.6	102.5 / -1.03	<b>FERRO INDUSTRIAL PRODUCTS LTD</b> <b>354 DAVIS RD</b> <b>OAKVILLE ON L6J 2X1</b>	SCT
<b>Established:</b> <b>Plant Size (ft²):</b> <b>Employment:</b>		1927 0 12			
<b>--Details--</b> <b>Description:</b> <b>SIC/NAICS Code:</b>		PAINTS, VARNISHES, & SUPPLIES 5198			
<a href="#">13</a>	4 of 14	SSE/42.6	102.5 / -1.03	<b>354 Davis Road</b> <b>Oakville ON L6J 2X1</b>	EHS
<b>Order No:</b> <b>Status:</b> <b>Report Type:</b> <b>Report Date:</b> <b>Date Received:</b> <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>		20030106004 C Complete Report 1/10/03 1/6/03		<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> <b>Search Radius (km):</b> <b>X:</b> <b>Y:</b>	QEW and Trafalgar Halton ON 0.25 -79.680626 43.460667
<b>Additional Info Ordered:</b>		Title Search			
<a href="#">13</a>	5 of 14	SSE/42.6	102.5 / -1.03	<b>FERRO INDUSTRIAL PRODUCTS LTD.</b> <b>354 DAVIS ROAD</b> <b>OAKVILLE ON L6J 2X1</b>	GEN

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Generator No:</b>	ON0430600			<b>Status:</b>	
<b>SIC Code:</b>	3562			<b>Co Admin:</b>	
<b>SIC Description:</b>	GLASS PRODUCTS IND.			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	86,87,88			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Class:</b>	141				
<b>Waste Class Desc:</b>	INORGANIC PIGMENT WASTES				
<b>Waste Class:</b>	146				
<b>Waste Class Desc:</b>	OTHER SPECIFIED INORGANICS				
<b>Waste Class:</b>	212				
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS				

<b>13</b>	<b>6 of 14</b>	<b>SSE/42.6</b>	<b>102.5 / -1.03</b>	<b>FERRO INDUSTRIAL PRODUCTS LTD. 354 DAVIS ROAD OAKVILLE ON L6J 2X1</b>	<b>GEN</b>
<b>Generator No:</b>	ON0430600			<b>Status:</b>	
<b>SIC Code:</b>	3562			<b>Co Admin:</b>	
<b>SIC Description:</b>	GLASS PRODUCTS IND.			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	89,90,99,00,01			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	122				
<b>Waste Class Desc:</b>	ALKALINE WASTES - OTHER METALS				
<b>Waste Class:</b>	141				
<b>Waste Class Desc:</b>	INORGANIC PIGMENT WASTES				
<b>Waste Class:</b>	146				
<b>Waste Class Desc:</b>	OTHER SPECIFIED INORGANICS				
<b>Waste Class:</b>	148				
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	149				
<b>Waste Class Desc:</b>	LANDFILL LEACHATES				
<b>Waste Class:</b>	212				
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS				
<b>Waste Class:</b>	213				
<b>Waste Class Desc:</b>	PETROLEUM DISTILLATES				
<b>Waste Class:</b>	233				
<b>Waste Class Desc:</b>	OTHER POLYMERIC WASTES				
<b>Waste Class:</b>	251				
<b>Waste Class Desc:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		263			
<b>Waste Class Desc:</b>		ORGANIC LABORATORY CHEMICALS			

<a href="#">13</a>	7 of 14	SSE/42.6	102.5 / -1.03	FERRO INDUSTRIAL PRODUCTS LTD. 15-091 354 DAVIS ROAD OAKVILLE ON L6J 2X1	GEN
<b>Generator No:</b>		ON0430600		<b>Status:</b>	
<b>SIC Code:</b>		5971		<b>Co Admin:</b>	
<b>SIC Description:</b>		IND./HOUSEHOLD CHEM.		<b>Choice of Contact:</b>	
<b>Approval Years:</b>		92,93,94,95,96		<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	

**Detail(s)**

<b>Waste Class:</b>		122			
<b>Waste Class Desc:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Class:</b>		141			
<b>Waste Class Desc:</b>		INORGANIC PIGMENT WASTES			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Class:</b>		148			
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		149			
<b>Waste Class Desc:</b>		LANDFILL LEACHATES			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			
<b>Waste Class:</b>		233			
<b>Waste Class Desc:</b>		OTHER POLYMERIC WASTES			
<b>Waste Class:</b>		251			
<b>Waste Class Desc:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		263			
<b>Waste Class Desc:</b>		ORGANIC LABORATORY CHEMICALS			

<a href="#">13</a>	8 of 14	SSE/42.6	102.5 / -1.03	FERRO INDUSTRIAL PRODUCTS LTD 354 DAVIS ROAD OAKVILLE ON L6J 2X1	GEN
<b>Generator No:</b>		ON0430600		<b>Status:</b>	
<b>SIC Code:</b>		5971		<b>Co Admin:</b>	
<b>SIC Description:</b>		IND./HOUSEHOLD CHEM.		<b>Choice of Contact:</b>	
<b>Approval Years:</b>		97,98		<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	

**Detail(s)**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		148			
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		122			
<b>Waste Class Desc:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Class:</b>		141			
<b>Waste Class Desc:</b>		INORGANIC PIGMENT WASTES			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Class:</b>		149			
<b>Waste Class Desc:</b>		LANDFILL LEACHATES			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			
<b>Waste Class:</b>		233			
<b>Waste Class Desc:</b>		OTHER POLYMERIC WASTES			
<b>Waste Class:</b>		251			
<b>Waste Class Desc:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		263			
<b>Waste Class Desc:</b>		ORGANIC LABORATORY CHEMICALS			

<a href="#">13</a>	9 of 14	SSE/42.6	102.5 / -1.03	<b>CHEROKEE OAKVILLE PROPERTY LIMITED PARTNERSHIP 354 DAVIS ROAD OAKVILLE ON L6J 2X1</b>	<b>GEN</b>
<b>Generator No:</b>	ON6480893			<b>Status:</b>	
<b>SIC Code:</b>	327110			<b>Co Admin:</b>	
<b>SIC Description:</b>	Pottery Ceramics and Plumbing Fixture Manufacturing			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	05			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	

**Detail(s)**

<b>Waste Class:</b>	251				
<b>Waste Class Desc:</b>	OIL SKIMMINGS & SLUDGES				
<b>Waste Class:</b>	146				
<b>Waste Class Desc:</b>	OTHER SPECIFIED INORGANICS				

<a href="#">13</a>	10 of 14	SSE/42.6	102.5 / -1.03	<b>354 Davis Road Oakville ON L6J 2X1</b>	<b>EHS</b>
<b>Order No:</b>	20061211033			<b>Nearest Intersection:</b>	South Service Road
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Complete Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	12/20/2006			<b>Search Radius (km):</b>	0.25
<b>Date Received:</b>	12/11/2006			<b>X:</b>	-79.680817
<b>Previous Site Name:</b>				<b>Y:</b>	43.460247

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<i>Lot/Building Size:</i> <i>Additional Info Ordered:</i>					
<a href="#">13</a>	11 of 14	SSE/42.6	102.5 / -1.03	Cherokee Oakville Property Limited Partnership 354 Davis Road TOWN OF OAKVILLE ON	EBR
<b>EBR Registry No:</b>		011-3331		<b>Decision Posted:</b>	
<b>Ministry Ref No:</b>		S46-305-001 (2009)		<b>Exception Posted:</b>	
<b>Notice Type:</b>		Instrument Decision		<b>Section:</b>	
<b>Notice Stage:</b>				<b>Act 1:</b>	
<b>Notice Date:</b>		August 15, 2013		<b>Act 2:</b>	
<b>Proposal Date:</b>		February 10, 2012		<b>Site Location Map:</b>	
<b>Year:</b>		2012			
<b>Instrument Type:</b>		(EPA s. 46) - Approval for use of a former waste disposal site.			
<b>Off Instrument Name:</b>					
<b>Posted By:</b>					
<b>Company Name:</b>		Cherokee Oakville Property Limited Partnership			
<b>Site Address:</b>					
<b>Location Other:</b>					
<b>Proponent Name:</b>					
<b>Proponent Address:</b>		141 Adelaide Street West , Suite 703, Toronto Ontario, Canada M5H 3L5			
<b>Comment Period:</b>					
<b>URL:</b>					
<b>Site Location Details:</b>					
354 Davis Road TOWN OF OAKVILLE					
<a href="#">13</a>	12 of 14	SSE/42.6	102.5 / -1.03	FIRST GULF CORPORATION 354 DAVIS ROAD OAKVILLE ON	GEN
<b>Generator No:</b>		ON7816148		<b>Status:</b>	
<b>SIC Code:</b>		541990		<b>Co Admin:</b>	
<b>SIC Description:</b>		ALL OTHER PROFESSIONAL, SCIENTIFIC AND TECHNICAL SERVICES		<b>Choice of Contact:</b>	
<b>Approval Years:</b>		2013		<b>Phone No Admin:</b>	
<b>PO Box No:</b>					
<b>Country:</b>					
<b>Detail(s)</b>					
<b>Waste Class:</b>		150			
<b>Waste Class Desc:</b>		INERT INORGANIC WASTES			
<a href="#">13</a>	13 of 14	SSE/42.6	102.5 / -1.03	Ferro Industrial Products Ltd. Ferro 354 Davis Road Lot 12 Concession 3 Oakville ON	LIMO
<b>ECA/Instrument No:</b>		Y0095		<b>Natural Attenuation:</b>	
<b>Oper Status 2016:</b>		Historic		<b>Liners:</b>	
<b>C of A Issue Date:</b>					
<b>C of A Issued to:</b>					
<b>Lndfl Gas Mgmt (P):</b>					
<b>Lndfl Gas Mgmt (F):</b>					
<b>Lndfl Gas Mgmt (E):</b>					
<b>Lndfl Gas Mgmt Sys:</b>					
<b>Landfill Gas Mntr:</b>					
<b>Leachate Coll Sys:</b>					
		<b>Leachate Off-Site:</b>			
		<b>Leachate On Site:</b>			
		<b>Req Coll Lndfl Gas:</b>			
		<b>Lndfl Gas Coll:</b>			
		<b>Total Waste Rec:</b>			
		<b>TWR Methodology:</b>			
		<b>TWR Unit:</b>			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>ERC Est Vol (m3):</b> <b>ERC Volume Unit:</b> <b>ERC Dt Last Det:</b> <b>Landfill Type:</b> <b>Source File Type:</b> Historic and Closed Landfills <b>Fill Rate:</b> <b>Fill Rate Unit:</b> <b>Tot Fill Area (ha):</b> <b>Tot Site Area (ha):</b> <b>Footprint:</b> <b>Tot Apprv Cap (m3):</b> <b>Contam Atten Zone:</b> <b>Grndwtr Mntr:</b> <b>Surf Wtr Mntr:</b> <b>Air Emis Monitor:</b> <b>Approved Waste Type:</b> <b>Client Site Name:</b> Ferro Industrial Products Ltd. Ferro  <b>ERC Methodology:</b> <b>Site Name:</b> <b>Site Location Details:</b> 354 Davis Road Lot 12 Concession 3 Oakville  <b>Service Area:</b> <b>Page URL:</b>				<b>Tot Aprv Cap Unit:</b> <b>Financial Assurance:</b> <b>Last Report Year:</b> <b>MOE Region:</b> <b>MOE District:</b> <b>Site County:</b> <b>Lot:</b> <b>Concession:</b> <b>Latitude:</b> <b>Longitude:</b> <b>Easting:</b> <b>Northing:</b> <b>UTM Zone:</b> <b>Data Source:</b>	

<a href="#">13</a>	14 of 14	SSE/42.6	102.5 / -1.03	<b>Liberty Algonquin Business Services</b> 354 Davis Rd Oakville ON NA	<a href="#">SPL</a>
<b>Ref No:</b> 3563-BBWLQK <b>Site No:</b> 9528-6FQNJV <b>Incident Dt:</b> 5/6/2019 <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>MOE Response:</b> No <b>Dt MOE Arvl on Scrn:</b> <b>MOE Reported Dt:</b> 5/6/2019 <b>Dt Document Closed:</b> 5/18/2019 <b>Incident Reason:</b> <b>Site Name:</b> 354 Davis Road <b>Site County/District:</b> Regional Municipality of Halton <b>Site Geo Ref Meth:</b> 0-1 metre eg. Survey <b>Incident Summary:</b> illegal dumping <b>Contaminant Qty:</b>				<b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b> 2 - Minor Environment Corporation <b>Client Type:</b> <b>Sector Type:</b> <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> 354 Davis Rd <b>Site District Office:</b> Halton-Peel <b>Site Postal Code:</b> NA <b>Site Region:</b> Central <b>Site Municipality:</b> Oakville <b>Site Lot:</b> <b>Site Conc:</b> NA <b>Northing:</b> 4812829 <b>Easting:</b> 606829 <b>Site Geo Ref Accu:</b> GPS <b>Site Map Datum:</b> NAD83 <b>SAC Action Class:</b> <b>Source Type:</b>	

<a href="#">14</a>	1 of 1	SE/62.7	101.9 / -1.66	<b>364 DAVIS DRIVE</b> Oakville ON	<a href="#">WWIS</a>
<b>Well ID:</b> 7205226 <b>Construction Date:</b> <b>Primary Water Use:</b> Monitoring and Test Hole				<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 7/23/2013	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Sec. Water Use:</b> <b>Final Well Status:</b> Test Hole <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z173715 <b>Tag:</b> A149979 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Selected Flag:</b> TRUE <b>Abandonment Rec:</b> <b>Contractor:</b> 7241 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> 364 DAVIS DRIVE <b>County:</b> HALTON <b>Municipality:</b> OAKVILLE TOWN <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b>PDF URL (Map):</b>					
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>		2013/06/21			
<b>Year Completed:</b>		2013			
<b>Depth (m):</b>		4.87			
<b>Latitude:</b>		43.4597363619597			
<b>Longitude:</b>		-79.6807654431257			
<b>Path:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>		1004448576		<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b> 17	
<b>Code OB:</b>				<b>East83:</b> 606724.00	
<b>Code OB Desc:</b>				<b>North83:</b> 4812715.00	
<b>Open Hole:</b>				<b>Org CS:</b> UTM83	
<b>Cluster Kind:</b>				<b>UTMRC:</b> 4	
<b>Date Completed:</b>		21-Jun-2013 00:00:00		<b>UTMRC Desc:</b> margin of error : 30 m - 100 m	
<b>Remarks:</b>				<b>Location Method:</b> wwr	
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1004876309			
<b>Layer:</b>		4			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>		73			
<b>Mat2 Desc:</b>		HARD			
<b>Mat3:</b>		91			
<b>Mat3 Desc:</b>		WATER-BEARING			
<b>Formation Top Depth:</b>		4.260000228881836			
<b>Formation End Depth:</b>		4.869999885559082			
<b>Formation End Depth UOM:</b>		m			



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1004876305			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		11			
<b>Most Common Material:</b>		GRAVEL			
<b>Mat2:</b>		28			
<b>Mat2 Desc:</b>		SAND			
<b>Mat3:</b>		06			
<b>Mat3 Desc:</b>		SILT			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		1.2200000286102295			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1004876306			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		1.2200000286102295			
<b>Formation End Depth:</b>		3.0999999046325684			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1004876308			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>		92			
<b>Mat2 Desc:</b>		WEATHERED			
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		3.0999999046325684			
<b>Formation End Depth:</b>		4.260000228881836			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004876345			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.3100000023841858			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004876346			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.3100000023841858			
<b>Plug To:</b>		1.5199999809265137			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004876347			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.5199999809265137			
<b>Plug To:</b>		4.570000171661377			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004876330			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004876303			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004876317			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		1.8200000524520874			
<b>Casing Diameter:</b>		4.03000020980835			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004876320			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		1.8200000524520874			
<b>Screen End Depth:</b>		4.869999885559082			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		4.820000171661377			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004876313			
<b>Layer:</b>					
<b>Kind Code:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b> m					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> 1004876310					
<b>Diameter:</b> 11.430000305175781					
<b>Depth From:</b> 0.0					
<b>Depth To:</b> 4.869999885559082					
<b>Hole Depth UOM:</b> m					
<b>Hole Diameter UOM:</b> cm					

<a href="#">15</a>	1 of 1	E/67.3	101.9 / -1.66	354 DAVIS DR Oakville ON	WWIS
<b>Well ID:</b> 7187274					
<b>Construction Date:</b>					
<b>Primary Water Use:</b>					
<b>Sec. Water Use:</b>					
<b>Final Well Status:</b> Abandoned-Other					
<b>Water Type:</b>					
<b>Casing Material:</b>					
<b>Audit No:</b> Z134205					
<b>Tag:</b>					
<b>Construction Method:</b>					
<b>Elevation (m):</b>					
<b>Elevation Reliability:</b>					
<b>Depth to Bedrock:</b>					
<b>Well Depth:</b>					
<b>Overburden/Bedrock:</b>					
<b>Pump Rate:</b>					
<b>Static Water Level:</b>					
<b>Flowing (Y/N):</b>					
<b>Flow Rate:</b>					
<b>Clear/Cloudy:</b>					
<b>Data Entry Status:</b>					
<b>Data Src:</b>					
<b>Date Received:</b> 9/18/2012					
<b>Selected Flag:</b> TRUE					
<b>Abandonment Rec:</b> Yes					
<b>Contractor:</b> 6875					
<b>Form Version:</b> 7					
<b>Owner:</b>					
<b>Street Name:</b> 354 DAVIS DR					
<b>County:</b> HALTON					
<b>Municipality:</b> OAKVILLE TOWN					
<b>Site Info:</b>					
<b>Lot:</b>					
<b>Concession:</b>					
<b>Concession Name:</b>					
<b>Easting NAD83:</b>					
<b>Northing NAD83:</b>					
<b>Zone:</b>					
<b>UTM Reliability:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/718\7187274.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7187274.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 2012/05/07  
**Year Completed:** 2012  
**Depth (m):**  
**Latitude:** 43.4606825833329  
**Longitude:** -79.6800526361739  
**Path:** 718\7187274.pdf

**Bore Hole Information**

**Bore Hole ID:** 1004157026  
**DP2BR:**  
**Spatial Status:**  
**Code OB:**  
**Code OB Desc:**  
**Open Hole:**  
**Cluster Kind:**  
**Date Completed:** 07-May-2012 00:00:00  
**Remarks:**  
**Elevrc Desc:**  
**Location Source Date:**  
**Improvement Location Source:**

**Elevation:**  
**Elevrc:**  
**Zone:** 17  
**East83:** 606780.00  
**North83:** 4812821.00  
**Org CS:** UTM83  
**UTMRC:** 4  
**UTMRC Desc:** margin of error : 30 m - 100 m  
**Location Method:** wwr

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004402886			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		1.4500000476837158			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004402885			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004402879			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004402883			
<b>Layer:</b>					
<b>Material:</b>					
<b>Open Hole or Material:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004402884			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>					
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004402882			
<b>Layer:</b>		1			
<b>Kind Code:</b>		8			
<b>Kind:</b>		Untested			
<b>Water Found Depth:</b>		1.2999999523162842			
<b>Water Found Depth UOM:</b>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004402881			
<b>Diameter:</b>		5.0			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		1.4500000476837158			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>16</u></b>	1 of 6	<b>ENE/68.8</b>	<b>102.8 / -0.72</b>	<b>Duct-O-Wire Canada Ltd. 379 Davis Rd Unit 3 Oakville ON L6J 2X2</b>	<b>SCT</b>
<b>Established:</b>		1966			
<b>Plant Size (ft²):</b>		10000			
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Cutlery and Hand Tool Manufacturing			
<b>SIC/NAICS Code:</b>		332210			
<b>Description:</b>		Other Engine and Power Transmission Equipment Manufacturing			
<b>SIC/NAICS Code:</b>		333619			
<b>Description:</b>		Material Handling Equipment Manufacturing			
<b>SIC/NAICS Code:</b>		333920			
<b>Description:</b>		Switchgear and Switchboard, and Relay and Industrial Control Apparatus Manufacturing			
<b>SIC/NAICS Code:</b>		335315			
<b>Description:</b>		Communication and Energy Wire and Cable Manufacturing			
<b>SIC/NAICS Code:</b>		335920			
<b>Description:</b>		Wiring Device Manufacturing			
<b>SIC/NAICS Code:</b>		335930			
<b><u>16</u></b>	2 of 6	<b>ENE/68.8</b>	<b>102.8 / -0.72</b>	<b>JTM TOOLING CO. LTD. 379 Davis Rd Unit 1 Oakville ON L6J 2X2</b>	<b>SCT</b>
<b>Established:</b>		1997			
<b>Plant Size (ft²):</b>		0			
<b>Employment:</b>		5			
<b>--Details--</b>					
<b>Description:</b>		Stamping			
<b>SIC/NAICS Code:</b>		332118			
<b>Description:</b>		Machine Shops			
<b>SIC/NAICS Code:</b>		332710			
<b>Description:</b>		Other Metalworking Machinery Manufacturing			
<b>SIC/NAICS Code:</b>		333519			
<b><u>16</u></b>	3 of 6	<b>ENE/68.8</b>	<b>102.8 / -0.72</b>	<b>DUCT-O-WIRE CANADA LIMITED 379 DAVIS ROAD, UNIT #3 OAKVILLE ON L6J 2X2</b>	<b>GEN</b>
<b>Generator No:</b>		ON2369200		<b>Status:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC Code:</b> 9999 <b>SIC Description:</b> OTHER SERVICES <b>Approval Years:</b> 98,99,00,01 <b>PO Box No:</b> <b>Country:</b>				<b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>	
<b>Detail(s)</b>					
<b>Waste Class:</b> 331 <b>Waste Class Desc:</b> WASTE COMPRESSED GASES					
<a href="#">16</a>	4 of 6	ENE/68.8	102.8 / -0.72	<b>DUCT-O-WIRE CANADA LIMITED</b> <b>379 DAVIS ROAD, UNIT #3</b> <b>OAKVILLE ON L6J 2X2</b>	GEN
<b>Generator No:</b> ON2369200 <b>SIC Code:</b> <b>SIC Description:</b> <b>Approval Years:</b> 02,03 <b>PO Box No:</b> <b>Country:</b>				<b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>	
<a href="#">16</a>	5 of 6	ENE/68.8	102.8 / -0.72	<b>DUCT-O-WIRE CANADA LIMITED</b> <b>379 DAVIS ROAD, UNIT #3</b> <b>OAKVILLE ON L6J 2X2</b>	GEN
<b>Generator No:</b> ON2369200 <b>SIC Code:</b> <b>SIC Description:</b> <b>Approval Years:</b> 04 <b>PO Box No:</b> <b>Country:</b>				<b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>	
<a href="#">16</a>	6 of 6	ENE/68.8	102.8 / -0.72	<b>379 Davis Rd</b> <b>Oakville ON L6J 2X2</b>	EHS
<b>Order No:</b> 20051028002 <b>Status:</b> C <b>Report Type:</b> Complete Report <b>Report Date:</b> 11/7/2005 <b>Date Received:</b> 10/28/2005 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>				<b>Nearest Intersection:</b> QEW & Trafalgar Rd <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> 0.25 <b>X:</b> -79.680525 <b>Y:</b> 43.461209	
<a href="#">17</a>	1 of 1	E/76.9	100.9 / -2.69	<b>DAVIS AVE.</b> <b>Oakville ON</b>	WWIS
<b>Well ID:</b> 7173259 <b>Construction Date:</b> <b>Primary Water Use:</b> Monitoring and Test Hole <b>Sec. Water Use:</b> 0 <b>Final Well Status:</b> Test Hole <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z140261 <b>Tag:</b> A122498 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b>				<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 12/9/2011 <b>Selected Flag:</b> TRUE <b>Abandonment Rec:</b> <b>Contractor:</b> 7241 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> DAVIS AVE. <b>County:</b> HALTON <b>Municipality:</b> OAKVILLE TOWN <b>Site Info:</b> <b>Lot:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map): [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/717\7173259.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/717\7173259.pdf)

**Additional Detail(s) (Map)**

Well Completed Date: 2011/11/17  
Year Completed: 2011  
Depth (m): 4.27  
Latitude: 43.4604562499888  
Longitude: -79.6799463099278  
Path: 717\7173259.pdf

**Bore Hole Information**

Bore Hole ID:	1003617686	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	606789.00
Code OB Desc:		North83:	4812796.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	17-Nov-2011 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock**

**Materials Interval**

Formation ID: 1004049488  
Layer: 2  
Color: 6  
General Color: BROWN  
Mat1: 05  
Most Common Material: CLAY  
Mat2: 12  
Mat2 Desc: STONES  
Mat3: 85  
Mat3 Desc: SOFT  
Formation Top Depth: 1.2200000286102295  
Formation End Depth: 2.440000057220459  
Formation End Depth UOM: m

**Overburden and Bedrock**

**Materials Interval**

Formation ID: 1004049489  
Layer: 3  
Color: 2  
General Color: GREY  
Mat1: 17

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		2.440000057220459			
<b>Formation End Depth:</b>		4.269999980926514			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1004049487			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		01			
<b>Most Common Material:</b>		FILL			
<b>Mat2:</b>		12			
<b>Mat2 Desc:</b>		STONES			
<b>Mat3:</b>		77			
<b>Mat3 Desc:</b>		LOOSE			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		1.2200000286102295			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004049498			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.9100000262260437			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004049499			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.9100000262260437			
<b>Plug To:</b>		4.269999980926514			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004049497			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004049486			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
<b>Casing ID:</b>		1004049493			
<b>Layer:</b>		1			
<b>Material:</b>					
<b>Open Hole or Material:</b>					
<b>Depth From:</b>		-1.0			
<b>Depth To:</b>		1.2200000286102295			
<b>Casing Diameter:</b>		4.03000020980835			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004049494			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		1.2200000286102295			
<b>Screen End Depth:</b>		4.269999980926514			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		4.820000171661377			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004049492			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004049490			
<b>Diameter:</b>		7.619999885559082			
<b>Depth From:</b>		3.0999999046325684			
<b>Depth To:</b>		4.269999980926514			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004049491			
<b>Diameter:</b>		11.430000305175781			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		3.0999999046325684			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<hr/>					

18

1 of 1

SSW/80.1

103.8 / 0.27

ON

WWIS

**Well ID:** 7259855  
**Construction Date:**  
**Primary Water Use:**  
**Sec. Water Use:**  
**Final Well Status:**  
**Water Type:**  
**Casing Material:**  
**Audit No:** C32336  
**Tag:** A188203  
**Construction Method:**

**Data Entry Status:** Yes  
**Data Src:**  
**Date Received:** 3/24/2016  
**Selected Flag:** TRUE  
**Abandonment Rec:**  
**Contractor:** 7230  
**Form Version:** 8  
**Owner:**  
**Street Name:**  
**County:** HALTON

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>  <b>PDF URL (Map):</b>  <b>Additional Detail(s) (Map)</b>				<b>Municipality:</b> OAKVILLE TOWN <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b>Well Completed Date:</b> 2015/09/09 <b>Year Completed:</b> 2015 <b>Depth (m):</b> <b>Latitude:</b> 43.4595597211636 <b>Longitude:</b> -79.681844693296 <b>Path:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1005913488 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 09-Sep-2015 00:00:00 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>				<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> 17 <b>East83:</b> 606637.00 <b>North83:</b> 4812694.00 <b>Org CS:</b> UTM83 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> wwr	
<a href="#">19</a>	1 of 6	S/84.3	103.2 / -0.38	R.M. OF HALTON DAVIS RD. BOOSTER ST. EXP 320 DAVIS RD. OAKVILLE TOWN ON L6J 2X1	CA
<b>Certificate #:</b> 8-3021-90- <b>Application Year:</b> 90 <b>Issue Date:</b> 5/31/1990 <b>Approval Type:</b> Industrial air <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> DIESEL GEN SET FOR DAVIS CREEK BOOSTER <b>Contaminants:</b> Nitrogen Oxides <b>Emission Control:</b> No Controls					
<a href="#">19</a>	2 of 6	S/84.3	103.2 / -0.38	REGIONAL MUNICIPALITY OF HALTON DAVIS ROAD BOOSTER STATION; 320 DAVIS ROAD	NPCB

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>OAKVILLE ON L6J 2X1</b>					
<b>Company Code:</b> <b>Industry:</b> <b>Site Status:</b> <b>Transaction Date:</b> <b>Inspection Date:</b>		O0230B Government (not Fed)  10/26/1990			
<b>--Details--</b>					
<b>Label:</b> <b>Serial No.:</b> <b>PCB Type/Code:</b> <b>Location:</b> <b>Item/State:</b> <b>No. of Items:</b> <b>Manufacturer:</b> <b>Status:</b> <b>Contents:</b>		Askarel      In-Use 11.00 L			
<a href="#">19</a>	3 of 6	S/84.3	103.2 / -0.38	<b>REGIONAL MUNICIPALITY OF HALTON</b> <b>320 DAVIS ROAD DAVIS ROAD</b> <b>OAKVILLE ON L6J 2X1</b>	<b>NPCB</b>
<b>Company Code:</b> <b>Industry:</b> <b>Site Status:</b> <b>Transaction Date:</b> <b>Inspection Date:</b>		O0230B    			
<b>--Details--</b>					
<b>Label:</b> <b>Serial No.:</b> <b>PCB Type/Code:</b> <b>Location:</b> <b>Item/State:</b> <b>No. of Items:</b> <b>Manufacturer:</b> <b>Status:</b> <b>Contents:</b>		      In-Use			
<a href="#">19</a>	4 of 6	S/84.3	103.2 / -0.38	<b>REGIONAL MUNICIPALITY OF HALTON</b> <b>320 DAVIS ROAD DAVIS ROAD BOOSTER</b> <b>STATION</b> <b>Oakville ON L6J 2X1</b>	<b>NPCB</b>
<b>Company Code:</b> <b>Industry:</b> <b>Site Status:</b> <b>Transaction Date:</b> <b>Inspection Date:</b>		O0230B Government (not Fed) In- Use 11/9/1989			
<b>--Details--</b>					
<b>Label:</b> <b>Serial No.:</b> <b>PCB Type/Code:</b> <b>Location:</b> <b>Item/State:</b> <b>No. of Items:</b> <b>Manufacturer:</b>		  Askarel/Askarel			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Status:</b> <b>Contents:</b>		In-Use			
<a href="#">19</a>	5 of 6	S/84.3	103.2 / -0.38	REGIONAL MUNICIPALITY OF HALTON DAVIS ROAD BOOSTER STATION 320 DAVIS ROAD OAKVILLE ON L6J 2X1	NPCB
<b>Company Code:</b>		O0230B			
<b>Industry:</b>		GOVERNMENT (NOT FEDERAL)			
<b>Site Status:</b>		NEVER BEEN INSPECT. (CAP ONLY)			
<b>Transaction Date:</b>		10/26/1990			
<b>Inspection Date:</b>					
<b>--Details--</b>					
<b>Label:</b>		OR13680			
<b>Serial No.:</b>		840C170A02B			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		IN-USE			
<b>Contents:</b>		11 L			
<b>Label:</b>		OR13678			
<b>Serial No.:</b>		840C170A02B			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		IN-USE			
<b>Contents:</b>		11 L			
<a href="#">19</a>	6 of 6	S/84.3	103.2 / -0.38	Regional Municipality of Halton 320 Davis Road Oakville ON L6J 2X1	GEN
<b>Generator No:</b>		ON9241995		<b>Status:</b>	
<b>SIC Code:</b>		913910		<b>Co Admin:</b>	
<b>SIC Description:</b>		Other Local Municipal and Regional Public Administration		<b>Choice of Contact:</b>	
<b>Approval Years:</b>		07,08		<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b>Detail(s)</b>					
<b>Waste Class:</b>		243			
<b>Waste Class Desc:</b>		PCB'S			
<a href="#">20</a>	1 of 3	S/84.3	103.2 / -0.38	R.M. OF HALTON-CONTRACT NO. WO-1090-89 DAVIS RD. BOOSTER STATION EXP. OAKVILLE TOWN ON	CA
<b>Certificate #:</b>		7-0097-90-			
<b>Application Year:</b>		90			
<b>Issue Date:</b>		11/6/1991			
<b>Approval Type:</b>		Municipal water			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Status:</b>		Approved in 1991			
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					
<b>Client City:</b>					
<b>Client Postal Code:</b>					
<b>Project Description:</b>					
<b>Contaminants:</b>					
<b>Emission Control:</b>					
<a href="#">20</a>	2 of 3	S/84.3	103.2 / -0.38	R.M. OF HALTON DAVIS RD. WATER BOOSTER P.S. OAKVILLE TOWN ON	CA
<b>Certificate #:</b>		7-0097-90-916			
<b>Application Year:</b>		90			
<b>Issue Date:</b>		4/1/96			
<b>Approval Type:</b>		Municipal water			
<b>Status:</b>		Received in 1990, Issued in 1991			
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					
<b>Client City:</b>					
<b>Client Postal Code:</b>					
<b>Project Description:</b>					
<b>Contaminants:</b>					
<b>Emission Control:</b>					
<a href="#">20</a>	3 of 3	S/84.3	103.2 / -0.38	Regional Municipality of Halton 320 Davis Road Oakville ON	GEN
<b>Generator No:</b>		ON9241995			
<b>SIC Code:</b>		913910			
<b>SIC Description:</b>		Other Local Municipal and Regional Public Administration			
<b>Approval Years:</b>		2009			
<b>PO Box No:</b>					
<b>Country:</b>					
<b>Status:</b>					
<b>Co Admin:</b>					
<b>Choice of Contact:</b>					
<b>Phone No Admin:</b>					
<b>Contam. Facility:</b>					
<b>MHSW Facility:</b>					
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		243			
<b>Waste Class Desc:</b>		PCBS			
<a href="#">21</a>	1 of 2	ESE/86.0	100.9 / -2.62	354 DAVIS RD OAKVILLE ON	WWIS
<b>Well ID:</b>		2810455			
<b>Construction Date:</b>					
<b>Primary Water Use:</b>					
<b>Sec. Water Use:</b>					
<b>Final Well Status:</b>		Observation Wells			
<b>Water Type:</b>					
<b>Casing Material:</b>					
<b>Audit No:</b>		Z42181			
<b>Tag:</b>		A036877			
<b>Construction Method:</b>					
<b>Elevation (m):</b>					
<b>Elevation Reliability:</b>					
<b>Depth to Bedrock:</b>					
<b>Data Entry Status:</b>					
<b>Data Src:</b>					
<b>Date Received:</b>		1/5/2006			
<b>Selected Flag:</b>		TRUE			
<b>Abandonment Rec:</b>					
<b>Contractor:</b>		6607			
<b>Form Version:</b>		3			
<b>Owner:</b>					
<b>Street Name:</b>		354 DAVIS RD			
<b>County:</b>		HALTON			
<b>Municipality:</b>		OAKVILLE TOWN			
<b>Site Info:</b>					
<b>Lot:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b>PDF URL (Map):</b>		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/281\2810455.pdf			
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>		2005/12/13			
<b>Year Completed:</b>		2005			
<b>Depth (m):</b>		5.8			
<b>Latitude:</b>		43.4599102685547			
<b>Longitude:</b>		-79.6802301343207			
<b>Path:</b>		281\2810455.pdf			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>		11552365		<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b> 17	
<b>Code OB:</b>				<b>East83:</b> 606767.00	
<b>Code OB Desc:</b>				<b>North83:</b> 4812735.00	
<b>Open Hole:</b>				<b>Org CS:</b> UTM83	
<b>Cluster Kind:</b>				<b>UTMRC:</b> 3	
<b>Date Completed:</b>		13-Dec-2005 00:00:00		<b>UTMRC Desc:</b> margin of error : 10 - 30 m	
<b>Remarks:</b>				<b>Location Method:</b> wwr	
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		933042655			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		1.5			
<b>Formation End Depth:</b>		3.9000000953674316			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		933042656			
<b>Layer:</b>		4			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		17			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Most Common Material:</b>					
<b>Mat2:</b>		SHALE			
<b>Mat2 Desc:</b>		92			
<b>Mat3:</b>		WEATHERED			
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		3.9000000953674316			
<b>Formation End Depth:</b>		5.800000190734863			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		933042653			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		01			
<b>Mat2 Desc:</b>		FILL			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		0.30000001192092896			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		933042654			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>		01			
<b>Mat3 Desc:</b>		FILL			
<b>Formation Top Depth:</b>		0.30000001192092896			
<b>Formation End Depth:</b>		1.5			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		933295489			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		3.9000000953674316			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		962810455			
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Pipe ID:</b>		11561972			
<b>Casing No:</b>	1				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	930880809				
<b>Layer:</b>	1				
<b>Material:</b>	5				
<b>Open Hole or Material:</b>	PLASTIC				
<b>Depth From:</b>	0.0				
<b>Depth To:</b>	4.199999809265137				
<b>Casing Diameter:</b>	5.099999904632568				
<b>Casing Diameter UOM:</b>	cm				
<b>Casing Depth UOM:</b>	m				
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>	933419991				
<b>Layer:</b>	1				
<b>Slot:</b>	10				
<b>Screen Top Depth:</b>	4.199999809265137				
<b>Screen End Depth:</b>	5.800000190734863				
<b>Screen Material:</b>	5				
<b>Screen Depth UOM:</b>	m				
<b>Screen Diameter UOM:</b>	cm				
<b>Screen Diameter:</b>	6.400000095367432				
<b><u>Water Details</u></b>					
<b>Water ID:</b>	934070565				
<b>Layer:</b>	1				
<b>Kind Code:</b>	1				
<b>Kind:</b>	FRESH				
<b>Water Found Depth:</b>	5.5				
<b>Water Found Depth UOM:</b>	m				
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>	11683474				
<b>Diameter:</b>	21.0				
<b>Depth From:</b>	0.0				
<b>Depth To:</b>	5.800000190734863				
<b>Hole Depth UOM:</b>	m				
<b>Hole Diameter UOM:</b>	cm				

<a href="#">21</a>	2 of 2	ESE/86.0	100.9 / -2.62	354 DAVIS RD OAKVILLE ON	WWIS
<b>Well ID:</b>	2810456			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Not Used			<b>Date Received:</b>	1/5/2006
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	Yes
<b>Water Type:</b>				<b>Contractor:</b>	6607
<b>Casing Material:</b>				<b>Form Version:</b>	3
<b>Audit No:</b>	Z42191			<b>Owner:</b>	
<b>Tag:</b>	A036877			<b>Street Name:</b>	354 DAVIS RD
<b>Construction Method:</b>				<b>County:</b>	HALTON
<b>Elevation (m):</b>				<b>Municipality:</b>	OAKVILLE TOWN
<b>Elevation Reliability:</b>				<b>Site Info:</b>	



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b>PDF URL (Map):</b>		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/281\2810456.pdf			
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>		2005/12/16			
<b>Year Completed:</b>		2005			
<b>Depth (m):</b>					
<b>Latitude:</b>		43.4599102685547			
<b>Longitude:</b>		-79.6802301343207			
<b>Path:</b>		281\2810456.pdf			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>		11552366		<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b> 17	
<b>Code OB:</b>				<b>East83:</b> 606767.00	
<b>Code OB Desc:</b>				<b>North83:</b> 4812735.00	
<b>Open Hole:</b>				<b>Org CS:</b> UTM83	
<b>Cluster Kind:</b>				<b>UTMRC:</b> 3	
<b>Date Completed:</b>		16-Dec-2005 00:00:00		<b>UTMRC Desc:</b> margin of error : 10 - 30 m	
<b>Remarks:</b>				<b>Location Method:</b> wwr	
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		933295501			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		5.900000095367432			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		962810456			
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		11561973			
<b>Casing No:</b>		1			
<b>Comment:</b>					
<b>Alt Name:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Water Details**

**Water ID:** 934070569  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 2.0  
**Water Found Depth UOM:** m

**Hole Diameter**

**Hole ID:** 11683475  
**Diameter:** 21.0  
**Depth From:** 0.0  
**Depth To:** 5.900000095367432  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

<a href="#">22</a>	1 of 1	ENE/88.2	102.2 / -1.41	354 DAVIS RD Oakville ON	WWIS
--------------------	--------	----------	---------------	-----------------------------	------

<b>Well ID:</b> 7187272 <b>Construction Date:</b> <b>Primary Water Use:</b> <b>Sec. Water Use:</b> <b>Final Well Status:</b> Abandoned-Other <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z134157 <b>Tag:</b> <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>	<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 9/18/2012 <b>Selected Flag:</b> TRUE <b>Abandonment Rec:</b> Yes <b>Contractor:</b> 6875 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> 354 DAVIS RD <b>County:</b> HALTON <b>Municipality:</b> OAKVILLE TOWN <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>
--	---

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/718\7187272.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7187272.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 2012/05/07  
**Year Completed:** 2012  
**Depth (m):**  
**Latitude:** 43.4611604010347  
**Longitude:** -79.680104046287  
**Path:** 718\7187272.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b> 1004156954 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b>	<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> 17 <b>East83:</b> 606775.00 <b>North83:</b> 4812874.00 <b>Org CS:</b> UTM83 <b>UTMRC:</b> 4
--	---

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Date Completed:</b>	07-May-2012 00:00:00			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1004402868				
<b>Layer:</b>	1				
<b>Plug From:</b>	2.0				
<b>Plug To:</b>	38.0				
<b>Plug Depth UOM:</b>	m				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1004402869				
<b>Layer:</b>	2				
<b>Plug From:</b>	0.0				
<b>Plug To:</b>	2.0				
<b>Plug Depth UOM:</b>	m				
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1004402867				
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1004402861				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	1004402865				
<b>Layer:</b>					
<b>Material:</b>					
<b>Open Hole or Material:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>	cm				
<b>Casing Depth UOM:</b>	m				
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>	1004402866				
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>					
<u><b>Water Details</b></u>					
<b>Water ID:</b>		1004402864			
<b>Layer:</b>		1			
<b>Kind Code:</b>		8			
<b>Kind:</b>		Untested			
<b>Water Found Depth:</b>		1.399999976158142			
<b>Water Found Depth UOM:</b>		m			
<u><b>Hole Diameter</b></u>					
<b>Hole ID:</b>		1004402863			
<b>Diameter:</b>		5.0			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		3.799999952316284			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

<a href="#">23</a>	1 of 1	<b>ENE/88.5</b>	<b>101.8 / -1.77</b>	<b>DAVIS AVE. Oakville ON</b>	<b>WWIS</b>
<b>Well ID:</b>		7173260		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>		Monitoring and Test Hole		<b>Date Received:</b> 12/9/2011	
<b>Sec. Water Use:</b>		0		<b>Selected Flag:</b> TRUE	
<b>Final Well Status:</b>		Test Hole		<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 7241	
<b>Casing Material:</b>				<b>Form Version:</b> 7	
<b>Audit No:</b>		Z140262		<b>Owner:</b>	
<b>Tag:</b>		A122499		<b>Street Name:</b> DAVIS AVE.	
<b>Construction Method:</b>				<b>County:</b> HALTON	
<b>Elevation (m):</b>				<b>Municipality:</b> OAKVILLE TOWN	
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/7177173260.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7177173260.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 2011/11/17  
**Year Completed:** 2011  
**Depth (m):** 4.27  
**Latitude:** 43.4610326613436  
**Longitude:** -79.6799584897423  
**Path:** 7177173260.pdf

**Bore Hole Information**

**Bore Hole ID:** 1003617688  
**DP2BR:**  
**Elevation:**  
**Elevrc:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	606787.00
<b>Code OB Desc:</b>				<b>North83:</b>	4812860.00
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>		17-Nov-2011 00:00:00		<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 1004049502  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 17  
**Most Common Material:** SHALE  
**Mat2:**  
**Mat2 Desc:**  
**Mat3:** 85  
**Mat3 Desc:** SOFT  
**Formation Top Depth:** 1.5399999618530273  
**Formation End Depth:** 4.269999980926514  
**Formation End Depth UOM:** m

**Overburden and Bedrock**  
**Materials Interval**

**Formation ID:** 1004049501  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 01  
**Most Common Material:** FILL  
**Mat2:** 85  
**Mat2 Desc:** SOFT  
**Mat3:** 77  
**Mat3 Desc:** LOOSE  
**Formation Top Depth:** 0.0  
**Formation End Depth:** 1.5399999618530273  
**Formation End Depth UOM:** m

**Annular Space/Abandonment**  
**Sealing Record**

**Plug ID:** 1004049511  
**Layer:** 1  
**Plug From:** 0.0  
**Plug To:** 0.9100000262260437  
**Plug Depth UOM:** m

**Annular Space/Abandonment**  
**Sealing Record**

**Plug ID:** 1004049512  
**Layer:** 2

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Plug From:</i>		0.9100000262260437			
<i>Plug To:</i>		4.269999980926514			
<i>Plug Depth UOM:</i>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1004049510			
<i>Method Construction Code:</i>		5			
<i>Method Construction:</i>		Air Percussion			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1004049500			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1004049506			
<i>Layer:</i>		1			
<i>Material:</i>					
<i>Open Hole or Material:</i>					
<i>Depth From:</i>		-1.0			
<i>Depth To:</i>		1.2200000286102295			
<i>Casing Diameter:</i>		4.030000020980835			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1004049507			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		1.2200000286102295			
<i>Screen End Depth:</i>		4.269999980926514			
<i>Screen Material:</i>					
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>		cm			
<i>Screen Diameter:</i>		4.8200000171661377			
<b><u>Water Details</u></b>					
<i>Water ID:</i>		1004049505			
<i>Layer:</i>					
<i>Kind Code:</i>					
<i>Kind:</i>					
<i>Water Found Depth:</i>					
<i>Water Found Depth UOM:</i>		m			
<b><u>Hole Diameter</u></b>					
<i>Hole ID:</i>		1004049504			
<i>Diameter:</i>		11.430000305175781			
<i>Depth From:</i>		0.0			
<i>Depth To:</i>		3.0999999046325684			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Hole Diameter**

Hole ID: 1004049503  
Diameter: 7.619999885559082  
Depth From: 3.0999999046325684  
Depth To: 4.269999980926514  
Hole Depth UOM: m  
Hole Diameter UOM: cm

[24](#)    1 of 1    **ENE/95.0**    **101.8 / -1.80**    **354 DAVIS RD  
Oakville ON**    **WWIS**

<b>Well ID:</b>	7187273	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>		<b>Date Received:</b>	9/18/2012
<b>Sec. Water Use:</b>		<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Abandoned-Other	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	6875
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z134206	<b>Owner:</b>	
<b>Tag:</b>		<b>Street Name:</b>	354 DAVIS RD
<b>Construction Method:</b>		<b>County:</b>	HALTON
<b>Elevation (m):</b>		<b>Municipality:</b>	OAKVILLE TOWN
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/7187187273.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7187187273.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 2012/05/07  
**Year Completed:** 2012  
**Depth (m):**  
**Latitude:** 43.4611316829914  
**Longitude:** -79.6799563350135  
**Path:** 718\7187273.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	1004157023	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	606787.00
<b>Code OB Desc:</b>		<b>North83:</b>	4812871.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	07-May-2012 00:00:00	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004402877			
<b>Layer:</b>		1			
<b>Plug From:</b>		2.0			
<b>Plug To:</b>		4.690000057220459			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004402878			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		2.0			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004402876			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004402870			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004402874			
<b>Layer:</b>					
<b>Material:</b>					
<b>Open Hole or Material:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004402875			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>					
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004402873			
<b>Layer:</b>		1			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Kind Code:	8				
Kind:	Untested				
Water Found Depth:	1.5				
Water Found Depth UOM:	m				
<b>Hole Diameter</b>					
Hole ID:	1004402872				
Diameter:	5.0				
Depth From:	0.0				
Depth To:	4.690000057220459				
Hole Depth UOM:	m				
Hole Diameter UOM:	cm				
<a href="#">25</a>	1 of 2	E/95.2	100.8 / -2.72	GENERAL ELECTRIC CANADA CO. 420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	NPRI
NPRI ID:	1281			Org ID:	102276
Other ID:				Submit Date:	5/21/2015
No Other ID:				Last Modified:	6/10/2015 10:59:04 AM
Track ID:	127985			Contact ID:	
Report ID:	52419			Cont Type:	
Report Type:	DNMC			Contact Title:	
Rpt Type ID:	2			Cont First Name:	
Report Year:	2012			Cont Last Name:	
Not-Current Rpt?:	No			Contact Position:	
Yr of Last Filed Rpt:	2012			Contact Fax:	
Fac ID:	223286			Contact Ph.:	
Fac Name:	OAKVILLE LAMP PLANT			Cont Area Code:	
Fac Address1:	420 SOUTH SERVICE ROAD			Contact Tel.:	
Fac Address2:	NOT AVAILABLE			Contact Ext.:	
Fac Postal Zip:	L6J2X6			Cont Fax Area Cde:	
Facility Lat:	43.4606			Contact Fax:	
Facility Long:	-79.6797			Contact Email:	
DLS (Last Filed Rpt):				Latitude:	43.4606
Facility DLS:				Longitude:	-79.6797
Datum:	1983			UTM Zone:	
Facility Cmnts:				UTM Northing:	
URL:				UTM Easting:	
No of Empl.:				Waste Streams:	
Parent Co.:				No Streams:	
No Parent Co.:				Waste Off Sites:	
Pollut Prev Cmnts:				No Off Sites:	
Stacks:				Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	33				
NAICS 2 Description:	Manufacturing				
NAICS Code (4 digit):	3351				
NAICS 4 Description:	Electric lighting equipment manufacturing				
NAICS Code (6 digit):	335110				
NAICS 6 Description:	Electric lamp bulb and parts manufacturing				
<a href="#">25</a>	2 of 2	E/95.2	100.8 / -2.72	GENERAL ELECTRIC CANADA CO. 420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	NPRI
NPRI ID:	1281			Org ID:	102276
Other ID:				Submit Date:	5/21/2015

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>No Other ID:</b>				<b>Last Modified:</b>	6/16/2015 11:54:59 AM
<b>Track ID:</b>	133482			<b>Contact ID:</b>	
<b>Report ID:</b>	52417			<b>Cont Type:</b>	
<b>Report Type:</b>	Sale/Purchase/Closure			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	3			<b>Cont First Name:</b>	
<b>Report Year:</b>	2012			<b>Cont Last Name:</b>	
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	
<b>Yr of Last Filed Rpt:</b>	2012			<b>Contact Fax:</b>	
<b>Fac ID:</b>	223286			<b>Contact Ph.:</b>	
<b>Fac Name:</b>	OAKVILLE LAMP PLANT			<b>Cont Area Code:</b>	
<b>Fac Address1:</b>	420 SOUTH SERVICE ROAD			<b>Contact Tel.:</b>	
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	L6J2X6			<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	43.4606			<b>Contact Fax:</b>	
<b>Facility Long:</b>	-79.6797			<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.4606
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.6797
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>				<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>				<b>Waste Streams:</b>	
<b>Parent Co.:</b>				<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	
<b>Pollut Prev Cmnts:</b>				<b>No Off Sites:</b>	
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	33				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3351				
<b>NAICS 4 Description:</b>	Electric lighting equipment manufacturing				
<b>NAICS Code (6 digit):</b>	335110				
<b>NAICS 6 Description:</b>	Electric lamp bulb and parts manufacturing				

<a href="#">26</a>	1 of 2	<b>ENE/95.8</b>	<b>101.8 / -1.80</b>	<b>354 DAVIS RD Oakville ON</b>	<b>WWIS</b>
<b>Well ID:</b>	7187271			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>				<b>Date Received:</b>	9/18/2012
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	Yes
<b>Water Type:</b>				<b>Contractor:</b>	6875
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z134158			<b>Owner:</b>	
<b>Tag:</b>	A122499			<b>Street Name:</b>	354 DAVIS RD
<b>Construction Method:</b>				<b>County:</b>	HALTON
<b>Elevation (m):</b>				<b>Municipality:</b>	OAKVILLE TOWN
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/7187187271.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7187187271.pdf)

**Additional Detail(s) (Map)**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Well Completed Date:** 2012/05/07  
**Year Completed:** 2012  
**Depth (m):**  
**Latitude:** 43.4611315403045  
**Longitude:** -79.6799439767756  
**Path:** 718\7187271.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	1004156833	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	606788.00
<b>Code OB Desc:</b>		<b>North83:</b>	4812871.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	07-May-2012 00:00:00	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Annular Space/Abandonment Sealing Record**

**Plug ID:** 1004402793  
**Layer:** 2  
**Plug From:** 0.0  
**Plug To:** 2.0  
**Plug Depth UOM:** m

**Annular Space/Abandonment Sealing Record**

**Plug ID:** 1004402792  
**Layer:** 1  
**Plug From:** 2.0  
**Plug To:** 4.539999961853027  
**Plug Depth UOM:** m

**Method of Construction & Well Use**

**Method Construction ID:** 1004402791  
**Method Construction Code:**  
**Method Construction:**  
**Other Method Construction:**

**Pipe Information**

**Pipe ID:** 1004402785  
**Casing No:** 0  
**Comment:**  
**Alt Name:**

**Construction Record - Casing**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
<b>Casing ID:</b>		1004402789			
<b>Layer:</b>					
<b>Material:</b>					
<b>Open Hole or Material:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004402790			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>					
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1004402788			
<b>Layer:</b>		1			
<b>Kind Code:</b>		8			
<b>Kind:</b>		Untested			
<b>Water Found Depth:</b>		1.5			
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1004402787			
<b>Diameter:</b>		5.0			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		4.539999961853027			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<hr/>					
<b>26</b>	<b>2 of 2</b>	<b>ENE/95.8</b>	<b>101.8 / -1.80</b>	<b>354 DAVIS RD Oakville ON</b>	<b>WWIS</b>
<b>Well ID:</b>	7187270			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>				<b>Date Received:</b>	9/18/2012
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	Yes
<b>Water Type:</b>				<b>Contractor:</b>	6875
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z134159			<b>Owner:</b>	
<b>Tag:</b>	A122495			<b>Street Name:</b>	354 DAVIS RD
<b>Construction Method:</b>				<b>County:</b>	HALTON
<b>Elevation (m):</b>				<b>Municipality:</b>	OAKVILLE TOWN
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7187270.pdf				
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>	2012/05/04				
<b>Year Completed:</b>	2012				
<b>Depth (m):</b>					
<b>Latitude:</b>	43.4611315403045				
<b>Longitude:</b>	-79.6799439767756				
<b>Path:</b>	718\7187270.pdf				
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1004156747			<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	606788.00
<b>Code OB Desc:</b>				<b>North83:</b>	4812871.00
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	04-May-2012 00:00:00			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1004402697				
<b>Layer:</b>	2				
<b>Plug From:</b>	0.0				
<b>Plug To:</b>	2.0				
<b>Plug Depth UOM:</b>	m				
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1004402696				
<b>Layer:</b>	1				
<b>Plug From:</b>	2.0				
<b>Plug To:</b>	4.539999961853027				
<b>Plug Depth UOM:</b>	m				
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1004402695				
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1004402689				
<b>Casing No:</b>	0				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>			1004402693		
<b>Layer:</b>					
<b>Material:</b>					
<b>Open Hole or Material:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>			cm		
<b>Casing Depth UOM:</b>			m		
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>			1004402694		
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>			m		
<b>Screen Diameter UOM:</b>			cm		
<b>Screen Diameter:</b>					
<b><u>Water Details</u></b>					
<b>Water ID:</b>			1004402692		
<b>Layer:</b>			1		
<b>Kind Code:</b>			8		
<b>Kind:</b>			Untested		
<b>Water Found Depth:</b>			1.5		
<b>Water Found Depth UOM:</b>			m		
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>			1004402691		
<b>Diameter:</b>			5.0		
<b>Depth From:</b>			0.0		
<b>Depth To:</b>			4.539999961853027		
<b>Hole Depth UOM:</b>			m		
<b>Hole Diameter UOM:</b>			cm		

<a href="#">27</a>	1 of 1	SE/96.1	100.9 / -2.68	354 DAVIS DRIVE Oakville ON	WWIS
<b>Well ID:</b>	7205229			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	7/23/2013
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z173712			<b>Owner:</b>	
<b>Tag:</b>	A149977			<b>Street Name:</b>	354 DAVIS DRIVE
<b>Construction Method:</b>				<b>County:</b>	HALTON
<b>Elevation (m):</b>				<b>Municipality:</b>	OAKVILLE TOWN
<b>Elevation Reliability:</b>				<b>Site Info:</b>	WKQ-006085 A0-A05
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>  <b>PDF URL (Map):</b>				<b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>		2013/06/20			
<b>Year Completed:</b>		2013			
<b>Depth (m):</b>		4.57			
<b>Latitude:</b>		43.4595790499844			
<b>Longitude:</b>		-79.6803980331935			
<b>Path:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>		1004448585		<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b> 17	
<b>Code OB:</b>				<b>East83:</b> 606754.00	
<b>Code OB Desc:</b>				<b>North83:</b> 4812698.00	
<b>Open Hole:</b>				<b>Org CS:</b> UTM83	
<b>Cluster Kind:</b>				<b>UTMRC:</b> 4	
<b>Date Completed:</b>		20-Jun-2013 00:00:00		<b>UTMRC Desc:</b> margin of error : 30 m - 100 m	
<b>Remarks:</b>				<b>Location Method:</b> wwr	
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1004876695			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		1.2200000286102295			
<b>Formation End Depth:</b>		3.0999999046325684			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1004876696			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat2:</b>		92			
<b>Mat2 Desc:</b>		WEATHERED			
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		3.0999999046325684			
<b>Formation End Depth:</b>		4.570000171661377			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1004876694			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		11			
<b>Most Common Material:</b>		GRAVEL			
<b>Mat2:</b>		28			
<b>Mat2 Desc:</b>		SAND			
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		1.2200000286102295			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004876706			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.2200000286102295			
<b>Plug To:</b>		4.570000171661377			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004876704			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.3100000023841858			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1004876705			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.3100000023841858			
<b>Plug To:</b>		1.2200000286102295			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1004876703			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					

**Pipe Information**



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		1004876693			
Casing No:		0			
Comment:					
Alt Name:					
<b><u>Construction Record - Casing</u></b>					
Casing ID:		1004876699			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		1.5			
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1004876700			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.5			
Screen End Depth:		4.570000171661377			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.820000171661377			
<b><u>Water Details</u></b>					
Water ID:		1004876698			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1004876697			
Diameter:		11.430000305175781			
Depth From:		0.0			
Depth To:		4.570000171661377			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[28](#)

1 of 4

ENE/101.6

101.9 / -1.69

PHOENIX FIBREGLASS INC  
364 DAVIS RD  
OAKVILLE ON L6J 2X1

SCT

Established: 1991  
Plant Size (ft²):  
Employment: 20

**--Details--**

Description: MINERAL WOOL  
SIC/NAICS Code: 3296

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">28</a>	2 of 4	ENE/101.6	101.9 / -1.69	PHOENIX FIBREGLASS INC. 31-824 364 DAVIS ROAD OAKVILLE ON L6J 2X1	GEN
<b>Generator No:</b>	ON1711500			<b>Status:</b>	
<b>SIC Code:</b>	5919			<b>Co Admin:</b>	
<b>SIC Description:</b>	OTHER WASTE MATERIAL			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	93,94,95,96,97,98			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b>Detail(s)</b>					
<b>Waste Class:</b>	212				
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS				
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<a href="#">28</a>	3 of 4	ENE/101.6	101.9 / -1.69	Cherokee-Oakville Property G. P., Inc. 00364 Davis Road, Oakville, Ontario, L6J 2X1 ON	RSC
<b>RSC ID:</b>	3651			<b>Cert Date:</b>	23-Aug-06
<b>RA No:</b>				<b>Cert Prop Use No:</b>	5862-6SKRWA
<b>RSC Type:</b>				<b>Intended Prop Use:</b>	Industrial
<b>Curr Property Use:</b>	Industrial			<b>Qual Person Name:</b>	Mr. John Dill
<b>Ministry District:</b>	OAKVILLE			<b>Stratified (Y/N):</b>	
<b>Filing Date:</b>	5-Sep-06			<b>Audit (Y/N):</b>	
<b>Date Ack:</b>				<b>Entire Leg Prop. (Y/N):</b>	No
<b>Date Returned:</b>				<b>Accuracy Estimate:</b>	0 to 1 meters
<b>Restoration Type:</b>				<b>Telephone:</b>	416-3643389
<b>Soil Type:</b>				<b>Fax:</b>	416-8662156
<b>Criteria:</b>				<b>Email:</b>	jdill@cherokeecanada.com
<b>CPU Issued Sect 1686:</b>	Yes				
<b>Asmt Roll No:</b>	2401-040-060-01300-0000				
<b>Prop ID No (PIN):</b>	24806-0012 LT				
<b>Property Municipal Address:</b>	00364 Davis Road, Oakville, Ontario, L6J 2X1				
<b>Mailing Address:</b>	Suite 220, 141 ADELAIDE ST W, TORONTO, ON, M5H 3L5				
<b>Latitude &amp; Longitude:</b>	43.45998940N 79.68006770W (converted from UTM)				
<b>UTM Coordinates:</b>	NAD83 17-606780-4812744				
<b>Consultant:</b>					
<b>Legal Desc:</b>	PT LTS 12 & 13, CON 3 TRAF SDS, AS IN 'OC'14148 EXCEPT 'OC'14265, EXCEPT PT 1 & 3 20R1895; OAKVILLE. 'AMENDED 03.06.18.T.W' 00364 (354-364) Davis Road, Parcel A, which includes Parts 2, 3 and 4 of Plan 20R-16609				
<b>Measurement Method:</b>	Digitized from a map				
<b>Applicable Standards:</b>	Full Depth Site Conditions Standard, with Nonpotable Ground Water, Medium/Fine Textured Soil, for Industrial/Commercial/Community property use with Ri				
<b>RSC PDF:</b>					
<a href="#">28</a>	4 of 4	ENE/101.6	101.9 / -1.69	Cherokee-Oakville Property G.P., Inc. 364 DAVIS RD, OAKVILLE, ON, L6J 2X1 OAKVILLE ON L6J 2X1	RSC
<b>RSC ID:</b>	56511			<b>Cert Date:</b>	25-Sep-08
<b>RA No:</b>				<b>Cert Prop Use No:</b>	No CPU
<b>RSC Type:</b>				<b>Intended Prop Use:</b>	Commercial
<b>Curr Property Use:</b>	Industrial			<b>Qual Person Name:</b>	John Dill
<b>Ministry District:</b>	OAKVILLE			<b>Stratified (Y/N):</b>	
<b>Filing Date:</b>	25-Sep-09			<b>Audit (Y/N):</b>	
<b>Date Ack:</b>				<b>Entire Leg Prop. (Y/N):</b>	No
<b>Date Returned:</b>				<b>Accuracy Estimate:</b>	2 to 5 meters

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Restoration Type:</b>				<b>Telephone:</b>	416-3643389x1
<b>Soil Type:</b>				<b>Fax:</b>	416-8662156
<b>Criteria:</b>				<b>Email:</b>	jdill@cherokeecanada.com
<b>CPU Issued Sect 1686:</b>	No				
<b>Asmt Roll No:</b>		2401040-06001300			
<b>Prop ID No (PIN):</b>		24806-0375(LT)			
<b>Property Municipal Address:</b>		364 DAVIS RD, OAKVILLE, ON, L6J 2X1			
<b>Mailing Address:</b>		Suite 401, 4 King Street West , Toronto, Ontario , M5H 1B6			
<b>Latitude &amp; Latitude:</b>		43.46055560N 79.67972220W			
<b>UTM Coordinates:</b>		NAD83 17-606807-4812807 (converted from Latitude & Longitude)			
<b>Consultant:</b>					
<b>Legal Desc:</b>		Part lot 12, Concession 3, Trafalgar SDS, designated as parts 1 and 2 on 20R18321, Town of Oakville, Regional Municipality of Halton being PIN24806-0375(LT) *****The RSC property is Part 1 on Plan 20R18321, being part of PIN 24806-0375(LT).			
<b>Measurement Method:</b>		Digitized from a satellite image			
<b>Applicable Standards:</b>		Full Depth Site Conditions Standard, with Nonpotable Ground Water, Medium/Fine Textured Soil, for Industrial/Commercial/Community property use			
<b>RSC PDF:</b>					

<a href="#">29</a>	1 of 1	WNW/110.0	109.6 / 6.08	ON	BORE
<b>Borehole ID:</b>	890808			<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215583725			<b>SP Status:</b>	Initial Entry
<b>Status:</b>	Decommissioned			<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Primary Name:</b>	
<b>Completion Date:</b>	23-JAN-1979			<b>Municipality:</b>	
<b>Static Water Level:</b>				<b>Lot:</b>	LOT 13
<b>Primary Water Use:</b>				<b>Township:</b>	TRAFALGAR
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	43.461116
<b>Total Depth m:</b>	1.1			<b>Longitude DD:</b>	-79.683307
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	17
<b>Depth Elev:</b>				<b>Easting:</b>	606516
<b>Drill Method:</b>	Solid stem auger			<b>Northing:</b>	4812865
<b>Orig Ground Elev m:</b>	109			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Within 100 metres
<b>DEM Ground Elev m:</b>	110				
<b>Concession:</b>		CON 3 SOUTH OF DUNDAS ST			
<b>Location D:</b>		Foundation Investigation Report for Trafalgar Road Interchange W.P. 1-79-01 site Hwy. Q.E.W., District 4, Hamilton			
<b>Survey D:</b>					
<b>Comments:</b>					

#### Borehole Geology Stratum

<b>Geology Stratum ID:</b>	8502695	<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0	<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	1.1	<b>Material Texture:</b>	
<b>Material Color:</b>	Red-Brown	<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Clay	<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silty	<b>Geologic Group:</b>	
<b>Material 3:</b>		<b>Geologic Period:</b>	
<b>Material 4:</b>		<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>			
<b>Stratum Description:</b>	silty clay red brown **Note: Many records provided by the department have a truncated [Stratum Description] field.		

<a href="#">30</a>	1 of 4	SSW/110.1	104.4 / 0.84	Carstar Corporate Collision Centres Inc. 312 Davis Road Oakville Ontario L6J 2X1 Oakville ON	EBR
<b>EBR Registry No:</b>	IA02E0626			<b>Decision Posted:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Ministry Ref No:</b> 3237-5B2UFD <b>Notice Type:</b> Instrument Decision <b>Notice Stage:</b> <b>Notice Date:</b> January 29, 2003 <b>Proposal Date:</b> June 18, 2002 <b>Year:</b> 2002 <b>Instrument Type:</b> (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air) <b>Off Instrument Name:</b> <b>Posted By:</b> <b>Company Name:</b> Carstar Corporate Collision Centres Inc. <b>Site Address:</b> <b>Location Other:</b> <b>Proponent Name:</b> <b>Proponent Address:</b> 312 Davis Road, Oakville Ontario, L6J 2X1 <b>Comment Period:</b> <b>URL:</b> <b>Site Location Details:</b> 312 Davis Road Oakville Ontario L6J 2X1 Oakville					
<a href="#">30</a>	2 of 4	SSW/110.1	104.4 / 0.84	Carstar Corporate Collision Centres Inc. 312 Davis Road Oakville ON L6J 2X1	CA
<b>Certificate #:</b> 7167-5J3NC8 <b>Application Year:</b> 2003 <b>Issue Date:</b> 1/28/2003 <b>Approval Type:</b> Air <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>					
<a href="#">30</a>	3 of 4	SSW/110.1	104.4 / 0.84	Carstar Corporate Collision Centres Inc. 312 Davis Road Oakville ON L6J 2X1	ECA
<b>Approval No:</b> 7167-5J3NC8 <b>Approval Date:</b> 2003-01-28 <b>Status:</b> Approved <b>Record Type:</b> ECA <b>Link Source:</b> IDS <b>SWP Area Name:</b> Halton <b>Approval Type:</b> ECA-AIR <b>Project Type:</b> AIR <b>Business Name:</b> Carstar Corporate Collision Centres Inc. <b>Address:</b> 312 Davis Road <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/3237-5B2UFD-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/3237-5B2UFD-14.pdf</a> <b>PDF Site Location:</b>					
<a href="#">30</a>	4 of 4	SSW/110.1	104.4 / 0.84	1737126 Ontario Ltd. 312 Davis Road	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Oakville ON L6J 2X1</b>					
<b>Generator No:</b>	ON3868267			<b>Status:</b>	Registered
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Oct 2019			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	221 L				
<b>Waste Class Desc:</b>	Light fuels				

<b>31</b>	<b>1 of 1</b>	<b>WNW/113.4</b>	<b>108.7 / 5.12</b>	<b>ON</b>	<b>BORE</b>
<b>Borehole ID:</b>	890801			<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215583718			<b>SP Status:</b>	Initial Entry
<b>Status:</b>	Decommissioned			<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Primary Name:</b>	
<b>Completion Date:</b>	23-JAN-1979			<b>Municipality:</b>	
<b>Static Water Level:</b>				<b>Lot:</b>	LOT 12
<b>Primary Water Use:</b>				<b>Township:</b>	TRAFALGAR
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	43.461537
<b>Total Depth m:</b>	2.6			<b>Longitude DD:</b>	-79.683112
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	17
<b>Depth Elev:</b>				<b>Easting:</b>	606531
<b>Drill Method:</b>	Solid stem auger			<b>Northing:</b>	4812912
<b>Orig Ground Elev m:</b>	107			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Within 100 metres
<b>DEM Ground Elev m:</b>	109				
<b>Concession:</b>	CON 3 SOUTH OF DUNDAS ST				
<b>Location D:</b>	Foundation Investigation Report for Trafalgar Road Interchange W.P. 1-79-01 site Hwy. Q.E.W., District 4, Hamilton				
<b>Survey D:</b>					
<b>Comments:</b>					

**Borehole Geology Stratum**

<b>Geology Stratum ID:</b>	8502661	<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.5	<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.9	<b>Material Texture:</b>	
<b>Material Color:</b>		<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Limestone	<b>Geologic Formation:</b>	
<b>Material 2:</b>		<b>Geologic Group:</b>	
<b>Material 3:</b>		<b>Geologic Period:</b>	
<b>Material 4:</b>		<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>			
<b>Stratum Description:</b>	Limestone Screenings **Note: Many records provided by the department have a truncated [Stratum Description] field.		

<b>Geology Stratum ID:</b>	8502659	<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0	<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.2	<b>Material Texture:</b>	
<b>Material Color:</b>		<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Asphalt	<b>Geologic Formation:</b>	
<b>Material 2:</b>		<b>Geologic Group:</b>	
<b>Material 3:</b>		<b>Geologic Period:</b>	
<b>Material 4:</b>		<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>			
<b>Stratum Description:</b>	Asphalt **Note: Many records provided by the department have a truncated [Stratum Description] field.		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Geology Stratum ID:</b>	8502660			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.2			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.5			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Concrete			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Concrete **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<b>Geology Stratum ID:</b>	8502663			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	2.3			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	2.6			<b>Material Texture:</b>	
<b>Material Color:</b>	Red			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Shale			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Bedrock			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Apparent shale bedrock Red **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<b>Geology Stratum ID:</b>	8502662			<b>Mat Consistency:</b>	Stiff
<b>Top Depth:</b>	.9			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	2.3			<b>Material Texture:</b>	
<b>Material Color:</b>	Red			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Clay			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silty			<b>Geologic Group:</b>	
<b>Material 3:</b>	Shale			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Silty clay to weathered shale. Stiff, red **Note: Many records provided by the department have a truncated [Stratum Description] field.				

[32](#)

1 of 1

WNW/116.9

109.3 / 5.74

ON

BORE

<b>Borehole ID:</b>	890807	<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215583724	<b>SP Status:</b>	Initial Entry
<b>Status:</b>	Decommissioned	<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole	<b>Piezometer:</b>	No
<b>Use:</b>	Geotechnical/Geological Investigation	<b>Primary Name:</b>	
<b>Completion Date:</b>	15-JAN-1979	<b>Municipality:</b>	
<b>Static Water Level:</b>		<b>Lot:</b>	LOT 13
<b>Primary Water Use:</b>		<b>Township:</b>	TRAFALGAR
<b>Sec. Water Use:</b>		<b>Latitude DD:</b>	43.46135
<b>Total Depth m:</b>	2.6	<b>Longitude DD:</b>	-79.683277
<b>Depth Ref:</b>	Ground Surface	<b>UTM Zone:</b>	17
<b>Depth Elev:</b>		<b>Easting:</b>	606518
<b>Drill Method:</b>	Solid stem auger	<b>Northing:</b>	4812891
<b>Orig Ground Elev m:</b>	103	<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>		<b>Accuracy:</b>	Within 100 metres
<b>DEM Ground Elev m:</b>	109		
<b>Concession:</b>	CON 3 SOUTH OF DUNDAS ST		
<b>Location D:</b>	Foundation Investigation Report for Trafalgar Road Interchange W.P. 1-79-01 site Hwy. Q.E.W., District 4, Hamilton		
<b>Survey D:</b>			
<b>Comments:</b>			

**Borehole Geology Stratum**

<b>Geology Stratum ID:</b>	8502691	<b>Mat Consistency:</b>	
----------------------------	---------	-------------------------	--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Top Depth:</b>	.2			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.3			<b>Material Texture:</b>	
<b>Material Color:</b>	Red			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Clay			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silty			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Silty clay Red **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<b>Geology Stratum ID:</b>	8502690			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.2			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Topsoil			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Clay			<b>Geologic Group:</b>	
<b>Material 3:</b>	Silty			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	silty clay topsoil **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<b>Geology Stratum ID:</b>	8502694			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	2.4			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	2.6			<b>Material Texture:</b>	
<b>Material Color:</b>	Grey			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Bedrock			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Shale			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Apparent shale bedrock grey **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<b>Geology Stratum ID:</b>	8502692			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.3			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.6			<b>Material Texture:</b>	
<b>Material Color:</b>	Red			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Stones			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Clay			<b>Geologic Group:</b>	
<b>Material 3:</b>	Silty			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Crushed stone and red silty clay **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<b>Geology Stratum ID:</b>	8502693			<b>Mat Consistency:</b>	Stiff
<b>Top Depth:</b>	.6			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	2.4			<b>Material Texture:</b>	
<b>Material Color:</b>	Red			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Clay			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silty			<b>Geologic Group:</b>	
<b>Material 3:</b>	Shale			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Silty clay with frequent shale fragments. Stiff Red **Note: Many records provided by the department have a truncated [Stratum Description] field.				

33

1 of 1

NE/119.5

102.8 / -0.76

389 Davis Rd  
Oakville ON L6J2X2

EHS

**Order No:** 20131113001  
**Status:** C  
**Report Type:** Custom Report  
**Report Date:** 19-NOV-13  
**Date Received:** 13-NOV-13

**Nearest Intersection:**  
**Municipality:**  
**Client Prov/State:** ON  
**Search Radius (km):** .25  
**X:** -79.680199

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>				Y: 43.46156	
<a href="#">34</a>	1 of 1	WNW/122.9	109.8 / 6.28	St. Lawrence Cement Inc. Trafalger Rd. and South Service Rd. Oakville ON	SPL
<b>Ref No:</b> <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b> <b>Incident Reason:</b> <b>Site Name:</b> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> <b>Contaminant Qty:</b>	8687-7JLKX7  Unknown  Possible Soil Contamination  Priority Field Response 9/18/2008 9/18/2008  Unknown - Reason not determined Construction Site<UNOFFICIAL>  Construction Site: 1000's of Litres of oil spilled to ground	<b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> <b>Source Type:</b>	Other  Halton-Peel  Oakville  Land Spills		
<a href="#">35</a>	1 of 11	NE/123.3	102.9 / -0.70	R-METRICS LTD. 389 DAVIS RD OAKVILLE ON L6J 2X2	SCT
<b>Established:</b> <b>Plant Size (ft²):</b> <b>Employment:</b>  <b>--Details--</b> <b>Description:</b> <b>SIC/NAICS Code:</b>  <b>Description:</b> <b>SIC/NAICS Code:</b>  <b>Description:</b> <b>SIC/NAICS Code:</b>  <b>Description:</b> <b>SIC/NAICS Code:</b>	1970 1500 4  SPECIAL INDUSTRY MACHINERY, NOT ELSEWHERE CLASSIFIED 3559  MEASURING AND CONTROLLING DEVICES, NOT ELSEWHERE CLASSIFIED 3829  Power Boiler and Heat Exchanger Manufacturing 332410  Measuring, Medical and Controlling Devices Manufacturing 334512				
<a href="#">35</a>	2 of 11	NE/123.3	102.9 / -0.70	NON DESTRUCTIVE TESTING PROD 389 DAVIS RD OAKVILLE ON L6J 2X2	SCT
<b>Established:</b>	1974				



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Plant Size (ft²):</b>		0			
<b>Employment:</b>		5			
<b>--Details--</b>					
<b>Description:</b>		MEASURING AND CONTROLLING DEVICES, NOT ELSEWHERE CLASSIFIED			
<b>SIC/NAICS Code:</b>		3829			
<b>Description:</b>		INDUSTRIAL MACHINERY AND EQUIPMENT			
<b>SIC/NAICS Code:</b>		5084			
<b>Description:</b>		Measuring, Medical and Controlling Devices Manufacturing			
<b>SIC/NAICS Code:</b>		334512			
<a href="#">35</a>	3 of 11	NE/123.3	102.9 / -0.70	ATLAS TESTING & LAB SERVICES 389 DAVIS RD. OAKVILLE ON L6J 2X2	GEN
<b>Generator No:</b>	ON0735800			<b>Status:</b>	
<b>SIC Code:</b>	7759			<b>Co Admin:</b>	
<b>SIC Description:</b>	OTHER SCI./TECH. OF.			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	86,87,88			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	213				
<b>Waste Class Desc:</b>	PETROLEUM DISTILLATES				
<a href="#">35</a>	4 of 11	NE/123.3	102.9 / -0.70	ATLAS TESTING & LAB SERVICES 389 DAVIS RD. OAKVILLE ON L6J 2X2	GEN
<b>Generator No:</b>	ON0735800			<b>Status:</b>	
<b>SIC Code:</b>	7759			<b>Co Admin:</b>	
<b>SIC Description:</b>	OTHER SCI./TECH. OF.			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	89,90			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	213				
<b>Waste Class Desc:</b>	PETROLEUM DISTILLATES				
<b>Waste Class:</b>	264				
<b>Waste Class Desc:</b>	PHOTOPROCESSING WASTES				
<a href="#">35</a>	5 of 11	NE/123.3	102.9 / -0.70	ATLAS TESTING LABS AND SERVICES 389 DAVIS ROAD OAKVILLE ON L6J 2X2	GEN
<b>Generator No:</b>	ON0735800			<b>Status:</b>	
<b>SIC Code:</b>	7759			<b>Co Admin:</b>	
<b>SIC Description:</b>	OTHER SCI./TECH. OF.			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	92,93,96,97,98,99,00			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			
<b>Waste Class:</b>		264			
<b>Waste Class Desc:</b>		PHOTOPROCESSING WASTES			

<a href="#">35</a>	6 of 11	NE/123.3	102.9 / -0.70	ATLAS TESTING LABS AND SERVICES 03-227 389 DAVIS ROAD OAKVILLE ON L6J 2X2	GEN
<b>Generator No:</b>	ON0735800			<b>Status:</b>	
<b>SIC Code:</b>	7759			<b>Co Admin:</b>	
<b>SIC Description:</b>	OTHER SCI./TECH. OF.			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	94,95			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	

<u>Detail(s)</u>					
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		264			
<b>Waste Class Desc:</b>		PHOTOPROCESSING WASTES			

<a href="#">35</a>	7 of 11	NE/123.3	102.9 / -0.70	AITEC INC. 389 DAVIS ROAD OAKVILLE ON L6J 2X2	GEN
<b>Generator No:</b>	ON0735800			<b>Status:</b>	
<b>SIC Code:</b>	7759			<b>Co Admin:</b>	
<b>SIC Description:</b>	OTHER SCI./TECH. OF.			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	01,02,03,04,05			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	

<u>Detail(s)</u>					
<b>Waste Class:</b>		122			
<b>Waste Class Desc:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Class:</b>		148			
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		263			
<b>Waste Class Desc:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		331			
<b>Waste Class Desc:</b>		WASTE COMPRESSED GASES			
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		264			
<b>Waste Class Desc:</b>		PHOTOPROCESSING WASTES			

[35](#)      8 of 11      **NE/123.3**      **102.9 / -0.70**      **TEAM Industrial Services Inspection Services  
Canad  
389 DAVIS ROAD  
OAKVILLE ON L6J 2X2**      **GEN**

<b>Generator No:</b>	ON0735800	<b>Status:</b>	
<b>SIC Code:</b>	541330	<b>Co Admin:</b>	
<b>SIC Description:</b>	Engineering Services	<b>Choice of Contact:</b>	
<b>Approval Years:</b>	06	<b>Phone No Admin:</b>	
<b>PO Box No:</b>		<b>Contam. Facility:</b>	
<b>Country:</b>		<b>MHSW Facility:</b>	

**Detail(s)**

<b>Waste Class:</b>	122
<b>Waste Class Desc:</b>	ALKALINE WASTES - OTHER METALS
<b>Waste Class:</b>	145
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES
<b>Waste Class:</b>	148
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS
<b>Waste Class:</b>	213
<b>Waste Class Desc:</b>	PETROLEUM DISTILLATES
<b>Waste Class:</b>	254
<b>Waste Class Desc:</b>	TRANSFER STATION OILS WASTES
<b>Waste Class:</b>	263
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS
<b>Waste Class:</b>	264
<b>Waste Class Desc:</b>	PHOTOPROCESSING WASTES
<b>Waste Class:</b>	331
<b>Waste Class Desc:</b>	WASTE COMPRESSED GASES

[35](#)      9 of 11      **NE/123.3**      **102.9 / -0.70**      **TISI Inspection Services East, Inc.  
389 DAVIS ROAD  
OAKVILLE ON L6J 2X2**      **GEN**

<b>Generator No:</b>	ON0735800	<b>Status:</b>	
<b>SIC Code:</b>	541330	<b>Co Admin:</b>	
<b>SIC Description:</b>	Engineering Services	<b>Choice of Contact:</b>	
<b>Approval Years:</b>	07,08	<b>Phone No Admin:</b>	
<b>PO Box No:</b>		<b>Contam. Facility:</b>	
<b>Country:</b>		<b>MHSW Facility:</b>	

**Detail(s)**

<b>Waste Class:</b>	112
<b>Waste Class Desc:</b>	ACID WASTE - HEAVY METALS
<b>Waste Class:</b>	122
<b>Waste Class Desc:</b>	ALKALINE WASTES - OTHER METALS
<b>Waste Class:</b>	145
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		148			
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		253			
<b>Waste Class Desc:</b>		EMULSIFIED OILS			
<b>Waste Class:</b>		254			
<b>Waste Class Desc:</b>		TRANSFER STATION OILS WASTES			
<b>Waste Class:</b>		263			
<b>Waste Class Desc:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		264			
<b>Waste Class Desc:</b>		PHOTOPROCESSING WASTES			
<b>Waste Class:</b>		265			
<b>Waste Class Desc:</b>		GRAPHIC ART WASTES			
<b>Waste Class:</b>		331			
<b>Waste Class Desc:</b>		WASTE COMPRESSED GASES			

[35](#)      10 of 11      **NE/123.3**      **102.9 / -0.70**      **TISI Canada Inc.**      GEN

**389 DAVIS ROAD**  
**OAKVILLE ON L6J 2X2**

<b>Generator No:</b>	ON0735800	<b>Status:</b>	
<b>SIC Code:</b>	541330	<b>Co Admin:</b>	
<b>SIC Description:</b>	Engineering Services	<b>Choice of Contact:</b>	
<b>Approval Years:</b>	2009	<b>Phone No Admin:</b>	
<b>PO Box No:</b>		<b>Contam. Facility:</b>	
<b>Country:</b>		<b>MHSW Facility:</b>	

**Detail(s)**

<b>Waste Class:</b>	112
<b>Waste Class Desc:</b>	ACID WASTE - HEAVY METALS
<b>Waste Class:</b>	122
<b>Waste Class Desc:</b>	ALKALINE WASTES - OTHER METALS
<b>Waste Class:</b>	145
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES
<b>Waste Class:</b>	148
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS
<b>Waste Class:</b>	212
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS
<b>Waste Class:</b>	213
<b>Waste Class Desc:</b>	PETROLEUM DISTILLATES
<b>Waste Class:</b>	252
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		253			
<b>Waste Class Desc:</b>		EMULSIFIED OILS			
<b>Waste Class:</b>		263			
<b>Waste Class Desc:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		264			
<b>Waste Class Desc:</b>		PHOTOPROCESSING WASTES			
<b>Waste Class:</b>		265			
<b>Waste Class Desc:</b>		GRAPHIC ART WASTES			
<b>Waste Class:</b>		331			
<b>Waste Class Desc:</b>		WASTE COMPRESSED GASES			

[35](#)      11 of 11      **NE/123.3**      **102.9 / -0.70**      **TISI Canada Inc.**  
**389 DAVIS ROAD**  
**OAKVILLE ON L6J 2X2**      **GEN**

<b>Generator No:</b>	ON0735800	<b>Status:</b>	
<b>SIC Code:</b>	541330	<b>Co Admin:</b>	
<b>SIC Description:</b>	Engineering Services	<b>Choice of Contact:</b>	
<b>Approval Years:</b>	2010	<b>Phone No Admin:</b>	
<b>PO Box No:</b>		<b>Contam. Facility:</b>	
<b>Country:</b>		<b>MHSW Facility:</b>	

**Detail(s)**

<b>Waste Class:</b>	253
<b>Waste Class Desc:</b>	EMULSIFIED OILS
<b>Waste Class:</b>	252
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS
<b>Waste Class:</b>	112
<b>Waste Class Desc:</b>	ACID WASTE - HEAVY METALS
<b>Waste Class:</b>	331
<b>Waste Class Desc:</b>	WASTE COMPRESSED GASES
<b>Waste Class:</b>	122
<b>Waste Class Desc:</b>	ALKALINE WASTES - OTHER METALS
<b>Waste Class:</b>	145
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES
<b>Waste Class:</b>	263
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS
<b>Waste Class:</b>	265
<b>Waste Class Desc:</b>	GRAPHIC ART WASTES
<b>Waste Class:</b>	264
<b>Waste Class Desc:</b>	PHOTOPROCESSING WASTES
<b>Waste Class:</b>	148
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS
<b>Waste Class:</b>	212
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS
<b>Waste Class:</b>	213
<b>Waste Class Desc:</b>	PETROLEUM DISTILLATES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">36</a>	1 of 1	NW/124.4	108.3 / 4.73	Emlink Logistics QEW Eastbound Oakville ON	SPL
<b>Ref No:</b>	8037-BFBAM4			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	8/22/2019			<b>Health/Env Conseq:</b>	2 - Minor Environment
<b>Year:</b>				<b>Client Type:</b>	Corporation
<b>Incident Cause:</b>				<b>Sector Type:</b>	Miscellaneous Industrial
<b>Incident Event:</b>	Collision/Accident			<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	13			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	DIESEL FUEL			<b>Site Address:</b>	QEW Eastbound
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Halton-Peel
<b>Contam Limit Freq 1:</b>	n/a			<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>	1202			<b>Site Region:</b>	Central
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Oakville
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>	Land			<b>Northing:</b>	4812942
<b>MOE Response:</b>	Yes			<b>Easting:</b>	606538
<b>Dt MOE Arvl on Scn:</b>	8/23/2019			<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	8/23/2019			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>	11/16/2019			<b>SAC Action Class:</b>	Land Spills
<b>Incident Reason:</b>	Unknown / N/A			<b>Source Type:</b>	Truck - Transport/Hauling
<b>Site Name:</b>	QEW Eastbound, East of Trafalgar<UNOFFICIAL>				
<b>Site County/District:</b>	Regional Municipality of Halton				
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	Emlink Logistics: TT collision, diesel spill and vehicle fire				
<b>Contaminant Qty:</b>	400 L				

<a href="#">37</a>	1 of 1	SE/127.6	100.5 / -3.05	354 DAVIS DRIVE Oakville ON	WWIS
<b>Well ID:</b>	7205227			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	7/23/2013
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z173713			<b>Owner:</b>	
<b>Tag:</b>	A149980			<b>Street Name:</b>	354 DAVIS DRIVE
<b>Construction Method:</b>				<b>County:</b>	HALTON
<b>Elevation (m):</b>				<b>Municipality:</b>	OAKVILLE TOWN
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>					
<b>Additional Detail(s) (Map)</b>					
<b>Well Completed Date:</b>	2013/06/20				
<b>Year Completed:</b>	2013				
<b>Depth (m):</b>	4.57				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Latitude:</b>		43.4595379063988			
<b>Longitude:</b>		-79.6799539314871			
<b>Path:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1004448579	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	606790.00
<b>Code OB Desc:</b>		<b>North83:</b>	4812694.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	20-Jun-2013 00:00:00	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1004876414
<b>Layer:</b>	1
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	11
<b>Most Common Material:</b>	GRAVEL
<b>Mat2:</b>	28
<b>Mat2 Desc:</b>	SAND
<b>Mat3:</b>	85
<b>Mat3 Desc:</b>	SOFT
<b>Formation Top Depth:</b>	0.0
<b>Formation End Depth:</b>	1.2200000286102295
<b>Formation End Depth UOM:</b>	m

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1004876416
<b>Layer:</b>	3
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	17
<b>Most Common Material:</b>	SHALE
<b>Mat2:</b>	92
<b>Mat2 Desc:</b>	WEATHERED
<b>Mat3:</b>	85
<b>Mat3 Desc:</b>	SOFT
<b>Formation Top Depth:</b>	3.0999999046325684
<b>Formation End Depth:</b>	4.570000171661377
<b>Formation End Depth UOM:</b>	m

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1004876415
<b>Layer:</b>	2
<b>Color:</b>	2

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>General Color:</b>		GREY			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		1.2200000286102295			
<b>Formation End Depth:</b>		3.0999999046325684			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004876425			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.3100000023841858			
<b>Plug To:</b>		1.2200000286102295			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004876424			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.3100000023841858			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004876426			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.2200000286102295			
<b>Plug To:</b>		4.570000171661377			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004876423			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004876413			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004876419			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		1.5			



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1004876420			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.5			
Screen End Depth:		4.570000171661377			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.820000171661377			
<b><u>Water Details</u></b>					
Water ID:		1004876418			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1004876417			
Diameter:		11.430000305175781			
Depth From:		0.0			
Depth To:		4.570000171661377			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

[38](#) 1 of 1 NE/128.2 103.7 / 0.14 ON WWIS

Well ID:	7217180	Data Entry Status:	Yes
Construction Date:		Data Src:	
Primary Water Use:		Date Received:	2/28/2014
Sec. Water Use:		Selected Flag:	TRUE
Final Well Status:		Abandonment Rec:	
Water Type:		Contractor:	7320
Casing Material:		Form Version:	8
Audit No:	C22880	Owner:	
Tag:	A159429	Street Name:	
Construction Method:		County:	HALTON
Elevation (m):		Municipality:	OAKVILLE TOWN
Elevation Reliability:		Site Info:	
Depth to Bedrock:		Lot:	
Well Depth:		Concession:	
Overburden/Bedrock:		Concession Name:	
Pump Rate:		Easting NAD83:	
Static Water Level:		Northing NAD83:	
Flowing (Y/N):		Zone:	
Flow Rate:		UTM Reliability:	
Clear/Cloudy:			

PDF URL (Map):

[Additional Detail\(s\) \(Map\)](#)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Well Completed Date: 2013/12/23  
Year Completed: 2013  
Depth (m):  
Latitude: 43.4618138207258  
Longitude: -79.6805472038951  
Path:

**Bore Hole Information**

<b>Bore Hole ID:</b>	1004717148	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	606738.00
<b>Code OB Desc:</b>		<b>North83:</b>	4812946.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	23-Dec-2013 00:00:00	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

[39](#)      1 of 1      **WNW/134.5**      **108.9 / 5.30**      ON      **BORE**

<b>Borehole ID:</b>	890800	<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215583717	<b>SP Status:</b>	Initial Entry
<b>Status:</b>	Decommissioned	<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole	<b>Piezometer:</b>	No
<b>Use:</b>	Geotechnical/Geological Investigation	<b>Primary Name:</b>	
<b>Completion Date:</b>	18-JAN-1979	<b>Municipality:</b>	
<b>Static Water Level:</b>		<b>Lot:</b>	
<b>Primary Water Use:</b>		<b>Township:</b>	TRAFALGAR
<b>Sec. Water Use:</b>		<b>Latitude DD:</b>	43.461746
<b>Total Depth m:</b>	6.4	<b>Longitude DD:</b>	-79.683243
<b>Depth Ref:</b>	Ground Surface	<b>UTM Zone:</b>	17
<b>Depth Elev:</b>		<b>Easting:</b>	606520
<b>Drill Method:</b>	Solid stem auger	<b>Northing:</b>	4812935
<b>Orig Ground Elev m:</b>	107	<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>		<b>Accuracy:</b>	Within 100 metres
<b>DEM Ground Elev m:</b>	109		
<b>Concession:</b>			
<b>Location D:</b>	Foundation Investigation Report for Trafalgar Road Interchange W.P. 1-79-01 site Hwy. Q.E.W., District 4, Hamilton		
<b>Survey D:</b>			
<b>Comments:</b>			

**Borehole Geology Stratum**

<b>Geology Stratum ID:</b>	8502656	<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.5	<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.9	<b>Material Texture:</b>	
<b>Material Color:</b>		<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Limestone	<b>Geologic Formation:</b>	
<b>Material 2:</b>		<b>Geologic Group:</b>	
<b>Material 3:</b>		<b>Geologic Period:</b>	
<b>Material 4:</b>		<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>			
<b>Stratum Description:</b>	Limestone screenings **Note: Many records provided by the department have a truncated [Stratum Description] field.		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Geology Stratum ID:</b>	8502658			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	2.1			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	6.4			<b>Material Texture:</b>	
<b>Material Color:</b>	Red			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Bedrock			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Shale			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	shale Bedrock with occasional thin horizontal layer of weathered shale decreasing in frequency with depth. Red and Grey, Sound **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<b>Geology Stratum ID:</b>	8502655			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.2			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.5			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Concrete			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Concrete **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<b>Geology Stratum ID:</b>	8502657			<b>Mat Consistency:</b>	Stiff
<b>Top Depth:</b>	.9			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	2.1			<b>Material Texture:</b>	
<b>Material Color:</b>	Red			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Clay			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silty			<b>Geologic Group:</b>	
<b>Material 3:</b>	Shale			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Silty clay to weathered shale. Stiff Red **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<b>Geology Stratum ID:</b>	8502654			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.2			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Asphalt			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Asphalt **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<b>40</b>	1 of 1	<b>NNW/136.8</b>	<b>106.9 / 3.29</b>	<b>374 Service Rd S E Oakville ON L6J2X6</b>	<b>EHS</b>
<b>Order No:</b>	20141114032			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	
<b>Report Type:</b>	Custom Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	20-NOV-14			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	14-NOV-14			<b>X:</b>	-79.68195
<b>Previous Site Name:</b>				<b>Y:</b>	43.462289
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					
<b>41</b>	1 of 3	<b>NNW/136.8</b>	<b>106.9 / 3.29</b>	<b>HOMER PROVOST SHELL SERVICE 374 SOUTH SERVICE RD OAKVILLE ON</b>	<b>PRT</b>

Map Key	Number of Records	Direction/Distance (m)	Elev/Diff (m)	Site	DB
Location ID:		10393			
Type:		retail			
Expiry Date:		1990-08-31			
Capacity (L):		11000			
Licence #:		0054558001			

<a href="#">41</a>	2 of 3	NNW/136.8	106.9 / 3.29	HOMER PROVOST SHELL SERVICE 374 SOUTH SERVICE RD E OAKVILLE ON L6J 2X6	DTNK
--------------------	--------	-----------	--------------	--	------

**Delisted Expired Fuel Safety Facilities**

Instance No:	9795912	Expired Date:	9/1/1990
Status:	EXPIRED	Max Hazard Rank:	
Instance ID:		Facility Location:	
Instance Type:	FS Facility	Facility Type:	
Instance Creation Dt:		Fuel Type 2:	
Instance Install Dt:		Fuel Type 3:	
Item Description:		Panam Related:	
Manufacturer:		Panam Venue Nm:	
Model:		External Identifier:	
Serial No:		Item:	
ULC Standard:		Piping Steel:	
Quantity:		Piping Galvanized:	
Unit of Measure:		Tank Single Wall St:	
Overfill Prot Type:		Piping Underground:	
Creation Date:		Tank Underground:	
Next Periodic Str DT:		Source:	
TSSA Base Sched Cycle 2:			
TSSAMax Hazard Rank 1:			
TSSA Risk Based Periodic Yn:			
TSSA Volume of Directives:			
TSSA Periodic Exempt:			
TSSA Statutory Interval:			
TSSA Recd Insp Interva:			
TSSA Recd Tolerance:			
TSSA Program Area:			
TSSA Program Area 2:			
Description:			
Original Source:	EXP		
Record Date:	Up to May 2013		

<a href="#">41</a>	3 of 3	NNW/136.8	106.9 / 3.29	HOMER PROVOST SHELL SERVICE 374 SOUTH SERVICE RD E OAKVILLE ON	DTNK
--------------------	--------	-----------	--------------	--	------

**Delisted Expired Fuel Safety Facilities**

Instance No:	9648269	Expired Date:	
Status:	EXPIRED	Max Hazard Rank:	
Instance ID:	392699	Facility Location:	
Instance Type:	FS Facility	Facility Type:	
Instance Creation Dt:		Fuel Type 2:	
Instance Install Dt:		Fuel Type 3:	
Item Description:		Panam Related:	
Manufacturer:		Panam Venue Nm:	
Model:		External Identifier:	
Serial No:		Item:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>ULC Standard:</b> <b>Quantity:</b> <b>Unit of Measure:</b> <b>Overfill Prot Type:</b> <b>Creation Date:</b> <b>Next Periodic Str DT:</b> <b>TSSA Base Sched Cycle 2:</b> <b>TSSAMax Hazard Rank 1:</b> <b>TSSA Risk Based Periodic Yn:</b> <b>TSSA Volume of Directives:</b> <b>TSSA Periodic Exempt:</b> <b>TSSA Statutory Interval:</b> <b>TSSA Recd Insp Interva:</b> <b>TSSA Recd Tolerance:</b> <b>TSSA Program Area:</b> <b>TSSA Program Area 2:</b>				<b>Piping Steel:</b> <b>Piping Galvanized:</b> <b>Tank Single Wall St:</b> <b>Piping Underground:</b> <b>Tank Underground:</b> <b>Source:</b>	
<b>Description:</b> <b>Original Source:</b> <b>Record Date:</b>		FS Propane Refill Cntr - Cylr Fill EXP Up to Mar 2012			

<a href="#">42</a>	1 of 1	ENE/137.0	101.5 / -2.08	354 DAVIS RD OAKVILLE ON	WWIS
<b>Well ID:</b> 7104345 <b>Construction Date:</b> <b>Primary Water Use:</b> Not Used <b>Sec. Water Use:</b> <b>Final Well Status:</b> Observation Wells <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z66366 <b>Tag:</b> A062211 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>		<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 4/23/2008 <b>Selected Flag:</b> TRUE <b>Abandonment Rec:</b> <b>Contractor:</b> 6032 <b>Form Version:</b> 3 <b>Owner:</b> <b>Street Name:</b> 354 DAVIS RD <b>County:</b> HALTON <b>Municipality:</b> OAKVILLE TOWN <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>			
<b>PDF URL (Map):</b>		<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7104345.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7104345.pdf</a>			

**Additional Detail(s) (Map)**

<b>Well Completed Date:</b>	2008/03/17
<b>Year Completed:</b>	2008
<b>Depth (m):</b>	5.2
<b>Latitude:</b>	43.4612608612247
<b>Longitude:</b>	-79.6794467079198
<b>Path:</b>	710\7104345.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	1001580243	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	606828.00
<b>Code OB Desc:</b>		<b>North83:</b>	4812886.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Cluster Kind:</b>				<b>UTMRC:</b>	3
<b>Date Completed:</b>	17-Mar-2008 00:00:00			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1001626376			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>		01			
<b>Mat3 Desc:</b>		FILL			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		1.0			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1001626377			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		1.0			
<b>Formation End Depth:</b>		2.200000047683716			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1001626378			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		26			
<b>Most Common Material:</b>		ROCK			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		2.200000047683716			
<b>Formation End Depth:</b>		5.199999809265137			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1001626380			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.30000001192092896			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1001626381			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.30000001192092896			
<b>Plug To:</b>		4.0			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1001626386			
<b>Method Construction Code:</b>		6			
<b>Method Construction:</b>		Boring			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1001626375			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1001626383			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		4.19999809265137			
<b>Casing Diameter:</b>		5.0			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1001626384			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>					
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1001626382			
<b>Layer:</b>					
<b>Kind Code:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		m			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1001626379			
<b>Diameter:</b>		10.0			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		5.199999809265137			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

<a href="#">43</a>	1 of 1	E/138.7	100.2 / -3.41	354 DAVIS RD Oakville ON	WWIS
<b>Well ID:</b>	7187276			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>				<b>Date Received:</b>	9/18/2012
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Abandoned-Other			<b>Abandonment Rec:</b>	Yes
<b>Water Type:</b>				<b>Contractor:</b>	6875
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z134203			<b>Owner:</b>	
<b>Tag:</b>	A122495			<b>Street Name:</b>	354 DAVIS RD
<b>Construction Method:</b>				<b>County:</b>	HALTON
<b>Elevation (m):</b>				<b>Municipality:</b>	OAKVILLE TOWN
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/718\7187276.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7187276.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 2012/05/02  
**Year Completed:** 2012  
**Depth (m):**  
**Latitude:** 43.4605102719141  
**Longitude:** -79.6791663777998  
**Path:** 718\7187276.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	1004157032	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	606852.00
<b>Code OB Desc:</b>		<b>North83:</b>	4812803.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	02-May-2012 00:00:00	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004403406			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		2.0			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004403405			
<b>Layer:</b>		1			
<b>Plug From:</b>		2.0			
<b>Plug To:</b>		5.369999885559082			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004403404			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004403398			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004403402			
<b>Layer:</b>					
<b>Material:</b>					
<b>Open Hole or Material:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004403403			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

**Water Details**

**Water ID:** 1004403401  
**Layer:** 1  
**Kind Code:** 8  
**Kind:** Untested  
**Water Found Depth:** 1.5  
**Water Found Depth UOM:** m

**Hole Diameter**

**Hole ID:** 1004403400  
**Diameter:** 5.0  
**Depth From:** 0.0  
**Depth To:** 5.369999885559082  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

[44](#)      1 of 1      **W/141.3**      **109.8 / 6.28**      **ON**      **BORE**

<b>Borehole ID:</b> 890809 <b>OGF ID:</b> 215583726 <b>Status:</b> Decommissioned <b>Type:</b> Borehole <b>Use:</b> Geotechnical/Geological Investigation <b>Completion Date:</b> 10-JAN-1979 <b>Static Water Level:</b> <b>Primary Water Use:</b> <b>Sec. Water Use:</b> <b>Total Depth m:</b> 2 <b>Depth Ref:</b> Ground Surface <b>Depth Elev:</b> <b>Drill Method:</b> Solid stem auger <b>Orig Ground Elev m:</b> 110 <b>Elev Reliabil Note:</b> <b>DEM Ground Elev m:</b> 110 <b>Concession:</b> <b>Location D:</b> CON 3 SOUTH OF DUNDAS ST Foundation Investigation Report for Trafalgar Road Interchange W.P. 1-79-01 site Hwy. Q.E.W., District 4, Hamilton  <b>Survey D:</b> <b>Comments:</b>	<b>Inclin FLG:</b> No <b>SP Status:</b> Initial Entry <b>Surv Elev:</b> No <b>Piezometer:</b> No <b>Primary Name:</b> <b>Municipality:</b> <b>Lot:</b> LOT 13 <b>Township:</b> TRAFALGAR <b>Latitude DD:</b> 43.460986 <b>Longitude DD:</b> -79.68373 <b>UTM Zone:</b> 17 <b>Easting:</b> 606482 <b>Northing:</b> 4812850 <b>Location Accuracy:</b> <b>Accuracy:</b> Within 100 metres
---	--

**Borehole Geology Stratum**

<b>Geology Stratum ID:</b> 8502697 <b>Top Depth:</b> .3 <b>Bottom Depth:</b> 2 <b>Material Color:</b> <b>Material 1:</b> Fill <b>Material 2:</b> Shale <b>Material 3:</b> Sand <b>Material 4:</b> Silty <b>Gsc Material Description:</b> <b>Stratum Description:</b> Fill - grey angular shale fragments and silty sand matrix **Note: Many records provided by the department have a truncated [Stratum Description] field.	<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> Fill-Misc <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>
---	---

<b>Geology Stratum ID:</b> 8502696 <b>Top Depth:</b> 0 <b>Bottom Depth:</b> .3 <b>Material Color:</b> Brown <b>Material 1:</b> Fill <b>Material 2:</b> Sand	<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> Fill-Misc <b>Geologic Formation:</b> <b>Geologic Group:</b>
--	--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Material 3:</b>	Silty			<b>Geologic Period:</b>	
<b>Material 4:</b>	Gravelly			<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Fill - mixture of gravelly silty sand, silty clay and shale fragment. Brown **Note: Many records provided by the department have a truncated [Stratum Description] field.				

45      1 of 1      **WNW/141.5**      **109.8 / 6.28**      **ON**      **BORE**

<b>Borehole ID:</b>	890806	<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215583723	<b>SP Status:</b>	Initial Entry
<b>Status:</b>	Decommissioned	<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole	<b>Piezometer:</b>	No
<b>Use:</b>	Geotechnical/Geological Investigation	<b>Primary Name:</b>	
<b>Completion Date:</b>	15-JAN-1979	<b>Municipality:</b>	
<b>Static Water Level:</b>		<b>Lot:</b>	
<b>Primary Water Use:</b>		<b>Township:</b>	TRAFALGAR
<b>Sec. Water Use:</b>		<b>Latitude DD:</b>	43.4613
<b>Total Depth m:</b>	2.2	<b>Longitude DD:</b>	-79.683636
<b>Depth Ref:</b>	Ground Surface	<b>UTM Zone:</b>	17
<b>Depth Elev:</b>		<b>Easting:</b>	606489
<b>Drill Method:</b>	Power auger	<b>Northing:</b>	4812885
<b>Orig Ground Elev m:</b>	101	<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>		<b>Accuracy:</b>	Within 100 metres
<b>DEM Ground Elev m:</b>	110		
<b>Concession:</b>			
<b>Location D:</b>	Foundation Investigation Report for Trafalgar Road Interchange W.P. 1-79-01 site Hwy. Q.E.W., District 4, Hamilton		
<b>Survey D:</b>			
<b>Comments:</b>			

**Borehole Geology Stratum**

<b>Geology Stratum ID:</b>	8502687	<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.2	<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.3	<b>Material Texture:</b>	
<b>Material Color:</b>		<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Clay	<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silty	<b>Geologic Group:</b>	
<b>Material 3:</b>	Gravelly	<b>Geologic Period:</b>	
<b>Material 4:</b>		<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>			
<b>Stratum Description:</b>	Gravelly silty clay **Note: Many records provided by the department have a truncated [Stratum Description] field.		

<b>Geology Stratum ID:</b>	8502686	<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.1	<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.2	<b>Material Texture:</b>	
<b>Material Color:</b>		<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Stones	<b>Geologic Formation:</b>	
<b>Material 2:</b>		<b>Geologic Group:</b>	
<b>Material 3:</b>		<b>Geologic Period:</b>	
<b>Material 4:</b>		<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>			
<b>Stratum Description:</b>	Crushed stone **Note: Many records provided by the department have a truncated [Stratum Description] field.		

<b>Geology Stratum ID:</b>	8502688	<b>Mat Consistency:</b>	Hard
<b>Top Depth:</b>	.3	<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	2.1	<b>Material Texture:</b>	
<b>Material Color:</b>	Red	<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Clay	<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silty	<b>Geologic Group:</b>	
<b>Material 3:</b>	Shale	<b>Geologic Period:</b>	
<b>Material 4:</b>		<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Stratum Description:</b>		Silty clay with frequent shale fragments. Hard Red **Note: Many records provided by the department have a truncated [Stratum Description] field.			
<b>Geology Stratum ID:</b>	8502685			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.1			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Asphalt			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>		Asphalt **Note: Many records provided by the department have a truncated [Stratum Description] field.			
<b>Stratum Description:</b>		Asphalt **Note: Many records provided by the department have a truncated [Stratum Description] field.			
<b>Geology Stratum ID:</b>	8502689			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	2.1			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	2.2			<b>Material Texture:</b>	
<b>Material Color:</b>	Grey			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Bedrock			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Shale			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>		Apparent shale bedrock grey **Note: Many records provided by the department have a truncated [Stratum Description] field.			
<b>Stratum Description:</b>		Apparent shale bedrock grey **Note: Many records provided by the department have a truncated [Stratum Description] field.			

<a href="#">46</a>	1 of 1	ESE/147.0	99.8 / -3.72	DAVIS AVE. Oakville ON	WWIS
<b>Well ID:</b>	7173258			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	12/9/2011
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z140263			<b>Owner:</b>	
<b>Tag:</b>	A122497			<b>Street Name:</b>	DAVIS AVE.
<b>Construction Method:</b>				<b>County:</b>	HALTON
<b>Elevation (m):</b>				<b>Municipality:</b>	OAKVILLE TOWN
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/717\7173258.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/717\7173258.pdf)

**Additional Detail(s) (Map)**

<b>Well Completed Date:</b>	2011/11/17
<b>Year Completed:</b>	2011
<b>Depth (m):</b>	4.27
<b>Latitude:</b>	43.4598642716733
<b>Longitude:</b>	-79.6793658590565
<b>Path:</b>	717\7173258.pdf

**Bore Hole Information**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Bore Hole ID:</b> <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>	1003617684			<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> <b>East83:</b> <b>North83:</b> <b>Org CS:</b> <b>UTMRC:</b> <b>UTMRC Desc:</b> <b>Location Method:</b>	17 606837.00 4812731.00 UTM83 4 margin of error : 30 m - 100 m wwr

Overburden and Bedrock  
Materials Interval

<b>Formation ID:</b>	1004049358
<b>Layer:</b>	2
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	05
<b>Most Common Material:</b>	CLAY
<b>Mat2:</b>	12
<b>Mat2 Desc:</b>	STONES
<b>Mat3:</b>	85
<b>Mat3 Desc:</b>	SOFT
<b>Formation Top Depth:</b>	0.9100000262260437
<b>Formation End Depth:</b>	2.740000009536743
<b>Formation End Depth UOM:</b>	m

Overburden and Bedrock  
Materials Interval

<b>Formation ID:</b>	1004049359
<b>Layer:</b>	3
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	17
<b>Most Common Material:</b>	SHALE
<b>Mat2:</b>	
<b>Mat2 Desc:</b>	
<b>Mat3:</b>	85
<b>Mat3 Desc:</b>	SOFT
<b>Formation Top Depth:</b>	2.740000009536743
<b>Formation End Depth:</b>	4.269999980926514
<b>Formation End Depth UOM:</b>	m

Overburden and Bedrock  
Materials Interval

<b>Formation ID:</b>	1004049357
<b>Layer:</b>	1
<b>Color:</b>	6
<b>General Color:</b>	BROWN
<b>Mat1:</b>	01
<b>Most Common Material:</b>	FILL
<b>Mat2:</b>	85
<b>Mat2 Desc:</b>	SOFT
<b>Mat3:</b>	77
<b>Mat3 Desc:</b>	LOOSE

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		0.9100000262260437			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004049368			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.9100000262260437			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004049369			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.9100000262260437			
<b>Plug To:</b>		4.269999980926514			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004049367			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004049356			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004049363			
<b>Layer:</b>		1			
<b>Material:</b>					
<b>Open Hole or Material:</b>					
<b>Depth From:</b>		-1.0			
<b>Depth To:</b>		1.2200000286102295			
<b>Casing Diameter:</b>		4.03000020980835			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004049364			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		1.2200000286102295			
<b>Screen End Depth:</b>		4.269999980926514			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		4.820000171661377			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Water Details**

Water ID: 1004049362  
 Layer:  
 Kind Code:  
 Kind:  
 Water Found Depth:  
 Water Found Depth UOM: m

**Hole Diameter**

Hole ID: 1004049361  
 Diameter: 11.430000305175781  
 Depth From: 0.0  
 Depth To: 3.0999999046325684  
 Hole Depth UOM: m  
 Hole Diameter UOM: cm

**Hole Diameter**

Hole ID: 1004049360  
 Diameter: 7.619999885559082  
 Depth From: 3.0999999046325684  
 Depth To: 4.269999980926514  
 Hole Depth UOM: m  
 Hole Diameter UOM: cm

47      1 of 1      **WNW/149.6**      **109.8 / 6.28**      **ON**      **BORE**

**Borehole ID:** 890805  
**OGF ID:** 215583722  
**Status:** Decommissioned  
**Type:** Borehole  
**Use:** Geotechnical/Geological Investigation  
**Completion Date:** 12-JAN-1979  
**Static Water Level:**  
**Primary Water Use:**  
**Sec. Water Use:**  
**Total Depth m:** 8.5  
**Depth Ref:** Ground Surface  
**Depth Elev:**  
**Drill Method:** Solid stem auger  
**Orig Ground Elev m:** 113  
**Elev Reliabil Note:**  
**DEM Ground Elev m:** 110

**Inclin FLG:** No  
**SP Status:** Initial Entry  
**Surv Elev:** No  
**Piezometer:** No  
**Primary Name:**  
**Municipality:**  
**Lot:**  
**Township:** TRAFALGAR  
**Latitude DD:** 43.461095  
**Longitude DD:** -79.683814  
**UTM Zone:** 17  
**Easting:** 606475  
**Northing:** 4812862  
**Location Accuracy:**  
**Accuracy:** Within 100 metres

**Concession:**  
**Location D:** Foundation Investigation Report for Trafalgar Road Interchange W.P. 1-79-01 site Hwy. Q.E.W., District 4, Hamilton

**Survey D:**  
**Comments:**

**Borehole Geology Stratum**

**Geology Stratum ID:** 8502684  
**Top Depth:** 8.3  
**Bottom Depth:** 8.5  
**Material Color:**  
**Material 1:** Bedrock  
**Material 2:** Shale  
**Material 3:**  
**Material 4:**

**Mat Consistency:**  
**Material Moisture:**  
**Material Texture:**  
**Non Geo Mat Type:**  
**Geologic Formation:**  
**Geologic Group:**  
**Geologic Period:**  
**Depositional Gen:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		Apparent shale bedrock **Note: Many records provided by the department have a truncated [Stratum Description] field.			
<b>Geology Stratum ID:</b>	8502682			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.3			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	7.8			<b>Material Texture:</b>	
<b>Material Color:</b>	Red			<b>Non Geo Mat Type:</b>	Fill-Misc
<b>Material 1:</b>	Fill			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Clay			<b>Geologic Group:</b>	
<b>Material 3:</b>	Silty			<b>Geologic Period:</b>	
<b>Material 4:</b>	Shale			<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		Fill - silty clay with shale fragments. Red **Note: Many records provided by the department have a truncated [Stratum Description] field.			
<b>Geology Stratum ID:</b>	8502680			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.1			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Asphalt			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		Asphalt **Note: Many records provided by the department have a truncated [Stratum Description] field.			
<b>Geology Stratum ID:</b>	8502683			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	7.8			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	8.3			<b>Material Texture:</b>	
<b>Material Color:</b>	Brown			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Gravelly			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		Gravelly sand. Brown **Note: Many records provided by the department have a truncated [Stratum Description] field.			
<b>Geology Stratum ID:</b>	8502681			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.1			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.3			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Gravelly			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>		Gravelly sand **Note: Many records provided by the department have a truncated [Stratum Description] field.			

[48](#)

1 of 1

NW/150.1

108.3 / 4.69

TRANSPORT TRUCK  
Q.E.W. WESTBOUND LANE JUST EAST OF  
TRAFALGAR ROAD. TRANSPORT TRUCK  
(CARGO)  
OAKVILLE TOWN ON

SPL

**Ref No:** 45922  
**Site No:**  
**Incident Dt:** 1/22/1991  
**Year:**  
**Incident Cause:** OTHER CONTAINER LEAK  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**

**Discharger Report:**  
**Material Group:**  
**Health/Env Conseq:**  
**Client Type:**  
**Sector Type:**  
**Agency Involved:**  
**Nearest Watercourse:**  
**Site Address:**  
**Site District Office:**



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> NOT ANTICIPATED <b>Nature of Impact:</b> Soil contamination <b>Receiving Medium:</b> LAND <b>Receiving Env:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 1/22/1991 <b>Dt Document Closed:</b> <b>Incident Reason:</b> EQUIPMENT FAILURE <b>Site Name:</b> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> TRANSPORT TRUCK-375 L DIESEL FUEL FROM SADDLE TANKS TO ROADSIDE. <b>Contaminant Qty:</b>				<b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> 14403 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> OPP, FD, MTO <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> <b>Source Type:</b>	

<a href="#">49</a>	1 of 1	E/150.2	100.8 / -2.72	420 SOUTH SERVICE RD. E OAKVILLE ON	WWIS
<b>Well ID:</b> 7241911 <b>Construction Date:</b> <b>Primary Water Use:</b> Monitoring and Test Hole <b>Sec. Water Use:</b> 0 <b>Final Well Status:</b> Observation Wells <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z204488 <b>Tag:</b> A157923 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 5/28/2015 <b>Selected Flag:</b> TRUE <b>Abandonment Rec:</b> <b>Contractor:</b> 7241 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> 420 SOUTH SERVICE RD. E <b>County:</b> HALTON <b>Municipality:</b> OAKVILLE TOWN <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	

PDF URL (Map):

**Additional Detail(s) (Map)**

**Well Completed Date:** 2015/02/17  
**Year Completed:** 2015  
**Depth (m):** 20.1168  
**Latitude:** 43.4609776602486  
**Longitude:** -79.6790943947742  
**Path:**

**Bore Hole Information**

<b>Bore Hole ID:</b> 1005383359 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 17-Feb-2015 00:00:00	<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> 17 <b>East83:</b> 606857.00 <b>North83:</b> 4812855.00 <b>Org CS:</b> UTM83 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m
---	--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Remarks:</b>				<b>Location Method:</b>	WWF
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1005607979			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		9.0			
<b>Formation End Depth:</b>		66.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1005607978			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		05			
<b>Mat2 Desc:</b>		CLAY			
<b>Mat3:</b>		66			
<b>Mat3 Desc:</b>		DENSE			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		9.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1005607989			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		1.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1005607990			
<b>Layer:</b>		2			
<b>Plug From:</b>		1.0			
<b>Plug To:</b>		55.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug ID:</b>		1005607991			
<b>Layer:</b>		3			
<b>Plug From:</b>		55.0			
<b>Plug To:</b>		66.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005607988			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005607977			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005607984			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		-3.0			
<b>Depth To:</b>		56.0			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005607985			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		56.0			
<b>Screen End Depth:</b>		66.0			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		1.5			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005607983			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005607981			
<b>Diameter:</b>		5.0			
<b>Depth From:</b>		27.0			
<b>Depth To:</b>		30.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005607980			
<b>Diameter:</b>		8.0			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		27.0			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005607982			
<b>Diameter:</b>		3.5			
<b>Depth From:</b>		30.0			
<b>Depth To:</b>		66.0			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			

<a href="#">50</a>	1 of 1	ESE/151.9	99.8 / -3.72	354 DAVIS RD Oakville ON	WWIS
--------------------	--------	-----------	--------------	-----------------------------	------

<b>Well ID:</b>	7187278	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>		<b>Date Received:</b>	9/18/2012
<b>Sec. Water Use:</b>		<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Abandoned-Other	<b>Abandonment Rec:</b>	Yes
<b>Water Type:</b>		<b>Contractor:</b>	6875
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z134200	<b>Owner:</b>	
<b>Tag:</b>	A122497	<b>Street Name:</b>	354 DAVIS RD
<b>Construction Method:</b>		<b>County:</b>	HALTON
<b>Elevation (m):</b>		<b>Municipality:</b>	OAKVILLE TOWN
<b>Elevation Reliability:</b>		<b>Site Info:</b>	
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/718\7187278.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7187278.pdf)

**Additional Detail(s) (Map)**

<b>Well Completed Date:</b>	2012/05/07
<b>Year Completed:</b>	2012
<b>Depth (m):</b>	
<b>Latitude:</b>	43.4599973025939
<b>Longitude:</b>	-79.6791899075352
<b>Path:</b>	718\7187278.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	1004157038	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	606851.00

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Code OB Desc:</b>				<b>North83:</b>	4812746.00
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	07-May-2012 00:00:00			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004403481			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		2.0			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004403480			
<b>Layer:</b>		1			
<b>Plug From:</b>		2.0			
<b>Plug To:</b>		4.5			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004403479			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004403473			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004403477			
<b>Layer:</b>					
<b>Material:</b>					
<b>Open Hole or Material:</b>					
<b>Depth From:</b>					
<b>Depth To:</b>					
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004403478			
<b>Layer:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Slot:</b>					
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b> m					
<b>Screen Diameter UOM:</b> cm					
<b>Screen Diameter:</b>					
<b><u>Water Details</u></b>					
<b>Water ID:</b> 1004403476					
<b>Layer:</b> 1					
<b>Kind Code:</b> 8					
<b>Kind:</b> Untested					
<b>Water Found Depth:</b> 1.5					
<b>Water Found Depth UOM:</b> m					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b> 1004403475					
<b>Diameter:</b> 5.0					
<b>Depth From:</b> 0.0					
<b>Depth To:</b> 4.5					
<b>Hole Depth UOM:</b> m					
<b>Hole Diameter UOM:</b> cm					

<a href="#">51</a>	1 of 1	NW/152.6	108.9 / 5.32	ON	BORE
<b>Borehole ID:</b> 890799					
<b>OGF ID:</b> 215583716					
<b>Status:</b> Decommissioned					
<b>Type:</b> Borehole					
<b>Use:</b> Geotechnical/Geological Investigation					
<b>Completion Date:</b> 12-JAN-1979					
<b>Static Water Level:</b>					
<b>Primary Water Use:</b>					
<b>Sec. Water Use:</b>					
<b>Total Depth m:</b> 7.7					
<b>Depth Ref:</b> Ground Surface					
<b>Depth Elev:</b>					
<b>Drill Method:</b> Solid stem auger					
<b>Orig Ground Elev m:</b> 114					
<b>Elev Reliabil Note:</b>					
<b>DEM Ground Elev m:</b> 109					
<b>Concession:</b> CON 2 SOUTH OF DUNDAS ST					
<b>Location D:</b> Foundation Investigation Report for Trafalgar Road Interchange W.P. 1-79-01 site Hwy. Q.E.W., District 4, Hamilton					
<b>Survey D:</b>					
<b>Comments:</b>					
<b><u>Borehole Geology Stratum</u></b>					
<b>Geology Stratum ID:</b> 8502650					
<b>Top Depth:</b> 0					
<b>Bottom Depth:</b> .3					
<b>Material Color:</b>					
<b>Material 1:</b> Asphalt					
<b>Material 2:</b>					
<b>Material 3:</b>					
<b>Material 4:</b>					
<b>Gsc Material Description:</b>					
<b>Inclin FLG:</b> No					
<b>SP Status:</b> Initial Entry					
<b>Surv Elev:</b> No					
<b>Piezometer:</b> No					
<b>Primary Name:</b>					
<b>Municipality:</b>					
<b>Lot:</b> LOT 12					
<b>Township:</b> TRAFALGAR					
<b>Latitude DD:</b> 43.461936					
<b>Longitude DD:</b> -79.683326					
<b>UTM Zone:</b> 17					
<b>Easting:</b> 606513					
<b>Northing:</b> 4812956					
<b>Location Accuracy:</b>					
<b>Accuracy:</b> Within 100 metres					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Stratum Description:</b>		Asphalt **Note: Many records provided by the department have a truncated [Stratum Description] field.			
<b>Geology Stratum ID:</b>	8502651			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.3			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.9			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silty			<b>Geologic Group:</b>	
<b>Material 3:</b>	Gravelly			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Gravelly silty sand.				
<b>Geology Stratum ID:</b>	8502652			<b>Mat Consistency:</b>	Stiff
<b>Top Depth:</b>	.9			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	7.6			<b>Material Texture:</b>	
<b>Material Color:</b>	Red			<b>Non Geo Mat Type:</b>	Fill-Misc
<b>Material 1:</b>	Fill			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Clay			<b>Geologic Group:</b>	
<b>Material 3:</b>	Silty			<b>Geologic Period:</b>	
<b>Material 4:</b>	Shale			<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Fill - silty clay with shale fragments. Stiff Red **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<b>Geology Stratum ID:</b>	8502653			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	7.6			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	7.7			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Bedrock			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Shale			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Apparent Shale bedrock **Note: Many records provided by the department have a truncated [Stratum Description] field.				

<a href="#">52</a>	1 of 1	E/152.7	100.8 / -2.72	420 SOUTH SERVICE RD. E OAKVILLE ON	WWIS
<b>Well ID:</b>	7241910			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	5/28/2015
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Observation Wells			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z204487			<b>Owner:</b>	
<b>Tag:</b>	A166842			<b>Street Name:</b>	420 SOUTH SERVICE RD. E
<b>Construction Method:</b>				<b>County:</b>	HALTON
<b>Elevation (m):</b>				<b>Municipality:</b>	OAKVILLE TOWN
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

PDF URL (Map):

[Additional Detail\(s\) \(Map\)](#)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Well Completed Date:** 2015/02/13  
**Year Completed:** 2015  
**Depth (m):** 20.1168  
**Latitude:** 43.4609953786178  
**Longitude:** -79.6790692863386  
**Path:**

**Bore Hole Information**

<b>Bore Hole ID:</b>	1005383342	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	606859.00
<b>Code OB Desc:</b>		<b>North83:</b>	4812857.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	13-Feb-2015 00:00:00	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1005607956  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 17  
**Most Common Material:** SHALE  
**Mat2:**  
**Mat2 Desc:**  
**Mat3:**  
**Mat3 Desc:**  
**Formation Top Depth:** 9.0  
**Formation End Depth:** 66.0  
**Formation End Depth UOM:** ft

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1005607955  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 06  
**Most Common Material:** SILT  
**Mat2:** 05  
**Mat2 Desc:** CLAY  
**Mat3:** 66  
**Mat3 Desc:** DENSE  
**Formation Top Depth:** 0.0  
**Formation End Depth:** 9.0  
**Formation End Depth UOM:** ft

**Annular Space/Abandonment**

**Sealing Record**



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug ID:</b>		1005607968			
<b>Layer:</b>		3			
<b>Plug From:</b>		55.0			
<b>Plug To:</b>		66.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005607966			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		1.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005607967			
<b>Layer:</b>		2			
<b>Plug From:</b>		1.0			
<b>Plug To:</b>		55.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005607965			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005607954			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005607961			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		-3.0			
<b>Depth To:</b>		56.0			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005607962			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		56.0			
<b>Screen End Depth:</b>		66.0			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		1.5			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1005607960			
<b>Layer:</b>					
<b>Kind Code:</b>					
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b>		ft			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005607958			
<b>Diameter:</b>		5.0			
<b>Depth From:</b>		27.0			
<b>Depth To:</b>		30.0			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005607957			
<b>Diameter:</b>		8.0			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		27.0			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1005607959			
<b>Diameter:</b>		3.5			
<b>Depth From:</b>		30.0			
<b>Depth To:</b>		66.0			
<b>Hole Depth UOM:</b>		ft			
<b>Hole Diameter UOM:</b>		inch			
<a href="#">53</a>	1 of 1	SE/154.7	99.8 / -3.72	DAVIS AVE. Oakville ON	WWIS
<b>Well ID:</b>		7173257		<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>		Monitoring and Test Hole		<b>Date Received:</b> 12/9/2011	
<b>Sec. Water Use:</b>		0		<b>Selected Flag:</b> TRUE	
<b>Final Well Status:</b>		Test Hole		<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b> 7241	
<b>Casing Material:</b>				<b>Form Version:</b> 7	
<b>Audit No:</b>		Z140260		<b>Owner:</b>	
<b>Tag:</b>		A122496		<b>Street Name:</b> DAVIS AVE.	
<b>Construction Method:</b>				<b>County:</b> HALTON	
<b>Elevation (m):</b>				<b>Municipality:</b> OAKVILLE TOWN	
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

PDF URL (Map): [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/717\7173257.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/717\7173257.pdf)

**Additional Detail(s) (Map)**

Well Completed Date: 2011/11/17  
Year Completed: 2011  
Depth (m): 4.57  
Latitude: 43.4593017147959  
Longitude: -79.6797736562147  
Path: 717\7173257.pdf

**Bore Hole Information**

Bore Hole ID:	1003617682	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	606805.00
Code OB Desc:		North83:	4812668.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	17-Nov-2011 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock**

**Materials Interval**

Formation ID: 1004049304  
Layer: 2  
Color: 6  
General Color: BROWN  
Mat1: 05  
Most Common Material: CLAY  
Mat2: 12  
Mat2 Desc: STONES  
Mat3: 85  
Mat3 Desc: SOFT  
Formation Top Depth: 0.3100000023841858  
Formation End Depth: 3.0999999046325684  
Formation End Depth UOM: m

**Overburden and Bedrock**

**Materials Interval**

Formation ID: 1004049305  
Layer: 3  
Color: 2  
General Color: GREY  
Mat1: 17  
Most Common Material: SHALE  
Mat2:  
Mat2 Desc:  
Mat3: 85  
Mat3 Desc: SOFT  
Formation Top Depth: 3.0999999046325684  
Formation End Depth: 4.570000171661377

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1004049303			
<b>Layer:</b>		1			
<b>Color:</b>		8			
<b>General Color:</b>		BLACK			
<b>Mat1:</b>		11			
<b>Most Common Material:</b>		GRAVEL			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>		77			
<b>Mat3 Desc:</b>		LOOSE			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		0.3100000023841858			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004049315			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.3100000023841858			
<b>Plug To:</b>		1.2200000286102295			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004049314			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.3100000023841858			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004049316			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.2200000286102295			
<b>Plug To:</b>		4.570000171661377			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004049313			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004049302			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Construction Record - Casing**

**Casing ID:** 1004049309  
**Layer:** 1  
**Material:**  
**Open Hole or Material:**  
**Depth From:** 0.0  
**Depth To:** 1.5399999618530273  
**Casing Diameter:** 4.03000020980835  
**Casing Diameter UOM:** cm  
**Casing Depth UOM:** m

**Construction Record - Screen**

**Screen ID:** 1004049310  
**Layer:** 1  
**Slot:** 10  
**Screen Top Depth:** 1.5399999618530273  
**Screen End Depth:** 4.570000171661377  
**Screen Material:**  
**Screen Depth UOM:** m  
**Screen Diameter UOM:** cm  
**Screen Diameter:** 4.820000171661377

**Water Details**

**Water ID:** 1004049308  
**Layer:**  
**Kind Code:**  
**Kind:**  
**Water Found Depth:**  
**Water Found Depth UOM:** m

**Hole Diameter**

**Hole ID:** 1004049306  
**Diameter:** 7.619999885559082  
**Depth From:** 3.0999999046325684  
**Depth To:** 4.570000171661377  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

**Hole Diameter**

**Hole ID:** 1004049307  
**Diameter:** 11.430000305175781  
**Depth From:** 0.0  
**Depth To:** 3.0999999046325684  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

<a href="#">54</a>	1 of 1	ESE/155.1	99.8 / -3.72	354 DAVIS RD Oakville ON	WWIS
--------------------	--------	-----------	--------------	-----------------------------	------

<b>Well ID:</b> 7187277	<b>Data Entry Status:</b>
<b>Construction Date:</b>	<b>Data Src:</b>
<b>Primary Water Use:</b>	<b>Date Received:</b> 9/18/2012
<b>Sec. Water Use:</b>	<b>Selected Flag:</b> TRUE
<b>Final Well Status:</b> Abandoned-Other	<b>Abandonment Rec:</b> Yes
<b>Water Type:</b>	<b>Contractor:</b> 6875
<b>Casing Material:</b>	<b>Form Version:</b> 7

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Audit No:</b>	Z134201			<b>Owner:</b>	
<b>Tag:</b>				<b>Street Name:</b>	354 DAVIS RD
<b>Construction Method:</b>				<b>County:</b>	HALTON
<b>Elevation (m):</b>				<b>Municipality:</b>	OAKVILLE TOWN
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/718\7187277.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/718\7187277.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 2012/05/07  
**Year Completed:** 2012  
**Depth (m):**  
**Latitude:** 43.4595777788147  
**Longitude:** -79.6795080669607  
**Path:** 718\7187277.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	1004157035	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	606826.00
<b>Code OB Desc:</b>		<b>North83:</b>	4812699.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	07-May-2012 00:00:00	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Annular Space/Abandonment Sealing Record**

**Plug ID:** 1004403448  
**Layer:** 1  
**Plug From:** 2.0  
**Plug To:** 4.559999942779541  
**Plug Depth UOM:** m

**Annular Space/Abandonment Sealing Record**

**Plug ID:** 1004403449  
**Layer:** 2  
**Plug From:** 0.0  
**Plug To:** 2.0  
**Plug Depth UOM:** m

**Method of Construction & Well**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Use</u></b>					
	Method Construction ID:	1004403447			
	Method Construction Code:				
	Method Construction:				
	Other Method Construction:				
<b><u>Pipe Information</u></b>					
	Pipe ID:	1004403441			
	Casing No:	0			
	Comment:				
	Alt Name:				
<b><u>Construction Record - Casing</u></b>					
	Casing ID:	1004403445			
	Layer:				
	Material:				
	Open Hole or Material:				
	Depth From:				
	Depth To:				
	Casing Diameter:				
	Casing Diameter UOM:	cm			
	Casing Depth UOM:	m			
<b><u>Construction Record - Screen</u></b>					
	Screen ID:	1004403446			
	Layer:				
	Slot:				
	Screen Top Depth:				
	Screen End Depth:				
	Screen Material:				
	Screen Depth UOM:	m			
	Screen Diameter UOM:	cm			
	Screen Diameter:				
<b><u>Water Details</u></b>					
	Water ID:	1004403444			
	Layer:	1			
	Kind Code:	8			
	Kind:	Untested			
	Water Found Depth:	1.5			
	Water Found Depth UOM:	m			
<b><u>Hole Diameter</u></b>					
	Hole ID:	1004403443			
	Diameter:	5.0			
	Depth From:	0.0			
	Depth To:	4.559999942779541			
	Hole Depth UOM:	m			
	Hole Diameter UOM:	cm			

55

1 of 1

E/155.8

100.8 / -2.72

354 DAVIS DRIVE  
Oakville ON

WWIS

Well ID: 7205230  
Construction Date:Data Entry Status:  
Data Src:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	7/23/2013
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z173711			<b>Owner:</b>	
<b>Tag:</b>	A149976			<b>Street Name:</b>	354 DAVIS DRIVE
<b>Construction Method:</b>				<b>County:</b>	HALTON
<b>Elevation (m):</b>				<b>Municipality:</b>	OAKVILLE TOWN
<b>Elevation Reliability:</b>				<b>Site Info:</b>	WKQ-006085 A0-A05
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>					

**Additional Detail(s) (Map)**

**Well Completed Date:** 2013/06/20  
**Year Completed:** 2013  
**Depth (m):** 4.57  
**Latitude:** 43.4609406529043  
**Longitude:** -79.6790086714576  
**Path:**

**Bore Hole Information**

<b>Bore Hole ID:</b>	1004448588	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	606864.00
<b>Code OB Desc:</b>		<b>North83:</b>	4812851.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	3
<b>Date Completed:</b>	20-Jun-2013 00:00:00	<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>		<b>Location Method:</b>	gis
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock  
Materials Interval**

**Formation ID:** 1004876828  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 11  
**Most Common Material:** GRAVEL  
**Mat2:** 28  
**Mat2 Desc:** SAND  
**Mat3:** 85  
**Mat3 Desc:** SOFT  
**Formation Top Depth:** 0.0  
**Formation End Depth:** 1.2200000286102295



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1004876830			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>		92			
<b>Mat2 Desc:</b>		WEATHERED			
<b>Mat3:</b>		91			
<b>Mat3 Desc:</b>		WATER-BEARING			
<b>Formation Top Depth:</b>		3.0999999046325684			
<b>Formation End Depth:</b>		4.570000171661377			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1004876829			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		1.2200000286102295			
<b>Formation End Depth:</b>		3.0999999046325684			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004876839			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.3100000023841858			
<b>Plug To:</b>		1.2200000286102295			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004876840			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.2200000286102295			
<b>Plug To:</b>		4.570000171661377			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004876838			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.3100000023841858			
<b>Plug Depth UOM:</b>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Method of Construction & Well Use**

Method Construction ID: 1004876837  
Method Construction Code: B  
Method Construction: Other Method  
Other Method Construction:

**Pipe Information**

Pipe ID: 1004876827  
Casing No: 0  
Comment:  
Alt Name:

**Construction Record - Casing**

Casing ID: 1004876833  
Layer: 1  
Material: 5  
Open Hole or Material: PLASTIC  
Depth From: 0.0  
Depth To: 1.5  
Casing Diameter: 4.03000020980835  
Casing Diameter UOM: cm  
Casing Depth UOM: m

**Construction Record - Screen**

Screen ID: 1004876834  
Layer: 1  
Slot: 10  
Screen Top Depth: 1.5  
Screen End Depth: 4.570000171661377  
Screen Material: 5  
Screen Depth UOM: m  
Screen Diameter UOM: cm  
Screen Diameter: 4.820000171661377

**Water Details**

Water ID: 1004876832  
Layer:  
Kind Code:  
Kind:  
Water Found Depth:  
Water Found Depth UOM: m

**Hole Diameter**

Hole ID: 1004876831  
Diameter: 11.430000305175781  
Depth From: 0.0  
Depth To: 4.570000171661377  
Hole Depth UOM: m  
Hole Diameter UOM: cm

<a href="#">56</a>	1 of 1	SE/156.1	99.8 / -3.72	354 DAVIS RD Oakville ON	WWIS
--------------------	--------	----------	--------------	-----------------------------	------

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Well ID:</b>	7207704			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	9/12/2013
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Monitoring and Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z167838			<b>Owner:</b>	
<b>Tag:</b>	A128427			<b>Street Name:</b>	354 DAVIS RD
<b>Construction Method:</b>				<b>County:</b>	HALTON
<b>Elevation (m):</b>				<b>Municipality:</b>	OAKVILLE TOWN
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>					
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>	2013/07/15				
<b>Year Completed:</b>	2013				
<b>Depth (m):</b>	6.1				
<b>Latitude:</b>	43.4591859734342				
<b>Longitude:</b>	-79.6798874234697				
<b>Path:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1004563895			<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	606796.00
<b>Code OB Desc:</b>				<b>North83:</b>	4812655.00
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	15-Jul-2013 00:00:00			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1004587352				
<b>Layer:</b>	2				
<b>Color:</b>	6				
<b>General Color:</b>	BROWN				
<b>Mat1:</b>	06				
<b>Most Common Material:</b>	SILT				
<b>Mat2:</b>	05				
<b>Mat2 Desc:</b>	CLAY				
<b>Mat3:</b>	66				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat3 Desc:</b>		DENSE			
<b>Formation Top Depth:</b>		0.30000001192092896			
<b>Formation End Depth:</b>		3.0999999046325684			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1004587351			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		02			
<b>Most Common Material:</b>		TOPSOIL			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>		77			
<b>Mat3 Desc:</b>		LOOSE			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		0.30000001192092896			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1004587353			
<b>Layer:</b>		3			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>		26			
<b>Mat3 Desc:</b>		ROCK			
<b>Formation Top Depth:</b>		3.0999999046325684			
<b>Formation End Depth:</b>		6.099999904632568			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004587364			
<b>Layer:</b>		3			
<b>Plug From:</b>		3.0999999046325684			
<b>Plug To:</b>		6.099999904632568			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004587362			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.30000001192092896			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004587363			
<b>Layer:</b>		2			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Plug From:</i>		0.30000001192092896			
<i>Plug To:</i>		3.0999999046325684			
<i>Plug Depth UOM:</i>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1004587361			
<i>Method Construction Code:</i>		5			
<i>Method Construction:</i>		Air Percussion			
<i>Other Method Construction:</i>					
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1004587350			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1004587357			
<i>Layer:</i>		1			
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>		0.0			
<i>Depth To:</i>		3.3499999046325684			
<i>Casing Diameter:</i>		4.03000020980835			
<i>Casing Diameter UOM:</i>		cm			
<i>Casing Depth UOM:</i>		m			
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>		1004587358			
<i>Layer:</i>		1			
<i>Slot:</i>		10			
<i>Screen Top Depth:</i>		3.3499999046325684			
<i>Screen End Depth:</i>		6.099999904632568			
<i>Screen Material:</i>		5			
<i>Screen Depth UOM:</i>		m			
<i>Screen Diameter UOM:</i>		cm			
<i>Screen Diameter:</i>		4.820000171661377			
<b><u>Water Details</u></b>					
<i>Water ID:</i>		1004587356			
<i>Layer:</i>					
<i>Kind Code:</i>					
<i>Kind:</i>					
<i>Water Found Depth:</i>					
<i>Water Found Depth UOM:</i>		m			
<b><u>Hole Diameter</u></b>					
<i>Hole ID:</i>		1004587354			
<i>Diameter:</i>		20.31999969482422			
<i>Depth From:</i>		0.0			
<i>Depth To:</i>		3.0999999046325684			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Hole Diameter**

Hole ID: 1004587355  
 Diameter: 8.890000343322754  
 Depth From: 3.0999999046325684  
 Depth To: 6.099999904632568  
 Hole Depth UOM: m  
 Hole Diameter UOM: cm

57 1 of 1 WNW/160.7 109.8 / 6.28 ON BORE

**Borehole ID:** 890802 **Inclin FLG:** No  
**OGF ID:** 215583719 **SP Status:** Initial Entry  
**Status:** Decommissioned **Surv Elev:** No  
**Type:** Borehole **Piezometer:** No  
**Use:** Geotechnical/Geological Investigation **Primary Name:**  
**Completion Date:** 23-JAN-1979 **Municipality:**  
**Static Water Level:** **Lot:** LOT 13  
**Primary Water Use:** **Township:** TRAFALGAR  
**Sec. Water Use:** **Latitude DD:** 43.46158  
**Total Depth m:** 2.7 **Longitude DD:** -79.683729  
**Depth Ref:** Ground Surface **UTM Zone:** 17  
**Depth Elev:** **Easting:** 606481  
**Drill Method:** Solid stem auger **Northing:** 4812916  
**Orig Ground Elev m:** 108 **Location Accuracy:**  
**Elev Reliabil Note:** **Accuracy:** Within 100 metres  
**DEM Ground Elev m:** 110  
**Concession:** CON 2 SOUTH OF DUNDAS ST  
**Location D:** Foundation Investigation Report for Trafalgar Road Interchange W.P. 1-79-01 site Hwy. Q.E.W., District 4, Hamilton  
**Survey D:**  
**Comments:**

**Borehole Geology Stratum**

**Geology Stratum ID:** 8502666 **Mat Consistency:**  
**Top Depth:** .5 **Material Moisture:**  
**Bottom Depth:** .9 **Material Texture:**  
**Material Color:** **Non Geo Mat Type:**  
**Material 1:** Limestone **Geologic Formation:**  
**Material 2:** **Geologic Group:**  
**Material 3:** **Geologic Period:**  
**Material 4:** **Depositional Gen:**  
**Gsc Material Description:**  
**Stratum Description:** Limestone screenings \*\*Note: Many records provided by the department have a truncated [Stratum Description] field.

**Geology Stratum ID:** 8502668 **Mat Consistency:**  
**Top Depth:** 2.3 **Material Moisture:**  
**Bottom Depth:** 2.7 **Material Texture:**  
**Material Color:** Red **Non Geo Mat Type:**  
**Material 1:** Shale **Geologic Formation:**  
**Material 2:** Bedrock **Geologic Group:**  
**Material 3:** **Geologic Period:**  
**Material 4:** **Depositional Gen:**  
**Gsc Material Description:**  
**Stratum Description:** Apparent shale bedrock red & grey \*\*Note: Many records provided by the department have a truncated [Stratum Description] field.

**Geology Stratum ID:** 8502667 **Mat Consistency:**  
**Top Depth:** .9 **Material Moisture:**  
**Bottom Depth:** 2.3 **Material Texture:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Material Color:** Red  
**Material 1:** Clay  
**Material 2:** Gravelly  
**Material 3:** Silty  
**Material 4:** Shale  
**Gsc Material Description:**  
**Stratum Description:** Gravelly silty clay to weathered shale Red \*\*Note: Many records provided by the department have a truncated [Stratum Description] field.

**Non Geo Mat Type:**  
**Geologic Formation:**  
**Geologic Group:**  
**Geologic Period:**  
**Depositional Gen:**

**Geology Stratum ID:** 8502664  
**Top Depth:** 0  
**Bottom Depth:** .2  
**Material Color:**  
**Material 1:** Asphalt  
**Material 2:**  
**Material 3:**  
**Material 4:**  
**Gsc Material Description:**  
**Stratum Description:** Asphalt \*\*Note: Many records provided by the department have a truncated [Stratum Description] field.

**Mat Consistency:**  
**Material Moisture:**  
**Material Texture:**  
**Non Geo Mat Type:**  
**Geologic Formation:**  
**Geologic Group:**  
**Geologic Period:**  
**Depositional Gen:**

**Geology Stratum ID:** 8502665  
**Top Depth:** .2  
**Bottom Depth:** .5  
**Material Color:**  
**Material 1:** Concrete  
**Material 2:**  
**Material 3:**  
**Material 4:**  
**Gsc Material Description:**  
**Stratum Description:** Concrete \*\*Note: Many records provided by the department have a truncated [Stratum Description] field.

**Mat Consistency:**  
**Material Moisture:**  
**Material Texture:**  
**Non Geo Mat Type:**  
**Geologic Formation:**  
**Geologic Group:**  
**Geologic Period:**  
**Depositional Gen:**

<a href="#">58</a>	1 of 8	WNW/162.1	109.8 / 6.28	UNKNOWN QUEEN ELIZABETH WAY AND TRAFALGAR OAKVILLE TOWN ON	SPL
--------------------	--------	-----------	--------------	--	-----

**Ref No:** 33302  
**Site No:**  
**Incident Dt:** 4/17/1990  
**Year:**  
**Incident Cause:** UNKNOWN  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Environment Impact:** POSSIBLE  
**Nature of Impact:** Water course or lake  
**Receiving Medium:** WATER  
**Receiving Env:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 4/17/1990  
**Dt Document Closed:**  
**Incident Reason:** UNKNOWN  
**Site Name:**  
**Site County/District:**  
**Site Geo Ref Meth:**  
**Incident Summary:** GREEN MATERIAL IN MORRISON CREEK  
**Contaminant Qty:**

**Discharger Report:**  
**Material Group:**  
**Health/Env Conseq:**  
**Client Type:**  
**Sector Type:**  
**Agency Involved:**  
**Nearest Watercourse:**  
**Site Address:**  
**Site District Office:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 14403  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:** HALTON REGION, MOE  
**Site Geo Ref Accu:**  
**Site Map Datum:**  
**SAC Action Class:**  
**Source Type:**

<a href="#">58</a>	2 of 8	WNW/162.1	109.8 / 6.28	PROCTOR'S CARTAGE QEW WESTBOUND AT TRAFALGAR ROAD	SPL
--------------------	--------	-----------	--------------	--	-----

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				<b>TRANSPORT TRUCK (CARGO) OAKVILLE TOWN ON</b>	
<b>Ref No:</b>	70546			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	5/13/1992			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	OTHER CONTAINER LEAK			<b>Sector Type:</b>	
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	NOT ANTICIPATED			<b>Site Municipality:</b>	14403
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>MOE Response:</b>				<b>Easting:</b>	MTO
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	5/13/1992			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	
<b>Incident Reason:</b>	UNKNOWN			<b>Source Type:</b>	
<b>Site Name:</b>					
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	PROCTOR'S CARTAGE - 10 L OF FERRIC CHLORIDE TO GROUND				
<b>Contaminant Qty:</b>					
<b>58</b>	3 of 8	WNW/162.1	109.8 / 6.28	<b>PRIVATE OWNER TRAFALGAR RD AT QEW MOTOR VEHICLE (OPERATING FLUID) OAKVILLE TOWN ON</b>	<b>SPL</b>
<b>Ref No:</b>	140383			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	5/5/1997			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	OTHER CONTAINER LEAK			<b>Sector Type:</b>	
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	POSSIBLE			<b>Site Municipality:</b>	14403
<b>Nature of Impact:</b>	Soil contamination			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>MOE Response:</b>				<b>Easting:</b>	FD, PD.
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	5/5/1997			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	
<b>Incident Reason:</b>	ADVERSE ROAD CONDITION			<b>Source Type:</b>	
<b>Site Name:</b>					
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	PRIVATE CAR-25L OF GAS- OLINE TO ROADWAY & DITCH.FD & OPP.				
<b>Contaminant Qty:</b>					
<b>58</b>	4 of 8	WNW/162.1	109.8 / 6.28	<b>PUROLATOR COURIER LTD. QEW AT TRAFALGAR RD - EASTBOUND</b>	<b>SPL</b>



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				<b>TRANSPORT TRUCK (CARGO) MISSISSAUGA ON</b>	
<b>Ref No:</b>	185007			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	8/15/2000			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	OTHER CONTAINER LEAK			<b>Sector Type:</b>	
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	NOT ANTICIPATED			<b>Site Municipality:</b>	21102
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>MOE Response:</b>				<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	8/16/2000			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	
<b>Incident Reason:</b>	CORROSION			<b>Source Type:</b>	
<b>Site Name:</b>					
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	PUROLATOR: 1.5L CORROSIVE MATERIAL TO HWY FM BACK OF TRUCK. CLEANED.				
<b>Contaminant Qty:</b>					

<u>58</u>	5 of 8	WNW/162.1	109.8 / 6.28	<b>Ryder Truck Rental Canada Ltd. QEW Westbound, Trafalgar Road Bridge&lt;UNOFFICIAL&gt; Oakville ON</b>	<b>SPL</b>
<b>Ref No:</b>	6438-6JWPBW			<b>Discharger Report:</b>	0
<b>Site No:</b>				<b>Material Group:</b>	Oil
<b>Incident Dt:</b>	12/9/2005			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	Other Transport Accident			<b>Sector Type:</b>	Other Motor Vehicle
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	DIESEL FUEL			<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Halton-Peel
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	Possible			<b>Site Municipality:</b>	Oakville
<b>Nature of Impact:</b>	Soil Contamination			<b>Site Lot:</b>	
<b>Receiving Medium:</b>	Land			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>MOE Response:</b>				<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	12/9/2005			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	Land Spills
<b>Incident Reason:</b>	Equipment/Vehicles			<b>Source Type:</b>	
<b>Site Name:</b>	QEW Westbound, Trafalgar Road Bridge<UNOFFICIAL>				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	Ryder, 500L diesel to QEW @ Trafalgar Rd.				
<b>Contaminant Qty:</b>					

<u>58</u>	6 of 8	WNW/162.1	109.8 / 6.28	<b>QEW Collision Centre Inc. QEW at Trafalgar, Toronto bound</b>	<b>SPL</b>
-----------	--------	-----------	--------------	--	------------

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Oakville ON</b>					
<b>Ref No:</b>	7855-A5GA5R			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	12/22/2015			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>				<b>Sector Type:</b>	Unknown / N/A
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	13			<b>Nearest Watercourse:</b>	Lake Ontario
<b>Contaminant Name:</b>	DIESEL FUEL			<b>Site Address:</b>	QEW at Trafalgar, Toronto bound
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Oakville
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	4812962
<b>MOE Response:</b>	No			<b>Easting:</b>	606583
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	12/23/2015			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	Highway Spills (usually highway accidents)
<b>Incident Reason:</b>	Unknown / N/A			<b>Source Type:</b>	
<b>Site Name:</b>	QEW<UNOFFICIAL>				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	MVA 150 L diesel to CB on QEW				
<b>Contaminant Qty:</b>	150 L				
<b>58</b>	<b>7 of 8</b>	<b>WNW/162.1</b>	<b>109.8 / 6.28</b>	<b>QEW at QEW and Trafalgar Rd. Oakville ON</b>	<b>SPL</b>
<b>Ref No:</b>	1636-A8BM4F			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	2016/03/23			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>				<b>Sector Type:</b>	Miscellaneous Industrial
<b>Incident Event:</b>	Collision/Accident			<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	13			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	DIESEL FUEL			<b>Site Address:</b>	QEW at QEW and Trafalgar Rd.
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Oakville
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>	Land; Source Water Zone			<b>Northing:</b>	4812922
<b>MOE Response:</b>	No			<b>Easting:</b>	606498
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	2016/03/23			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>	2016/09/01			<b>SAC Action Class:</b>	Land Spills
<b>Incident Reason:</b>	Operator/Human Error			<b>Source Type:</b>	
<b>Site Name:</b>	w/b lane on QEW at QEW and Trafalgar Rd.<UNOFFICIAL>				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	Manitoulin Transport: QEW 200 L diesel to pavement				
<b>Contaminant Qty:</b>	200 L				
<b>58</b>	<b>8 of 8</b>	<b>WNW/162.1</b>	<b>109.8 / 6.28</b>	<b>QEW Eastbound under Trafalgar Rd Oakville ON</b>	<b>SPL</b>
<b>Ref No:</b>	1681-AB6CZK			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Incident Dt:</b>	2016/06/22			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>				<b>Sector Type:</b>	Miscellaneous Industrial
<b>Incident Event:</b>	Collision/Accident			<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	13			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	DIESEL FUEL			<b>Site Address:</b>	QEW Eastbound under Trafalgar Rd
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Oakville
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>	Source Water Zone			<b>Northing:</b>	
<b>MOE Response:</b>	No			<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	2016/06/22			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>	2016/09/01			<b>SAC Action Class:</b>	Highway Spills (usually highway accidents)
<b>Incident Reason:</b>	Unknown / N/A			<b>Source Type:</b>	
<b>Site Name:</b>	TT<UNOFFICIAL>				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	Maple Transport: TT dsl to shoulder, 100 L				
<b>Contaminant Qty:</b>	100 L				

<a href="#">59</a>	1 of 1	SE/167.3	99.8 / -3.72	354 DAVIS DRIVE Oakville ON	WWIS
<b>Well ID:</b>	7205228			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	7/23/2013
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z173716			<b>Owner:</b>	
<b>Tag:</b>	A149978			<b>Street Name:</b>	354 DAVIS DRIVE
<b>Construction Method:</b>				<b>County:</b>	HALTON
<b>Elevation (m):</b>				<b>Municipality:</b>	OAKVILLE TOWN
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>					
<b>Additional Detail(s) (Map)</b>					
<b>Well Completed Date:</b>	2013/06/20				
<b>Year Completed:</b>	2013				
<b>Depth (m):</b>	4.57				
<b>Latitude:</b>	43.4590862382983				
<b>Longitude:</b>	-79.6798277890596				
<b>Path:</b>					
<b>Bore Hole Information</b>					
<b>Bore Hole ID:</b>	1004448582			<b>Elevation:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	606801.00
<b>Code OB Desc:</b>				<b>North83:</b>	4812644.00
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	20-Jun-2013 00:00:00			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1004876643  
**Layer:** 3  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 17  
**Most Common Material:** SHALE  
**Mat2:** 92  
**Mat2 Desc:** WEATHERED  
**Mat3:** 85  
**Mat3 Desc:** SOFT  
**Formation Top Depth:** 3.0999999046325684  
**Formation End Depth:** 4.570000171661377  
**Formation End Depth UOM:** m

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1004876641  
**Layer:** 1  
**Color:** 6  
**General Color:** BROWN  
**Mat1:** 11  
**Most Common Material:** GRAVEL  
**Mat2:** 28  
**Mat2 Desc:** SAND  
**Mat3:** 85  
**Mat3 Desc:** SOFT  
**Formation Top Depth:** 0.0  
**Formation End Depth:** 1.2200000286102295  
**Formation End Depth UOM:** m

**Overburden and Bedrock**

**Materials Interval**

**Formation ID:** 1004876642  
**Layer:** 2  
**Color:** 2  
**General Color:** GREY  
**Mat1:** 05  
**Most Common Material:** CLAY  
**Mat2:** 06  
**Mat2 Desc:** SILT  
**Mat3:** 85  
**Mat3 Desc:** SOFT  
**Formation Top Depth:** 1.2200000286102295

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth:</b>		3.0999999046325684			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004876652			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.3100000023841858			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004876653			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.3100000023841858			
<b>Plug To:</b>		1.5199999809265137			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004876654			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.5199999809265137			
<b>Plug To:</b>		4.570000171661377			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004876651			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1004876640			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1004876646			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		1.8200000524520874			
<b>Casing Diameter:</b>		4.03000020980835			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1004876648			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		2			
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.0			

**Construction Record - Screen**

Screen ID:	1004876647
Layer:	1
Slot:	10
Screen Top Depth:	1.8200000524520874
Screen End Depth:	4.570000171661377
Screen Material:	5
Screen Depth UOM:	m
Screen Diameter UOM:	cm
Screen Diameter:	4.820000171661377

**Water Details**

Water ID:	1004876645
Layer:	
Kind Code:	
Kind:	
Water Found Depth:	
Water Found Depth UOM:	m

**Hole Diameter**

Hole ID:	1004876644
Diameter:	11.430000305175781
Depth From:	0.0
Depth To:	4.570000171661377
Hole Depth UOM:	m
Hole Diameter UOM:	cm

**60**      1 of 1      **WNW/170.2**      **109.8 / 6.28**      **ON**      **BORE**

<b>Borehole ID:</b>	890803	<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215583720	<b>SP Status:</b>	Initial Entry
<b>Status:</b>	Decommissioned	<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole	<b>Piezometer:</b>	No
<b>Use:</b>	Geotechnical/Geological Investigation	<b>Primary Name:</b>	
<b>Completion Date:</b>	23-JAN-1979	<b>Municipality:</b>	
<b>Static Water Level:</b>	0.5	<b>Lot:</b>	LOT 13
<b>Primary Water Use:</b>		<b>Township:</b>	TRAFALGAR
<b>Sec. Water Use:</b>		<b>Latitude DD:</b>	43.461304
<b>Total Depth m:</b>	2.7	<b>Longitude DD:</b>	-79.684007
<b>Depth Ref:</b>	Ground Surface	<b>UTM Zone:</b>	17
<b>Depth Elev:</b>		<b>Easting:</b>	606459
<b>Drill Method:</b>	Solid stem auger	<b>Northing:</b>	4812885
<b>Orig Ground Elev m:</b>	106	<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>		<b>Accuracy:</b>	Within 100 metres
<b>DEM Ground Elev m:</b>	110		
<b>Concession:</b>	CON 2 SOUTH OF DUNDAS ST		
<b>Location D:</b>	Foundation Investigation Report for Trafalgar Road Interchange W.P. 1-79-01 site Hwy. Q.E.W., District 4, Hamilton		
<b>Survey D:</b>			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Comments:</b>					
<b><u>Borehole Geology Stratum</u></b>					
<b>Geology Stratum ID:</b>	8502669			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.1			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Topsoil			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Topsoil **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<b>Geology Stratum ID:</b>	8502670			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.1			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.2			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Asphalt			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Asphalt **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<b>Geology Stratum ID:</b>	8502671			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.2			<b>Material Moisture:</b>	Wet
<b>Bottom Depth:</b>	.8			<b>Material Texture:</b>	
<b>Material Color:</b>	Brown			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Gravelly			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Wet gravely sand. Brown **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<b>Geology Stratum ID:</b>	8502672			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.8			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	1.4			<b>Material Texture:</b>	
<b>Material Color:</b>	Red			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Clay			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silty			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Silty clay. Red **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<b>Geology Stratum ID:</b>	8502674			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	2.6			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	2.7			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Bedrock			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Shale			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	apparent shale bedrock **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<b>Geology Stratum ID:</b>	8502673			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	1.4			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	2.6			<b>Material Texture:</b>	
<b>Material Color:</b>	Red			<b>Non Geo Mat Type:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Material 1:</b>	Shale			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Clay			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Severely Weathered shale with horizontal clay seams. Red and Green **Note: Many records provided by the department have a truncated [Stratum Description] field.				

<b>61</b>	<b>1 of 1</b>	<b>NW/173.3</b>	<b>109.3 / 5.75</b>	<b>ON</b>	<b>BORE</b>
<b>Borehole ID:</b>	890798			<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215583715			<b>SP Status:</b>	Initial Entry
<b>Status:</b>	Decommissioned			<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Primary Name:</b>	
<b>Completion Date:</b>	15-JAN-1979			<b>Municipality:</b>	
<b>Static Water Level:</b>				<b>Lot:</b>	LOT 12
<b>Primary Water Use:</b>				<b>Township:</b>	TRAFALGAR
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	43.462011
<b>Total Depth m:</b>	7.9			<b>Longitude DD:</b>	-79.683571
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	17
<b>Depth Elev:</b>				<b>Easting:</b>	606493
<b>Drill Method:</b>	Solid stem auger			<b>Northing:</b>	4812964
<b>Orig Ground Elev m:</b>	114			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Within 100 metres
<b>DEM Ground Elev m:</b>	110				
<b>Concession:</b>	CON 2 SOUTH OF DUNDAS ST				
<b>Location D:</b>	Foundation Investigation Report for Trafalgar Road Interchange W.P. 1-79-01 site Hwy. Q.E.W., District 4, Hamilton				
<b>Survey D:</b>					
<b>Comments:</b>					

#### Borehole Geology Stratum

<b>Geology Stratum ID:</b>	8502647			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.3			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.6			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silty			<b>Geologic Group:</b>	
<b>Material 3:</b>	Gravelly			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Gravelly silty sand **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<b>Geology Stratum ID:</b>	8502646			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.3			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Asphalt			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Asphalt **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<b>Geology Stratum ID:</b>	8502648			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.6			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	6.6			<b>Material Texture:</b>	
<b>Material Color:</b>	Red			<b>Non Geo Mat Type:</b>	Fill-Misc
<b>Material 1:</b>	Fill			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Clay			<b>Geologic Group:</b>	
<b>Material 3:</b>	Silty			<b>Geologic Period:</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Material 4:</b> Shale <b>Gsc Material Description:</b> <b>Stratum Description:</b> Fill- silty clay with occasional shale fragments, Red **Note: Many records provided by the department have a truncated [Stratum Description] field.					
<b>Geology Stratum ID:</b> 8502649 <b>Top Depth:</b> 6.6 <b>Bottom Depth:</b> 7.9 <b>Material Color:</b> Red <b>Material 1:</b> Clay <b>Material 2:</b> Silty <b>Material 3:</b> Bedrock <b>Material 4:</b> Shale <b>Gsc Material Description:</b> <b>Stratum Description:</b> Red, silty clay. Apparent shale bedrock red **Note: Many records provided by the department have a truncated [Stratum Description] field.					
<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>					
<a href="#">62</a>	1 of 12	SSE/176.9	100.0 / -3.53	1555935 ONTARIO INC 547 TRAFALGAR RD OAKVILLE ON L6J 3J1	EASR
<b>Approval No:</b> R-001-2120692766 <b>Status:</b> REGISTERED <b>Date:</b> 2012-05-29 <b>Record Type:</b> EASR <b>Link Source:</b> MOFA <b>Project Type:</b> Automotive Refinishing Facility <b>Full Address:</b> <b>Approval Type:</b> EASR-Automotive Refinishing Facility <b>SWP Area Name:</b> Halton <b>PDF URL:</b> <b>PDF Site Location:</b>					
<b>MOE District:</b> Halton-Peel <b>Municipality:</b> OAKVILLE <b>Latitude:</b> 43.45842 <b>Longitude:</b> -79.68101 <b>Geometry X:</b> <b>Geometry Y:</b>					
<a href="#">62</a>	2 of 12	SSE/176.9	100.0 / -3.53	Terrapex Environmental Ltd. 547 Trafalgar Road Oakville ON L6J 3J1	GEN
<b>Generator No:</b> ON9826066 <b>SIC Code:</b> 541330 <b>SIC Description:</b> Engineering Services <b>Approval Years:</b> 2010 <b>PO Box No:</b> <b>Country:</b>					
<b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>					
<b>Detail(s)</b>					
<b>Waste Class:</b> 221 <b>Waste Class Desc:</b> LIGHT FUELS					
<b>Waste Class:</b> 251 <b>Waste Class Desc:</b> OIL SKIMMINGS & SLUDGES					
<a href="#">62</a>	3 of 12	SSE/176.9	100.0 / -3.53	Gears Bike Shop 547 Trafalgar Road Oakville ON	GEN
<b>Generator No:</b> ON6127663 <b>SIC Code:</b> 451110 <b>SIC Description:</b> Sporting Goods Stores <b>Approval Years:</b> 2012 <b>PO Box No:</b> <b>Country:</b>					
<b>Status:</b> <b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">62</a>	4 of 12	SSE/176.9	100.0 / -3.53	Gears Bike Shop 547 Trafalgar Road Oakville ON	GEN
<b>Generator No:</b>	ON6127663			<b>Status:</b>	
<b>SIC Code:</b>	451110			<b>Co Admin:</b>	
<b>SIC Description:</b>	SPORTING GOODS STORES			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	2013			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	251				
<b>Waste Class Desc:</b>	OIL SKIMMINGS & SLUDGES				
<a href="#">62</a>	5 of 12	SSE/176.9	100.0 / -3.53	Gears Bike Shop 547 Trafalgar Road Oakville ON L6J 3J1	GEN
<b>Generator No:</b>	ON6127663			<b>Status:</b>	
<b>SIC Code:</b>	451110			<b>Co Admin:</b>	ira kargel
<b>SIC Description:</b>	SPORTING GOODS STORES			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Approval Years:</b>	2016			<b>Phone No Admin:</b>	905-271-2400 Ext.
<b>PO Box No:</b>				<b>Contam. Facility:</b>	No
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	No
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	251				
<b>Waste Class Desc:</b>	OIL SKIMMINGS & SLUDGES				
<a href="#">62</a>	6 of 12	SSE/176.9	100.0 / -3.53	Gears Bike Shop 547 Trafalgar Road Oakville ON L6J 3J1	GEN
<b>Generator No:</b>	ON6127663			<b>Status:</b>	
<b>SIC Code:</b>	451110			<b>Co Admin:</b>	ira kargel
<b>SIC Description:</b>	SPORTING GOODS STORES			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Approval Years:</b>	2015			<b>Phone No Admin:</b>	905-271-2400 Ext.
<b>PO Box No:</b>				<b>Contam. Facility:</b>	No
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	No
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	251				
<b>Waste Class Desc:</b>	OIL SKIMMINGS & SLUDGES				
<a href="#">62</a>	7 of 12	SSE/176.9	100.0 / -3.53	Gears Bike Shop 547 Trafalgar Road Oakville ON L6J 3J1	GEN
<b>Generator No:</b>	ON6127663			<b>Status:</b>	
<b>SIC Code:</b>	451110			<b>Co Admin:</b>	ira kargel
<b>SIC Description:</b>	SPORTING GOODS STORES			<b>Choice of Contact:</b>	CO_OFFICIAL
<b>Approval Years:</b>	2014			<b>Phone No Admin:</b>	905-271-2400 Ext.
<b>PO Box No:</b>				<b>Contam. Facility:</b>	No
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	No

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Detail(s)

Waste Class: 251  
Waste Class Desc: OIL SKIMMINGS & SLUDGES

<a href="#">62</a>	8 of 12	SSE/176.9	100.0 / -3.53	Gears Bike Shop 547 Trafalgar Road Oakville ON L6J 3J1	GEN
Generator No:	ON6127663	Status:	Registered		
SIC Code:		Co Admin:			
SIC Description:		Choice of Contact:			
Approval Years:	As of Dec 2018	Phone No Admin:			
PO Box No:		Contam. Facility:			
Country:	Canada	MHSW Facility:			

Detail(s)

Waste Class: 251 L  
Waste Class Desc: Waste oils/sludges (petroleum based)

<a href="#">62</a>	9 of 12	SSE/176.9	100.0 / -3.53	Gears Bike Shop 547 Trafalgar Road Oakville ON L6J 3J1	GEN
Generator No:	ON6127663	Status:	Registered		
SIC Code:		Co Admin:			
SIC Description:		Choice of Contact:			
Approval Years:	As of Jul 2020	Phone No Admin:			
PO Box No:		Contam. Facility:			
Country:	Canada	MHSW Facility:			

Detail(s)

Waste Class: 251 L  
Waste Class Desc: Waste oils/sludges (petroleum based)

<a href="#">62</a>	10 of 12	SSE/176.9	100.0 / -3.53	TRANS-NORTHERN PIPELINES INC./ PIPELINES TRANS-NORD INC. 547 Trafalgar RD Oakville ON L6J 3J1	EASR
Approval No:	R-009-2112317313	MOE District:	Halton-Peel		
Status:	REGISTERED	Municipality:	Oakville		
Date:	2020-05-26	Latitude:	43.45805556		
Record Type:	EASR	Longitude:	-79.68027778		
Link Source:	MOFA	Geometry X:			
Project Type:	Water Taking - Construction Dewatering	Geometry Y:			
Full Address:					
Approval Type:	EASR-Water Taking - Construction Dewatering				
SWP Area Name:	Halton				
PDF URL:					
PDF Site Location:					

<a href="#">62</a>	11 of 12	SSE/176.9	100.0 / -3.53	Gears Bike Shop 547 Trafalgar Road Oakville ON L6J 3J1	GEN
Generator No:	ON6127663	Status:	Registered		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>SIC Code:</b> <b>SIC Description:</b> <b>Approval Years:</b> As of Apr 2021 <b>PO Box No:</b> <b>Country:</b> Canada				<b>Co Admin:</b> <b>Choice of Contact:</b> <b>Phone No Admin:</b> <b>Contam. Facility:</b> <b>MHSW Facility:</b>	
<b>Detail(s)</b>					
<b>Waste Class:</b> <b>Waste Class Desc:</b>		251 L Waste oils/sludges (petroleum based)			
<a href="#">62</a>	12 of 12	SSE/176.9	100.0 / -3.53	547 Trafalgar Road Oakville ON L6J 3J1	EHS
<b>Order No:</b> 21102500075 <b>Status:</b> C <b>Report Type:</b> Standard Report <b>Report Date:</b> 28-OCT-21 <b>Date Received:</b> 25-OCT-21 <b>Previous Site Name:</b> Enterprise (Rent-a-Car), Gears, Queenston Towne Motors, Oakville Chevrolet, Landlink, Setay <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b> City Directory		<b>Nearest Intersection:</b> <b>Municipality:</b> Town of Oakville <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> .25 <b>X:</b> -79.6808184 <b>Y:</b> 43.4585993			
<a href="#">63</a>	1 of 1	WNW/179.0	109.8 / 6.28	ON	BORE
<b>Borehole ID:</b> 890804 <b>OGF ID:</b> 215583721 <b>Status:</b> Decommissioned <b>Type:</b> Borehole <b>Use:</b> Geotechnical/Geological Investigation <b>Completion Date:</b> 11-JAN-1979 <b>Static Water Level:</b> <b>Primary Water Use:</b> <b>Sec. Water Use:</b> <b>Total Depth m:</b> 9.4 <b>Depth Ref:</b> Ground Surface <b>Depth Elev:</b> <b>Drill Method:</b> Solid stem auger <b>Orig Ground Elev m:</b> 113 <b>Elev Reliabil Note:</b> <b>DEM Ground Elev m:</b> 110 <b>Concession:</b> CON 2 SOUTH OF DUNDAS ST <b>Location D:</b> Foundation Investigation Report for Trafalgar Road Interchange W.P. 1-79-01 site Hwy. Q.E.W., District 4, Hamilton <b>Survey D:</b> <b>Comments:</b>		<b>Inclin FLG:</b> No <b>SP Status:</b> Initial Entry <b>Surv Elev:</b> No <b>Piezometer:</b> No <b>Primary Name:</b> <b>Municipality:</b> <b>Lot:</b> LOT 13 <b>Township:</b> TRAFALGAR <b>Latitude DD:</b> 43.461234 <b>Longitude DD:</b> -79.684145 <b>UTM Zone:</b> 17 <b>Easting:</b> 606448 <b>Northing:</b> 4812877 <b>Location Accuracy:</b> <b>Accuracy:</b> Within 100 metres			
<b>Borehole Geology Stratum</b>					
<b>Geology Stratum ID:</b> 8502676 <b>Top Depth:</b> .2 <b>Bottom Depth:</b> 7.6 <b>Material Color:</b> Red <b>Material 1:</b> Fill <b>Material 2:</b> Clay <b>Material 3:</b> Gravelly <b>Material 4:</b> Silty <b>Gsc Material Description:</b> <b>Stratum Description:</b> fill - gravely silty clay with occasional shale fragments. Red.		<b>Mat Consistency:</b> <b>Material Moisture:</b> <b>Material Texture:</b> <b>Non Geo Mat Type:</b> Fill-Misc <b>Geologic Formation:</b> <b>Geologic Group:</b> <b>Geologic Period:</b> <b>Depositional Gen:</b>			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Geology Stratum ID:</b>	8502677			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	7.6			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	8.1			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Gravelly			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Gravelly sand **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<b>Geology Stratum ID:</b>	8502675			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.2			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Sand			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Gravelly			<b>Geologic Group:</b>	
<b>Material 3:</b>	Clayey			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Gravelly clayey sand.				
<b>Geology Stratum ID:</b>	8502679			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	8.5			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	9.4			<b>Material Texture:</b>	
<b>Material Color:</b>	Red			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Shale			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Bedrock			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Apparent shale Bedrock Red.				
<b>Geology Stratum ID:</b>	8502678			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	8.1			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	8.5			<b>Material Texture:</b>	
<b>Material Color:</b>	Red			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Clay			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silty			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Silty clay. Red **Note: Many records provided by the department have a truncated [Stratum Description] field.				

64

1 of 1

WNW/180.9

109.8 / 6.28

ON

BORE

<b>Borehole ID:</b>	890797	<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215583714	<b>SP Status:</b>	Initial Entry
<b>Status:</b>	Decommissioned	<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole	<b>Piezometer:</b>	No
<b>Use:</b>	Geotechnical/Geological Investigation	<b>Primary Name:</b>	
<b>Completion Date:</b>	19-JAN-1979	<b>Municipality:</b>	
<b>Static Water Level:</b>		<b>Lot:</b>	LOT 13
<b>Primary Water Use:</b>		<b>Township:</b>	TRAFALGAR
<b>Sec. Water Use:</b>		<b>Latitude DD:</b>	43.461905
<b>Total Depth m:</b>	2.9	<b>Longitude DD:</b>	-79.683784
<b>Depth Ref:</b>	Ground Surface	<b>UTM Zone:</b>	17
<b>Depth Elev:</b>		<b>Easting:</b>	606476
<b>Drill Method:</b>	Solid stem auger	<b>Northing:</b>	4812952
<b>Orig Ground Elev m:</b>	107	<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>		<b>Accuracy:</b>	Within 100 metres
<b>DEM Ground Elev m:</b>	110		
<b>Concession:</b>	CON 2 SOUTH OF DUNDAS ST		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Location D:</b>		Foundation Investigation Report for Trafalgar Road Interchange W.P. 1-79-01 site Hwy. Q.E.W., District 4, Hamilton			
<b>Survey D:</b>					
<b>Comments:</b>					
<b><u>Borehole Geology Stratum</u></b>					
<b>Geology Stratum ID:</b>	8502643			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.1			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Topsoil			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Topsoil **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<b>Geology Stratum ID:</b>	8502644			<b>Mat Consistency:</b>	Stiff
<b>Top Depth:</b>	.1			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	1.7			<b>Material Texture:</b>	
<b>Material Color:</b>	Red			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Clay			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silty			<b>Geologic Group:</b>	
<b>Material 3:</b>	Shale			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	silty clay, occasional shale fragments. Stiff Red **Note: Many records provided by the department have a truncated [Stratum Description] field.				
<b>Geology Stratum ID:</b>	8502645			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	1.7			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	2.9			<b>Material Texture:</b>	
<b>Material Color:</b>	Red			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Bedrock			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Shale			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Shale bedrock, weathered horizontal layers. Red **Note: Many records provided by the department have a truncated [Stratum Description] field.				

<a href="#">65</a>	1 of 1	S/185.8	101.9 / -1.71	547 TRAFALGAR RD OAKVILLE ON	WWIS
<b>Well ID:</b>	7152039			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	9/24/2010
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	5
<b>Audit No:</b>	M03210			<b>Owner:</b>	
<b>Tag:</b>	A092505			<b>Street Name:</b>	547 TRAFALGAR RD
<b>Construction Method:</b>				<b>County:</b>	HALTON
<b>Elevation (m):</b>				<b>Municipality:</b>	OAKVILLE TOWN
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<i>Clear/Cloudy:</i>					
<b>PDF URL (Map):</b>				<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7152039.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7152039.pdf</a>	
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>			2010/09/07		
<b>Year Completed:</b>			2010		
<b>Depth (m):</b>					
<b>Latitude:</b>			43.4582921957207		
<b>Longitude:</b>			-79.6804631059109		
<b>Path:</b>			715\7152039.pdf		
<b>PDF URL (Map):</b>				<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7152039.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7152039.pdf</a>	
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>			2010/09/07		
<b>Year Completed:</b>			2010		
<b>Depth (m):</b>					
<b>Latitude:</b>			43.4582706085422		
<b>Longitude:</b>			-79.6809332843026		
<b>Path:</b>			715\7152039.pdf		
<b>PDF URL (Map):</b>				<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7152039.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7152039.pdf</a>	
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>			2010/09/03		
<b>Year Completed:</b>			2010		
<b>Depth (m):</b>					
<b>Latitude:</b>			43.4583983469935		
<b>Longitude:</b>			-79.6810788364438		
<b>Path:</b>			715\7152039.pdf		
<b>PDF URL (Map):</b>				<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7152039.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7152039.pdf</a>	
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>			2010/09/09		
<b>Year Completed:</b>			2010		
<b>Depth (m):</b>					
<b>Latitude:</b>			43.458512071972		
<b>Longitude:</b>			-79.6815707964689		
<b>Path:</b>			715\7152039.pdf		
<b>PDF URL (Map):</b>				<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7152039.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7152039.pdf</a>	
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>			2010/09/07		
<b>Year Completed:</b>			2010		
<b>Depth (m):</b>					
<b>Latitude:</b>			43.4584306479407		
<b>Longitude:</b>			-79.6807567536246		
<b>Path:</b>			715\7152039.pdf		
<b>PDF URL (Map):</b>				<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7152039.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7152039.pdf</a>	
<b><u>Additional Detail(s) (Map)</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Well Completed Date:</b>		2010/09/07			
<b>Year Completed:</b>		2010			
<b>Depth (m):</b>					
<b>Latitude:</b>		43.4582623194152			
<b>Longitude:</b>		-79.6809952683158			
<b>Path:</b>		715\7152039.pdf			
<b>PDF URL (Map):</b>		<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7152039.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7152039.pdf</a>			
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>		2010/09/07			
<b>Year Completed:</b>		2010			
<b>Depth (m):</b>					
<b>Latitude:</b>		43.458292053096			
<b>Longitude:</b>		-79.6804507482487			
<b>Path:</b>		715\7152039.pdf			
<b>PDF URL (Map):</b>		<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7152039.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7152039.pdf</a>			
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>		2010/09/08			
<b>Year Completed:</b>		2010			
<b>Depth (m):</b>					
<b>Latitude:</b>		43.4586436811205			
<b>Longitude:</b>		-79.681271276312			
<b>Path:</b>		715\7152039.pdf			
<b>PDF URL (Map):</b>		<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7152039.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7152039.pdf</a>			
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>		2010/09/03			
<b>Year Completed:</b>		2010			
<b>Depth (m):</b>		3.96			
<b>Latitude:</b>		43.4583398943142			
<b>Longitude:</b>		-79.6814756519566			
<b>Path:</b>		715\7152039.pdf			
<b>PDF URL (Map):</b>		<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7152039.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7152039.pdf</a>			
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>		2010/09/08			
<b>Year Completed:</b>		2010			
<b>Depth (m):</b>					
<b>Latitude:</b>		43.4580005492567			
<b>Longitude:</b>		-79.6809391558751			
<b>Path:</b>		715\7152039.pdf			
<b>PDF URL (Map):</b>		<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7152039.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7152039.pdf</a>			
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>		2010/09/09			
<b>Year Completed:</b>		2010			
<b>Depth (m):</b>					
<b>Latitude:</b>		43.4584937830039			
<b>Longitude:</b>		-79.6815464723062			
<b>Path:</b>		715\7152039.pdf			



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>PDF URL (Map):</b>		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7152039.pdf			
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>	2010/09/03				
<b>Year Completed:</b>	2010				
<b>Depth (m):</b>					
<b>Latitude:</b>	43.4583137434443				
<b>Longitude:</b>	-79.6815503849081				
<b>Path:</b>	715\7152039.pdf				
<b>PDF URL (Map):</b>		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7152039.pdf			
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>	2010/09/08				
<b>Year Completed:</b>	2010				
<b>Depth (m):</b>					
<b>Latitude:</b>	43.4586435385822				
<b>Longitude:</b>	-79.6812589185742				
<b>Path:</b>	715\7152039.pdf				
<b>PDF URL (Map):</b>		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7152039.pdf			
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>	2010/09/03				
<b>Year Completed:</b>	2010				
<b>Depth (m):</b>					
<b>Latitude:</b>	43.4582475941358				
<b>Longitude:</b>	-79.6812798858298				
<b>Path:</b>	715\7152039.pdf				
<b>PDF URL (Map):</b>		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7152039.pdf			
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>	2010/09/07				
<b>Year Completed:</b>	2010				
<b>Depth (m):</b>					
<b>Latitude:</b>	43.4582621768481				
<b>Longitude:</b>	-79.680982910657				
<b>Path:</b>	715\7152039.pdf				
<b>PDF URL (Map):</b>		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7152039.pdf			
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>	2010/09/03				
<b>Year Completed:</b>	2010				
<b>Depth (m):</b>					
<b>Latitude:</b>	43.4582959034943				
<b>Longitude:</b>	-79.6807844051593				
<b>Path:</b>	715\7152039.pdf				
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1003603938			<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	606701.00

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>				<b>North83:</b> <b>Org CS:</b> <b>UTMRC:</b> <b>UTMRC Desc:</b> <b>Location Method:</b>	4812566.00 UTM83 4 margin of error : 30 m - 100 m wwr
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b> <b>Layer:</b> <b>Plug From:</b> <b>Plug To:</b> <b>Plug Depth UOM:</b>		1003603942			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b> <b>Method Construction Code:</b> <b>Method Construction:</b> <b>Other Method Construction:</b>		1003603941			
				DIRECT PUSH	
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b> <b>Casing No:</b> <b>Comment:</b> <b>Alt Name:</b>		1003603943	0		
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b> <b>Layer:</b> <b>Material:</b> <b>Open Hole or Material:</b> <b>Depth From:</b> <b>Depth To:</b> <b>Casing Diameter:</b> <b>Casing Diameter UOM:</b> <b>Casing Depth UOM:</b>		1003603945	5 PLASTIC		
				0.6100000143051147	
				m	
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b> <b>Layer:</b> <b>Slot:</b> <b>Screen Top Depth:</b> <b>Screen End Depth:</b> <b>Screen Material:</b> <b>Screen Depth UOM:</b> <b>Screen Diameter UOM:</b> <b>Screen Diameter:</b>		1003603944			
				0.6100000143051147	
				3.3499999046325684	
				m	
<b><u>Results of Well Yield Testing</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Pump Test ID:</b>		1003603946			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>					
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1003603940			
<b>Diameter:</b>		8.25			
<b>Depth From:</b>					
<b>Depth To:</b>		3.3499999046325684			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1003603983			<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	606709.00
<b>Code OB Desc:</b>				<b>North83:</b>	4812551.00
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>	This is a record from cluster log sheet			<b>UTMRC:</b>	4
<b>Date Completed:</b>	07-Sep-2010 00:00:00			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1003603987			
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1003603986			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		DIRECT PUSH			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1003603988			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1003603990			
<b>Layer:</b>					
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		0.6100000143051147			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1003603989			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		0.6100000143051147			
<b>Screen End Depth:</b>		3.299999952316284			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1003603991			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>					
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1003603985			
<b>Diameter:</b>		8.25			
<b>Depth From:</b>					
<b>Depth To:</b>		3.299999952316284			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1003603947			<b>Elevation:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	606725.00
<b>Code OB Desc:</b>				<b>North83:</b>	4812555.00
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		This is a record from cluster log sheet		<b>UTMRC:</b>	4
<b>Date Completed:</b>		03-Sep-2010 00:00:00		<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<u><b>Annular Space/Abandonment</b></u>					
<u><b>Sealing Record</b></u>					
<b>Plug ID:</b>		1003603951			
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<u><b>Method of Construction &amp; Well</b></u>					
<u><b>Use</b></u>					
<b>Method Construction ID:</b>		1003603950			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		DIRECT PUSH			
<u><b>Pipe Information</b></u>					
<b>Pipe ID:</b>		1003603952			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<u><b>Construction Record - Casing</b></u>					
<b>Casing ID:</b>		1003603954			
<b>Layer:</b>					
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		0.6100000143051147			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<u><b>Construction Record - Screen</b></u>					
<b>Screen ID:</b>		1003603953			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		0.6100000143051147			
<b>Screen End Depth:</b>		3.3499999046325684			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

**Results of Well Yield Testing**

**Pump Test ID:** 1003603955  
**Pump Set At:**  
**Static Level:**  
**Final Level After Pumping:**  
**Recommended Pump Depth:**  
**Pumping Rate:**  
**Flowing Rate:**  
**Recommended Pump Rate:**  
**Levels UOM:**  
**Rate UOM:**  
**Water State After Test Code:**  
**Water State After Test:**  
**Pumping Test Method:**  
**Pumping Duration HR:**  
**Pumping Duration MIN:**  
**Flowing:**

**Hole Diameter**

**Hole ID:** 1003603949  
**Diameter:** 8.25  
**Depth From:**  
**Depth To:** 3.3499999046325684  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

**Bore Hole Information**

<b>Bore Hole ID:</b> 1003604001	<b>Elevation:</b>	
<b>DP2BR:</b>	<b>Elevrc:</b>	
<b>Spatial Status:</b>	<b>Zone:</b>	17
<b>Code OB:</b>	<b>East83:</b>	606713.00
<b>Code OB Desc:</b>	<b>North83:</b>	4812552.00
<b>Open Hole:</b>	<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b> This is a record from cluster log sheet	<b>UTMRC:</b>	4
<b>Date Completed:</b> 07-Sep-2010 00:00:00	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>	<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>		
<b>Location Source Date:</b>		
<b>Improvement Location Source:</b>		
<b>Improvement Location Method:</b>		
<b>Source Revision Comment:</b>		
<b>Supplier Comment:</b>		

**Annular Space/Abandonment Sealing Record**

**Plug ID:** 1003604005  
**Layer:**  
**Plug From:**  
**Plug To:**  
**Plug Depth UOM:**

**Method of Construction & Well Use**

**Method Construction ID:** 1003604004  
**Method Construction Code:**  
**Method Construction:**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1003604006			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1003604008			
<b>Layer:</b>					
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		0.6100000143051147			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1003604007			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		0.6100000143051147			
<b>Screen End Depth:</b>		2.5999999046325684			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1003604009			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>					
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1003604003			
<b>Diameter:</b>		8.25			
<b>Depth From:</b>					
<b>Depth To:</b>		2.5999999046325684			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1003604047			<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	606663.00
<b>Code OB Desc:</b>				<b>North83:</b>	4812576.00
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>	This is a record from cluster log sheet			<b>UTMRC:</b>	4
<b>Date Completed:</b>	09-Sep-2010 00:00:00			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1003604051				
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1003604050				
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>	AIR PERCUSSION				
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1003604052				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	1003604054				
<b>Layer:</b>					
<b>Material:</b>	5				
<b>Open Hole or Material:</b>	PLASTIC				
<b>Depth From:</b>					
<b>Depth To:</b>	2.130000114440918				
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>	m				
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>	1003604053				
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>	2.130000114440918				
<b>Screen End Depth:</b>	5.179999828338623				
<b>Screen Material:</b>					



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
Screen Depth UOM: Screen Diameter UOM: Screen Diameter:		m			
<b><u>Results of Well Yield Testing</u></b>					
Pump Test ID: Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: Rate UOM: Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing:		1003604055			
<b><u>Hole Diameter</u></b>					
Hole ID: Diameter: Depth From: Depth To: Hole Depth UOM: Hole Diameter UOM:		1003604049 8.25  5.179999828338623 m cm			
<b><u>Bore Hole Information</u></b>					
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:		1003604029		Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	17 606686.00 4812593.00 UTM83 4 margin of error : 30 m - 100 m wwr
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
Plug ID: Layer: Plug From: Plug To: Plug Depth UOM:		1003604033			
<b><u>Method of Construction &amp; Well Use</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Method Construction ID:</b>		1003604032			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		AIR PERCUSSION			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1003604034			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1003604036			
<b>Layer:</b>					
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		0.9100000262260437			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1003604035			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		0.9100000262260437			
<b>Screen End Depth:</b>		2.5			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1003604037			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>					
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1003604031			
<b>Diameter:</b>		8.25			
<b>Depth From:</b>					
<b>Depth To:</b>		2.5			
<b>Hole Depth UOM:</b>		m			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Hole Diameter UOM:</i>		cm			
<b><u>Bore Hole Information</u></b>					
<i>Bore Hole ID:</i>	1003603929			<i>Elevation:</i>	
<i>DP2BR:</i>				<i>Elevrc:</i>	
<i>Spatial Status:</i>				<i>Zone:</i>	17
<i>Code OB:</i>				<i>East83:</i>	606685.00
<i>Code OB Desc:</i>				<i>North83:</i>	4812549.00
<i>Open Hole:</i>				<i>Org CS:</i>	UTM83
<i>Cluster Kind:</i>	This is a record from cluster log sheet			<i>UTMRC:</i>	4
<i>Date Completed:</i>	03-Sep-2010 00:00:00			<i>UTMRC Desc:</i>	margin of error : 30 m - 100 m
<i>Remarks:</i>				<i>Location Method:</i>	wwr
<i>Elevrc Desc:</i>					
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>	1003603933				
<i>Layer:</i>					
<i>Plug From:</i>					
<i>Plug To:</i>					
<i>Plug Depth UOM:</i>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>	1003603932				
<i>Method Construction Code:</i>					
<i>Method Construction:</i>					
<i>Other Method Construction:</i>	DIRECT PUSH				
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>	1003603934				
<i>Casing No:</i>	0				
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>	1003603936				
<i>Layer:</i>					
<i>Material:</i>	5				
<i>Open Hole or Material:</i>	PLASTIC				
<i>Depth From:</i>					
<i>Depth To:</i>	0.6100000143051147				
<i>Casing Diameter:</i>					
<i>Casing Diameter UOM:</i>					
<i>Casing Depth UOM:</i>	m				
<b><u>Construction Record - Screen</u></b>					
<i>Screen ID:</i>	1003603935				
<i>Layer:</i>					
<i>Slot:</i>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Screen Top Depth:</b>		0.6100000143051147			
<b>Screen End Depth:</b>		3.509999990463257			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					

**Results of Well Yield Testing**

**Pump Test ID:** 1003603937  
**Pump Set At:**  
**Static Level:**  
**Final Level After Pumping:**  
**Recommended Pump Depth:**  
**Pumping Rate:**  
**Flowing Rate:**  
**Recommended Pump Rate:**  
**Levels UOM:**  
**Rate UOM:**  
**Water State After Test Code:**  
**Water State After Test:**  
**Pumping Test Method:**  
**Pumping Duration HR:**  
**Pumping Duration MIN:**  
**Flowing:**

**Hole Diameter**

**Hole ID:** 1003603931  
**Diameter:** 8.25  
**Depth From:**  
**Depth To:** 3.509999990463257  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

**Bore Hole Information**

<b>Bore Hole ID:</b>	1003603956	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	606727.00
<b>Code OB Desc:</b>		<b>North83:</b>	4812570.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>	This is a record from cluster log sheet	<b>UTMRC:</b>	4
<b>Date Completed:</b>	07-Sep-2010 00:00:00	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Annular Space/Abandonment  
Sealing Record**

**Plug ID:** 1003603960  
**Layer:**  
**Plug From:**  
**Plug To:**  
**Plug Depth UOM:**

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1003603959			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1003603961			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1003603963			
<b>Layer:</b>					
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		0.6100000143051147			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1003603962			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		0.6100000143051147			
<b>Screen End Depth:</b>		3.9600000381469727			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1003603964			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>					
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1003603958			
<b>Diameter:</b>		8.25			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Depth From:</b>					
<b>Depth To:</b> 3.9600000381469727					
<b>Hole Depth UOM:</b> m					
<b>Hole Diameter UOM:</b> cm					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1003603965					
<b>DP2BR:</b>					
<b>Spatial Status:</b>					
<b>Code OB:</b>					
<b>Code OB Desc:</b>					
<b>Open Hole:</b>					
<b>Cluster Kind:</b> This is a record from cluster log sheet					
<b>Date Completed:</b> 07-Sep-2010 00:00:00					
<b>Remarks:</b>					
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b> 1003603969					
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b> 1003603968					
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b> DIRECT PUSH					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b> 1003603970					
<b>Casing No:</b> 0					
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b> 1003603972					
<b>Layer:</b>					
<b>Material:</b> 5					
<b>Open Hole or Material:</b> PLASTIC					
<b>Depth From:</b>					
<b>Depth To:</b> 0.6100000143051147					
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b> m					
<b><u>Construction Record - Screen</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen ID:		1003603971			
Layer:					
Slot:					
Screen Top Depth:		0.6100000143051147			
Screen End Depth:		2.799999952316284			
Screen Material:					
Screen Depth UOM:		m			
Screen Diameter UOM:					
Screen Diameter:					

**Results of Well Yield Testing**

Pump Test ID: 1003603973  
Pump Set At:  
Static Level:  
Final Level After Pumping:  
Recommended Pump Depth:  
Pumping Rate:  
Flowing Rate:  
Recommended Pump Rate:  
Levels UOM:  
Rate UOM:  
Water State After Test Code:  
Water State After Test:  
Pumping Test Method:  
Pumping Duration HR:  
Pumping Duration MIN:  
Flowing:

**Hole Diameter**

Hole ID: 1003603967  
Diameter: 8.25  
Depth From:  
Depth To: 2.799999952316284  
Hole Depth UOM: m  
Hole Diameter UOM: cm

**Bore Hole Information**

Bore Hole ID:	1003603974	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	606751.00
Code OB Desc:		North83:	4812555.00
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	4
Date Completed:	07-Sep-2010 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Annular Space/Abandonment  
Sealing Record**

Plug ID: 1003603978  
Layer:  
Plug From:

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b> 1003603977					
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b> DIRECT PUSH					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b> 1003603979					
<b>Casing No:</b> 0					
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b> 1003603981					
<b>Layer:</b>					
<b>Material:</b> 5					
<b>Open Hole or Material:</b> PLASTIC					
<b>Depth From:</b>					
<b>Depth To:</b> 7.599999904632568					
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b> m					
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b> 1003603980					
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b> 7.599999904632568					
<b>Screen End Depth:</b> 10.0					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b> m					
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b> 1003603982					
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>					
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1003603976			
<b>Diameter:</b>		8.25			
<b>Depth From:</b>					
<b>Depth To:</b>		10.0			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1003604038			<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	606661.00
<b>Code OB Desc:</b>				<b>North83:</b>	4812578.00
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>	This is a record from cluster log sheet			<b>UTMRC:</b>	4
<b>Date Completed:</b>	09-Sep-2010 00:00:00			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1003604042				
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1003604041				
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>	AIR PERCUSSION				
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1003604043				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>	1003604045				
<b>Layer:</b>					
<b>Material:</b>	5				
<b>Open Hole or Material:</b>	PLASTIC				
<b>Depth From:</b>					
<b>Depth To:</b>	2.130000114440918				
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>	m				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

**Construction Record - Screen**

**Screen ID:** 1003604044  
**Layer:**  
**Slot:**  
**Screen Top Depth:** 2.130000114440918  
**Screen End Depth:** 5.179999828338623  
**Screen Material:**  
**Screen Depth UOM:** m  
**Screen Diameter UOM:**  
**Screen Diameter:**

**Results of Well Yield Testing**

**Pump Test ID:** 1003604046  
**Pump Set At:**  
**Static Level:**  
**Final Level After Pumping:**  
**Recommended Pump Depth:**  
**Pumping Rate:**  
**Flowing Rate:**  
**Recommended Pump Rate:**  
**Levels UOM:**  
**Rate UOM:**  
**Water State After Test Code:**  
**Water State After Test:**  
**Pumping Test Method:**  
**Pumping Duration HR:**  
**Pumping Duration MIN:**  
**Flowing:**

**Hole Diameter**

**Hole ID:** 1003604040  
**Diameter:** 8.25  
**Depth From:**  
**Depth To:** 5.179999828338623  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

**Bore Hole Information**

<b>Bore Hole ID:</b>	1003604020	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	606685.00
<b>Code OB Desc:</b>		<b>North83:</b>	4812593.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>	This is a record from cluster log sheet	<b>UTMRC:</b>	4
<b>Date Completed:</b>	08-Sep-2010 00:00:00	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Annular Space/Abandonment Sealing Record**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug ID:</b>		1003604024			
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1003604023			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		AIR PERCUSSION			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1003604025			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1003604027			
<b>Layer:</b>					
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		7.599999904632568			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1003604026			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		7.599999904632568			
<b>Screen End Depth:</b>		9.100000381469727			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1003604028			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>					
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
Hole ID:		1003604022			
Diameter:		8.25			
Depth From:					
Depth To:		9.100000381469727			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<b><u>Bore Hole Information</u></b>					
Bore Hole ID:	1003340124			<b>Elevation:</b>	
DP2BR:				<b>Elevrc:</b>	
Spatial Status:				<b>Zone:</b>	17
Code OB:				<b>East83:</b>	606669.00
Code OB Desc:				<b>North83:</b>	4812559.00
Open Hole:	No			<b>Org CS:</b>	UTM83
Cluster Kind:				<b>UTMRC:</b>	4
Date Completed:	03-Sep-2010 00:00:00			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
Remarks:				<b>Location Method:</b>	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
Formation ID:		1003604060			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		17			
Most Common Material:		SHALE			
Mat2:		92			
Mat2 Desc:		WEATHERED			
Mat3:		73			
Mat3 Desc:		HARD			
Formation Top Depth:		3.049999952316284			
Formation End Depth:		3.9600000381469727			
Formation End Depth UOM:		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
Formation ID:		1003604058			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		0.3100000023841858			
Formation End Depth:		1.2200000286102295			
Formation End Depth UOM:		m			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1003604057			
<b>Layer:</b>		1			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		01			
<b>Most Common Material:</b>		FILL			
<b>Mat2:</b>		11			
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>		77			
<b>Mat3 Desc:</b>		LOOSE			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		0.3100000023841858			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1003604059			
<b>Layer:</b>		3			
<b>Color:</b>		7			
<b>General Color:</b>		RED			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		1.2200000286102295			
<b>Formation End Depth:</b>		3.049999952316284			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003604063			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.6100000143051147			
<b>Plug To:</b>		3.9600000381469727			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1003604062			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.6100000143051147			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1003604068			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		DIRECT PUSH			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

Pipe Information

Pipe ID: 1003604056  
 Casing No: 0  
 Comment:  
 Alt Name:

Construction Record - Casing

Casing ID: 1003604064  
 Layer: 1  
 Material: 5  
 Open Hole or Material: PLASTIC  
 Depth From: 0.0  
 Depth To: 0.9100000262260437  
 Casing Diameter:  
 Casing Diameter UOM: cm  
 Casing Depth UOM: m

Construction Record - Screen

Screen ID: 1003604065  
 Layer: 1  
 Slot: 10  
 Screen Top Depth:  
 Screen End Depth:  
 Screen Material: 5  
 Screen Depth UOM: m  
 Screen Diameter UOM: cm  
 Screen Diameter:

Hole Diameter

Hole ID: 1003604061  
 Diameter: 8.25  
 Depth From: 0.0  
 Depth To: 3.9600000381469727  
 Hole Depth UOM: m  
 Hole Diameter UOM: cm

Bore Hole Information

Bore Hole ID:	1003603920	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	606663.00
Code OB Desc:		North83:	4812556.00
Open Hole:		Org CS:	UTM83
Cluster Kind:	This is a record from cluster log sheet	UTMRC:	4
Date Completed:	03-Sep-2010 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Annular Space/Abandonment Sealing Record

Plug ID: 1003603924

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b> 1003603923					
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b> DIRECT PUSH					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b> 1003603925					
<b>Casing No:</b> 0					
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b> 1003603927					
<b>Layer:</b>					
<b>Material:</b> 5					
<b>Open Hole or Material:</b> PLASTIC					
<b>Depth From:</b>					
<b>Depth To:</b> 0.6100000143051147					
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b> m					
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b> 1003603926					
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b> 0.6100000143051147					
<b>Screen End Depth:</b> 2.2899999618530273					
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b> m					
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b> 1003603928					
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>					
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Hole Diameter</u></b>					
<i>Hole ID:</i>		1003603922			
<i>Diameter:</i>		8.25			
<i>Depth From:</i>					
<i>Depth To:</i>		2.2899999618530273			
<i>Hole Depth UOM:</i>		m			
<i>Hole Diameter UOM:</i>		cm			
<b><u>Bore Hole Information</u></b>					
<i>Bore Hole ID:</i>	1003603992			<i>Elevation:</i>	
<i>DP2BR:</i>				<i>Elevrc:</i>	
<i>Spatial Status:</i>				<i>Zone:</i>	17
<i>Code OB:</i>				<i>East83:</i>	606708.00
<i>Code OB Desc:</i>				<i>North83:</i>	4812551.00
<i>Open Hole:</i>				<i>Org CS:</i>	UTM83
<i>Cluster Kind:</i>	This is a record from cluster log sheet			<i>UTMRC:</i>	4
<i>Date Completed:</i>	07-Sep-2010 00:00:00			<i>UTMRC Desc:</i>	margin of error : 30 m - 100 m
<i>Remarks:</i>				<i>Location Method:</i>	wwr
<i>Elevrc Desc:</i>					
<i>Location Source Date:</i>					
<i>Improvement Location Source:</i>					
<i>Improvement Location Method:</i>					
<i>Source Revision Comment:</i>					
<i>Supplier Comment:</i>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<i>Plug ID:</i>		1003603996			
<i>Layer:</i>					
<i>Plug From:</i>					
<i>Plug To:</i>					
<i>Plug Depth UOM:</i>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<i>Method Construction ID:</i>		1003603995			
<i>Method Construction Code:</i>					
<i>Method Construction:</i>					
<i>Other Method Construction:</i>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<i>Pipe ID:</i>		1003603997			
<i>Casing No:</i>		0			
<i>Comment:</i>					
<i>Alt Name:</i>					
<b><u>Construction Record - Casing</u></b>					
<i>Casing ID:</i>		1003603999			
<i>Layer:</i>					
<i>Material:</i>		5			
<i>Open Hole or Material:</i>		PLASTIC			
<i>Depth From:</i>					
<i>Depth To:</i>		7.599999904632568			
<i>Casing Diameter:</i>					



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

**Casing Diameter UOM:**  
**Casing Depth UOM:**

m

**Construction Record - Screen**

**Screen ID:** 1003603998  
**Layer:**  
**Slot:**  
**Screen Top Depth:** 7.599999904632568  
**Screen End Depth:** 9.140000343322754  
**Screen Material:**  
**Screen Depth UOM:** m  
**Screen Diameter UOM:**  
**Screen Diameter:**

**Results of Well Yield Testing**

**Pump Test ID:** 1003604000  
**Pump Set At:**  
**Static Level:**  
**Final Level After Pumping:**  
**Recommended Pump Depth:**  
**Pumping Rate:**  
**Flowing Rate:**  
**Recommended Pump Rate:**  
**Levels UOM:**  
**Rate UOM:**  
**Water State After Test Code:**  
**Water State After Test:**  
**Pumping Test Method:**  
**Pumping Duration HR:**  
**Pumping Duration MIN:**  
**Flowing:**

**Hole Diameter**

**Hole ID:** 1003603994  
**Diameter:** 8.25  
**Depth From:**  
**Depth To:** 9.140000343322754  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

**Bore Hole Information**

<b>Bore Hole ID:</b> 1003604011	<b>Elevation:</b>
<b>DP2BR:</b>	<b>Elevrc:</b>
<b>Spatial Status:</b>	<b>Zone:</b> 17
<b>Code OB:</b>	<b>East83:</b> 606713.00
<b>Code OB Desc:</b>	<b>North83:</b> 4812522.00
<b>Open Hole:</b>	<b>Org CS:</b> UTM83
<b>Cluster Kind:</b> This is a record from cluster log sheet	<b>Org CS:</b> 4
<b>Date Completed:</b> 08-Sep-2010 00:00:00	<b>UTMRC:</b> 4
<b>Remarks:</b>	<b>UTMRC Desc:</b> margin of error : 30 m - 100 m
<b>Elevrc Desc:</b>	<b>Location Method:</b> wwr
<b>Location Source Date:</b>	
<b>Improvement Location Source:</b>	
<b>Improvement Location Method:</b>	
<b>Source Revision Comment:</b>	
<b>Supplier Comment:</b>	

**Annular Space/Abandonment**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1003604015			
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1003604014			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		SIR PERCUSSION			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1003604016			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1003604018			
<b>Layer:</b>					
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		7.300000190734863			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1003604017			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		7.300000190734863			
<b>Screen End Depth:</b>		8.800000190734863			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1003604019			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>					
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>			1003604013		
<b>Diameter:</b>			8.25		
<b>Depth From:</b>					
<b>Depth To:</b>			8.800000190734863		
<b>Hole Depth UOM:</b>			m		
<b>Hole Diameter UOM:</b>			cm		

<u>66</u>	1 of 1	WNW/188.2	109.8 / 6.28	ON	BORE
<b>Borehole ID:</b>	890796			<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215583713			<b>SP Status:</b>	Initial Entry
<b>Status:</b>	Decommissioned			<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Primary Name:</b>	
<b>Completion Date:</b>	10-JAN-1979			<b>Municipality:</b>	
<b>Static Water Level:</b>	0.9			<b>Lot:</b>	LOT 13
<b>Primary Water Use:</b>				<b>Township:</b>	TRAFALGAR
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	43.46179
<b>Total Depth m:</b>	2			<b>Longitude DD:</b>	-79.683972
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	17
<b>Depth Elev:</b>				<b>Easting:</b>	606461
<b>Drill Method:</b>	Solid stem auger			<b>Northing:</b>	4812939
<b>Orig Ground Elev m:</b>	109			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Within 100 metres
<b>DEM Ground Elev m:</b>	110				
<b>Concession:</b>	CON 2 SOUTH OF DUNDAS ST				
<b>Location D:</b>	Foundation Investigation Report for Trafalgar Road Interchange W.P. 1-79-01 site Hwy. Q.E.W., District 4, Hamilton				
<b>Survey D:</b>					
<b>Comments:</b>					

**Borehole Geology Stratum**

<b>Geology Stratum ID:</b>	8502641			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.2			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.9			<b>Material Texture:</b>	
<b>Material Color:</b>	Red			<b>Non Geo Mat Type:</b>	Fill-Misc
<b>Material 1:</b>	Fill			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Clay			<b>Geologic Group:</b>	
<b>Material 3:</b>	Silty			<b>Geologic Period:</b>	
<b>Material 4:</b>	Sand			<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Fill - silty clay, occasional pocket of sand, Red.				
<b>Geology Stratum ID:</b>	8502642			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.9			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	2			<b>Material Texture:</b>	
<b>Material Color:</b>	Red			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Bedrock			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Shale			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	shale bedrock weathered horizontal layers red **Note: Many records provided by the department have a truncated [Stratum Description] field.				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Geology Stratum ID:</b>	8502640			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.2			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Topsoil			<b>Geologic Formation:</b>	
<b>Material 2:</b>				<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Topsoil **Note: Many records provided by the department have a truncated [Stratum Description] field.				

67      1 of 1      **WNW/191.3**      **109.8 / 6.28**      **ON**      **BORE**

<b>Borehole ID:</b>	890810			<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215583727			<b>SP Status:</b>	Initial Entry
<b>Status:</b>	Decommissioned			<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Primary Name:</b>	
<b>Completion Date:</b>	11-JAN-1979			<b>Municipality:</b>	
<b>Static Water Level:</b>				<b>Lot:</b>	LOT 13
<b>Primary Water Use:</b>				<b>Township:</b>	TRAFALGAR
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	43.461218
<b>Total Depth m:</b>	1.1			<b>Longitude DD:</b>	-79.684306
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	17
<b>Depth Elev:</b>				<b>Easting:</b>	606435
<b>Drill Method:</b>	Solid stem auger			<b>Northing:</b>	4812875
<b>Orig Ground Elev m:</b>	109			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Within 100 metres
<b>DEM Ground Elev m:</b>	110				
<b>Concession:</b>	CON 2 SOUTH OF DUNDAS ST				
<b>Location D:</b>	Foundation Investigation Report for Trafalgar Road Interchange W.P. 1-79-01 site Hwy. Q.E.W., District 4, Hamilton				
<b>Survey D:</b>					
<b>Comments:</b>					

**Borehole Geology Stratum**

<b>Geology Stratum ID:</b>	8502699			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.3			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	1.1			<b>Material Texture:</b>	
<b>Material Color:</b>	Grey			<b>Non Geo Mat Type:</b>	Fill-Misc
<b>Material 1:</b>	Fill			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Clay			<b>Geologic Group:</b>	
<b>Material 3:</b>	Silty			<b>Geologic Period:</b>	
<b>Material 4:</b>	Shale			<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Fill - silty clay with grey shale fragments **Note: Many records provided by the department have a truncated [Stratum Description] field.				

<b>Geology Stratum ID:</b>	8502698			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.3			<b>Material Texture:</b>	
<b>Material Color:</b>				<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Topsoil			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Clay			<b>Geologic Group:</b>	
<b>Material 3:</b>	Silty			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Silty clay topsoil **Note: Many records provided by the department have a truncated [Stratum Description] field.				

68      1 of 1      **SE/192.0**      **99.8 / -3.72**      **TransNorthern Pipelines Inc**  
**300 South Service Road East**      **GEN**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Oakville ON L6J 0A5</b>					
<b>Generator No:</b>	ON3161892			<b>Status:</b>	Registered
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Dec 2017			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	251 L				
<b>Waste Class Desc:</b>	Waste oils/sludges (petroleum based)				

<b>69</b>	<b>1 of 1</b>	<b>WNW/194.1</b>	<b>109.8 / 6.28</b>	<b>ON</b>	<b>BORE</b>
<b>Borehole ID:</b>	890795			<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215583712			<b>SP Status:</b>	Initial Entry
<b>Status:</b>	Decommissioned			<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Primary Name:</b>	
<b>Completion Date:</b>	16-JAN-1979			<b>Municipality:</b>	
<b>Static Water Level:</b>				<b>Lot:</b>	LOT 13
<b>Primary Water Use:</b>				<b>Township:</b>	TRAFALGAR
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	43.461675
<b>Total Depth m:</b>	5.9			<b>Longitude DD:</b>	-79.684123
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	17
<b>Depth Elev:</b>				<b>Easting:</b>	606449
<b>Drill Method:</b>	Solid stem auger			<b>Northing:</b>	4812926
<b>Orig Ground Elev m:</b>	110			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Within 100 metres
<b>DEM Ground Elev m:</b>	110				
<b>Concession:</b>	CON 2 SOUTH OF DUNDAS ST				
<b>Location D:</b>	Foundation Investigation Report for Trafalgar Road Interchange W.P. 1-79-01 site Hwy. Q.E.W., District 4, Hamilton				
<b>Survey D:</b>					
<b>Comments:</b>					

**Borehole Geology Stratum**

<b>Geology Stratum ID:</b>	8502637			<b>Mat Consistency:</b>	Stiff
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	1.7			<b>Material Texture:</b>	
<b>Material Color:</b>	Red			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Clay			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silty			<b>Geologic Group:</b>	
<b>Material 3:</b>	Shale			<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	silty clay with shale fragments. Stiff red **Note: Many records provided by the department have a truncated [Stratum Description] field.				

<b>Geology Stratum ID:</b>	8502638			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	1.7			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	4			<b>Material Texture:</b>	
<b>Material Color:</b>	Red			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Bedrock			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Shale			<b>Geologic Group:</b>	
<b>Material 3:</b>	Clay			<b>Geologic Period:</b>	
<b>Material 4:</b>	Silty			<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Shale bedrock with several thin horizontal layers of silty clay. Decreasing in frequency with depth. Red **Note:				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Many records provided by the department have a truncated [Stratum Description] field.					
<b>Geology Stratum ID:</b>	8502639			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	4			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	5.9			<b>Material Texture:</b>	
<b>Material Color:</b>	Red			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Bedrock			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Shale			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Shale bedrock. Sound, red **Note: Many records provided by the department have a truncated [Stratum Description] field.				

<u>70</u>	1 of 1	WNW/200.6	109.8 / 6.28	ON	BORE
<b>Borehole ID:</b>	890794			<b>Inclin FLG:</b>	No
<b>OGF ID:</b>	215583711			<b>SP Status:</b>	Initial Entry
<b>Status:</b>	Decommissioned			<b>Surv Elev:</b>	No
<b>Type:</b>	Borehole			<b>Piezometer:</b>	No
<b>Use:</b>	Geotechnical/Geological Investigation			<b>Primary Name:</b>	
<b>Completion Date:</b>	22-JAN-1979			<b>Municipality:</b>	
<b>Static Water Level:</b>				<b>Lot:</b>	LOT 13
<b>Primary Water Use:</b>				<b>Township:</b>	TRAFALGAR
<b>Sec. Water Use:</b>				<b>Latitude DD:</b>	43.461613
<b>Total Depth m:</b>	2.1			<b>Longitude DD:</b>	-79.684248
<b>Depth Ref:</b>	Ground Surface			<b>UTM Zone:</b>	17
<b>Depth Elev:</b>				<b>Easting:</b>	606439
<b>Drill Method:</b>	Solid stem auger			<b>Northing:</b>	4812919
<b>Orig Ground Elev m:</b>	110			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b>	Within 100 metres
<b>DEM Ground Elev m:</b>	110				
<b>Concession:</b>	CON 2 SOUTH OF DUNDAS ST				
<b>Location D:</b>	Foundation Investigation Report for Trafalgar Road Interchange W.P. 1-79-01 site Hwy. Q.E.W., District 4, Hamilton				
<b>Survey D:</b>					
<b>Comments:</b>					

**Borehole Geology Stratum**

<b>Geology Stratum ID:</b>	8502636			<b>Mat Consistency:</b>	
<b>Top Depth:</b>	1.5			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	2.1			<b>Material Texture:</b>	
<b>Material Color:</b>	Red			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Bedrock			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Shale			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Red shale bedrock **Note: Many records provided by the department have a truncated [Stratum Description] field.				

<b>Geology Stratum ID:</b>	8502635			<b>Mat Consistency:</b>	Stiff
<b>Top Depth:</b>	0			<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	1.5			<b>Material Texture:</b>	
<b>Material Color:</b>	Red			<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Clay			<b>Geologic Formation:</b>	
<b>Material 2:</b>	Silty			<b>Geologic Group:</b>	
<b>Material 3:</b>				<b>Geologic Period:</b>	
<b>Material 4:</b>				<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>					
<b>Stratum Description:</b>	Silty clay stiff to hard Red **Note: Many records provided by the department have a truncated [Stratum Description] field.				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Geology Stratum ID:</i> <i>Top Depth:</i> <i>Bottom Depth:</i> <i>Material Color:</i> <i>Material 1:</i> <i>Material 2:</i> <i>Material 3:</i> <i>Material 4:</i> <i>Gsc Material Description:</i> <i>Stratum Description:</i>	8502634 0 0 Topsoil			<i>Mat Consistency:</i> <i>Material Moisture:</i> <i>Material Texture:</i> <i>Non Geo Mat Type:</i> <i>Geologic Formation:</i> <i>Geologic Group:</i> <i>Geologic Period:</i> <i>Depositional Gen:</i>	
topsoil **Note: Many records provided by the department have a truncated [Stratum Description] field.					

[71](#)      1 of 1      *E/200.9*      *99.8 / -3.72*      **354 DAVIS DRIVE**  
**Oakville ON**      [WWIS](#)

<i>Well ID:</i>	7205231	<i>Data Entry Status:</i>	
<i>Construction Date:</i>		<i>Data Src:</i>	
<i>Primary Water Use:</i>	Monitoring and Test Hole	<i>Date Received:</i>	7/23/2013
<i>Sec. Water Use:</i>		<i>Selected Flag:</i>	TRUE
<i>Final Well Status:</i>	Test Hole	<i>Abandonment Rec:</i>	
<i>Water Type:</i>		<i>Contractor:</i>	7241
<i>Casing Material:</i>		<i>Form Version:</i>	7
<i>Audit No:</i>	Z173714	<i>Owner:</i>	
<i>Tag:</i>	A149975	<i>Street Name:</i>	354 DAVIS DRIVE
<i>Construction Method:</i>		<i>County:</i>	HALTON
<i>Elevation (m):</i>		<i>Municipality:</i>	OAKVILLE TOWN
<i>Elevation Reliability:</i>		<i>Site Info:</i>	
<i>Depth to Bedrock:</i>		<i>Lot:</i>	
<i>Well Depth:</i>		<i>Concession:</i>	
<i>Overburden/Bedrock:</i>		<i>Concession Name:</i>	
<i>Pump Rate:</i>		<i>Easting NAD83:</i>	
<i>Static Water Level:</i>		<i>Northing NAD83:</i>	
<i>Flowing (Y/N):</i>		<i>Zone:</i>	
<i>Flow Rate:</i>		<i>UTM Reliability:</i>	
<i>Clear/Cloudy:</i>			

PDF URL (Map):

Additional Detail(s) (Map)

<i>Well Completed Date:</i>	2013/06/20
<i>Year Completed:</i>	2013
<i>Depth (m):</i>	4.57
<i>Latitude:</i>	43.4609882378638
<i>Longitude:</i>	-79.6784513761602
<i>Path:</i>	

Bore Hole Information

<i>Bore Hole ID:</i>	1004448591	<i>Elevation:</i>	
<i>DP2BR:</i>		<i>Elevrc:</i>	
<i>Spatial Status:</i>		<i>Zone:</i>	17
<i>Code OB:</i>		<i>East83:</i>	606909.00
<i>Code OB Desc:</i>		<i>North83:</i>	4812857.00
<i>Open Hole:</i>		<i>Org CS:</i>	UTM83
<i>Cluster Kind:</i>		<i>UTMRC:</i>	3
<i>Date Completed:</i>	20-Jun-2013 00:00:00	<i>UTMRC Desc:</i>	margin of error : 10 - 30 m
<i>Remarks:</i>		<i>Location Method:</i>	gis
<i>Elevrc Desc:</i>			
<i>Location Source Date:</i>			
<i>Improvement Location Source:</i>			
<i>Improvement Location Method:</i>			
<i>Source Revision Comment:</i>			
<i>Supplier Comment:</i>			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			1004876902		
<b>Layer:</b>			4		
<b>Color:</b>			2		
<b>General Color:</b>			GREY		
<b>Mat1:</b>			05		
<b>Most Common Material:</b>			CLAY		
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>			85		
<b>Mat3 Desc:</b>			SOFT		
<b>Formation Top Depth:</b>			2.130000114440918		
<b>Formation End Depth:</b>			3.200000047683716		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			1004876901		
<b>Layer:</b>			3		
<b>Color:</b>			6		
<b>General Color:</b>			BROWN		
<b>Mat1:</b>			05		
<b>Most Common Material:</b>			CLAY		
<b>Mat2:</b>			73		
<b>Mat2 Desc:</b>			HARD		
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>			1.2100000381469727		
<b>Formation End Depth:</b>			2.130000114440918		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			1004876903		
<b>Layer:</b>			5		
<b>Color:</b>			2		
<b>General Color:</b>			GREY		
<b>Mat1:</b>			17		
<b>Most Common Material:</b>			SHALE		
<b>Mat2:</b>			71		
<b>Mat2 Desc:</b>			FRACTURED		
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>			3.200000047683716		
<b>Formation End Depth:</b>			4.570000171661377		
<b>Formation End Depth UOM:</b>			m		
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>			1004876899		
<b>Layer:</b>			1		
<b>Color:</b>			6		
<b>General Color:</b>			BROWN		
<b>Mat1:</b>			02		
<b>Most Common Material:</b>			TOPSOIL		
<b>Mat2:</b>			11		



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>		85			
<b>Mat3 Desc:</b>		SOFT			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		0.3100000023841858			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1004876900			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		85			
<b>Mat2 Desc:</b>		SOFT			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0.3100000023841858			
<b>Formation End Depth:</b>		1.2100000381469727			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004876912			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.3100000023841858			
<b>Plug To:</b>		1.2100000381469727			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004876911			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.3100000023841858			
<b>Plug Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1004876913			
<b>Layer:</b>		3			
<b>Plug From:</b>		1.2100000381469727			
<b>Plug To:</b>		4.570000171661377			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1004876910			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		1004876898			
Casing No:		0			
Comment:					
Alt Name:					
<b><u>Construction Record - Casing</u></b>					
Casing ID:		1004876906			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		1.5399999618530273			
Casing Diameter:		4.03000020980835			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<b><u>Construction Record - Screen</u></b>					
Screen ID:		1004876907			
Layer:		1			
Slot:		10			
Screen Top Depth:		1.5399999618530273			
Screen End Depth:		4.570000171661377			
Screen Material:		5			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		4.820000171661377			
<b><u>Water Details</u></b>					
Water ID:		1004876905			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
<b><u>Hole Diameter</u></b>					
Hole ID:		1004876904			
Diameter:		11.430000305175781			
Depth From:		0.0			
Depth To:		4.570000171661377			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			

<a href="#">72</a>	1 of 1	WNW/205.9	109.8 / 6.28	ON	BORE
Borehole ID:	890811	Inclin FLG:	No		
OGF ID:	215583728	SP Status:	Initial Entry		
Status:	Decommissioned	Surv Elev:	No		
Type:	Borehole	Piezometer:	No		
Use:	Geotechnical/Geological Investigation	Primary Name:			
Completion Date:	10-JAN-1979	Municipality:			
Static Water Level:		Lot:	LOT 13		
Primary Water Use:		Township:	TRAFALGAR		
Sec. Water Use:		Latitude DD:	43.461587		
Total Depth m:	.9	Longitude DD:	-79.684335		
Depth Ref:	Ground Surface	UTM Zone:	17		
Depth Elev:		Easting:	606432		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Drill Method:</b>	Solid stem auger			<b>Northing:</b> 4812916	
<b>Orig Ground Elev m:</b>	109			<b>Location Accuracy:</b>	
<b>Elev Reliabil Note:</b>				<b>Accuracy:</b> Within 100 metres	
<b>DEM Ground Elev m:</b>	110				
<b>Concession:</b>	CON 2 SOUTH OF DUNDAS ST				
<b>Location D:</b>	Foundation Investigation Report for Trafalgar Road Interchange W.P. 1-79-01 site Hwy. Q.E.W., District 4, Hamilton				
<b>Survey D:</b>					
<b>Comments:</b>					

**Borehole Geology Stratum**

<b>Geology Stratum ID:</b>	8502701	<b>Mat Consistency:</b>	
<b>Top Depth:</b>	.3	<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.9	<b>Material Texture:</b>	
<b>Material Color:</b>	Red	<b>Non Geo Mat Type:</b>	Fill-Misc
<b>Material 1:</b>	Fill	<b>Geologic Formation:</b>	
<b>Material 2:</b>	Clay	<b>Geologic Group:</b>	
<b>Material 3:</b>	Silty	<b>Geologic Period:</b>	
<b>Material 4:</b>	Shale	<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>			
<b>Stratum Description:</b>	Fill - red silty clay with grey shale fragments **Note: Many records provided by the department have a truncated [Stratum Description] field.		

<b>Geology Stratum ID:</b>	8502700	<b>Mat Consistency:</b>	
<b>Top Depth:</b>	0	<b>Material Moisture:</b>	
<b>Bottom Depth:</b>	.3	<b>Material Texture:</b>	
<b>Material Color:</b>		<b>Non Geo Mat Type:</b>	
<b>Material 1:</b>	Topsoil	<b>Geologic Formation:</b>	
<b>Material 2:</b>	Clay	<b>Geologic Group:</b>	
<b>Material 3:</b>	Silty	<b>Geologic Period:</b>	
<b>Material 4:</b>		<b>Depositional Gen:</b>	
<b>Gsc Material Description:</b>			
<b>Stratum Description:</b>	Silty clay topsoil **Note: Many records provided by the department have a truncated [Stratum Description] field.		

<a href="#">73</a>	1 of 1	S/209.4	101.4 / -2.19	547 TRAFALGAR RD Oakville ON	WWIS
<b>Well ID:</b>	7100453	<b>Data Entry Status:</b>			
<b>Construction Date:</b>		<b>Data Src:</b>			
<b>Primary Water Use:</b>	Monitoring	<b>Date Received:</b>	1/8/2008		
<b>Sec. Water Use:</b>		<b>Selected Flag:</b>	TRUE		
<b>Final Well Status:</b>	Observation Wells	<b>Abandonment Rec:</b>			
<b>Water Type:</b>		<b>Contractor:</b>	6988		
<b>Casing Material:</b>		<b>Form Version:</b>	5		
<b>Audit No:</b>	M00219	<b>Owner:</b>			
<b>Tag:</b>	A050034	<b>Street Name:</b>	547 TRAFALGAR RD		
<b>Construction Method:</b>		<b>County:</b>	HALTON		
<b>Elevation (m):</b>		<b>Municipality:</b>	OAKVILLE TOWN		
<b>Elevation Reliability:</b>		<b>Site Info:</b>			
<b>Depth to Bedrock:</b>		<b>Lot:</b>			
<b>Well Depth:</b>		<b>Concession:</b>			
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>			
<b>Pump Rate:</b>		<b>Easting NAD83:</b>			
<b>Static Water Level:</b>		<b>Northing NAD83:</b>			
<b>Flowing (Y/N):</b>		<b>Zone:</b>			
<b>Flow Rate:</b>		<b>UTM Reliability:</b>			
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>	<a href="https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7107100453.pdf">https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7107100453.pdf</a>				

**Additional Detail(s) (Map)**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Well Completed Date:</b>		2007/09/26			
<b>Year Completed:</b>		2007			
<b>Depth (m):</b>		4.7			
<b>Latitude:</b>		43.4575973135981			
<b>Longitude:</b>		-79.6811086108846			
<b>Path:</b>		710\7100453.pdf			
<b>PDF URL (Map):</b>		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7100453.pdf			
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>		2007/09/26			
<b>Year Completed:</b>		2007			
<b>Depth (m):</b>					
<b>Latitude:</b>		43.4582877350223			
<b>Longitude:</b>		-79.6816374754632			
<b>Path:</b>		710\7100453.pdf			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1002634243			<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	606656.00
<b>Code OB Desc:</b>				<b>North83:</b>	4812553.00
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>	This is a record from cluster log sheet			<b>UTMRC:</b>	3
<b>Date Completed:</b>	26-Sep-2007 00:00:00			<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>	1002634247				
<b>Layer:</b>					
<b>Plug From:</b>					
<b>Plug To:</b>					
<b>Plug Depth UOM:</b>					
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>	1002634246				
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>	AUGER				
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>	1002634248				
<b>Casing No:</b>	0				
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Casing ID:</b>		1002634250			
<b>Layer:</b>					
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		1.2000000476837158			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002634249			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		1.399999976158142			
<b>Screen End Depth:</b>		4.199999809265137			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1002634251			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>					
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1002634245			
<b>Diameter:</b>		10.199999809265137			
<b>Depth From:</b>					
<b>Depth To:</b>		4.199999809265137			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1000044211			<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	606700.00
<b>Code OB Desc:</b>				<b>North83:</b>	4812477.00
<b>Open Hole:</b>	No			<b>Org CS:</b>	
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	26-Sep-2007 00:00:00			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	na

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1002634255			
<b>Layer:</b>		3			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		05			
<b>Mat2 Desc:</b>		CLAY			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		1.2000000476837158			
<b>Formation End Depth:</b>		1.7999999523162842			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1002634253			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		05			
<b>Mat2 Desc:</b>		CLAY			
<b>Mat3:</b>		11			
<b>Mat3 Desc:</b>		GRAVEL			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		0.6000000238418579			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1002634256			
<b>Layer:</b>		4			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		05			
<b>Most Common Material:</b>		CLAY			
<b>Mat2:</b>		06			
<b>Mat2 Desc:</b>		SILT			
<b>Mat3:</b>		92			
<b>Mat3 Desc:</b>		WEATHERED			
<b>Formation Top Depth:</b>		1.7999999523162842			
<b>Formation End Depth:</b>		3.0			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1002634257			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Layer:</b>		5			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>		05			
<b>Mat2 Desc:</b>		CLAY			
<b>Mat3:</b>		68			
<b>Mat3 Desc:</b>		DRY			
<b>Formation Top Depth:</b>		3.0			
<b>Formation End Depth:</b>		4.699999809265137			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1002634254			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>		01			
<b>Mat3 Desc:</b>		FILL			
<b>Formation Top Depth:</b>		0.6000000238418579			
<b>Formation End Depth:</b>		1.2000000476837158			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1002634259			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		1.2000000476837158			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well</u></b>					
<b><u>Use</u></b>					
<b>Method Construction ID:</b>		1002634264			
<b>Method Construction Code:</b>		E			
<b>Method Construction:</b>		Auger			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1002634252			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002634260			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		1.7000000476837158			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Casing Diameter:</b>		5.099999904632568			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1002634261			
<b>Layer:</b>		2			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		1.7000000476837158			
<b>Depth To:</b>		4.699999809265137			
<b>Casing Diameter:</b>		5.099999904632568			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1002634262			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>					
<b>Screen End Depth:</b>					
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>		cm			
<b>Screen Diameter:</b>		6.0			
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1002634258			
<b>Diameter:</b>		10.199999809265137			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		4.699999809265137			
<b>Hole Depth UOM:</b>		m			
<b>Hole Diameter UOM:</b>		cm			

<a href="#">74</a>	1 of 1	SE/216.1	99.9 / -3.71	The Corporation of the Town of Oakville 300 Cross Ave. Oakville ON	SPL
<b>Ref No:</b>	4447-5XZ4EW			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	Oil
<b>Incident Dt:</b>	4/12/2004			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	Container Leak (Fuel Tank Barrels)			<b>Sector Type:</b>	
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	13			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	DIESEL FUEL			<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	Halton-Peel
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	Central
<b>Environment Impact:</b>	Not Anticipated			<b>Site Municipality:</b>	Oakville
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>	Land			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>MOE Response:</b>				<b>Easting:</b>	
<b>Dt MOE Arvl on Scrn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	4/12/2004			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	
<b>Incident Reason:</b>	Equipment Failure			<b>Source Type:</b>	
<b>Site Name:</b>	OAKVILLE GO STATION<UNOFFICIAL>				



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> Oakville transit - 30 L diesel from bus. <b>Contaminant Qty:</b> 30 L					
<a href="#">75</a>	1 of 1	SSW/217.2	102.6 / -0.98	ON	WWIS
<b>Well ID:</b> 7376602 <b>Construction Date:</b> <b>Primary Water Use:</b> <b>Sec. Water Use:</b> <b>Final Well Status:</b> <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> C49404 <b>Tag:</b> A290707 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b> <b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>					
<b>Data Entry Status:</b> Yes <b>Data Src:</b> <b>Date Received:</b> 12/31/2020 <b>Selected Flag:</b> TRUE <b>Abandonment Rec:</b> <b>Contractor:</b> 7215 <b>Form Version:</b> 8 <b>Owner:</b> <b>Street Name:</b> <b>County:</b> HALTON <b>Municipality:</b> OAKVILLE TOWN <b>Site Info:</b> <b>Lot:</b> <b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> 1008558437 <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> 13-Aug-2020 00:00:00 <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>					
<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> 17 <b>East83:</b> 606612.00 <b>North83:</b> 4812555.00 <b>Org CS:</b> UTM83 <b>UTMRC:</b> 4 <b>UTMRC Desc:</b> margin of error : 30 m - 100 m <b>Location Method:</b> wwr					
<a href="#">76</a>	1 of 1	WNW/225.3	109.8 / 6.28	TRANSPORT TRUCK QEW OFF-RAMP TO HWY 25, TRAFALGAR ROAD TRANSPORT TRUCK (CARGO) OAKVILLE TOWN ON	SPL
<b>Ref No:</b> 137929 <b>Site No:</b> <b>Incident Dt:</b> 3/4/1997 <b>Year:</b> <b>Incident Cause:</b> VALVE/FITTING LEAK OR FAILURE <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b>					
<b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site Postal Code:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contaminant UN No 1:</b> <b>Environment Impact:</b> POSSIBLE <b>Nature of Impact:</b> Multi Media Pollution <b>Receiving Medium:</b> LAND <b>Receiving Env:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 3/4/1997 <b>Dt Document Closed:</b> <b>Incident Reason:</b> UNKNOWN <b>Site Name:</b> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> <b>Contaminant Qty:</b>		<b>Site Region:</b> <b>Site Municipality:</b> 14403 <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> F.D. <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> <b>Source Type:</b>		LONG MANUFACTURING: 135 L OF 10% SODIUM HYDROXIDETO ROAD, CONTAINED.	

<a href="#">77</a>	1 of 1	SE/225.7	99.5 / -4.11	<b>Trans-Northern Pipelines Inc.</b> <b>43.458577, -79.679528</b> <b>Oakville ON</b>	<b>SPL</b>
<b>Ref No:</b> 6771-AMN6BL <b>Site No:</b> <b>Incident Dt:</b> 5/23/2017 <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> Leak/Break <b>Contaminant Code:</b> 15 <b>Contaminant Name:</b> OIL (PETROLEUM BASED, NOT SPECIFIED) <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> n/a <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> Surface Water <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 5/23/2017 <b>Dt Document Closed:</b> <b>Incident Reason:</b> Unknown / N/A <b>Site Name:</b> Oil Pipeline Crossing at Morrison Creek, Oakville<UNOFFICIAL> <b>Site County/District:</b> Regional Municipality of Halton <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> Transnorthen Pipeline - Possible Sheen from Pipeline in Creek <b>Contaminant Qty:</b> 0 other - see incident description		<b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b> 2 - Minor Environment Corporation <b>Client Type:</b> Miscellaneous Industrial <b>Sector Type:</b> <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> 43.458577, -79.679528 <b>Site District Office:</b> Halton-Peel <b>Site Postal Code:</b> <b>Site Region:</b> Central <b>Site Municipality:</b> Oakville <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> <b>Source Type:</b> Pipeline/Components			

<a href="#">78</a>	1 of 1	SSW/232.8	102.1 / -1.42	<b>562 TAFALGAR RD</b> <b>Oakville ON</b>	<b>WWIS</b>
<b>Well ID:</b> 7263647 <b>Construction Date:</b> <b>Primary Water Use:</b> Monitoring and Test Hole <b>Sec. Water Use:</b> 0 <b>Final Well Status:</b> Monitoring and Test Hole <b>Water Type:</b> <b>Casing Material:</b> <b>Audit No:</b> Z231457 <b>Tag:</b> A197865 <b>Construction Method:</b> <b>Elevation (m):</b> <b>Elevation Reliability:</b> <b>Depth to Bedrock:</b>		<b>Data Entry Status:</b> <b>Data Src:</b> <b>Date Received:</b> 5/27/2016 <b>Selected Flag:</b> TRUE <b>Abandonment Rec:</b> <b>Contractor:</b> 7241 <b>Form Version:</b> 7 <b>Owner:</b> <b>Street Name:</b> 562 TAFALGAR RD <b>County:</b> HALTON <b>Municipality:</b> OAKVILLE TOWN <b>Site Info:</b> WKQ-008914 <b>Lot:</b>			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Well Depth:</b> <b>Overburden/Bedrock:</b> <b>Pump Rate:</b> <b>Static Water Level:</b> <b>Flowing (Y/N):</b> <b>Flow Rate:</b> <b>Clear/Cloudy:</b>				<b>Concession:</b> <b>Concession Name:</b> <b>Easting NAD83:</b> <b>Northing NAD83:</b> <b>Zone:</b> <b>UTM Reliability:</b>	
<b>PDF URL (Map):</b>					
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b> <b>Year Completed:</b> <b>Depth (m):</b> <b>Latitude:</b> <b>Longitude:</b> <b>Path:</b>		2016/04/23 2016 6.096 43.458196406129 -79.6823069403049			
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b> <b>DP2BR:</b> <b>Spatial Status:</b> <b>Code OB:</b> <b>Code OB Desc:</b> <b>Open Hole:</b> <b>Cluster Kind:</b> <b>Date Completed:</b> <b>Remarks:</b> <b>Elevrc Desc:</b> <b>Location Source Date:</b> <b>Improvement Location Source:</b> <b>Improvement Location Method:</b> <b>Source Revision Comment:</b> <b>Supplier Comment:</b>		1006016582		<b>Elevation:</b> <b>Elevrc:</b> <b>Zone:</b> <b>East83:</b> <b>North83:</b> <b>Org CS:</b> <b>UTMRC:</b> <b>UTMRC Desc:</b> <b>Location Method:</b>	
				17 606602.00 4812542.00 UTM83 4 margin of error : 30 m - 100 m wwr	
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b> <b>Layer:</b> <b>Color:</b> <b>General Color:</b> <b>Mat1:</b> <b>Most Common Material:</b> <b>Mat2:</b> <b>Mat2 Desc:</b> <b>Mat3:</b> <b>Mat3 Desc:</b> <b>Formation Top Depth:</b> <b>Formation End Depth:</b> <b>Formation End Depth UOM:</b>		1006126098 2 2 GREY 17 SHALE			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b> <b>Layer:</b> <b>Color:</b> <b>General Color:</b> <b>Mat1:</b>		1006126097 1 2 GREY 15			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Most Common Material:</b>		LIMESTONE			
<b>Mat2:</b>		01			
<b>Mat2 Desc:</b>		FILL			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		8.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006126107			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.5			
<b>Plug To:</b>		9.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006126108			
<b>Layer:</b>		3			
<b>Plug From:</b>		9.0			
<b>Plug To:</b>		20.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006126106			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.5			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006126105			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006126096			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006126101			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		10.0			
<b>Casing Diameter:</b>		2.0			
<b>Casing Diameter UOM:</b>		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Casing Depth UOM: ft

**Construction Record - Screen**

Screen ID: 1006126102  
 Layer: 1  
 Slot: 10  
 Screen Top Depth: 10.0  
 Screen End Depth: 20.0  
 Screen Material: 5  
 Screen Depth UOM: ft  
 Screen Diameter UOM: inch  
 Screen Diameter: 2.25

**Water Details**

Water ID: 1006126100  
 Layer:  
 Kind Code:  
 Kind:  
 Water Found Depth:  
 Water Found Depth UOM: ft

**Hole Diameter**

Hole ID: 1006126099  
 Diameter:  
 Depth From: 0.0  
 Depth To: 20.0  
 Hole Depth UOM: ft  
 Hole Diameter UOM: inch

<a href="#">79</a>	1 of 1	SSW/233.8	101.7 / -1.83	562 TAFALGAR RD Oakville ON	WWIS
--------------------	--------	-----------	---------------	--------------------------------	------

Well ID: 7263650  
 Construction Date:  
 Primary Water Use: Monitoring and Test Hole  
 Sec. Water Use: 0  
 Final Well Status: Monitoring and Test Hole  
 Water Type:  
 Casing Material:  
 Audit No: Z231454  
 Tag: A197868  
 Construction Method:  
 Elevation (m):  
 Elevation Reliability:  
 Depth to Bedrock:  
 Well Depth:  
 Overburden/Bedrock:  
 Pump Rate:  
 Static Water Level:  
 Flowing (Y/N):  
 Flow Rate:  
 Clear/Cloudy:

Data Entry Status:  
 Data Src:  
 Date Received: 5/27/2016  
 Selected Flag: TRUE  
 Abandonment Rec:  
 Contractor: 7241  
 Form Version: 7  
 Owner:  
 Street Name: 562 TAFALGAR RD  
 County: HALTON  
 Municipality: OAKVILLE TOWN  
 Site Info: WKQ-008914  
 Lot:  
 Concession:  
 Concession Name:  
 Easting NAD83:  
 Northing NAD83:  
 Zone:  
 UTM Reliability:

PDF URL (Map):

**Additional Detail(s) (Map)**

Well Completed Date: 2016/04/23  
 Year Completed: 2016

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Depth (m):</b>		6.096			
<b>Latitude:</b>		43.4581211141711			
<b>Longitude:</b>		-79.6820242787988			
<b>Path:</b>					

**Bore Hole Information**

<b>Bore Hole ID:</b>	1006016616	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	606625.00
<b>Code OB Desc:</b>		<b>North83:</b>	4812534.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>		<b>UTMRC:</b>	4
<b>Date Completed:</b>	23-Apr-2016 00:00:00	<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1006126217
<b>Layer:</b>	2
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	17
<b>Most Common Material:</b>	SHALE
<b>Mat2:</b>	
<b>Mat2 Desc:</b>	
<b>Mat3:</b>	
<b>Mat3 Desc:</b>	
<b>Formation Top Depth:</b>	4.0
<b>Formation End Depth:</b>	20.0
<b>Formation End Depth UOM:</b>	ft

**Overburden and Bedrock**

**Materials Interval**

<b>Formation ID:</b>	1006126216
<b>Layer:</b>	1
<b>Color:</b>	2
<b>General Color:</b>	GREY
<b>Mat1:</b>	01
<b>Most Common Material:</b>	FILL
<b>Mat2:</b>	
<b>Mat2 Desc:</b>	
<b>Mat3:</b>	
<b>Mat3 Desc:</b>	
<b>Formation Top Depth:</b>	0.0
<b>Formation End Depth:</b>	4.0
<b>Formation End Depth UOM:</b>	ft

**Annular Space/Abandonment**

**Sealing Record**

<b>Plug ID:</b>	1006126226
<b>Layer:</b>	2

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Plug From:</b>		0.5			
<b>Plug To:</b>		9.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006126225			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.5			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006126227			
<b>Layer:</b>		3			
<b>Plug From:</b>		9.0			
<b>Plug To:</b>		20.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006126224			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006126215			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006126220			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		10.0			
<b>Casing Diameter:</b>		2.0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006126221			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		10.0			
<b>Screen End Depth:</b>		20.0			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.25			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Water Details**

Water ID: 1006126219  
 Layer:  
 Kind Code:  
 Kind:  
 Water Found Depth:  
 Water Found Depth UOM: ft

**Hole Diameter**

Hole ID: 1006126218  
 Diameter:  
 Depth From: 0.0  
 Depth To: 20.0  
 Hole Depth UOM: ft  
 Hole Diameter UOM: inch

<a href="#">80</a>	1 of 11	SSW/241.5	101.3 / -2.29	MAC'S CONVENIENCE STORES INC 562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	FST
--------------------	---------	-----------	---------------	---	-----

Instance No:	11635006	Manufacturer:	
Status:		Serial No:	
Cont Name:		Ulc Standard:	
Instance Type:	FS Liquid Fuel Tank	Quantity:	
Item:	FS LIQUID FUEL TANK	Unit of Measure:	
Item Description:	FS Liquid Fuel Tank	Fuel Type:	Gasoline
Tank Type:	Double Wall UST	Fuel Type2:	NULL
Install Date:	6/25/2009	Fuel Type3:	NULL
Install Year:	2001	Piping Steel:	
Years in Service:		Piping Galvanized:	
Model:	NULL	Tanks Single Wall St:	
Description:		Piping Underground:	
Capacity:	46400	Num Underground:	
Tank Material:	Fiberglass (FRP)	Panam Related:	
Corrosion Protect:		Panam Venue:	
Overfill Protect:			
Facility Type:	FS Liquid Fuel Tank		
Parent Facility Type:	FS Gasoline Station - Self Serve		
Facility Location:			
Device Installed Location:	562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA		

**Fuel Storage Tank Details**

Owner Account Name: MAC'S CONVENIENCE STORES INC

**Liquid Fuel Tank Details**

Overfill Protection:  
 Owner Account Name: MAC'S CONVENIENCE STORES INC  
 Item: FS LIQUID FUEL TANK

<a href="#">80</a>	2 of 11	SSW/241.5	101.3 / -2.29	MAC'S CONVENIENCE STORES INC 562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	FST
--------------------	---------	-----------	---------------	---	-----

Instance No:	11645263	Manufacturer:	
Status:		Serial No:	
Cont Name:		Ulc Standard:	
Instance Type:	FS Liquid Fuel Tank	Quantity:	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Item:</b>	FS LIQUID FUEL TANK			<b>Unit of Measure:</b>	
<b>Item Description:</b>	FS Liquid Fuel Tank			<b>Fuel Type:</b>	Gasoline
<b>Tank Type:</b>	Double Wall UST			<b>Fuel Type2:</b>	NULL
<b>Install Date:</b>	6/25/2009			<b>Fuel Type3:</b>	NULL
<b>Install Year:</b>	2001			<b>Piping Steel:</b>	
<b>Years in Service:</b>				<b>Piping Galvanized:</b>	
<b>Model:</b>	NULL			<b>Tanks Single Wall St:</b>	
<b>Description:</b>				<b>Piping Underground:</b>	
<b>Capacity:</b>	46400			<b>Num Underground:</b>	
<b>Tank Material:</b>	Fiberglass (FRP)			<b>Panam Related:</b>	
<b>Corrosion Protect:</b>				<b>Panam Venue:</b>	
<b>Overfill Protect:</b>					
<b>Facility Type:</b>	FS Liquid Fuel Tank				
<b>Parent Facility Type:</b>	FS Gasoline Station - Self Serve				
<b>Facility Location:</b>					
<b>Device Installed Location:</b>	562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA				
<b><u>Fuel Storage Tank Details</u></b>					
<b>Owner Account Name:</b>	MAC'S CONVENIENCE STORES INC				
<b><u>Liquid Fuel Tank Details</u></b>					
<b>Overfill Protection:</b>					
<b>Owner Account Name:</b>	MAC'S CONVENIENCE STORES INC				
<b>Item:</b>	FS LIQUID FUEL TANK				

<b>80</b>	<b>3 of 11</b>	<b>SSW/241.5</b>	<b>101.3 / -2.29</b>	<b>MAC'S CONVENIENCE STORES INC 562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON</b>	<b>FST</b>
<b>Instance No:</b>	11645275			<b>Manufacturer:</b>	
<b>Status:</b>				<b>Serial No:</b>	
<b>Cont Name:</b>				<b>Ulc Standard:</b>	
<b>Instance Type:</b>	FS Liquid Fuel Tank			<b>Quantity:</b>	
<b>Item:</b>	FS LIQUID FUEL TANK			<b>Unit of Measure:</b>	
<b>Item Description:</b>	FS Liquid Fuel Tank			<b>Fuel Type:</b>	Diesel
<b>Tank Type:</b>	Double Wall UST			<b>Fuel Type2:</b>	NULL
<b>Install Date:</b>	6/25/2009			<b>Fuel Type3:</b>	NULL
<b>Install Year:</b>	2001			<b>Piping Steel:</b>	
<b>Years in Service:</b>				<b>Piping Galvanized:</b>	
<b>Model:</b>	NULL			<b>Tanks Single Wall St:</b>	
<b>Description:</b>				<b>Piping Underground:</b>	
<b>Capacity:</b>	22700			<b>Num Underground:</b>	
<b>Tank Material:</b>	Fiberglass (FRP)			<b>Panam Related:</b>	
<b>Corrosion Protect:</b>				<b>Panam Venue:</b>	
<b>Overfill Protect:</b>					
<b>Facility Type:</b>	FS Liquid Fuel Tank				
<b>Parent Facility Type:</b>	FS Gasoline Station - Self Serve				
<b>Facility Location:</b>					
<b>Device Installed Location:</b>	562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA				
<b><u>Fuel Storage Tank Details</u></b>					
<b>Owner Account Name:</b>	MAC'S CONVENIENCE STORES INC				
<b><u>Liquid Fuel Tank Details</u></b>					
<b>Overfill Protection:</b>					
<b>Owner Account Name:</b>	MAC'S CONVENIENCE STORES INC				
<b>Item:</b>	FS LIQUID FUEL TANK				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">80</a>	4 of 11	SSW/241.5	101.3 / -2.29	MAC'S CONVENIENCE STORES INC 562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	FST
<b>Instance No:</b>		11645269		<b>Manufacturer:</b>	
<b>Status:</b>				<b>Serial No:</b>	
<b>Cont Name:</b>				<b>Ulc Standard:</b>	
<b>Instance Type:</b>		FS Liquid Fuel Tank		<b>Quantity:</b>	
<b>Item:</b>		FS LIQUID FUEL TANK		<b>Unit of Measure:</b>	
<b>Item Description:</b>		FS Liquid Fuel Tank		<b>Fuel Type:</b> Gasoline	
<b>Tank Type:</b>		Double Wall UST		<b>Fuel Type2:</b> NULL	
<b>Install Date:</b>		6/25/2009		<b>Fuel Type3:</b> NULL	
<b>Install Year:</b>		2001		<b>Piping Steel:</b>	
<b>Years in Service:</b>				<b>Piping Galvanized:</b>	
<b>Model:</b>		NULL		<b>Tanks Single Wall St:</b>	
<b>Description:</b>				<b>Piping Underground:</b>	
<b>Capacity:</b>		46400		<b>Num Underground:</b>	
<b>Tank Material:</b>		Fiberglass (FRP)		<b>Panam Related:</b>	
<b>Corrosion Protect:</b>				<b>Panam Venue:</b>	
<b>Overfill Protect:</b>					
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<b>Parent Facility Type:</b>		FS Gasoline Station - Self Serve			
<b>Facility Location:</b>					
<b>Device Installed Location:</b>		562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA			
<b><u>Fuel Storage Tank Details</u></b>					
<b>Owner Account Name:</b>		MAC'S CONVENIENCE STORES INC			
<b><u>Liquid Fuel Tank Details</u></b>					
<b>Overfill Protection:</b>					
<b>Owner Account Name:</b>		MAC'S CONVENIENCE STORES INC			
<b>Item:</b>		FS LIQUID FUEL TANK			
<a href="#">80</a>	5 of 11	SSW/241.5	101.3 / -2.29	ZULFI ESSO 562 TRAFALGAR RD OAKVILLE ON L6J3J2	RST
<b>Headcode:</b>		01186800			
<b>Headcode Desc:</b>		SERVICE STATIONS GASOLINE OIL & NATURAL GAS			
<b>Phone:</b>		9053370834			
<b>List Name:</b>		INFO-DIRECT(TM) BUSINESS FILE			
<b>Description:</b>					
<a href="#">80</a>	6 of 11	SSW/241.5	101.3 / -2.29	GEETANJALI ADHYAPAK O/A GAS STN 562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	FST
<b>Instance No:</b>		10888977		<b>Manufacturer:</b>	
<b>Status:</b>				<b>Serial No:</b>	
<b>Cont Name:</b>				<b>Ulc Standard:</b>	
<b>Instance Type:</b>		FS LIQUID FUEL TANK		<b>Quantity:</b>	
<b>Item:</b>		FS LIQUID FUEL TANK		<b>Unit of Measure:</b>	
<b>Item Description:</b>		FS Liquid Fuel Tank		<b>Fuel Type:</b> Gasoline	
<b>Tank Type:</b>		Liquid Fuel Single Wall UST		<b>Fuel Type2:</b> NULL	
<b>Install Date:</b>		10/2/1989		<b>Fuel Type3:</b> NULL	
<b>Install Year:</b>		1981		<b>Piping Steel:</b>	
<b>Years in Service:</b>				<b>Piping Galvanized:</b>	
<b>Model:</b>		NULL		<b>Tanks Single Wall St:</b>	
<b>Description:</b>				<b>Piping Underground:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Capacity:	22700			Num Underground:	
Tank Material:	Steel			Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					
Facility Type:		FS Liquid Fuel Tank			
Parent Facility Type:					
Facility Location:					
Device Installed Location:		562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA			
<b><u>Fuel Storage Tank Details</u></b>					
Owner Account Name:		GEETANJALI ADHYAPAK O/A GAS STN			
<b><u>Liquid Fuel Tank Details</u></b>					
Overfill Protection:					
Owner Account Name:		GEETANJALI ADHYAPAK O/A GAS STN			
Item:		FS LIQUID FUEL TANK			

<a href="#">80</a>	7 of 11	SSW/241.5	101.3 / -2.29	562 TRAFALGAR RD OAKVILLE ON L6J 3J2	FST
Instance No:	9486833			Manufacturer:	
Status:	Active			Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:				Quantity:	
Item:	FS GASOLINE STATION - SELF SERVE			Unit of Measure:	
Item Description:				Fuel Type:	
Tank Type:				Fuel Type2:	
Install Date:				Fuel Type3:	
Install Year:				Piping Steel:	0
Years in Service:				Piping Galvanized:	0
Model:				Tanks Single Wall St:	0
Description:				Piping Underground:	4
Capacity:				Num Underground:	4
Tank Material:				Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					
Facility Type:					
Parent Facility Type:					
Facility Location:					
Device Installed Location:					

<a href="#">80</a>	8 of 11	SSW/241.5	101.3 / -2.29	GEETANJALI ADHYAPAK O/A GAS STN 562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	FST
Instance No:	10888962			Manufacturer:	
Status:				Serial No:	
Cont Name:				Ulc Standard:	
Instance Type:				Quantity:	
Item:	FS LIQUID FUEL TANK			Unit of Measure:	
Item Description:	FS Liquid Fuel Tank			Fuel Type:	Gasoline
Tank Type:	Liquid Fuel Single Wall UST			Fuel Type2:	NULL
Install Date:	10/2/1989			Fuel Type3:	NULL
Install Year:	1981			Piping Steel:	
Years in Service:				Piping Galvanized:	
Model:	NULL			Tanks Single Wall St:	
Description:				Piping Underground:	
Capacity:	45400			Num Underground:	
Tank Material:	Steel			Panam Related:	
Corrosion Protect:				Panam Venue:	
Overfill Protect:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<b>Parent Facility Type:</b>					
<b>Facility Location:</b>		562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA			
<b>Device Installed Location:</b>		562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA			
<b><u>Fuel Storage Tank Details</u></b>					
<b>Owner Account Name:</b>		GEETANJALI ADHYAPAK O/A GAS STN			
<b><u>Liquid Fuel Tank Details</u></b>					
<b>Overfill Protection:</b>					
<b>Owner Account Name:</b>		GEETANJALI ADHYAPAK O/A GAS STN			
<b>Item:</b>		FS LIQUID FUEL TANK			

<a href="#">80</a>	9 of 11	SSW/241.5	101.3 / -2.29	GEETANJALI ADHYAPAK O/A GAS STN 562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	FST
<b>Instance No:</b>		10888999		<b>Manufacturer:</b>	
<b>Status:</b>				<b>Serial No:</b>	
<b>Cont Name:</b>				<b>Ulc Standard:</b>	
<b>Instance Type:</b>				<b>Quantity:</b>	
<b>Item:</b>		FS LIQUID FUEL TANK		<b>Unit of Measure:</b>	
<b>Item Description:</b>		FS Liquid Fuel Tank		<b>Fuel Type:</b> Diesel	
<b>Tank Type:</b>		Liquid Fuel Single Wall UST		<b>Fuel Type2:</b> NULL	
<b>Install Date:</b>		10/2/1989		<b>Fuel Type3:</b> NULL	
<b>Install Year:</b>		1981		<b>Piping Steel:</b>	
<b>Years in Service:</b>				<b>Piping Galvanized:</b>	
<b>Model:</b>		NULL		<b>Tanks Single Wall St:</b>	
<b>Description:</b>				<b>Piping Underground:</b>	
<b>Capacity:</b>		22700		<b>Num Underground:</b>	
<b>Tank Material:</b>		Steel		<b>Panam Related:</b>	
<b>Corrosion Protect:</b>				<b>Panam Venue:</b>	
<b>Overfill Protect:</b>					
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<b>Parent Facility Type:</b>					
<b>Facility Location:</b>		562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA			
<b>Device Installed Location:</b>		562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA			
<b><u>Fuel Storage Tank Details</u></b>					
<b>Owner Account Name:</b>		GEETANJALI ADHYAPAK O/A GAS STN			
<b><u>Liquid Fuel Tank Details</u></b>					
<b>Overfill Protection:</b>					
<b>Owner Account Name:</b>		GEETANJALI ADHYAPAK O/A GAS STN			
<b>Item:</b>		FS LIQUID FUEL TANK			

<a href="#">80</a>	10 of 11	SSW/241.5	101.3 / -2.29	GEETANJALI ADHYAPAK O/A GAS STN 562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	FST
<b>Instance No:</b>		10888925		<b>Manufacturer:</b>	
<b>Status:</b>				<b>Serial No:</b>	
<b>Cont Name:</b>				<b>Ulc Standard:</b>	
<b>Instance Type:</b>				<b>Quantity:</b>	
<b>Item:</b>		FS LIQUID FUEL TANK		<b>Unit of Measure:</b>	
<b>Item Description:</b>		FS Liquid Fuel Tank		<b>Fuel Type:</b> Gasoline	
<b>Tank Type:</b>		Liquid Fuel Single Wall UST		<b>Fuel Type2:</b> NULL	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Install Date:</b>	10/2/1989			<b>Fuel Type3:</b>	NULL
<b>Install Year:</b>	1981			<b>Piping Steel:</b>	
<b>Years in Service:</b>				<b>Piping Galvanized:</b>	
<b>Model:</b>	NULL			<b>Tanks Single Wall St:</b>	
<b>Description:</b>				<b>Piping Underground:</b>	
<b>Capacity:</b>	45400			<b>Num Underground:</b>	
<b>Tank Material:</b>	Steel			<b>Panam Related:</b>	
<b>Corrosion Protect:</b>				<b>Panam Venue:</b>	
<b>Overfill Protect:</b>					
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<b>Parent Facility Type:</b>					
<b>Facility Location:</b>					
<b>Device Installed Location:</b>		562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA			
<b><u>Fuel Storage Tank Details</u></b>					
<b>Owner Account Name:</b>		GEETANJALI ADHYAPAK O/A GAS STN			
<b><u>Liquid Fuel Tank Details</u></b>					
<b>Overfill Protection:</b>					
<b>Owner Account Name:</b>		GEETANJALI ADHYAPAK O/A GAS STN			
<b>Item:</b>		FS LIQUID FUEL TANK			
<b>80</b>	11 of 11	SSW/241.5	101.3 / -2.29	GEETANJALI ADHYAPAK O/A GAS STN 562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	FST
<b>Instance No:</b>	10888947			<b>Manufacturer:</b>	
<b>Status:</b>				<b>Serial No:</b>	
<b>Cont Name:</b>				<b>Ulc Standard:</b>	
<b>Instance Type:</b>				<b>Quantity:</b>	
<b>Item:</b>	FS LIQUID FUEL TANK			<b>Unit of Measure:</b>	
<b>Item Description:</b>	FS Liquid Fuel Tank			<b>Fuel Type:</b>	Gasoline
<b>Tank Type:</b>	Liquid Fuel Single Wall UST			<b>Fuel Type2:</b>	NULL
<b>Install Date:</b>	10/2/1989			<b>Fuel Type3:</b>	NULL
<b>Install Year:</b>	1981			<b>Piping Steel:</b>	
<b>Years in Service:</b>				<b>Piping Galvanized:</b>	
<b>Model:</b>	NULL			<b>Tanks Single Wall St:</b>	
<b>Description:</b>				<b>Piping Underground:</b>	
<b>Capacity:</b>	45400			<b>Num Underground:</b>	
<b>Tank Material:</b>	Steel			<b>Panam Related:</b>	
<b>Corrosion Protect:</b>				<b>Panam Venue:</b>	
<b>Overfill Protect:</b>					
<b>Facility Type:</b>		FS Liquid Fuel Tank			
<b>Parent Facility Type:</b>					
<b>Facility Location:</b>					
<b>Device Installed Location:</b>		562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA			
<b><u>Fuel Storage Tank Details</u></b>					
<b>Owner Account Name:</b>		GEETANJALI ADHYAPAK O/A GAS STN			
<b><u>Liquid Fuel Tank Details</u></b>					
<b>Overfill Protection:</b>					
<b>Owner Account Name:</b>		GEETANJALI ADHYAPAK O/A GAS STN			
<b>Item:</b>		FS LIQUID FUEL TANK			
<b>81</b>	1 of 21	SSW/245.8	101.5 / -2.10	PRIVATELY OWNED 562 TRAFALGAR RD. MOTOR VEHICLE	SPL

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				(OPERATING FLUID) OAKVILLE TOWN ON L6J 3J2	
<b>Ref No:</b>	25744			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	9/24/1989			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	OTHER CONTAINER LEAK			<b>Sector Type:</b>	
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	NOT ANTICIPATED			<b>Site Municipality:</b>	14403
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>MOE Response:</b>				<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	9/25/1989			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	
<b>Incident Reason:</b>	MATERIAL FAILURE			<b>Source Type:</b>	
<b>Site Name:</b>					
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	TEXACO - TANKFULL OF GAS TO PVMT. AT SERVICE STN. CONTAINED.				
<b>Contaminant Qty:</b>					

<u>81</u>	2 of 21	SSW/245.8	101.5 / -2.10	PRIVATELY OWNED 562 TRAFALGAR RD. TEXACO SERVICE STATION MOTOR VEHICLE (OPERATING FLUID) OAKVILLE TOWN ON L6J 3J2	SPL
<b>Ref No:</b>	28990			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	11/30/1989			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	OTHER CAUSE (N.O.S.)			<b>Sector Type:</b>	
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	NOT ANTICIPATED			<b>Site Municipality:</b>	14403
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>MOE Response:</b>				<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	12/1/1989			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	
<b>Incident Reason:</b>	VANDALISM			<b>Source Type:</b>	
<b>Site Name:</b>					
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	BACKENTRY- TEXACO 3-4 LITRES GAS TO PVMT. FROM DISGRUNTLED CUSTOMER.				
<b>Contaminant Qty:</b>					

<u>81</u>	3 of 21	SSW/245.8	101.5 / -2.10	ESSO PETROLEUM CANADA 562 TRAFALGAR RD SERVICE STATION	SPL
-----------	---------	-----------	---------------	---	-----

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>OAKVILLE TOWN ON L6J 3J2</b>					
<b>Ref No:</b>	149981			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	12/27/1990			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	VALVE/FITTING LEAK OR FAILURE			<b>Sector Type:</b>	
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	NOT ANTICIPATED			<b>Site Municipality:</b>	14403
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>MOE Response:</b>				<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	12/27/1990			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	
<b>Incident Reason:</b>	EQUIPMENT FAILURE			<b>Source Type:</b>	
<b>Site Name:</b>					
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	ESSO:SMALL QUANTITY GASOLINE SPILLED TO CONCRETE PAD.				
<b>Contaminant Qty:</b>					
<a href="#">81</a>	4 of 21	SSW/245.8	101.5 / -2.10	TRAFALGAR ESSO SELF SERVE 487346 ONTARIO LTD 562 TRAFALGAR RD OAKVILLE ON L6J 3J2	PRT
<b>Location ID:</b>	10420				
<b>Type:</b>	retail				
<b>Expiry Date:</b>	1995-03-31				
<b>Capacity (L):</b>	39947				
<b>Licence #:</b>	0014569001				
<a href="#">81</a>	5 of 21	SSW/245.8	101.5 / -2.10	TRAFALGAR ESSO 562 TRAFALGAR RD OAKVILLE ON L6J3J2	RST
<b>Headcode:</b>	1186800				
<b>Headcode Desc:</b>	Service Stations-Gasoline, Oil & Natural Gas				
<b>Phone:</b>	9058450202				
<b>List Name:</b>					
<b>Description:</b>					
<a href="#">81</a>	6 of 21	SSW/245.8	101.5 / -2.10	1285118 ONT INC 562 TRAFALGAR RD OAKVILLE ON L6J 3J2	RST
<b>Headcode:</b>	1186800				
<b>Headcode Desc:</b>	Service Stations-Gasoline, Oil & Natural Gas				
<b>Phone:</b>	9053370834				
<b>List Name:</b>					
<b>Description:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">81</a>	7 of 21	SSW/245.8	101.5 / -2.10	562 Trafalgar Rd Oakville ON L6J 3J2	EHS
<b>Order No:</b>		20001127002		<b>Nearest Intersection:</b> QEW	
<b>Status:</b>		C		<b>Municipality:</b> Halton	
<b>Report Type:</b>		Basic Report		<b>Client Prov/State:</b> ON	
<b>Report Date:</b>		12/4/00		<b>Search Radius (km):</b> 0.25	
<b>Date Received:</b>		11/27/00		<b>X:</b> -79.682121	
<b>Previous Site Name:</b>				<b>Y:</b> 43.458179	
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>					
<a href="#">81</a>	8 of 21	SSW/245.8	101.5 / -2.10	ZULFI ESSO 562 TRAFALGAR RD OAKVILLE ON L6J 3J2	RST
<b>Headcode:</b>		01186800			
<b>Headcode Desc:</b>		SERVICE STATIONS-GASOLINE, OIL & NATURAL GAS			
<b>Phone:</b>					
<b>List Name:</b>					
<b>Description:</b>					
<a href="#">81</a>	9 of 21	SSW/245.8	101.5 / -2.10	Imperial Oil Limited 562 Trafalgar Rd Oakville ON L6J 3J2	CA
<b>Certificate #:</b>		8204-7STR6J			
<b>Application Year:</b>		2009			
<b>Issue Date:</b>		6/9/2009			
<b>Approval Type:</b>		Industrial Sewage Works			
<b>Status:</b>		Approved			
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					
<b>Client City:</b>					
<b>Client Postal Code:</b>					
<b>Project Description:</b>					
<b>Contaminants:</b>					
<b>Emission Control:</b>					
<a href="#">81</a>	10 of 21	SSW/245.8	101.5 / -2.10	GEETANJALI ADHYAPAK O/A GAS STN 562 TRAFALGAR RD OAKVILLE ON	DTNK
<b><u>Delisted Expired Fuel Safety Facilities</u></b>					
<b>Instance No:</b>		10888938		<b>Expired Date:</b>	
<b>Status:</b>		EXPIRED		<b>Max Hazard Rank:</b>	
<b>Instance ID:</b>		49163		<b>Facility Location:</b>	
<b>Instance Type:</b>		FS Piping		<b>Facility Type:</b>	
<b>Instance Creation Dt:</b>				<b>Fuel Type 2:</b>	
<b>Instance Install Dt:</b>				<b>Fuel Type 3:</b>	
<b>Item Description:</b>				<b>Panam Related:</b>	
<b>Manufacturer:</b>				<b>Panam Venue Nm:</b>	
<b>Model:</b>				<b>External Identifier:</b>	
<b>Serial No:</b>				<b>Item:</b>	
<b>ULC Standard:</b>				<b>Piping Steel:</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Quantity:</b> <b>Unit of Measure:</b> <b>Overfill Prot Type:</b> <b>Creation Date:</b> <b>Next Periodic Str DT:</b> <b>TSSA Base Sched Cycle 2:</b> <b>TSSAMax Hazard Rank 1:</b> <b>TSSA Risk Based Periodic Yn:</b> <b>TSSA Volume of Directives:</b> <b>TSSA Periodic Exempt:</b> <b>TSSA Statutory Interval:</b> <b>TSSA Recd Insp Interva:</b> <b>TSSA Recd Tolerance:</b> <b>TSSA Program Area:</b> <b>TSSA Program Area 2:</b>				<b>Piping Galvanized:</b> <b>Tank Single Wall St:</b> <b>Piping Underground:</b> <b>Tank Underground:</b> <b>Source:</b>	
<b>Description:</b> <b>Original Source:</b> <b>Record Date:</b>		FS Piping EXP Up to Mar 2012			

<a href="#">81</a>	11 of 21	SSW/245.8	101.5 / -2.10	GEETANJALI ADHYAPAK O/A GAS STN 562 TRAFALGAR RD OAKVILLE ON	DTNK
--------------------	----------	-----------	---------------	--	------

**Delisted Expired Fuel Safety Facilities**

<b>Instance No:</b> <b>Status:</b> <b>Instance ID:</b> <b>Instance Type:</b> <b>Instance Creation Dt:</b> <b>Instance Install Dt:</b> <b>Item Description:</b> <b>Manufacturer:</b> <b>Model:</b> <b>Serial No:</b> <b>ULC Standard:</b> <b>Quantity:</b> <b>Unit of Measure:</b> <b>Overfill Prot Type:</b> <b>Creation Date:</b> <b>Next Periodic Str DT:</b> <b>TSSA Base Sched Cycle 2:</b> <b>TSSAMax Hazard Rank 1:</b> <b>TSSA Risk Based Periodic Yn:</b> <b>TSSA Volume of Directives:</b> <b>TSSA Periodic Exempt:</b> <b>TSSA Statutory Interval:</b> <b>TSSA Recd Insp Interva:</b> <b>TSSA Recd Tolerance:</b> <b>TSSA Program Area:</b> <b>TSSA Program Area 2:</b>	10889008 EXPIRED 49218 FS Piping	<b>Expired Date:</b> <b>Max Hazard Rank:</b> <b>Facility Location:</b> <b>Facility Type:</b> <b>Fuel Type 2:</b> <b>Fuel Type 3:</b> <b>Panam Related:</b> <b>Panam Venue Nm:</b> <b>External Identifier:</b> <b>Item:</b> <b>Piping Steel:</b> <b>Piping Galvanized:</b> <b>Tank Single Wall St:</b> <b>Piping Underground:</b> <b>Tank Underground:</b> <b>Source:</b>	
<b>Description:</b> <b>Original Source:</b> <b>Record Date:</b>	FS Piping EXP Up to Mar 2012		

<a href="#">81</a>	12 of 21	SSW/245.8	101.5 / -2.10	GEETANJALI ADHYAPAK O/A GAS STN 562 TRAFALGAR RD OAKVILLE ON	DTNK
--------------------	----------	-----------	---------------	--	------

**Delisted Expired Fuel Safety**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b><u>Facilities</u></b>					
Instance No:	10888953			Expired Date:	
Status:	EXPIRED			Max Hazard Rank:	
Instance ID:	49659			Facility Location:	
Instance Type:	FS Piping			Facility Type:	
Instance Creation Dt:				Fuel Type 2:	
Instance Install Dt:				Fuel Type 3:	
Item Description:				Panam Related:	
Manufacturer:				Panam Venue Nm:	
Model:				External Identifier:	
Serial No:				Item:	
ULC Standard:				Piping Steel:	
Quantity:				Piping Galvanized:	
Unit of Measure:				Tank Single Wall St:	
Overfill Prot Type:				Piping Underground:	
Creation Date:				Tank Underground:	
Next Periodic Str DT:				Source:	
TSSA Base Sched Cycle 2:					
TSSAMax Hazard Rank 1:					
TSSA Risk Based Periodic Yn:					
TSSA Volume of Directives:					
TSSA Periodic Exempt:					
TSSA Statutory Interval:					
TSSA Recd Insp Interva:					
TSSA Recd Tolerance:					
TSSA Program Area:					
TSSA Program Area 2:					
Description:		FS Piping			
Original Source:		EXP			
Record Date:		Up to Mar 2012			

<a href="#">81</a>	13 of 21	SSW/245.8	101.5 / -2.10	GEETANJALI ADHYAPAK O/A GAS STN 562 TRAFALGAR RD OAKVILLE ON	DTNK
--------------------	----------	-----------	---------------	--	------

**Delisted Expired Fuel Safety  
Facilities**

Instance No:	10888986			Expired Date:	
Status:	EXPIRED			Max Hazard Rank:	
Instance ID:	49877			Facility Location:	
Instance Type:	FS Piping			Facility Type:	
Instance Creation Dt:				Fuel Type 2:	
Instance Install Dt:				Fuel Type 3:	
Item Description:				Panam Related:	
Manufacturer:				Panam Venue Nm:	
Model:				External Identifier:	
Serial No:				Item:	
ULC Standard:				Piping Steel:	
Quantity:				Piping Galvanized:	
Unit of Measure:				Tank Single Wall St:	
Overfill Prot Type:				Piping Underground:	
Creation Date:				Tank Underground:	
Next Periodic Str DT:				Source:	
TSSA Base Sched Cycle 2:					
TSSAMax Hazard Rank 1:					
TSSA Risk Based Periodic Yn:					
TSSA Volume of Directives:					
TSSA Periodic Exempt:					
TSSA Statutory Interval:					
TSSA Recd Insp Interva:					
TSSA Recd Tolerance:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>TSSA Program Area:</b> <b>TSSA Program Area 2:</b> <b>Description:</b> FS Piping <b>Original Source:</b> EXP <b>Record Date:</b> Up to Mar 2012					
<a href="#">81</a>	14 of 21	SSW/245.8	101.5 / -2.10	GEETANJALI ADHYAPAK O/A GAS STN 562 TRAFALGAR RD OAKVILLE ON	DTNK
<b><u>Delisted Expired Fuel Safety Facilities</u></b>					
<b>Instance No:</b> 10888971 <b>Status:</b> EXPIRED <b>Instance ID:</b> 50105 <b>Instance Type:</b> FS Piping <b>Instance Creation Dt:</b> <b>Instance Install Dt:</b> <b>Item Description:</b> <b>Manufacturer:</b> <b>Model:</b> <b>Serial No:</b> <b>ULC Standard:</b> <b>Quantity:</b> <b>Unit of Measure:</b> <b>Overfill Prot Type:</b> <b>Creation Date:</b> <b>Next Periodic Str DT:</b> <b>TSSA Base Sched Cycle 2:</b> <b>TSSA Max Hazard Rank 1:</b> <b>TSSA Risk Based Periodic Yn:</b> <b>TSSA Volume of Directives:</b> <b>TSSA Periodic Exempt:</b> <b>TSSA Statutory Interval:</b> <b>TSSA Recd Insp Interva:</b> <b>TSSA Recd Tolerance:</b> <b>TSSA Program Area:</b> <b>TSSA Program Area 2:</b> <b>Description:</b> FS Piping <b>Original Source:</b> EXP <b>Record Date:</b> Up to Mar 2012					
<a href="#">81</a>	15 of 21	SSW/245.8	101.5 / -2.10	GEETANJALI ADHYAPAK O/A GAS STN 562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	DTNK
<a href="#">81</a>	16 of 21	SSW/245.8	101.5 / -2.10	GEETANJALI ADHYAPAK O/A GAS STN 562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	DTNK
<a href="#">81</a>	17 of 21	SSW/245.8	101.5 / -2.10	GEETANJALI ADHYAPAK O/A GAS STN 562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	DTNK
<a href="#">81</a>	18 of 21	SSW/245.8	101.5 / -2.10	GEETANJALI ADHYAPAK O/A GAS STN 562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA	DTNK

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
				ON	
<a href="#">81</a>	19 of 21	SSW/245.8	101.5 / -2.10	GEETANJALI ADHYAPAK O/A GAS STN 562 TRAFALGAR RD OAKVILLE L6J 3J2 ON CA ON	DTNK
<a href="#">81</a>	20 of 21	SSW/245.8	101.5 / -2.10	562 Trafalgar Rd Oakville ON L6J3J2	EHS
<b>Order No:</b>	20150629046			<b>Nearest Intersection:</b>	
<b>Status:</b>	C			<b>Municipality:</b>	Oakville
<b>Report Type:</b>	Standard Report			<b>Client Prov/State:</b>	ON
<b>Report Date:</b>	07-JUL-15			<b>Search Radius (km):</b>	.25
<b>Date Received:</b>	29-JUN-15			<b>X:</b>	-79.682136
<b>Previous Site Name:</b>				<b>Y:</b>	43.458031
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>	City Directory; Aerial Photos				
<a href="#">81</a>	21 of 21	SSW/245.8	101.5 / -2.10	Imperial Oil Limited 562 Trafalgar Rd Oakville ON M3C 1K5	ECA
<b>Approval No:</b>	8204-7STR6J			<b>MOE District:</b>	Halton-Peel
<b>Approval Date:</b>	2009-06-09			<b>City:</b>	
<b>Status:</b>	Approved			<b>Longitude:</b>	-79.68219
<b>Record Type:</b>	ECA			<b>Latitude:</b>	43.458027
<b>Link Source:</b>	IDS			<b>Geometry X:</b>	
<b>SWP Area Name:</b>	Halton			<b>Geometry Y:</b>	
<b>Approval Type:</b>	ECA-INDUSTRIAL SEWAGE WORKS				
<b>Project Type:</b>	INDUSTRIAL SEWAGE WORKS				
<b>Business Name:</b>	Imperial Oil Limited				
<b>Address:</b>	562 Trafalgar Rd				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/8797-7RZSRX-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/8797-7RZSRX-14.pdf</a>				
<b>PDF Site Location:</b>					
<a href="#">82</a>	1 of 1	S/253.1	100.9 / -2.67	562 TAFAGGAR RD Oakville ON	WWIS
<b>Well ID:</b>	7263649			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole			<b>Date Received:</b>	5/27/2016
<b>Sec. Water Use:</b>	0			<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Monitoring and Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	7241
<b>Casing Material:</b>				<b>Form Version:</b>	7
<b>Audit No:</b>	Z231455			<b>Owner:</b>	
<b>Tag:</b>	A197867			<b>Street Name:</b>	562 TAFAGGAR RD
<b>Construction Method:</b>				<b>County:</b>	HALTON
<b>Elevation (m):</b>				<b>Municipality:</b>	OAKVILLE TOWN
<b>Elevation Reliability:</b>				<b>Site Info:</b>	WKQ-008914
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Clear/Cloudy:

PDF URL (Map):

**Additional Detail(s) (Map)**

Well Completed Date: 2016/04/23  
 Year Completed: 2016  
 Depth (m): 6.096  
 Latitude: 43.4579313602983  
 Longitude: -79.6819665975057  
 Path:

**Bore Hole Information**

Bore Hole ID:	1006016613	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	606630.00
Code OB Desc:		North83:	4812513.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	23-Apr-2016 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

**Overburden and Bedrock  
Materials Interval**

Formation ID: 1006126181  
 Layer: 1  
 Color: 2  
 General Color: GREY  
 Mat1: 01  
 Most Common Material: FILL  
 Mat2:  
 Mat2 Desc:  
 Mat3:  
 Mat3 Desc:  
 Formation Top Depth: 0.0  
 Formation End Depth: 6.0  
 Formation End Depth UOM: ft

**Overburden and Bedrock  
Materials Interval**

Formation ID: 1006126182  
 Layer: 2  
 Color: 2  
 General Color: GREY  
 Mat1: 17  
 Most Common Material: SHALE  
 Mat2:  
 Mat2 Desc:  
 Mat3:  
 Mat3 Desc:  
 Formation Top Depth: 6.0

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Formation End Depth:</b>		20.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006126192			
<b>Layer:</b>		3			
<b>Plug From:</b>		10.0			
<b>Plug To:</b>		20.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006126191			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.5			
<b>Plug To:</b>		10.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1006126190			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		0.5			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006126189			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006126180			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006126185			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		10.0			
<b>Casing Diameter:</b>		2.0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006126186			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		1			
Slot:		10			
Screen Top Depth:		10.0			
Screen End Depth:		20.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.25			
<b><u>Water Details</u></b>					
Water ID:		1006126184			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<b><u>Hole Diameter</u></b>					
Hole ID:		1006126183			
Diameter:					
Depth From:		0.0			
Depth To:		20.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<a href="#">83</a>	1 of 1	SSW/262.3	101.6 / -1.97	562 TAFALGAR RD Oakville ON	WWIS
--------------------	--------	-----------	---------------	--------------------------------	------

<b>Well ID:</b>	7263648	<b>Data Entry Status:</b>	
<b>Construction Date:</b>		<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring and Test Hole	<b>Date Received:</b>	5/27/2016
<b>Sec. Water Use:</b>	0	<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Monitoring and Test Hole	<b>Abandonment Rec:</b>	
<b>Water Type:</b>		<b>Contractor:</b>	7241
<b>Casing Material:</b>		<b>Form Version:</b>	7
<b>Audit No:</b>	Z231456	<b>Owner:</b>	
<b>Tag:</b>	A197866	<b>Street Name:</b>	562 TAFALGAR RD
<b>Construction Method:</b>		<b>County:</b>	HALTON
<b>Elevation (m):</b>		<b>Municipality:</b>	OAKVILLE TOWN
<b>Elevation Reliability:</b>		<b>Site Info:</b>	WKQ-008914
<b>Depth to Bedrock:</b>		<b>Lot:</b>	
<b>Well Depth:</b>		<b>Concession:</b>	
<b>Overburden/Bedrock:</b>		<b>Concession Name:</b>	
<b>Pump Rate:</b>		<b>Easting NAD83:</b>	
<b>Static Water Level:</b>		<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>		<b>Zone:</b>	
<b>Flow Rate:</b>		<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>			

PDF URL (Map):

**Additional Detail(s) (Map)**

<b>Well Completed Date:</b>	2016/04/23
<b>Year Completed:</b>	2016
<b>Depth (m):</b>	6.096
<b>Latitude:</b>	43.4578984861838
<b>Longitude:</b>	-79.6822392467418
<b>Path:</b>	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1006016610			<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	606608.00
<b>Code OB Desc:</b>				<b>North83:</b>	4812509.00
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	23-Apr-2016 00:00:00			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1006126153				
<b>Layer:</b>	2				
<b>Color:</b>	2				
<b>General Color:</b>	GREY				
<b>Mat1:</b>	17				
<b>Most Common Material:</b>	SHALE				
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>	4.0				
<b>Formation End Depth:</b>	20.0				
<b>Formation End Depth UOM:</b>	ft				
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>	1006126152				
<b>Layer:</b>	1				
<b>Color:</b>	2				
<b>General Color:</b>	GREY				
<b>Mat1:</b>	01				
<b>Most Common Material:</b>	FILL				
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>	0.0				
<b>Formation End Depth:</b>	4.0				
<b>Formation End Depth UOM:</b>	ft				
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>	1006126161				
<b>Layer:</b>	1				
<b>Plug From:</b>	0.0				
<b>Plug To:</b>	0.5				
<b>Plug Depth UOM:</b>	ft				
<b><u>Annular Space/Abandonment</u></b>					



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1006126163			
<b>Layer:</b>		3			
<b>Plug From:</b>		9.0			
<b>Plug To:</b>		20.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1006126162			
<b>Layer:</b>		2			
<b>Plug From:</b>		0.5			
<b>Plug To:</b>		9.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1006126160			
<b>Method Construction Code:</b>		5			
<b>Method Construction:</b>		Air Percussion			
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1006126151			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1006126156			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		10.0			
<b>Casing Diameter:</b>		2.0			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1006126157			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		10.0			
<b>Screen End Depth:</b>		20.0			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>		2.25			
<b><u>Water Details</u></b>					
<b>Water ID:</b>		1006126155			
<b>Layer:</b>					
<b>Kind Code:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Kind:</b>					
<b>Water Found Depth:</b>					
<b>Water Found Depth UOM:</b> ft					
<b>Hole Diameter</b>					
<b>Hole ID:</b> 1006126154					
<b>Diameter:</b>					
<b>Depth From:</b> 0.0					
<b>Depth To:</b> 20.0					
<b>Hole Depth UOM:</b> ft					
<b>Hole Diameter UOM:</b> inch					
<a href="#">84</a>	1 of 2	SW/264.2	102.8 / -0.76	PRIVATE OWNER 570 TRAFALGAR ROAD OAKLAND MERCURY MOTOR VEHICLE (OPERATING FLUID) OAKVILLE TOWN ON L6J 3J2	SPL
<b>Ref No:</b> 29271					
<b>Site No:</b>					
<b>Incident Dt:</b> 12/14/1989					
<b>Year:</b>					
<b>Incident Cause:</b> VALVE/FITTING LEAK OR FAILURE					
<b>Incident Event:</b>					
<b>Contaminant Code:</b>					
<b>Contaminant Name:</b>					
<b>Contaminant Limit 1:</b>					
<b>Contam Limit Freq 1:</b>					
<b>Contaminant UN No 1:</b>					
<b>Environment Impact:</b>					
<b>Nature of Impact:</b>					
<b>Receiving Medium:</b> LAND					
<b>Receiving Env:</b>					
<b>MOE Response:</b>					
<b>Dt MOE Arvl on Scn:</b>					
<b>MOE Reported Dt:</b> 12/14/1989					
<b>Dt Document Closed:</b>					
<b>Incident Reason:</b> WELD/SEAM FAILURE					
<b>Site Name:</b>					
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b> BACKENTRY- 5 LTR HYDRAULIC FLUID SPILLED FROM TRUCK AT DEALERSHIP					
<b>Contaminant Qty:</b>					
<a href="#">84</a>	2 of 2	SW/264.2	102.8 / -0.76	OAK-LAND LINCOLN MERCURY SALES 570 TRAFALGAR RD OAKVILLE ON L6J 3J2	PRT
<b>Location ID:</b> 10421					
<b>Type:</b> private					
<b>Expiry Date:</b> 1994-07-31					
<b>Capacity (L):</b> 0.00					
<b>Licence #:</b> 0037612001					
<a href="#">85</a>	1 of 1	SW/264.2	102.8 / -0.76	570 Trafalgar Road Oakville ON L6J 3J2	EHS
<b>Order No:</b> 20191015178					
<b>Status:</b> C					
<b>Report Type:</b> Standard Report					
<b>Report Date:</b> 18-OCT-19					
<b>Nearest Intersection:</b>					
<b>Municipality:</b>					
<b>Client Prov/State:</b> ON					
<b>Search Radius (km):</b> .25					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Date Received:</b>	15-OCT-19			X:	-79.683116
<b>Previous Site Name:</b>				Y:	43.458184
<b>Lot/Building Size:</b>					
<b>Additional Info Ordered:</b>	Fire Insur. Maps and/or Site Plans; Aerial Photos				

<a href="#">86</a>	1 of 1	NW/267.5	109.8 / 6.28	TDI<UNOFFICIAL> Westbound offramp from the QEW to Trafalgar Road, Oakville Oakville ON	SPL
<b>Ref No:</b>	7448-BTQCET			<b>Discharger Report:</b>	
<b>Site No:</b>	NA			<b>Material Group:</b>	
<b>Incident Dt:</b>	2020/09/23			<b>Health/Env Conseq:</b>	2 - Minor Environment
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>				<b>Sector Type:</b>	Unknown / N/A
<b>Incident Event:</b>	Collision/Accident			<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	13			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	DIESEL FUEL			<b>Site Address:</b>	Westbound offramp from the QEW to Trafalgar Road, Oakville Halton-Peel
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>	1202			<b>Site Region:</b>	Central
<b>Environment Impact:</b>				<b>Site Municipality:</b>	Oakville
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>	Land; Source Water Zone			<b>Northing:</b>	4813094.71
<b>MOE Response:</b>	No			<b>Easting:</b>	606502.8
<b>Dt MOE Arvl on Scrn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	2020/09/23			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>	2021/03/06			<b>SAC Action Class:</b>	Highway Spills (usually highway accidents)
<b>Incident Reason:</b>	Unknown / N/A			<b>Source Type:</b>	Truck - Only Saddle Tanks
<b>Site Name:</b>	Westbound offramp from the QEW to Trafalgar Road, Oakville<UNOFFICIAL>				
<b>Site County/District:</b>	Regional Municipality of Halton				
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	TDI: TT at QEW & Trafalgar offramp, ~40L to grassy area				
<b>Contaminant Qty:</b>	10 L				

<a href="#">87</a>	1 of 1	SSE/269.3	98.8 / -4.72	547 TRAFALGAR RD ON	WWIS
<b>Well ID:</b>	7101141			<b>Data Entry Status:</b>	
<b>Construction Date:</b>				<b>Data Src:</b>	
<b>Primary Water Use:</b>	Monitoring			<b>Date Received:</b>	10/25/2007
<b>Sec. Water Use:</b>				<b>Selected Flag:</b>	TRUE
<b>Final Well Status:</b>	Test Hole			<b>Abandonment Rec:</b>	
<b>Water Type:</b>				<b>Contractor:</b>	6607
<b>Casing Material:</b>				<b>Form Version:</b>	5
<b>Audit No:</b>	M00604			<b>Owner:</b>	
<b>Tag:</b>	A054669			<b>Street Name:</b>	547 TRAFALGAR RD
<b>Construction Method:</b>				<b>County:</b>	HALTON
<b>Elevation (m):</b>				<b>Municipality:</b>	OAKVILLE TOWN
<b>Elevation Reliability:</b>				<b>Site Info:</b>	
<b>Depth to Bedrock:</b>				<b>Lot:</b>	
<b>Well Depth:</b>				<b>Concession:</b>	
<b>Overburden/Bedrock:</b>				<b>Concession Name:</b>	
<b>Pump Rate:</b>				<b>Easting NAD83:</b>	
<b>Static Water Level:</b>				<b>Northing NAD83:</b>	
<b>Flowing (Y/N):</b>				<b>Zone:</b>	
<b>Flow Rate:</b>				<b>UTM Reliability:</b>	
<b>Clear/Cloudy:</b>					

**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/710\7101141.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7101141.pdf)

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
----------------	--------------------------	--------------------------------	----------------------	-------------	-----------

**Additional Detail(s) (Map)**

**Well Completed Date:** 2007/09/27  
**Year Completed:** 2007  
**Depth (m):**  
**Latitude:** 43.4580691429505  
**Longitude:** -79.6806410072799  
**Path:** 710\7101141.pdf  
**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/710\7101141.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7101141.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 2007/09/27  
**Year Completed:** 2007  
**Depth (m):**  
**Latitude:** 43.4578658222581  
**Longitude:** -79.6801880837305  
**Path:** 710\7101141.pdf  
**PDF URL (Map):** [https://d2khazk8e83rdv.cloudfront.net/moe\\_mapping/downloads/2Water/Wells\\_pdfs/710\7101141.pdf](https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/710\7101141.pdf)

**Additional Detail(s) (Map)**

**Well Completed Date:** 2007/09/26  
**Year Completed:** 2007  
**Depth (m):** 4.5  
**Latitude:** 43.5034297636386  
**Longitude:** -79.679641042987  
**Path:** 710\7101141.pdf

**Bore Hole Information**

<b>Bore Hole ID:</b>	1001912450	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	606737.00
<b>Code OB Desc:</b>		<b>North83:</b>	4812530.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>	This is a record from cluster log sheet	<b>UTMRC:</b>	3
<b>Date Completed:</b>	27-Sep-2007 00:00:00	<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Annular Space/Abandonment Sealing Record**

**Plug ID:** 1001912454  
**Layer:**  
**Plug From:**  
**Plug To:**  
**Plug Depth UOM:**

**Method of Construction & Well Use**

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Method Construction ID:</b>		1001912453			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		AUGER			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1001912455			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1001912457			
<b>Layer:</b>					
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		1.5			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1001912456			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		1.5			
<b>Screen End Depth:</b>		4.5			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1001912458			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>					
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1001912452			
<b>Diameter:</b>		15.0			
<b>Depth From:</b>					
<b>Depth To:</b>		4.5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
<b><u>Bore Hole Information</u></b>					
Bore Hole ID:	1001480586			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	606738.00
Code OB Desc:				North83:	4817569.00
Open Hole:	No			Org CS:	UTM83
Cluster Kind:				UTMRC:	3
Date Completed:	26-Sep-2007 00:00:00			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	wwr
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
Formation ID:	1001912523				
Layer:	3				
Color:	2				
General Color:	GREY				
Mat1:	06				
Most Common Material:	SILT				
Mat2:	05				
Mat2 Desc:	CLAY				
Mat3:	28				
Mat3 Desc:	SAND				
Formation Top Depth:	3.5999999046325684				
Formation End Depth:	4.19999809265137				
Formation End Depth UOM:	m				
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
Formation ID:	1001912524				
Layer:	4				
Color:	2				
General Color:	GREY				
Mat1:	17				
Most Common Material:	SHALE				
Mat2:					
Mat2 Desc:					
Mat3:	92				
Mat3 Desc:	WEATHERED				
Formation Top Depth:	4.19999809265137				
Formation End Depth:	4.5				
Formation End Depth UOM:	m				
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
Formation ID:	1001912521				
Layer:	1				
Color:	6				
General Color:	BROWN				

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Mat1:</b>		28			
<b>Most Common Material:</b>		SAND			
<b>Mat2:</b>		11			
<b>Mat2 Desc:</b>		GRAVEL			
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		0.30000001192092896			
<b>Formation End Depth UOM:</b>		m			
<b><u>Overburden and Bedrock Materials Interval</u></b>					
<b>Formation ID:</b>		1001912522			
<b>Layer:</b>		2			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		05			
<b>Mat2 Desc:</b>		CLAY			
<b>Mat3:</b>		28			
<b>Mat3 Desc:</b>		SAND			
<b>Formation Top Depth:</b>		0.30000001192092896			
<b>Formation End Depth:</b>		3.5999999046325684			
<b>Formation End Depth UOM:</b>		m			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1001912526			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		1.2000000476837158			
<b>Plug Depth UOM:</b>		m			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1001912531			
<b>Method Construction Code:</b>		E			
<b>Method Construction:</b>		Auger			
<b>Other Method Construction:</b>					
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1001912520			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1001912528			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		0.0			
<b>Depth To:</b>		1.5			
<b>Casing Diameter:</b>		5.099999904632568			
<b>Casing Diameter UOM:</b>		cm			
<b>Casing Depth UOM:</b>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Construction Record - Screen**

**Screen ID:** 1001912529  
**Layer:** 1  
**Slot:** 20  
**Screen Top Depth:**  
**Screen End Depth:**  
**Screen Material:** 5  
**Screen Depth UOM:** m  
**Screen Diameter UOM:** cm  
**Screen Diameter:** 6.400000095367432

**Water Details**

**Water ID:** 1001912527  
**Layer:** 1  
**Kind Code:** 1  
**Kind:** FRESH  
**Water Found Depth:** 3.9000000953674316  
**Water Found Depth UOM:** m

**Hole Diameter**

**Hole ID:** 1001912525  
**Diameter:** 15.0  
**Depth From:** 0.0  
**Depth To:** 4.5  
**Hole Depth UOM:** m  
**Hole Diameter UOM:** cm

**Bore Hole Information**

<b>Bore Hole ID:</b>	1001912459	<b>Elevation:</b>	
<b>DP2BR:</b>		<b>Elevrc:</b>	
<b>Spatial Status:</b>		<b>Zone:</b>	17
<b>Code OB:</b>		<b>East83:</b>	606774.00
<b>Code OB Desc:</b>		<b>North83:</b>	4812508.00
<b>Open Hole:</b>		<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>	This is a record from cluster log sheet	<b>UTMRC:</b>	3
<b>Date Completed:</b>	27-Sep-2007 00:00:00	<b>UTMRC Desc:</b>	margin of error : 10 - 30 m
<b>Remarks:</b>		<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>			
<b>Location Source Date:</b>			
<b>Improvement Location Source:</b>			
<b>Improvement Location Method:</b>			
<b>Source Revision Comment:</b>			
<b>Supplier Comment:</b>			

**Annular Space/Abandonment  
Sealing Record**

**Plug ID:** 1001912463  
**Layer:**  
**Plug From:**  
**Plug To:**  
**Plug Depth UOM:**

**Method of Construction & Well  
Use**



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Method Construction ID:</b>		1001912462			
<b>Method Construction Code:</b>					
<b>Method Construction:</b>					
<b>Other Method Construction:</b>		AUGER			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1001912464			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1001912466			
<b>Layer:</b>					
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>					
<b>Depth To:</b>		1.5			
<b>Casing Diameter:</b>					
<b>Casing Diameter UOM:</b>					
<b>Casing Depth UOM:</b>		m			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1001912465			
<b>Layer:</b>					
<b>Slot:</b>					
<b>Screen Top Depth:</b>		1.5			
<b>Screen End Depth:</b>		4.5			
<b>Screen Material:</b>					
<b>Screen Depth UOM:</b>		m			
<b>Screen Diameter UOM:</b>					
<b>Screen Diameter:</b>					
<b><u>Results of Well Yield Testing</u></b>					
<b>Pump Test ID:</b>		1001912467			
<b>Pump Set At:</b>					
<b>Static Level:</b>					
<b>Final Level After Pumping:</b>					
<b>Recommended Pump Depth:</b>					
<b>Pumping Rate:</b>					
<b>Flowing Rate:</b>					
<b>Recommended Pump Rate:</b>					
<b>Levels UOM:</b>					
<b>Rate UOM:</b>					
<b>Water State After Test Code:</b>					
<b>Water State After Test:</b>					
<b>Pumping Test Method:</b>					
<b>Pumping Duration HR:</b>					
<b>Pumping Duration MIN:</b>					
<b>Flowing:</b>					
<b><u>Hole Diameter</u></b>					
<b>Hole ID:</b>		1001912461			
<b>Diameter:</b>		15.0			
<b>Depth From:</b>					
<b>Depth To:</b>		4.5			
<b>Hole Depth UOM:</b>		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Hole Diameter UOM:</b>		cm			
<a href="#">88</a>	1 of 1	NNE/276.2	105.8 / 2.28	GENERAL ELECTRIC CANADA INC. PT.LOT 12/CONC.3 SDS,LOT 113 OAKVILLE TOWN ON	CA
<b>Certificate #:</b>		8-3150-94-			
<b>Application Year:</b>		94			
<b>Issue Date:</b>		4/19/1994			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Approved			
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					
<b>Client City:</b>					
<b>Client Postal Code:</b>					
<b>Project Description:</b>		ELEC.OVEN FOR MAINT.OF PAR 20/30 NESTS			
<b>Contaminants:</b>					
<b>Emission Control:</b>		No Controls			
<a href="#">89</a>	1 of 1	ENE/276.9	100.8 / -2.72	420 SOUTH SERVICE RD E OAKVILLE ON	WWIS
<b>Well ID:</b>		7241965			
<b>Construction Date:</b>					
<b>Primary Water Use:</b>		Monitoring and Test Hole			
<b>Sec. Water Use:</b>		0			
<b>Final Well Status:</b>		Observation Wells			
<b>Water Type:</b>					
<b>Casing Material:</b>					
<b>Audit No:</b>		Z204484			
<b>Tag:</b>		A179461			
<b>Construction Method:</b>					
<b>Elevation (m):</b>					
<b>Elevation Reliability:</b>					
<b>Depth to Bedrock:</b>					
<b>Well Depth:</b>					
<b>Overburden/Bedrock:</b>					
<b>Pump Rate:</b>					
<b>Static Water Level:</b>					
<b>Flowing (Y/N):</b>					
<b>Flow Rate:</b>					
<b>Clear/Cloudy:</b>					
<b>PDF URL (Map):</b>					
<b><u>Additional Detail(s) (Map)</u></b>					
<b>Well Completed Date:</b>		2015/02/03			
<b>Year Completed:</b>		2015			
<b>Depth (m):</b>		20.1168			
<b>Latitude:</b>		43.4616648139593			
<b>Longitude:</b>		-79.677781479825			
<b>Path:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>		1005384474			
<b>DP2BR:</b>					
<b>Spatial Status:</b>					
<b>Code OB:</b>					
<b>Code OB Desc:</b>					
<b>Elevation:</b>					
<b>Elevrc:</b>					
<b>Zone:</b>		17			
<b>East83:</b>		606962.00			
<b>North83:</b>		4812933.00			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	03-Feb-2015 00:00:00			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1005609387			
<b>Layer:</b>		1			
<b>Color:</b>		6			
<b>General Color:</b>		BROWN			
<b>Mat1:</b>		06			
<b>Most Common Material:</b>		SILT			
<b>Mat2:</b>		05			
<b>Mat2 Desc:</b>		CLAY			
<b>Mat3:</b>		66			
<b>Mat3 Desc:</b>		DENSE			
<b>Formation Top Depth:</b>		0.0			
<b>Formation End Depth:</b>		9.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Overburden and Bedrock</u></b>					
<b><u>Materials Interval</u></b>					
<b>Formation ID:</b>		1005609388			
<b>Layer:</b>		2			
<b>Color:</b>		2			
<b>General Color:</b>		GREY			
<b>Mat1:</b>		17			
<b>Most Common Material:</b>		SHALE			
<b>Mat2:</b>					
<b>Mat2 Desc:</b>					
<b>Mat3:</b>					
<b>Mat3 Desc:</b>					
<b>Formation Top Depth:</b>		9.0			
<b>Formation End Depth:</b>		66.0			
<b>Formation End Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1005609401			
<b>Layer:</b>		4			
<b>Plug From:</b>		55.0			
<b>Plug To:</b>		66.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment</u></b>					
<b><u>Sealing Record</u></b>					
<b>Plug ID:</b>		1005609399			
<b>Layer:</b>		2			
<b>Plug From:</b>		1.0			
<b>Plug To:</b>		4.0			
<b>Plug Depth UOM:</b>		ft			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005609398			
<b>Layer:</b>		1			
<b>Plug From:</b>		0.0			
<b>Plug To:</b>		1.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Annular Space/Abandonment Sealing Record</u></b>					
<b>Plug ID:</b>		1005609400			
<b>Layer:</b>		3			
<b>Plug From:</b>		4.0			
<b>Plug To:</b>		55.0			
<b>Plug Depth UOM:</b>		ft			
<b><u>Method of Construction &amp; Well Use</u></b>					
<b>Method Construction ID:</b>		1005609397			
<b>Method Construction Code:</b>		B			
<b>Method Construction:</b>		Other Method			
<b>Other Method Construction:</b>		DIRECT PUSH			
<b><u>Pipe Information</u></b>					
<b>Pipe ID:</b>		1005609386			
<b>Casing No:</b>		0			
<b>Comment:</b>					
<b>Alt Name:</b>					
<b><u>Construction Record - Casing</u></b>					
<b>Casing ID:</b>		1005609393			
<b>Layer:</b>		1			
<b>Material:</b>		5			
<b>Open Hole or Material:</b>		PLASTIC			
<b>Depth From:</b>		-3.0			
<b>Depth To:</b>		56.0			
<b>Casing Diameter:</b>		1.5			
<b>Casing Diameter UOM:</b>		inch			
<b>Casing Depth UOM:</b>		ft			
<b><u>Construction Record - Screen</u></b>					
<b>Screen ID:</b>		1005609394			
<b>Layer:</b>		1			
<b>Slot:</b>		10			
<b>Screen Top Depth:</b>		56.0			
<b>Screen End Depth:</b>		66.0			
<b>Screen Material:</b>		5			
<b>Screen Depth UOM:</b>		ft			
<b>Screen Diameter UOM:</b>		inch			
<b>Screen Diameter:</b>					
<b><u>Water Details</u></b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Water ID:		1005609392			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1005609389			
Diameter:		6.0			
Depth From:		0.0			
Depth To:		20.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>Hole Diameter</u>					
Hole ID:		1005609391			
Diameter:		3.5			
Depth From:		30.0			
Depth To:		66.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>Hole Diameter</u>					
Hole ID:		1005609390			
Diameter:		5.0			
Depth From:		20.0			
Depth To:		30.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<a href="#">90</a>	1 of 1	ENE/277.4	100.8 / -2.72	ON	WWIS
<hr/>					
Well ID:	7214121			Data Entry Status:	Yes
Construction Date:				Data Src:	
Primary Water Use:				Date Received:	1/2/2014
Sec. Water Use:				Selected Flag:	TRUE
Final Well Status:				Abandonment Rec:	
Water Type:				Contractor:	6607
Casing Material:				Form Version:	8
Audit No:	C22207			Owner:	
Tag:	A146788			Street Name:	
Construction Method:				County:	HALTON
Elevation (m):				Municipality:	OAKVILLE TOWN
Elevation Reliability:				Site Info:	
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Flowing (Y/N):				Zone:	
Flow Rate:				UTM Reliability:	
Clear/Cloudy:					

PDF URL (Map):

Additional Detail(s) (Map)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Well Completed Date:</b>		2013/12/06			
<b>Year Completed:</b>		2013			
<b>Depth (m):</b>					
<b>Latitude:</b>		43.4616556690769			
<b>Longitude:</b>		-79.6777693177023			
<b>Path:</b>					
<b><u>Bore Hole Information</u></b>					
<b>Bore Hole ID:</b>	1004677311			<b>Elevation:</b>	
<b>DP2BR:</b>				<b>Elevrc:</b>	
<b>Spatial Status:</b>				<b>Zone:</b>	17
<b>Code OB:</b>				<b>East83:</b>	606963.00
<b>Code OB Desc:</b>				<b>North83:</b>	4812932.00
<b>Open Hole:</b>				<b>Org CS:</b>	UTM83
<b>Cluster Kind:</b>				<b>UTMRC:</b>	4
<b>Date Completed:</b>	06-Dec-2013 00:00:00			<b>UTMRC Desc:</b>	margin of error : 30 m - 100 m
<b>Remarks:</b>				<b>Location Method:</b>	wwr
<b>Elevrc Desc:</b>					
<b>Location Source Date:</b>					
<b>Improvement Location Source:</b>					
<b>Improvement Location Method:</b>					
<b>Source Revision Comment:</b>					
<b>Supplier Comment:</b>					
<a href="#">91</a>	1 of 12	WSW/278.8	103.7 / 0.18	<b>CORMACK ANIMAL CLINIC LIMITED 234 SOUTH SERVICE ROAD ANIMAL HOSPITAL OF OAKVILLE OAKVILLE ON L6J 2X5</b>	GEN
<b>Generator No:</b>	ON2284105			<b>Status:</b>	
<b>SIC Code:</b>	0211			<b>Co Admin:</b>	
<b>SIC Description:</b>	VETERINARY SERVICE			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	97,98,99,00,01			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	312				
<b>Waste Class Desc:</b>	PATHOLOGICAL WASTES				
<a href="#">91</a>	2 of 12	WSW/278.8	103.7 / 0.18	<b>Animal Hospital of Oakville 234 South Service Rd. Oakville ON</b>	GEN
<b>Generator No:</b>	ON5424429			<b>Status:</b>	
<b>SIC Code:</b>	541940			<b>Co Admin:</b>	
<b>SIC Description:</b>	Veterinary Services			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	2009			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	312				
<b>Waste Class Desc:</b>	PATHOLOGICAL WASTES				
<a href="#">91</a>	3 of 12	WSW/278.8	103.7 / 0.18	<b>Animal Hospital of Oakville 234 South Service Rd. Oakville ON</b>	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p><b>Generator No:</b> ON5424429      <b>Status:</b></p> <p><b>SIC Code:</b> 541940      <b>Co Admin:</b></p> <p><b>SIC Description:</b> Veterinary Services      <b>Choice of Contact:</b></p> <p><b>Approval Years:</b> 2010      <b>Phone No Admin:</b></p> <p><b>PO Box No:</b>      <b>Contam. Facility:</b></p> <p><b>Country:</b>      <b>MHSW Facility:</b></p>					
<b>Detail(s)</b>					
<p><b>Waste Class:</b> 312</p> <p><b>Waste Class Desc:</b> PATHOLOGICAL WASTES</p> <p><b>Waste Class:</b> 261</p> <p><b>Waste Class Desc:</b> PHARMACEUTICALS</p>					
<a href="#">91</a>	4 of 12	WSW/278.8	103.7 / 0.18	Animal Hospital of Oakville 234 South Service Rd. Oakville ON	GEN
<p><b>Generator No:</b> ON5424429      <b>Status:</b></p> <p><b>SIC Code:</b> 541940      <b>Co Admin:</b></p> <p><b>SIC Description:</b> Veterinary Services      <b>Choice of Contact:</b></p> <p><b>Approval Years:</b> 2011      <b>Phone No Admin:</b></p> <p><b>PO Box No:</b>      <b>Contam. Facility:</b></p> <p><b>Country:</b>      <b>MHSW Facility:</b></p>					
<b>Detail(s)</b>					
<p><b>Waste Class:</b> 261</p> <p><b>Waste Class Desc:</b> PHARMACEUTICALS</p> <p><b>Waste Class:</b> 312</p> <p><b>Waste Class Desc:</b> PATHOLOGICAL WASTES</p>					
<a href="#">91</a>	5 of 12	WSW/278.8	103.7 / 0.18	Animal Hospital of Oakville 234 South Service Rd. Oakville ON L6J 2X5	GEN
<p><b>Generator No:</b> ON5424429      <b>Status:</b></p> <p><b>SIC Code:</b> 541940      <b>Co Admin:</b></p> <p><b>SIC Description:</b> Veterinary Services      <b>Choice of Contact:</b></p> <p><b>Approval Years:</b> 2012      <b>Phone No Admin:</b></p> <p><b>PO Box No:</b>      <b>Contam. Facility:</b></p> <p><b>Country:</b>      <b>MHSW Facility:</b></p>					
<b>Detail(s)</b>					
<p><b>Waste Class:</b> 261</p> <p><b>Waste Class Desc:</b> PHARMACEUTICALS</p> <p><b>Waste Class:</b> 312</p> <p><b>Waste Class Desc:</b> PATHOLOGICAL WASTES</p>					
<a href="#">91</a>	6 of 12	WSW/278.8	103.7 / 0.18	Animal Hospital of Oakville 234 South Service Rd. Oakville ON	GEN
<p><b>Generator No:</b> ON5424429      <b>Status:</b></p> <p><b>SIC Code:</b> 541940      <b>Co Admin:</b></p> <p><b>SIC Description:</b> VETERINARY SERVICES      <b>Choice of Contact:</b></p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Years: 2013				Phone No Admin:	
PO Box No:				Contam. Facility:	
Country:				MHSW Facility:	
<b><u>Detail(s)</u></b>					
Waste Class: 261					
Waste Class Desc: PHARMACEUTICALS					
Waste Class: 312					
Waste Class Desc: PATHOLOGICAL WASTES					
<a href="#">91</a>	7 of 12	WSW/278.8	103.7 / 0.18	Animal Hospital of Oakville 234 South Service Rd. Oakville ON L6J 2X5	GEN
Generator No: ON5424429				Status:	
SIC Code: 541940				Co Admin: Tracy Edwards	
SIC Description: VETERINARY SERVICES				Choice of Contact: CO_ADMIN	
Approval Years: 2016				Phone No Admin: 905-844-3331 Ext.	
PO Box No:				Contam. Facility: No	
Country: Canada				MHSW Facility: No	
<b><u>Detail(s)</u></b>					
Waste Class: 312					
Waste Class Desc: PATHOLOGICAL WASTES					
Waste Class: 261					
Waste Class Desc: PHARMACEUTICALS					
<a href="#">91</a>	8 of 12	WSW/278.8	103.7 / 0.18	Animal Hospital of Oakville 234 South Service Rd. Oakville ON L6J 2X5	GEN
Generator No: ON5424429				Status:	
SIC Code: 541940				Co Admin: Tracy Edwards	
SIC Description: VETERINARY SERVICES				Choice of Contact: CO_ADMIN	
Approval Years: 2015				Phone No Admin: 905-844-3331 Ext.	
PO Box No:				Contam. Facility: No	
Country: Canada				MHSW Facility: No	
<b><u>Detail(s)</u></b>					
Waste Class: 312					
Waste Class Desc: PATHOLOGICAL WASTES					
Waste Class: 261					
Waste Class Desc: PHARMACEUTICALS					
<a href="#">91</a>	9 of 12	WSW/278.8	103.7 / 0.18	Animal Hospital of Oakville 234 South Service Rd. Oakville ON L6J 2X5	GEN
Generator No: ON5424429				Status:	
SIC Code: 541940				Co Admin: Tracy Edwards	
SIC Description: VETERINARY SERVICES				Choice of Contact: CO_ADMIN	
Approval Years: 2014				Phone No Admin: 905-844-3331 Ext.	
PO Box No:				Contam. Facility: No	
Country: Canada				MHSW Facility: No	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	-------------------------	---------------	------	----

Detail(s)

Waste Class: 312  
Waste Class Desc: PATHOLOGICAL WASTES

Waste Class: 261  
Waste Class Desc: PHARMACEUTICALS

[91](#) 10 of 12 WSW/278.8 103.7 / 0.18 Animal Hospital of Oakville  
234 South Service Rd.  
Oakville ON L6J 2X5 GEN

Generator No: ON5424429 Status: Registered  
SIC Code: Co Admin:  
SIC Description: Choice of Contact:  
Approval Years: As of Dec 2018 Phone No Admin:  
PO Box No: Contam. Facility:  
Country: Canada MHSW Facility:

Detail(s)

Waste Class: 261 A  
Waste Class Desc: Pharmaceuticals

Waste Class: 312 P  
Waste Class Desc: Pathological wastes

[91](#) 11 of 12 WSW/278.8 103.7 / 0.18 Animal Hospital of Oakville  
234 South Service Rd.  
Oakville ON L6J 2X5 GEN

Generator No: ON5424429 Status: Registered  
SIC Code: Co Admin:  
SIC Description: Choice of Contact:  
Approval Years: As of Jul 2020 Phone No Admin:  
PO Box No: Contam. Facility:  
Country: Canada MHSW Facility:

Detail(s)

Waste Class: 312 P  
Waste Class Desc: Pathological wastes

Waste Class: 261 A  
Waste Class Desc: Pharmaceuticals

[91](#) 12 of 12 WSW/278.8 103.7 / 0.18 Animal Hospital of Oakville  
234 South Service Rd.  
Oakville ON L6J 2X5 GEN

Generator No: ON5424429 Status: Registered  
SIC Code: Co Admin:  
SIC Description: Choice of Contact:  
Approval Years: As of Nov 2021 Phone No Admin:  
PO Box No: Contam. Facility:  
Country: Canada MHSW Facility:

Detail(s)

Waste Class: 261 A

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class Desc:</b>		Pharmaceuticals			
<b>Waste Class:</b>		312 P			
<b>Waste Class Desc:</b>		Pathological wastes			
<a href="#">92</a>	1 of 1	WSW/278.8	103.7 / 0.18	<b>Animal Hospital of Oakville</b> 234 South Service Rd. Oakville ON L6J 2X5	GEN
<b>Generator No:</b>	ON5424429			<b>Status:</b>	
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	02,03,04,05,06,07,08			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b>Detail(s)</b>					
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<a href="#">93</a>	1 of 1	WNW/280.1	109.8 / 6.28	<b>LIQUID CARGO LINES</b> NORTH SERVICE ROAD, WEST OF TRAFALGAR (WESTBOUND) TANK TRUCK (CARGO) OAKVILLE TOWN ON	SPL
<b>Ref No:</b>	30509			<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>	2/2/1990			<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>	OTHER TRANSPORTATION ACCIDENT			<b>Sector Type:</b>	
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>				<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>				<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>				<b>Site Municipality:</b>	14403
<b>Nature of Impact:</b>				<b>Site Lot:</b>	
<b>Receiving Medium:</b>	LAND			<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>MOE Response:</b>				<b>Easting:</b>	F.D., WORKS
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	2/2/1990			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	
<b>Incident Reason:</b>	UNKNOWN			<b>Source Type:</b>	
<b>Site Name:</b>					
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	LIQUID CARGO LINES- FUEL TANK RUPTURED, LOST 545 LOF DIESEL FUEL TO HWY.				
<b>Contaminant Qty:</b>					
<a href="#">94</a>	1 of 1	WSW/281.4	105.1 / 1.58	<b>Regional Municipality of Halton Health</b> Department 232 South Service Road Unit B Oakville ON L6J 2X5	GEN
<b>Generator No:</b>	ON5902620			<b>Status:</b>	Registered
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Nov 2021			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Country: Canada		MHSW Facility:			
<u>Detail(s)</u>					
Waste Class: Waste Class Desc:		261 A Pharmaceuticals			
Waste Class: Waste Class Desc:		312 P Pathological wastes			
<a href="#">95</a>	1 of 122	NNE/297.4	105.0 / 1.44	GENERAL ELECTRIC CANADA INC. 420 SOUTH SERVICE ROAD OAKVILLE TOWN ON	CA
Certificate #:		8-3039-94-			
Application Year:		94			
Issue Date:		2/17/1994			
Approval Type:		Industrial air			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:		COATING MIX ROOM FOR T8 LAMP MFG.			
Contaminants:		Suspended Particulate Matter			
Emission Control:		No Controls			
<a href="#">95</a>	2 of 122	NNE/297.4	105.0 / 1.44	GENERAL ELECTRIC CANADA INC. 420 SOUTH SERVICE ROAD EAST OAKVILLE TOWN ON L6J 2X6	CA
Certificate #:		8-3008-94-			
Application Year:		94			
Issue Date:		3/22/1994			
Approval Type:		Industrial air			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:		EXH. FOR CAUSTIC CLEANING BATH, BOILER			
Contaminants:		Nitrogen Oxides, Sodium Hydroxide			
Emission Control:		No Controls			
<a href="#">95</a>	3 of 122	NNE/297.4	105.0 / 1.44	G.E. LIGHTING IN CANADA 420 SOUTH SERVICE RD. OAKVILLE TOWN ON	CA
Certificate #:		8-3248-90-			
Application Year:		90			
Issue Date:		7/2/1991			
Approval Type:		Industrial air			
Status:		Cancelled			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:		GENERAL EXHUAUST FOR SOLVENTS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contaminants:</b>					
<b>Emission Control:</b>					
<a href="#">95</a>	4 of 122	NNE/297.4	105.0 / 1.44	GENERAL ELECTRIC CANADA, INC. 420 SOUTH SERVICE ROAD OAKVILLE TOWN ON	CA
<b>Certificate #:</b>		8-3207-91-			
<b>Application Year:</b>		91			
<b>Issue Date:</b>		8/27/1991			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Approved			
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					
<b>Client City:</b>					
<b>Client Postal Code:</b>					
<b>Project Description:</b>		BYPRODUCT OF COMB. FROM SWANSON MACHINE			
<b>Contaminants:</b>		Carbon Monoxide, Nitrogen Oxides, Silver			
<b>Emission Control:</b>		No Controls			
<a href="#">95</a>	5 of 122	NNE/297.4	105.0 / 1.44	GENERAL ELECTRIC CANADA INC. 420 SOUTH SERVICE RD. OAKVILLE TOWN ON	CA
<b>Certificate #:</b>		8-3431-92-			
<b>Application Year:</b>		92			
<b>Issue Date:</b>		2/11/1993			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Underwent 1st revision in 1993			
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					
<b>Client City:</b>					
<b>Client Postal Code:</b>					
<b>Project Description:</b>		3 NATURAL GAS FIRED HEATERS			
<b>Contaminants:</b>		Nitrogen Oxides, Sulphur Dioxide			
<b>Emission Control:</b>		No Controls			
<a href="#">95</a>	6 of 122	NNE/297.4	105.0 / 1.44	GENERAL ELECTRIC CANADA LIMITED 420 SOUTH SERVICE ROAD EAST OAKVILLE TOWN ON L6J 2X6	CA
<b>Certificate #:</b>		8-3505-93-			
<b>Application Year:</b>		93			
<b>Issue Date:</b>		2/21/1994			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Underwent 1st revision in 1994			
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					
<b>Client City:</b>					
<b>Client Postal Code:</b>					
<b>Project Description:</b>		PAR 38 PRODUCTION LINES 5 & 6			
<b>Contaminants:</b>		Nitrogen Oxides			
<b>Emission Control:</b>		No Controls			
<a href="#">95</a>	7 of 122	NNE/297.4	105.0 / 1.44	GENERAL ELECTRIC CANADA INC. 420 SOUTH SERVICE RD. E	CA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>OAKVILLE TOWN ON L6J 2X6</b>					
				<b>Certificate #:</b> 8-3631-93- <b>Application Year:</b> 93 <b>Issue Date:</b> 1/24/1994 <b>Approval Type:</b> Industrial air <b>Status:</b> Approved in 1994 <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> 2 UNIT HEATERS, 2 INFRA-RED TUBES <b>Contaminants:</b> Nitrogen Oxides <b>Emission Control:</b> No Controls	
<a href="#">95</a>	8 of 122	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>GENERAL ELECTRIC CANADA-G.E. LIGHTING 420 SOUTH SERVICE ROAD OAKVILLE TOWN ON</b>	<b>CA</b>
				<b>Certificate #:</b> 4-0147-90- <b>Application Year:</b> 90 <b>Issue Date:</b> 9/26/1991 <b>Approval Type:</b> Industrial wastewater <b>Status:</b> Cancelled <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> COOLING WATER DISCHARGE FROM VACUUM PUMP <b>Contaminants:</b> <b>Emission Control:</b>	
<a href="#">95</a>	9 of 122	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>GE CANADA (OAKVILLE EAST LAMP PLANT) 420 SOUTH SERVICE RD. OAKVILLE TOWN ON</b>	<b>CA</b>
				<b>Certificate #:</b> 4-0113-92- <b>Application Year:</b> 92 <b>Issue Date:</b> 10/5/1992 <b>Approval Type:</b> Industrial wastewater <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> DISCHARGE ONCE-THROUGH COOLING WATER TO <b>Contaminants:</b> <b>Emission Control:</b>	
<a href="#">95</a>	10 of 122	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>GENERAL ELECTRIC CANADA INC. 420 SOUTH SERVICE ROAD OAKVILLE TOWN ON</b>	<b>CA</b>
				<b>Certificate #:</b> 8-3387-94- <b>Application Year:</b> 94 <b>Issue Date:</b> 8/16/1994 <b>Approval Type:</b> Industrial air	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Status:</b> <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>		Approved      NEW BOILER FOR PROD.OF FLUORESCENT LAMPS Nitrogen Oxides			
<a href="#">95</a>	11 of 122	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>GENERAL ELECTRIC CANADA INC. 420 SOUTH SERVICE ROAD OAKVILLE TOWN ON</b>	<b>CA</b>
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>		8-3394-94- 94 5/26/1995 Industrial air Approved      NEW HSH-IV FLUORESCENT T-8 LAMP MFG.LINE Nitrogen Oxides, Sulphur Dioxide, Mercury, Ethyl Alcohol,Denat,D Act. Charcoal Filter			
<a href="#">95</a>	12 of 122	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>GENERAL ELECTRIC CANADA INC. 420 SOUTH SERVICE ROAD OAKVILLE TOWN ON</b>	<b>CA</b>
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>		8-3240-90- 90 1/28/1991 Industrial air Approved in 1991      VENTILATION FROM 4 VACUUM PUMPS No Controls			
<a href="#">95</a>	13 of 122	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>GENERAL ELECTRIC CANADA INC. 420 SOUTH SERVICE ROAD OAKVILLE TOWN ON</b>	<b>CA</b>
<b>Certificate #:</b> <b>Application Year:</b> <b>Issue Date:</b> <b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b>		8-3141-91- 91 8/9/1991 Industrial air Approved      			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Project Description:</b>		FOUR ROOF EXHAUSTERS EXH. PLANT AIR			
<b>Contaminants:</b>		Nitrogen Oxides, Sulphur Dioxide, N-Amyl Acetate(Amyl Acetate), Lead, Tin, Antimony			
<b>Emission Control:</b>		No Controls			
<a href="#">95</a>	14 of 122	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>GENERAL ELECTRIC CANADA INC. 420 SOUTH SERVICE ROAD EAST OAKVILLE TOWN ON L6J 2X6</b>	<b>CA</b>
<b>Certificate #:</b>		8-3642-93-			
<b>Application Year:</b>		93			
<b>Issue Date:</b>		2/18/1994			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Approved in 1994			
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					
<b>Client City:</b>					
<b>Client Postal Code:</b>					
<b>Project Description:</b>		UNIT HEATER, MAKE-UP AIR UNIT, STACK			
<b>Contaminants:</b>		Nitrogen Oxides			
<b>Emission Control:</b>		No Controls			
<a href="#">95</a>	15 of 122	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>GENERAL ELECTRIC CANADA INC. 420 SOUTH SERVICE ROAD EAST OAKVILLE TOWN ON L6J 2X6</b>	<b>CA</b>
<b>Certificate #:</b>		8-3638-93-			
<b>Application Year:</b>		93			
<b>Issue Date:</b>		2/24/1994			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Approved in 1994			
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					
<b>Client City:</b>					
<b>Client Postal Code:</b>					
<b>Project Description:</b>		RELOCATE PAR 20/30 LAMP PRODUCTION LINE			
<b>Contaminants:</b>		Nitrogen Oxides			
<b>Emission Control:</b>		No Controls			
<a href="#">95</a>	16 of 122	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>GENERAL ELECTRIC CANADA LIMITED 420 SOUTH SERVICE ROAD EAST OAKVILLE TOWN ON L6J 2X6</b>	<b>CA</b>
<b>Certificate #:</b>		8-3506-93-			
<b>Application Year:</b>		93			
<b>Issue Date:</b>		2/25/1994			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Underwent 1st revision in 1994			
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					
<b>Client City:</b>					
<b>Client Postal Code:</b>					
<b>Project Description:</b>		PAR 38 PRODUCTION LINES 5 & 6			
<b>Contaminants:</b>		Nitrogen Oxides			
<b>Emission Control:</b>		No Controls, No Controls			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">95</a>	17 of 122	NNE/297.4	105.0 / 1.44	GENERAL ELECTRIC CANADA INC. 420 SOUTH SERVICE ROAD EAST OAKVILLE ON L6J 2X6	CA
<b>Certificate #:</b> 8-3612-95- <b>Application Year:</b> 95 <b>Issue Date:</b> // <b>Approval Type:</b> Industrial air <b>Status:</b> RE1 <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> REMOVE CARBON FILTER IN VENT/EXH. SYSTEM <b>Contaminants:</b> <b>Emission Control:</b>					
<a href="#">95</a>	18 of 122	NNE/297.4	105.0 / 1.44	GENERAL ELECTRIC CANADA INC. 420 SOUTH SERVICE ROAD EAST OAKVILLE ON L6J 2X6	CA
<b>Certificate #:</b> 8-3688-98- <b>Application Year:</b> 98 <b>Issue Date:</b> // <b>Approval Type:</b> Industrial air <b>Status:</b> In progress <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> INSTALL FOUR L-3 FLARE MACHINES <b>Contaminants:</b> <b>Emission Control:</b>					
<a href="#">95</a>	19 of 122	NNE/297.4	105.0 / 1.44	CANADIAN GENERAL ELECTRIC CO LTD OAKVILLE EAST LAMP PLANT; 420 SOUTH SERVICE ROAD OAKVILLE ON L6J 2X6	NPCB
<b>Company Code:</b> O0701A <b>Industry:</b> <b>Site Status:</b> <b>Transaction Date:</b> 8/30/1990 <b>Inspection Date:</b> 12/2/1988  <b>--Details--</b> <b>Label:</b> <b>Serial No.:</b> <b>PCB Type/Code:</b> Pyranol <b>Location:</b> <b>Item/State:</b> <b>No. of Items:</b> <b>Manufacturer:</b> <b>Status:</b> In-Use <b>Contents:</b> 3.50 L  <b>Label:</b> <b>Serial No.:</b> <b>PCB Type/Code:</b> Pyranol <b>Location:</b>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Item/State:</b> <b>No. of Items:</b> <b>Manufacturer:</b> <b>Status:</b> In-Use <b>Contents:</b> 4.50 L  <b>Label:</b> <b>Serial No.:</b> <b>PCB Type/Code:</b> Pyranol <b>Location:</b> <b>Item/State:</b> <b>No. of Items:</b> <b>Manufacturer:</b> <b>Status:</b> In-Use <b>Contents:</b> 50.00 L  <b>Label:</b> <b>Serial No.:</b> <b>PCB Type/Code:</b> Askarel <b>Location:</b> <b>Item/State:</b> <b>No. of Items:</b> <b>Manufacturer:</b> <b>Status:</b> In-Use <b>Contents:</b> 1095.00 L					
<a href="#">95</a>	20 of 122	NNE/297.4	105.0 / 1.44	GENERAL ELECTRIC CANADA INC. 420 SOUTH SERVICE ROAD EAST OAKVILLE TOWN ON L6J 2X6	CA
<b>Certificate #:</b> 4-0067-96- <b>Application Year:</b> 96 <b>Issue Date:</b> 7/16/1996 <b>Approval Type:</b> Industrial wastewater <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> DISCHARGE SEAL WATER TO STORM SEWER <b>Contaminants:</b> <b>Emission Control:</b>					
<a href="#">95</a>	21 of 122	NNE/297.4	105.0 / 1.44	GENERAL ELECTRIC CANADA INC. 420 SOUTH SERVICE ROAD EAST OAKVILLE TOWN ON L6J 2X6	CA
<b>Certificate #:</b> 8-3023-96- <b>Application Year:</b> 96 <b>Issue Date:</b> 2/5/1996 <b>Approval Type:</b> Industrial air <b>Status:</b> Approved <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> CHANGE IN RAW MATERIAL USAGE <b>Contaminants:</b> Suspended Particulate Matter <b>Emission Control:</b> Baghouse (Incl Vent Fil.)					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">95</a>	22 of 122	NNE/297.4	105.0 / 1.44	GENERAL ELECTRIC CANADA INC. 420 SOUTH SERVICE ROAD EAST OAKVILLE TOWN ON L6J 2X6	CA
<b>Certificate #:</b>		8-3024-96-			
<b>Application Year:</b>		96			
<b>Issue Date:</b>		6/19/1996			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Approved			
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					
<b>Client City:</b>					
<b>Client Postal Code:</b>					
<b>Project Description:</b>		FLUORESCENT/INCAND. DEPT. VENT UPGRADE			
<b>Contaminants:</b>		Nitrogen Oxides, Suspended Particulate Matter, Carbon Monoxide, Mercury			
<b>Emission Control:</b>		No Controls			
<a href="#">95</a>	23 of 122	NNE/297.4	105.0 / 1.44	GENERAL ELECTRIC CANADA INC. 420 SOUTH SERVICE ROAD EAST OAKVILLE TOWN ON L6J 2X6	CA
<b>Certificate #:</b>		8-3521-96-			
<b>Application Year:</b>		96			
<b>Issue Date:</b>		2/7/1997			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>					
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					
<b>Client City:</b>					
<b>Client Postal Code:</b>					
<b>Project Description:</b>		2) DIRECT, 3) INDIRECT FIRED HVAC UNITS			
<b>Contaminants:</b>		Nitrogen Oxides			
<b>Emission Control:</b>		No Controls			
<a href="#">95</a>	24 of 122	NNE/297.4	105.0 / 1.44	CANADIAN GENERAL ELECTRIC 420 SOUTH SERVICE RD. SOUTH SERVICE RD. OAKVILLE ON L6J 5E2	NPCB
<b>Company Code:</b>		F0987			
<b>Industry:</b>					
<b>Site Status:</b>					
<b>Transaction Date:</b>					
<b>Inspection Date:</b>					
<b>--Details--</b>					
<b>Label:</b>					
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>					
<b>Location:</b>					
<b>Item/State:</b>					
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b>		In-Storage			
<b>Contents:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">95</a>	25 of 122	NNE/297.4	105.0 / 1.44	OAKVILLE EAST LAMP PLANT 420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	NPRI
<b>NPRI ID:</b>	1281			<b>Org ID:</b>	17038
<b>Other ID:</b>				<b>Submit Date:</b>	
<b>No Other ID:</b>				<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	3665			<b>Contact ID:</b>	
<b>Report ID:</b>				<b>Cont Type:</b>	
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	
<b>Report Year:</b>	1993			<b>Cont Last Name:</b>	
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	
<b>Yr of Last Filed Rpt:</b>	2012			<b>Contact Fax:</b>	
<b>Fac ID:</b>	40001			<b>Contact Ph.:</b>	
<b>Fac Name:</b>	NOT AVAILABLE			<b>Cont Area Code:</b>	
<b>Fac Address1:</b>	420 SOUTH SERVICE ROAD			<b>Contact Tel.:</b>	
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	L6J2X6			<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	43.4606			<b>Contact Fax:</b>	
<b>Facility Long:</b>	-79.6797			<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.4606
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.6797
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>				<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>				<b>Waste Streams:</b>	
<b>Parent Co.:</b>				<b>No Streams:</b>	
<b>No Parent Co.:</b>				<b>Waste Off Sites:</b>	
<b>Pollut Prev Cmnts:</b>				<b>No Off Sites:</b>	
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	33				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3351				
<b>NAICS 4 Description:</b>	Electric lighting equipment manufacturing				
<b>NAICS Code (6 digit):</b>	335110				
<b>NAICS 6 Description:</b>	Electric lamp bulb and parts manufacturing				

<a href="#">95</a>	26 of 122	NNE/297.4	105.0 / 1.44	GE LIGHTING, CANADA, OAKVILLE LAMP PLANT 420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	NPRI
<b>NPRI ID:</b>	1281			<b>Org ID:</b>	12851
<b>Other ID:</b>	TRUE			<b>Submit Date:</b>	
<b>No Other ID:</b>	3			<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	3666			<b>Contact ID:</b>	102897
<b>Report ID:</b>				<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	PETER
<b>Report Year:</b>	1994			<b>Cont Last Name:</b>	MASON
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	NOT AVAILABLE
<b>Yr of Last Filed Rpt:</b>	2012			<b>Contact Fax:</b>	9058492082
<b>Fac ID:</b>	40001			<b>Contact Ph.:</b>	9058492036
<b>Fac Name:</b>	NOT AVAILABLE			<b>Cont Area Code:</b>	905
<b>Fac Address1:</b>	420 SOUTH SERVICE ROAD			<b>Contact Tel.:</b>	58492036
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	L6J2X6			<b>Cont Fax Area Cde:</b>	905
<b>Facility Lat:</b>	43.4606			<b>Contact Fax:</b>	58492082
<b>Facility Long:</b>	-79.6797			<b>Contact Email:</b>	NOT AVAILABLE

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.4606
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.6797
<b>Datum:</b>	1983			<b>UTM Zone:</b>	17
<b>Facility Cmnts:</b>	FALSE			<b>UTM Northing:</b>	4812600
<b>URL:</b>				<b>UTM Easting:</b>	606800
<b>No of Empl.:</b>	411			<b>Waste Streams:</b>	FALSE
<b>Parent Co.:</b>	TRUE			<b>No Streams:</b>	0
<b>No Parent Co.:</b>	1			<b>Waste Off Sites:</b>	TRUE
<b>Pollut Prev Cmnts:</b>				<b>No Off Sites:</b>	6
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>					
		33			
<b>NAICS 2 Description:</b>					
		Manufacturing			
<b>NAICS Code (4 digit):</b>					
		3351			
<b>NAICS 4 Description:</b>					
		Electric lighting equipment manufacturing			
<b>NAICS Code (6 digit):</b>					
		335110			
<b>NAICS 6 Description:</b>					
		Electric lamp bulb and parts manufacturing			
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b>					
		13			
<b>Category Type Desc:</b>					
		All Media			
<b>Category Type Desc (fr):</b>					
		Rejets à tous les médias			
<b>Grouping:</b>					
		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>					
		Nickel (and its compounds)			
<b>Chem (fr):</b>					
		Nickel (et ses composés)			
<b>Quantity:</b>					
		0			
<b>Unit:</b>					
		tonnes			
<b>Basis of Estimate Cd:</b>					
		0			
<b>Basis of Estimate Desc:</b>					
		O- Engineering Estimates			
<b>Category Type ID:</b>					
		13			
<b>Category Type Desc:</b>					
		All Media			
<b>Category Type Desc (fr):</b>					
		Rejets à tous les médias			
<b>Grouping:</b>					
		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>					
		Copper (and its compounds)			
<b>Chem (fr):</b>					
		Cuivre (et ses composés)			
<b>Quantity:</b>					
		0			
<b>Unit:</b>					
		tonnes			
<b>Basis of Estimate Cd:</b>					
		0			
<b>Basis of Estimate Desc:</b>					
		O- Engineering Estimates			
<b>Category Type ID:</b>					
		13			
<b>Category Type Desc:</b>					
		All Media			
<b>Category Type Desc (fr):</b>					
		Rejets à tous les médias			
<b>Grouping:</b>					
		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>					
		Lead (and its compounds)			
<b>Chem (fr):</b>					
		Plomb (et ses composés)			
<b>Quantity:</b>					
		0			
<b>Unit:</b>					
		tonnes			
<b>Basis of Estimate Cd:</b>					
		0			
<b>Basis of Estimate Desc:</b>					
		O- Engineering Estimates			
<b>95</b>	<b>27 of 122</b>	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>GE LIGHTING, CANADA, OAKVILLE LAMP PLANT</b>	<b>NPRI</b>
				<b>420 SOUTH SERVICE ROAD NOT AVAILABLE</b>	
				<b>OAKVILLE ON L6J2X6</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>NPRI ID:</b>	1281			<b>Org ID:</b>	12851
<b>Other ID:</b>	Y			<b>Submit Date:</b>	9/26/2001
<b>No Other ID:</b>	3			<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	3664			<b>Contact ID:</b>	102897
<b>Report ID:</b>				<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	PETER
<b>Report Year:</b>	1995			<b>Cont Last Name:</b>	MASON
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	NOT AVAILABLE
<b>Yr of Last Filed Rpt:</b>	2012			<b>Contact Fax:</b>	9058492082
<b>Fac ID:</b>	40001			<b>Contact Ph.:</b>	9058492036
<b>Fac Name:</b>	NOT AVAILABLE			<b>Cont Area Code:</b>	905
<b>Fac Address1:</b>	420 SOUTH SERVICE ROAD			<b>Contact Tel.:</b>	58492036
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	L6J2X6			<b>Cont Fax Area Cde:</b>	905
<b>Facility Lat:</b>	43.4606			<b>Contact Fax:</b>	58492082
<b>Facility Long:</b>	-79.6797			<b>Contact Email:</b>	NOT AVAILABLE
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.4606
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.6797
<b>Datum:</b>	1983			<b>UTM Zone:</b>	17
<b>Facility Cmnts:</b>	FALSE			<b>UTM Northing:</b>	4812600
<b>URL:</b>				<b>UTM Easting:</b>	606800
<b>No of Empl.:</b>	411			<b>Waste Streams:</b>	FALSE
<b>Parent Co.:</b>	Y			<b>No Streams:</b>	0
<b>No Parent Co.:</b>	1			<b>Waste Off Sites:</b>	TRUE
<b>Pollut Prev Cmnts:</b>	FALSE			<b>No Off Sites:</b>	7
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	33				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3351				
<b>NAICS 4 Description:</b>	Electric lighting equipment manufacturing				
<b>NAICS Code (6 digit):</b>	335110				
<b>NAICS 6 Description:</b>	Electric lamp bulb and parts manufacturing				

#### Substance Release Report

**Category Type ID:** 13  
**Category Type Desc:** All Media  
**Category Type Desc (fr):** Rejets à tous les médias  
**Grouping:** Total All Media<1t  
**Trans Code:**  
**Chem:** Copper (and its compounds)  
**Chem (fr):** Cuivre (et ses composés)  
**Quantity:** .1  
**Unit:** tonnes  
**Basis of Estimate Cd:** M  
**Basis of Estimate Desc:** M- Monitoring or Direct Measurement - In use from 1994 to 2002

**Category Type ID:** 13  
**Category Type Desc:** All Media  
**Category Type Desc (fr):** Rejets à tous les médias  
**Grouping:** Total All Media<1t  
**Trans Code:**  
**Chem:** Nickel (and its compounds)  
**Chem (fr):** Nickel (et ses composés)  
**Quantity:** .1  
**Unit:** tonnes  
**Basis of Estimate Cd:** M  
**Basis of Estimate Desc:** M- Monitoring or Direct Measurement - In use from 1994 to 2002

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Lead (and its compounds)			
<b>Chem (fr):</b>		Plomb (et ses composés)			
<b>Quantity:</b>		.1			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		M			
<b>Basis of Estimate Desc:</b>		M- Monitoring or Direct Measurement - In use from 1994 to 2002			

95	28 of 122	NNE/297.4	105.0 / 1.44	GE LIGHTING, CANADA 420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	NPRI
<b>NPRI ID:</b>	1281			<b>Org ID:</b>	12849
<b>Other ID:</b>	Y			<b>Submit Date:</b>	6/26/1997
<b>No Other ID:</b>	3			<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	3667			<b>Contact ID:</b>	102906
<b>Report ID:</b>				<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	PETER
<b>Report Year:</b>	1996			<b>Cont Last Name:</b>	MASON
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	MGR. CAN. PRODUCTION OPERATION
<b>Yr of Last Filed Rpt:</b>	2012			<b>Contact Fax:</b>	9058492082
<b>Fac ID:</b>	108650			<b>Contact Ph.:</b>	9058492036
<b>Fac Name:</b>	OAKVILLE LAMP PLANT			<b>Cont Area Code:</b>	905
<b>Fac Address1:</b>	420 SOUTH SERVICE ROAD			<b>Contact Tel.:</b>	58492036
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	L6J2X6			<b>Cont Fax Area Cde:</b>	905
<b>Facility Lat:</b>	43.4606			<b>Contact Fax:</b>	58492082
<b>Facility Long:</b>	-79.6797			<b>Contact Email:</b>	NOT AVAILABLE
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.4606
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.6797
<b>Datum:</b>	1983			<b>UTM Zone:</b>	17
<b>Facility Cmnts:</b>	FALSE			<b>UTM Northing:</b>	4812600
<b>URL:</b>				<b>UTM Easting:</b>	606800
<b>No of Empl.:</b>	411			<b>Waste Streams:</b>	FALSE
<b>Parent Co.:</b>	Y			<b>No Streams:</b>	0
<b>No Parent Co.:</b>	1			<b>Waste Off Sites:</b>	TRUE
<b>Pollut Prev Cmnts:</b>	FALSE			<b>No Off Sites:</b>	7
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	33				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3351				
<b>NAICS 4 Description:</b>	Electric lighting equipment manufacturing				
<b>NAICS Code (6 digit):</b>	335110				
<b>NAICS 6 Description:</b>	Electric lamp bulb and parts manufacturing				

### Substance Release Report

<b>Category Type ID:</b>	13
<b>Category Type Desc:</b>	All Media
<b>Category Type Desc (fr):</b>	Rejets à tous les médias
<b>Grouping:</b>	Total All Media<1t
<b>Trans Code:</b>	
<b>Chem:</b>	Copper (and its compounds)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Chem (fr):</b>		Cuivre (et ses composés)			
<b>Quantity:</b>		.1			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		M			
<b>Basis of Estimate Desc:</b>		M- Monitoring or Direct Measurement - In use from 1994 to 2002			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Nickel (and its compounds)			
<b>Chem (fr):</b>		Nickel (et ses composés)			
<b>Quantity:</b>		.1			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		M			
<b>Basis of Estimate Desc:</b>		M- Monitoring or Direct Measurement - In use from 1994 to 2002			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Lead (and its compounds)			
<b>Chem (fr):</b>		Plomb (et ses composés)			
<b>Quantity:</b>		.1			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		M			
<b>Basis of Estimate Desc:</b>		M- Monitoring or Direct Measurement - In use from 1994 to 2002			

95	29 of 122	NNE/297.4	105.0 / 1.44	GE LIGHTING, CANADA 420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	NPRI
<b>NPRI ID:</b>	1281			<b>Org ID:</b>	12849
<b>Other ID:</b>	Y			<b>Submit Date:</b>	6/1/1998
<b>No Other ID:</b>	3			<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	3663			<b>Contact ID:</b>	102906
<b>Report ID:</b>				<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	PETER
<b>Report Year:</b>	1997			<b>Cont Last Name:</b>	MASON
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	MGR. CAN. PRODUCTION OPERATION
<b>Yr of Last Filed Rpt:</b>	2012			<b>Contact Fax:</b>	9058492082
<b>Fac ID:</b>	108650			<b>Contact Ph.:</b>	9058492036
<b>Fac Name:</b>	OAKVILLE LAMP PLANT			<b>Cont Area Code:</b>	905
<b>Fac Address1:</b>	420 SOUTH SERVICE ROAD			<b>Contact Tel.:</b>	58492036
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	L6J2X6			<b>Cont Fax Area Cde:</b>	905
<b>Facility Lat:</b>	43.4606			<b>Contact Fax:</b>	58492082
<b>Facility Long:</b>	-79.6797			<b>Contact Email:</b>	NOT AVAILABLE
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.4606
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.6797
<b>Datum:</b>	1983			<b>UTM Zone:</b>	17
<b>Facility Cmnts:</b>	FALSE			<b>UTM Northing:</b>	4812600
<b>URL:</b>				<b>UTM Easting:</b>	606800
<b>No of Empl.:</b>	435			<b>Waste Streams:</b>	FALSE
<b>Parent Co.:</b>	Y			<b>No Streams:</b>	0
<b>No Parent Co.:</b>	1			<b>Waste Off Sites:</b>	TRUE
<b>Pollut Prev Cmnts:</b>	FALSE			<b>No Off Sites:</b>	5
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>		33			
<b>NAICS 2 Description:</b>		Manufacturing			
<b>NAICS Code (4 digit):</b>		3351			
<b>NAICS 4 Description:</b>		Electric lighting equipment manufacturing			
<b>NAICS Code (6 digit):</b>		335110			
<b>NAICS 6 Description:</b>		Electric lamp bulb and parts manufacturing			
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Copper (and its compounds)			
<b>Chem (fr):</b>		Cuivre (et ses composés)			
<b>Quantity:</b>		.1			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		M			
<b>Basis of Estimate Desc:</b>		M- Monitoring or Direct Measurement - In use from 1994 to 2002			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Lead (and its compounds)			
<b>Chem (fr):</b>		Plomb (et ses composés)			
<b>Quantity:</b>		.1			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		M			
<b>Basis of Estimate Desc:</b>		M- Monitoring or Direct Measurement - In use from 1994 to 2002			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Nickel (and its compounds)			
<b>Chem (fr):</b>		Nickel (et ses composés)			
<b>Quantity:</b>		.1			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		M			
<b>Basis of Estimate Desc:</b>		M- Monitoring or Direct Measurement - In use from 1994 to 2002			

[95](#)    30 of 122    **NNE/297.4**    **105.0 / 1.44**    **GE LIGHTING, CANADA**    **420 SOUTH SERVICE ROAD NOT AVAILABLE**    **NPRI**  
**OAKVILLE ON L6J2X6**

<b>NPRI ID:</b>	1281	<b>Org ID:</b>	12849
<b>Other ID:</b>	Y	<b>Submit Date:</b>	6/1/1999
<b>No Other ID:</b>	3	<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	3662	<b>Contact ID:</b>	102906
<b>Report ID:</b>		<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI	<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1	<b>Cont First Name:</b>	PETER
<b>Report Year:</b>	1998	<b>Cont Last Name:</b>	MASON
<b>Not-Current Rpt?:</b>	No	<b>Contact Position:</b>	MGR. CAN. PRODUCTION OPERATION
<b>Yr of Last Filed Rpt:</b>	2012	<b>Contact Fax:</b>	9058492082
<b>Fac ID:</b>	108650	<b>Contact Ph.:</b>	9058492036
<b>Fac Name:</b>	OAKVILLE LAMP PLANT	<b>Cont Area Code:</b>	905
<b>Fac Address1:</b>	420 SOUTH SERVICE ROAD	<b>Contact Tel.:</b>	58492036
<b>Fac Address2:</b>	NOT AVAILABLE	<b>Contact Ext.:</b>	



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Fac Postal Zip:</b>	L6J2X6			<b>Cont Fax Area Cde:</b>	905
<b>Facility Lat:</b>	43.4606			<b>Contact Fax:</b>	58492082
<b>Facility Long:</b>	-79.6797			<b>Contact Email:</b>	NOT AVAILABLE
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.4606
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.6797
<b>Datum:</b>	1983			<b>UTM Zone:</b>	17
<b>Facility Cmnts:</b>	False			<b>UTM Northing:</b>	4812600
<b>URL:</b>				<b>UTM Easting:</b>	606800
<b>No of Empl.:</b>	420			<b>Waste Streams:</b>	False
<b>Parent Co.:</b>	Y			<b>No Streams:</b>	0
<b>No Parent Co.:</b>	1			<b>Waste Off Sites:</b>	Fals
<b>Pollut Prev Cmnts:</b>	False			<b>No Off Sites:</b>	6
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>		33			
<b>NAICS 2 Description:</b>		Manufacturing			
<b>NAICS Code (4 digit):</b>		3351			
<b>NAICS 4 Description:</b>		Electric lighting equipment manufacturing			
<b>NAICS Code (6 digit):</b>		335110			
<b>NAICS 6 Description:</b>		Electric lamp bulb and parts manufacturing			
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Nickel (and its compounds)			
<b>Chem (fr):</b>		Nickel (et ses composés)			
<b>Quantity:</b>		0			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Lead (and its compounds)			
<b>Chem (fr):</b>		Plomb (et ses composés)			
<b>Quantity:</b>		.031			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		M			
<b>Basis of Estimate Desc:</b>		M- Monitoring or Direct Measurement - In use from 1994 to 2002			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Copper (and its compounds)			
<b>Chem (fr):</b>		Cuivre (et ses composés)			
<b>Quantity:</b>		0			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">95</a>	31 of 122	NNE/297.4	105.0 / 1.44	GE LIGHTING, CANADA 420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	NPRI

<b>NPRI ID:</b>	1281	<b>Org ID:</b>	12849
<b>Other ID:</b>	Y	<b>Submit Date:</b>	5/31/2000
<b>No Other ID:</b>	3	<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	3660	<b>Contact ID:</b>	102908
<b>Report ID:</b>		<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI	<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1	<b>Cont First Name:</b>	PETER
<b>Report Year:</b>	1999	<b>Cont Last Name:</b>	MASON
<b>Not-Current Rpt?:</b>	No	<b>Contact Position:</b>	MGR. CAN. PRODUCTION OPERATION
<b>Yr of Last Filed Rpt:</b>	2012	<b>Contact Fax:</b>	9058492082
<b>Fac ID:</b>	108650	<b>Contact Ph.:</b>	9058492036
<b>Fac Name:</b>	OAKVILLE LAMP PLANT	<b>Cont Area Code:</b>	905
<b>Fac Address1:</b>	420 SOUTH SERVICE ROAD	<b>Contact Tel.:</b>	58492036
<b>Fac Address2:</b>	NOT AVAILABLE	<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	L6J2X6	<b>Cont Fax Area Cde:</b>	905
<b>Facility Lat:</b>	43.4606	<b>Contact Fax:</b>	58492082
<b>Facility Long:</b>	-79.6797	<b>Contact Email:</b>	PETER.MASON@LIGHTING.GE.COM
<b>DLS (Last Filed Rpt):</b>		<b>Latitude:</b>	43.4606
<b>Facility DLS:</b>		<b>Longitude:</b>	-79.6797
<b>Datum:</b>	1983	<b>UTM Zone:</b>	17
<b>Facility Cmnts:</b>	False	<b>UTM Northing:</b>	4812600
<b>URL:</b>		<b>UTM Easting:</b>	606800
<b>No of Empl.:</b>	486	<b>Waste Streams:</b>	Yes
<b>Parent Co.:</b>	Y	<b>No Streams:</b>	0
<b>No Parent Co.:</b>	1	<b>Waste Off Sites:</b>	Yes
<b>Pollut Prev Cmnts:</b>	False	<b>No Off Sites:</b>	0
<b>Stacks:</b>		<b>Shutdown:</b>	
<b>No of Stacks:</b>		<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>			
<b>Canadian SIC Code:</b>			
<b>SIC Code Description:</b>			
<b>American SIC Code:</b>			
<b>NAICS Code (2 digit):</b>	33		
<b>NAICS 2 Description:</b>	Manufacturing		
<b>NAICS Code (4 digit):</b>	3351		
<b>NAICS 4 Description:</b>	Electric lighting equipment manufacturing		
<b>NAICS Code (6 digit):</b>	335110		
<b>NAICS 6 Description:</b>	Electric lamp bulb and parts manufacturing		

#### Substance Release Report

<b>Category Type ID:</b>	13
<b>Category Type Desc:</b>	All Media
<b>Category Type Desc (fr):</b>	Rejets à tous les médias
<b>Grouping:</b>	Total All Media<1t
<b>Trans Code:</b>	
<b>Chem:</b>	Copper (and its compounds)
<b>Chem (fr):</b>	Cuivre (et ses composés)
<b>Quantity:</b>	0
<b>Unit:</b>	tonnes
<b>Basis of Estimate Cd:</b>	0
<b>Basis of Estimate Desc:</b>	0- Engineering Estimates
<b>Category Type ID:</b>	13
<b>Category Type Desc:</b>	All Media
<b>Category Type Desc (fr):</b>	Rejets à tous les médias
<b>Grouping:</b>	Total All Media<1t
<b>Trans Code:</b>	
<b>Chem:</b>	Lead (and its compounds)
<b>Chem (fr):</b>	Plomb (et ses composés)
<b>Quantity:</b>	.034

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		M			
<b>Basis of Estimate Desc:</b>		M- Monitoring or Direct Measurement - In use from 1994 to 2002			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Nickel (and its compounds)			
<b>Chem (fr):</b>		Nickel (et ses composés)			
<b>Quantity:</b>		0			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			

<u>95</u>	32 of 122	NNE/297.4	105.0 / 1.44	GE LIGHTING, CANADA 420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	NPRI
<b>NPRI ID:</b>	1281			<b>Org ID:</b>	12849
<b>Other ID:</b>	Y			<b>Submit Date:</b>	5/30/2001
<b>No Other ID:</b>	3.00			<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	3661			<b>Contact ID:</b>	102908
<b>Report ID:</b>				<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	PETER
<b>Report Year:</b>	2000			<b>Cont Last Name:</b>	MASON
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	MGR. CAN. PRODUCTION OPERATION
<b>Yr of Last Filed Rpt:</b>	2012			<b>Contact Fax:</b>	9058492082
<b>Fac ID:</b>	108650			<b>Contact Ph.:</b>	9058492036
<b>Fac Name:</b>	OAKVILLE LAMP PLANT			<b>Cont Area Code:</b>	905
<b>Fac Address1:</b>	420 SOUTH SERVICE ROAD			<b>Contact Tel.:</b>	58492036
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	L6J2X6			<b>Cont Fax Area Cde:</b>	905
<b>Facility Lat:</b>	43.4606			<b>Contact Fax:</b>	58492082
<b>Facility Long:</b>	-79.6797			<b>Contact Email:</b>	PETER.MASON@LIGHTING.GE.COM
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.4606
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.6797
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	False			<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>	509			<b>Waste Streams:</b>	No
<b>Parent Co.:</b>	Y			<b>No Streams:</b>	0
<b>No Parent Co.:</b>	1.00			<b>Waste Off Sites:</b>	Yes
<b>Pollut Prev Cmnts:</b>	False			<b>No Off Sites:</b>	9.00
<b>Stacks:</b>				<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	33				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3351				
<b>NAICS 4 Description:</b>	Electric lighting equipment manufacturing				
<b>NAICS Code (6 digit):</b>	335110				
<b>NAICS 6 Description:</b>	Electric lamp bulb and parts manufacturing				

#### Substance Release Report

<b>Category Type ID:</b>	1
<b>Category Type Desc:</b>	Stack / Point
<b>Category Type Desc (fr):</b>	Rejets de cheminée ou ponctuels

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		ASta			
<b>Chem:</b>		Mercury (and its compounds)			
<b>Chem (fr):</b>		Mercure (et ses composés)			
<b>Quantity:</b>		41			
<b>Unit:</b>		kg			
<b>Basis of Estimate Cd:</b>		M			
<b>Basis of Estimate Desc:</b>		M- Monitoring or Direct Measurement - In use from 1994 to 2002			
<b>Category Type ID:</b>		3			
<b>Category Type Desc:</b>		Fugitive			
<b>Category Type Desc (fr):</b>		Émissions fugitives			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCs			
<b>Chem:</b>		Mercury (and its compounds)			
<b>Chem (fr):</b>		Mercure (et ses composés)			
<b>Quantity:</b>		1.08			
<b>Unit:</b>		kg			
<b>Basis of Estimate Cd:</b>		M			
<b>Basis of Estimate Desc:</b>		M- Monitoring or Direct Measurement - In use from 1994 to 2002			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Nickel (and its compounds)			
<b>Chem (fr):</b>		Nickel (et ses composés)			
<b>Quantity:</b>		0			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Lead (and its compounds)			
<b>Chem (fr):</b>		Plomb (et ses composés)			
<b>Quantity:</b>		.034			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		M			
<b>Basis of Estimate Desc:</b>		M- Monitoring or Direct Measurement - In use from 1994 to 2002			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Copper (and its compounds)			
<b>Chem (fr):</b>		Cuivre (et ses composés)			
<b>Quantity:</b>		0			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>95</b>	<b>33 of 122</b>	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>General Electric Lighting Canada Inc. 420 South Service Rd E Oakville ON L6J 2X6</b>	<b>SCT</b>
<b>Established:</b>		1948			
<b>Plant Size (ft²):</b>					
<b>Employment:</b>		450			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">95</a>	34 of 122	NNE/297.4	105.0 / 1.44	GENERAL ELECTRIC CANADA INC. 420 SOUTH SERVICE ROAD EAST OAKVILLE TOWN ON L6J 2X6	CA
<b>Certificate #:</b>		8-3612-95-977			
<b>Application Year:</b>		95			
<b>Issue Date:</b>		1/26/96			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		First Ammendment in 1997			
<b>Application Type:</b>					
<b>Client Name:</b>					
<b>Client Address:</b>					
<b>Client City:</b>					
<b>Client Postal Code:</b>					
<b>Project Description:</b>		FLAMMABLE STORAGE, BASE CEMENT MIX ROOMS			
<b>Contaminants:</b>		Nitrogen Oxides, Phthalates			
<b>Emission Control:</b>		No Controls			
<a href="#">95</a>	35 of 122	NNE/297.4	105.0 / 1.44	Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L6J 2X6	CA
<b>Certificate #:</b>		6765-4JBS4K			
<b>Application Year:</b>		00			
<b>Issue Date:</b>		4/25/00			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Approved			
<b>Application Type:</b>		New Certificate of Approval			
<b>Client Name:</b>		General Electric Canada Inc.			
<b>Client Address:</b>		2300 Meadowvale Blvd.			
<b>Client City:</b>		Mississauga			
<b>Client Postal Code:</b>					
<b>Project Description:</b>		GE Lighting Canada is altering production of fluorescent lamps, designated the HSH-IV T8 florescent lamp. These changes include an increase in production from 8000 bulbs/hour to 10,000 bulbs/hour. The deletion of 10 (ten) stem annealers included in the current Certificate of Approval. The relocation of 1 of 6 Flare Machines, which will be removed from the common stack servicing all six Flare Machines, this Flare Machine will then exhaust to a separate stack. The addition of an exhaust unit for an additional parts cleaning procedure, to be carried out in the HSH-IV Vacuum Room Parts Clean-up area. This proposal is also requesting an addition of a welding booth, to be located in the HSH-IV maintenance booth.			
<b>Contaminants:</b>					
<b>Emission Control:</b>					
<a href="#">95</a>	36 of 122	NNE/297.4	105.0 / 1.44	Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L6J 2X6	CA
<b>Certificate #:</b>		3874-4K5QL5			
<b>Application Year:</b>		00			
<b>Issue Date:</b>		5/9/00			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Approved			
<b>Application Type:</b>		Amended CofA			
<b>Client Name:</b>		General Electric Canada Inc.			
<b>Client Address:</b>		2300 Meadowvale Blvd.			
<b>Client City:</b>		Mississauga			
<b>Client Postal Code:</b>					
<b>Project Description:</b>		GE Lighting Canada is installing an inkjet printer on the PAR 20/30 line that will be used to print on each lamp the date and time the lamp was assembled. Vapours that are released during the drying and/or evaporation of the ink solvent will be discharged to the atmosphere through a hood and an in-duct fan assembly.			
<b>Contaminants:</b>					
<b>Emission Control:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">95</a>	37 of 122	NNE/297.4	105.0 / 1.44	Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L6J 2X6	CA
<b>Certificate #:</b>		2170-4UKPP2			
<b>Application Year:</b>		02			
<b>Issue Date:</b>		4/18/02			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Revoked and/or Replaced			
<b>Application Type:</b>		New Certificate of Approval			
<b>Client Name:</b>		General Electric Canada Inc.			
<b>Client Address:</b>		2300 Meadowvale Blvd.			
<b>Client City:</b>		Mississauga			
<b>Client Postal Code:</b>		L5N 5P9			
<b>Project Description:</b>		This application is for a Certificate of Approval to add a new KT Fluorescent Lamp Production line to an existing building. The ventilation for the new line consists of six (6) roof mounted exhaust fans and two (2) exhaust fans from the coaters. There will also be 4 HVAC fans and four (4) unit heaters all discharging to the atmosphere.			
<b>Contaminants:</b>					
<b>Emission Control:</b>					
<a href="#">95</a>	38 of 122	NNE/297.4	105.0 / 1.44	Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L6J 2X6	CA
<b>Certificate #:</b>		2682-5BQQKG			
<b>Application Year:</b>		02			
<b>Issue Date:</b>		7/24/02			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Approved			
<b>Application Type:</b>		New Certificate of Approval			
<b>Client Name:</b>		General Electric Canada Inc.			
<b>Client Address:</b>		2300 Meadowvale Blvd.			
<b>Client City:</b>		Mississauga			
<b>Client Postal Code:</b>		L5N 5P9			
<b>Project Description:</b>		This application is for modifications to the Unit 36 vertical fluorescent lamp assembly line. Modifications include installation of a replacement exhaust fan for an existing exhaust machine, a replacement heat recovery unit for a washer/coater machine and two new heaters for comfort heating all located in the vertical fluorescent department. Regulation 346 modelling results indicate that the maximum ground level concentrations for all contaminants were below their respective MOE point of impingement criteria.			
<b>Contaminants:</b>					
<b>Emission Control:</b>					
<a href="#">95</a>	39 of 122	NNE/297.4	105.0 / 1.44	Pt Lt 12, Conc 3 SDS, Lot 113, 114 R.Plan 1009; Oakville ON	CA
<b>Certificate #:</b>		6128-542HRK			
<b>Application Year:</b>		01			
<b>Issue Date:</b>		11/26/01			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Approved			
<b>Application Type:</b>		Amended CofA			
<b>Client Name:</b>		General Electric Canada Inc.			
<b>Client Address:</b>		2300 Meadowvale Blvd.			
<b>Client City:</b>		Mississauga			
<b>Client Postal Code:</b>		L5N 5P9			
<b>Project Description:</b>		Name change from Canadian General Electric Co. Ltd. to General Electric Canada Inc. Approval is sought to amend certificate of approval 8-300-300-85-856. The original approval is for an exhaust system serving an incandescent lightbulb process, having a maximum flowrate of 6.6m3/sec, venting via a stack of 7.0m above grade. The applicant has requested for the following changes: Increase in production of lamps on the IMG incandescent line from the currently approved 10,800 lamps/hour to 44,000 lamps/hour. The IMG incandescent lamp line consists of the assembly of the lamp mount and all steps in the final assembly of the lamps. This will be accomplished by increasing the production line speed. No additional equipment will be necessary to realize this modification. Emitted contaminants will be similar to compounds presently discharged.			
<b>Contaminants:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Emission Control:</b>					
<a href="#">95</a>	40 of 122	NNE/297.4	105.0 / 1.44	Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L6J 2X6	CA
<b>Certificate #:</b>		7820-5ASRHX			
<b>Application Year:</b>		02			
<b>Issue Date:</b>		6/14/02			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Approved			
<b>Application Type:</b>		Amended CofA			
<b>Client Name:</b>		General Electric Canada Inc.			
<b>Client Address:</b>		2300 Meadowvale Blvd.			
<b>Client City:</b>		Mississauga			
<b>Client Postal Code:</b>		L5N 5P9			
<b>Project Description:</b>		This application is for modifications to Unit 6 of the PAR 38 halogen lamp assembly line and includes installation of a roof top exhaust fan above a sealer pre-heat machine for the purpose of exhausting heat generated from the process.			
<b>Contaminants:</b>					
<b>Emission Control:</b>					
<a href="#">95</a>	41 of 122	NNE/297.4	105.0 / 1.44	Pt Lt 12, Conc 3 SDS, Lot 113, 114 R.Plan 1009; Oakville ON	CA
<b>Certificate #:</b>		5486-58KLSN			
<b>Application Year:</b>		02			
<b>Issue Date:</b>		4/18/02			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Approved			
<b>Application Type:</b>		Amended CofA			
<b>Client Name:</b>		General Electric Canada Inc.			
<b>Client Address:</b>		2300 Meadowvale Blvd.			
<b>Client City:</b>		Mississauga			
<b>Client Postal Code:</b>		L5N 5P9			
<b>Project Description:</b>		This application is for an amendment to the existing Certificates of Approval No. 8-3024-96-006 and 2170-4UKPP2 for the installation of up to eight vacuum pumps discharging to the atmosphere from the Unit 32 and 36 fluorescent lamp manufacturing lines, through Mercury Control System.			
<b>Contaminants:</b>					
<b>Emission Control:</b>					
<a href="#">95</a>	42 of 122	NNE/297.4	105.0 / 1.44	Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L6J 2X6	CA
<b>Certificate #:</b>		4195-5ATJ6V			
<b>Application Year:</b>		02			
<b>Issue Date:</b>		6/14/02			
<b>Approval Type:</b>		Industrial air			
<b>Status:</b>		Revoked and/or Replaced			
<b>Application Type:</b>		Amended CofA			
<b>Client Name:</b>		General Electric Canada Inc.			
<b>Client Address:</b>		2300 Meadowvale Blvd.			
<b>Client City:</b>		Mississauga			
<b>Client Postal Code:</b>		L5N 5P9			
<b>Project Description:</b>		This application is for modifications to Unit 5 of the PAR 38 Halogen Assembly Line and includes installation of a roof top exhaust fan above a sealer pre-heat machine for the purpose of exhausting heat generated from the process.			
<b>Contaminants:</b>					
<b>Emission Control:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">95</a>	43 of 122	NNE/297.4	105.0 / 1.44	General Electric Canada Ltd. 420 SOUTH SERVICE ROAD EAST, OAKVILLE TOWN Oakville ON	EBR
<p><b>EBR Registry No:</b> IA7E0155  <b>Ministry Ref No:</b> 8363893 19970129  <b>Notice Type:</b> Instrument Decision  <b>Notice Stage:</b>  <b>Notice Date:</b> March 19, 1997  <b>Proposal Date:</b> February 11, 1997  <b>Year:</b> 1997  <b>Instrument Type:</b> (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)  <b>Off Instrument Name:</b>  <b>Posted By:</b>  <b>Company Name:</b> General Electric Canada Ltd.  <b>Site Address:</b>  <b>Location Other:</b>  <b>Proponent Name:</b>  <b>Proponent Address:</b> Nuclear Products, 107 Part Street North, Peterborough Ontario, K9J 7B5  <b>Comment Period:</b>  <b>URL:</b></p> <p><b>Decision Posted:</b>  <b>Exception Posted:</b>  <b>Section:</b>  <b>Act 1:</b>  <b>Act 2:</b>  <b>Site Location Map:</b></p> <p><b>Site Location Details:</b>  420 SOUTH SERVICE ROAD EAST, OAKVILLE TOWN Oakville</p>					
<a href="#">95</a>	44 of 122	NNE/297.4	105.0 / 1.44	General Electric Canada Ltd. 420 SOUTH SERVICE ROAD EAST, OAKVILLE TOWN TOWN OF OAKVILLE ON	EBR
<p><b>EBR Registry No:</b> IA7E0261  <b>Ministry Ref No:</b> 8361295 19970214  <b>Notice Type:</b> Instrument Decision  <b>Notice Stage:</b>  <b>Notice Date:</b> January 22, 1999  <b>Proposal Date:</b> February 24, 1997  <b>Year:</b> 1997  <b>Instrument Type:</b> (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)  <b>Off Instrument Name:</b>  <b>Posted By:</b>  <b>Company Name:</b> General Electric Canada Ltd.  <b>Site Address:</b>  <b>Location Other:</b>  <b>Proponent Name:</b>  <b>Proponent Address:</b> Nuclear Products, 107 Part Street North, Peterborough Ontario, K9J 7B5  <b>Comment Period:</b>  <b>URL:</b></p> <p><b>Decision Posted:</b>  <b>Exception Posted:</b>  <b>Section:</b>  <b>Act 1:</b>  <b>Act 2:</b>  <b>Site Location Map:</b></p> <p><b>Site Location Details:</b>  420 SOUTH SERVICE ROAD EAST, OAKVILLE TOWN TOWN OF OAKVILLE</p>					
<a href="#">95</a>	45 of 122	NNE/297.4	105.0 / 1.44	General Electric Canada Inc. 420 South Service Road East, part lot 12, concession 3 TOWN OF OAKVILLE ON	EBR
<p><b>EBR Registry No:</b> IA8E1674  <b>Decision Posted:</b></p>					



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Ministry Ref No:</b>	8368898			<b>Exception Posted:</b>	
<b>Notice Type:</b>	Instrument Decision			<b>Section:</b>	
<b>Notice Stage:</b>				<b>Act 1:</b>	
<b>Notice Date:</b>	January 27, 1999			<b>Act 2:</b>	
<b>Proposal Date:</b>	December 04, 1998			<b>Site Location Map:</b>	
<b>Year:</b>	1998				
<b>Instrument Type:</b>	(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)				
<b>Off Instrument Name:</b>					
<b>Posted By:</b>					
<b>Company Name:</b>	General Electric Canada Inc.				
<b>Site Address:</b>					
<b>Location Other:</b>					
<b>Proponent Name:</b>					
<b>Proponent Address:</b>	420 S.Service Rd.E., Oakville Ontario, L6J 2X6				
<b>Comment Period:</b>					
<b>URL:</b>					
<b>Site Location Details:</b>					
420 South Service Road East, part lot 12, concession 3 TOWN OF OAKVILLE					

<a href="#">95</a>	46 of 122	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>General Electric Canada Inc. Oakville Lamp Plant, 420 South Service Rd. East Oakville Ontario Oakville ON</b>	<b>EBR</b>
<b>EBR Registry No:</b>	IA00E0330			<b>Decision Posted:</b>	
<b>Ministry Ref No:</b>	0372-4GDSFW			<b>Exception Posted:</b>	
<b>Notice Type:</b>	Instrument Decision			<b>Section:</b>	
<b>Notice Stage:</b>				<b>Act 1:</b>	
<b>Notice Date:</b>	August 23, 2001			<b>Act 2:</b>	
<b>Proposal Date:</b>	February 11, 2000			<b>Site Location Map:</b>	
<b>Year:</b>	2000				
<b>Instrument Type:</b>	(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)				
<b>Off Instrument Name:</b>					
<b>Posted By:</b>					
<b>Company Name:</b>	General Electric Canada Inc.				
<b>Site Address:</b>					
<b>Location Other:</b>					
<b>Proponent Name:</b>					
<b>Proponent Address:</b>	2300 Meadowvale Blvd., Mississauga Ontario, L5N 5P9				
<b>Comment Period:</b>					
<b>URL:</b>					
<b>Site Location Details:</b>					
Oakville Lamp Plant, 420 South Service Rd. East Oakville Ontario Oakville					

<a href="#">95</a>	47 of 122	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>General Electric Canada Inc. Oakville Lamp Plant, 420 South Service Rd. East Oakville Ontario Oakville ON</b>	<b>EBR</b>
<b>EBR Registry No:</b>	IA00E0265			<b>Decision Posted:</b>	
<b>Ministry Ref No:</b>	7383-4G3LGQ			<b>Exception Posted:</b>	
<b>Notice Type:</b>	Instrument Decision			<b>Section:</b>	
<b>Notice Stage:</b>				<b>Act 1:</b>	
<b>Notice Date:</b>	May 02, 2000			<b>Act 2:</b>	
<b>Proposal Date:</b>	February 01, 2000			<b>Site Location Map:</b>	
<b>Year:</b>	2000				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Instrument Type:</b>		(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)			
<b>Off Instrument Name:</b>					
<b>Posted By:</b>					
<b>Company Name:</b>		General Electric Canada Inc.			
<b>Site Address:</b>					
<b>Location Other:</b>					
<b>Proponent Name:</b>					
<b>Proponent Address:</b>		2300 Meadowvale Blvd., Mississauga Ontario, L5N 5P9			
<b>Comment Period:</b>					
<b>URL:</b>					
<b>Site Location Details:</b>					
Oakville Lamp Plant, 420 South Service Rd. East Oakville Ontario Oakville					

<a href="#">95</a>	48 of 122	NNE/297.4	105.0 / 1.44	General Electric Canada Inc. Oakville Lamp Plant, 420 South Service Rd. East Oakville Ontario Oakville ON	EBR
<b>EBR Registry No:</b>		IA01E0111		<b>Decision Posted:</b>	
<b>Ministry Ref No:</b>		0570-4T9KJC		<b>Exception Posted:</b>	
<b>Notice Type:</b>		Instrument Decision		<b>Section:</b>	
<b>Notice Stage:</b>				<b>Act 1:</b>	
<b>Notice Date:</b>		March 09, 2001		<b>Act 2:</b>	
<b>Proposal Date:</b>		January 23, 2001		<b>Site Location Map:</b>	
<b>Year:</b>		2001			
<b>Instrument Type:</b>		(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)			
<b>Off Instrument Name:</b>					
<b>Posted By:</b>					
<b>Company Name:</b>		General Electric Canada Inc.			
<b>Site Address:</b>					
<b>Location Other:</b>					
<b>Proponent Name:</b>					
<b>Proponent Address:</b>		2300 Meadowvale Blvd., Mississauga Ontario, L5N 5P9			
<b>Comment Period:</b>					
<b>URL:</b>					
<b>Site Location Details:</b>					
Oakville Lamp Plant, 420 South Service Rd. East Oakville Ontario Oakville					

<a href="#">95</a>	49 of 122	NNE/297.4	105.0 / 1.44	General Electric Canada Inc. Oakville Lamp Plant, 420 South Service Rd. East Oakville Ontario Oakville ON	EBR
<b>EBR Registry No:</b>		IA02E0320		<b>Decision Posted:</b>	
<b>Ministry Ref No:</b>		4159-59HLLC		<b>Exception Posted:</b>	
<b>Notice Type:</b>		Instrument Decision		<b>Section:</b>	
<b>Notice Stage:</b>				<b>Act 1:</b>	
<b>Notice Date:</b>		July 30, 2002		<b>Act 2:</b>	
<b>Proposal Date:</b>		April 24, 2002		<b>Site Location Map:</b>	
<b>Year:</b>		2002			
<b>Instrument Type:</b>		(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)			
<b>Off Instrument Name:</b>					
<b>Posted By:</b>					
<b>Company Name:</b>		General Electric Canada Inc.			
<b>Site Address:</b>					
<b>Location Other:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Proponent Name:</b> <b>Proponent Address:</b> 2300 Meadowvale Blvd., Mississauga Ontario, L5N 5P9 <b>Comment Period:</b> <b>URL:</b>					
<b>Site Location Details:</b> Oakville Lamp Plant, 420 South Service Rd. East Oakville Ontario Oakville					
<a href="#">95</a>	50 of 122	NNE/297.4	105.0 / 1.44	GE Lighting 420 South Service Rd E Oakville ON L6J 2X6	SCT
<b>Established:</b> 1948 <b>Plant Size (ft²):</b> <b>Employment:</b> 450					
<b>--Details--</b> <b>Description:</b> Lighting Fixture Manufacturing <b>SIC/NAICS Code:</b> 335120					
<a href="#">95</a>	51 of 122	NNE/297.4	105.0 / 1.44	General Electric Canada Inc. Oakville Lamp Plant, 420 South Service Rd. East Oakville Ontario Oakville ON	EBR
<b>EBR Registry No:</b> IA03E0016 <b>Ministry Ref No:</b> 3884-5GNLX7 <b>Notice Type:</b> Instrument Decision <b>Notice Stage:</b> <b>Notice Date:</b> April 16, 2003 <b>Proposal Date:</b> January 06, 2003 <b>Year:</b> 2003 <b>Instrument Type:</b> (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air) <b>Off Instrument Name:</b> <b>Posted By:</b> <b>Company Name:</b> General Electric Canada Inc. <b>Site Address:</b> <b>Location Other:</b> <b>Proponent Name:</b> <b>Proponent Address:</b> 2300 Meadowvale Blvd., Mississauga Ontario, L5N 5P9 <b>Comment Period:</b> <b>URL:</b>					
<b>Decision Posted:</b> <b>Exception Posted:</b> <b>Section:</b> <b>Act 1:</b> <b>Act 2:</b> <b>Site Location Map:</b>					
<b>Site Location Details:</b> Oakville Lamp Plant, 420 South Service Rd. East Oakville Ontario Oakville					
<a href="#">95</a>	52 of 122	NNE/297.4	105.0 / 1.44	General Electric Canada Inc. Oakville Lamp Plant, 420 South Service Rd. East Oakville Ontario Oakville ON	EBR
<b>EBR Registry No:</b> IA03E0801 <b>Ministry Ref No:</b> 8314-5MGSQQ <b>Notice Type:</b> Instrument Decision <b>Notice Stage:</b> <b>Notice Date:</b> February 12, 2004					
<b>Decision Posted:</b> <b>Exception Posted:</b> <b>Section:</b> <b>Act 1:</b> <b>Act 2:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Proposal Date:</b>	June 04, 2003			<b>Site Location Map:</b>	
<b>Year:</b>	2003				
<b>Instrument Type:</b>		(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)			
<b>Off Instrument Name:</b>					
<b>Posted By:</b>					
<b>Company Name:</b>	General Electric Canada Inc.				
<b>Site Address:</b>					
<b>Location Other:</b>					
<b>Proponent Name:</b>					
<b>Proponent Address:</b>	2300 Meadowvale Blvd., Mississauga Ontario, L5N 5P9				
<b>Comment Period:</b>					
<b>URL:</b>					

**Site Location Details:**

Oakville Lamp Plant, 420 South Service Rd. East Oakville Ontario Oakville

<a href="#">95</a>	53 of 122	NNE/297.4	105.0 / 1.44	General Electric Canada Inc. Oakville Lamp Plant, 420 South Service Rd. East Oakville Ontario Oakville ON	EBR
<b>EBR Registry No:</b>	IA03E0799			<b>Decision Posted:</b>	
<b>Ministry Ref No:</b>	0711-5MGSCZ			<b>Exception Posted:</b>	
<b>Notice Type:</b>	Instrument Decision			<b>Section:</b>	
<b>Notice Stage:</b>				<b>Act 1:</b>	
<b>Notice Date:</b>	July 07, 2003			<b>Act 2:</b>	
<b>Proposal Date:</b>	June 04, 2003			<b>Site Location Map:</b>	
<b>Year:</b>	2003				
<b>Instrument Type:</b>		(EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)			
<b>Off Instrument Name:</b>					
<b>Posted By:</b>					
<b>Company Name:</b>	General Electric Canada Inc.				
<b>Site Address:</b>					
<b>Location Other:</b>					
<b>Proponent Name:</b>					
<b>Proponent Address:</b>	2300 Meadowvale Blvd., Mississauga Ontario, L5N 5P9				
<b>Comment Period:</b>					
<b>URL:</b>					

**Site Location Details:**

Oakville Lamp Plant, 420 South Service Rd. East Oakville Ontario Oakville

<a href="#">95</a>	54 of 122	NNE/297.4	105.0 / 1.44	CANADIAN GENERAL ELECTRIC 420 SOUTH SERVICE RD. OAKVILLE ON	GEN
<b>Generator No:</b>	302-87A008			<b>Status:</b>	
<b>SIC Code:</b>	030			<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	86			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	

<a href="#">95</a>	55 of 122	NNE/297.4	105.0 / 1.44	GENERAL ELECTRIC CANADA INC. OAKVILLE LAMP PLANT 420 SOUTH SERVICE ROAD, EAST OAKVILLE ON L6J 2X6	GEN
--------------------	-----------	-----------	--------------	--	-----

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Generator No:</b>	ON0046804			<b>Status:</b>	
<b>SIC Code:</b>	3333			<b>Co Admin:</b>	
<b>SIC Description:</b>	LAMP (BULB & TUBE)			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	92,93,97			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	112				
<b>Waste Class Desc:</b>	ACID WASTE - HEAVY METALS				
<b>Waste Class:</b>	113				
<b>Waste Class Desc:</b>	ACID WASTE - OTHER METALS				
<b>Waste Class:</b>	121				
<b>Waste Class Desc:</b>	ALKALINE WASTES - HEAVY METALS				
<b>Waste Class:</b>	122				
<b>Waste Class Desc:</b>	ALKALINE WASTES - OTHER METALS				
<b>Waste Class:</b>	145				
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Class:</b>	146				
<b>Waste Class Desc:</b>	OTHER SPECIFIED INORGANICS				
<b>Waste Class:</b>	148				
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	150				
<b>Waste Class Desc:</b>	INERT INORGANIC WASTES				
<b>Waste Class:</b>	212				
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS				
<b>Waste Class:</b>	213				
<b>Waste Class Desc:</b>	PETROLEUM DISTILLATES				
<b>Waste Class:</b>	232				
<b>Waste Class Desc:</b>	POLYMERIC RESINS				
<b>Waste Class:</b>	241				
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS				
<b>Waste Class:</b>	243				
<b>Waste Class Desc:</b>	PCB'S				
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Class:</b>	253				
<b>Waste Class Desc:</b>	EMULSIFIED OILS				
<b>Waste Class:</b>	263				
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	268				
<b>Waste Class Desc:</b>	AMINES				
<b>Waste Class:</b>	312				
<b>Waste Class Desc:</b>	PATHOLOGICAL WASTES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">95</a>	56 of 122	NNE/297.4	105.0 / 1.44	GENERAL ELECTRIC CANADA INC. OAKVILLE EAST LAMP PLANT 420 SOUTH SERVICE ROAD EAST OAKVILLE ON L6J 2X6	GEN

<b>Generator No:</b>	ON0046804	<b>Status:</b>
<b>SIC Code:</b>	3333	<b>Co Admin:</b>
<b>SIC Description:</b>	LAMP (BULB & TUBE)	<b>Choice of Contact:</b>
<b>Approval Years:</b>	94,95	<b>Phone No Admin:</b>
<b>PO Box No:</b>		<b>Contam. Facility:</b>
<b>Country:</b>		<b>MHSW Facility:</b>

**Detail(s)**

<b>Waste Class:</b>	112
<b>Waste Class Desc:</b>	ACID WASTE - HEAVY METALS
<b>Waste Class:</b>	121
<b>Waste Class Desc:</b>	ALKALINE WASTES - HEAVY METALS
<b>Waste Class:</b>	122
<b>Waste Class Desc:</b>	ALKALINE WASTES - OTHER METALS
<b>Waste Class:</b>	145
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES
<b>Waste Class:</b>	146
<b>Waste Class Desc:</b>	OTHER SPECIFIED INORGANICS
<b>Waste Class:</b>	148
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS
<b>Waste Class:</b>	150
<b>Waste Class Desc:</b>	INERT INORGANIC WASTES
<b>Waste Class:</b>	212
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS
<b>Waste Class:</b>	213
<b>Waste Class Desc:</b>	PETROLEUM DISTILLATES
<b>Waste Class:</b>	232
<b>Waste Class Desc:</b>	POLYMERIC RESINS
<b>Waste Class:</b>	241
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS
<b>Waste Class:</b>	243
<b>Waste Class Desc:</b>	PCB'S
<b>Waste Class:</b>	252
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS
<b>Waste Class:</b>	253
<b>Waste Class Desc:</b>	EMULSIFIED OILS
<b>Waste Class:</b>	263
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS
<b>Waste Class:</b>	268
<b>Waste Class Desc:</b>	AMINES
<b>Waste Class:</b>	312
<b>Waste Class Desc:</b>	PATHOLOGICAL WASTES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">95</a>	57 of 122	NNE/297.4	105.0 / 1.44	GENERAL ELECTRIC CANADA INC. 420 SOUTH SERVICE ROAD EAST OAKVILLE ON L6J 2X6	GEN
<b>Generator No:</b>	ON0046804			<b>Status:</b>	
<b>SIC Code:</b>	3333			<b>Co Admin:</b>	
<b>SIC Description:</b>	LAMP (BULB & TUBE)			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	96			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	112				
<b>Waste Class Desc:</b>	ACID WASTE - HEAVY METALS				
<b>Waste Class:</b>	121				
<b>Waste Class Desc:</b>	ALKALINE WASTES - HEAVY METALS				
<b>Waste Class:</b>	122				
<b>Waste Class Desc:</b>	ALKALINE WASTES - OTHER METALS				
<b>Waste Class:</b>	145				
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES				
<b>Waste Class:</b>	146				
<b>Waste Class Desc:</b>	OTHER SPECIFIED INORGANICS				
<b>Waste Class:</b>	148				
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	150				
<b>Waste Class Desc:</b>	INERT INORGANIC WASTES				
<b>Waste Class:</b>	212				
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS				
<b>Waste Class:</b>	213				
<b>Waste Class Desc:</b>	PETROLEUM DISTILLATES				
<b>Waste Class:</b>	232				
<b>Waste Class Desc:</b>	POLYMERIC RESINS				
<b>Waste Class:</b>	241				
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS				
<b>Waste Class:</b>	243				
<b>Waste Class Desc:</b>	PCB'S				
<b>Waste Class:</b>	252				
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS				
<b>Waste Class:</b>	253				
<b>Waste Class Desc:</b>	EMULSIFIED OILS				
<b>Waste Class:</b>	263				
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS				
<b>Waste Class:</b>	268				
<b>Waste Class Desc:</b>	AMINES				
<b>Waste Class:</b>	312				
<b>Waste Class Desc:</b>	PATHOLOGICAL WASTES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">95</a>	58 of 122	NNE/297.4	105.0 / 1.44	GENERAL ELECTRIC CANADA INC. GE LIGHTING CANADA, OAKVILLE LAMP PLANT 420 SOUTH SERVICE ROAD EAST OAKVILLE ON L6J 2X6	GEN
<b>Generator No:</b>	ON0046804			<b>Status:</b>	
<b>SIC Code:</b>	3333			<b>Co Admin:</b>	
<b>SIC Description:</b>	LAMP (BULB & TUBE)			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	98			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>		113			
<b>Waste Class Desc:</b>		ACID WASTE - OTHER METALS			
<b>Waste Class:</b>		121			
<b>Waste Class Desc:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Class:</b>		122			
<b>Waste Class Desc:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Class:</b>		148			
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		150			
<b>Waste Class Desc:</b>		INERT INORGANIC WASTES			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			
<b>Waste Class:</b>		232			
<b>Waste Class Desc:</b>		POLYMERIC RESINS			
<b>Waste Class:</b>		241			
<b>Waste Class Desc:</b>		HALOGENATED SOLVENTS			
<b>Waste Class:</b>		243			
<b>Waste Class Desc:</b>		PCB'S			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		253			
<b>Waste Class Desc:</b>		EMULSIFIED OILS			
<b>Waste Class:</b>		263			
<b>Waste Class Desc:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		268			
<b>Waste Class Desc:</b>		AMINES			
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
			112		
			ACID WASTE - HEAVY METALS		

<a href="#">95</a>	59 of 122	NNE/297.4	105.0 / 1.44	GE LIGHTING CANADA 420 SOUTH SERVICE ROAD EAST OAKVILLE ON L6J 2X6	GEN
--------------------	-----------	-----------	--------------	--	-----

<b>Generator No:</b>	ON0046804	<b>Status:</b>	
<b>SIC Code:</b>	3333	<b>Co Admin:</b>	
<b>SIC Description:</b>	LAMP (BULB & TUBE)	<b>Choice of Contact:</b>	
<b>Approval Years:</b>	99,00,01	<b>Phone No Admin:</b>	
<b>PO Box No:</b>		<b>Contam. Facility:</b>	
<b>Country:</b>		<b>MHSW Facility:</b>	

**Detail(s)**

<b>Waste Class:</b>	148
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS

<b>Waste Class:</b>	150
<b>Waste Class Desc:</b>	INERT INORGANIC WASTES

<b>Waste Class:</b>	212
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS

<b>Waste Class:</b>	213
<b>Waste Class Desc:</b>	PETROLEUM DISTILLATES

<b>Waste Class:</b>	232
<b>Waste Class Desc:</b>	POLYMERIC RESINS

<b>Waste Class:</b>	241
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS

<b>Waste Class:</b>	243
<b>Waste Class Desc:</b>	PCB'S

<b>Waste Class:</b>	252
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS

<b>Waste Class:</b>	253
<b>Waste Class Desc:</b>	EMULSIFIED OILS

<b>Waste Class:</b>	263
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS

<b>Waste Class:</b>	268
<b>Waste Class Desc:</b>	AMINES

<b>Waste Class:</b>	312
<b>Waste Class Desc:</b>	PATHOLOGICAL WASTES

<b>Waste Class:</b>	146
<b>Waste Class Desc:</b>	OTHER SPECIFIED INORGANICS

<b>Waste Class:</b>	112
<b>Waste Class Desc:</b>	ACID WASTE - HEAVY METALS

<b>Waste Class:</b>	113
<b>Waste Class Desc:</b>	ACID WASTE - OTHER METALS

<b>Waste Class:</b>	121
<b>Waste Class Desc:</b>	ALKALINE WASTES - HEAVY METALS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		122			
<b>Waste Class Desc:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Class:</b>		123			
<b>Waste Class Desc:</b>		ALKALINE PHOSPHATES			
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			

<u>95</u>	60 of 122	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>GE CONSUMER PRODUCTS</b> 420 South Service Rd East Oakville ON L6J 2X6	<b>GEN</b>
-----------	-----------	------------------	---------------------	---	------------

<b>Generator No:</b>	ON0046804	<b>Status:</b>	
<b>SIC Code:</b>		<b>Co Admin:</b>	
<b>SIC Description:</b>		<b>Choice of Contact:</b>	
<b>Approval Years:</b>	02	<b>Phone No Admin:</b>	
<b>PO Box No:</b>		<b>Contam. Facility:</b>	
<b>Country:</b>		<b>MHSW Facility:</b>	

**Detail(s)**

<b>Waste Class:</b>	211
<b>Waste Class Desc:</b>	AROMATIC SOLVENTS
<b>Waste Class:</b>	212
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS
<b>Waste Class:</b>	213
<b>Waste Class Desc:</b>	PETROLEUM DISTILLATES
<b>Waste Class:</b>	232
<b>Waste Class Desc:</b>	POLYMERIC RESINS
<b>Waste Class:</b>	241
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS
<b>Waste Class:</b>	252
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS
<b>Waste Class:</b>	253
<b>Waste Class Desc:</b>	EMULSIFIED OILS
<b>Waste Class:</b>	263
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS
<b>Waste Class:</b>	268
<b>Waste Class Desc:</b>	AMINES
<b>Waste Class:</b>	312
<b>Waste Class Desc:</b>	PATHOLOGICAL WASTES
<b>Waste Class:</b>	113
<b>Waste Class Desc:</b>	ACID WASTE - OTHER METALS
<b>Waste Class:</b>	121
<b>Waste Class Desc:</b>	ALKALINE WASTES - HEAVY METALS
<b>Waste Class:</b>	122
<b>Waste Class Desc:</b>	ALKALINE WASTES - OTHER METALS
<b>Waste Class:</b>	123
<b>Waste Class Desc:</b>	ALKALINE PHOSPHATES

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Class:</b>		148			
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		150			
<b>Waste Class Desc:</b>		INERT INORGANIC WASTES			
<b>Waste Class:</b>		112			
<b>Waste Class Desc:</b>		ACID WASTE - HEAVY METALS			

<u>95</u>	61 of 122	NNE/297.4	105.0 / 1.44	GE CONSUMER PRODUCTS CANADA 420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	NPRI
<b>NPRI ID:</b>	1281			<b>Org ID:</b>	49289
<b>Other ID:</b>	Y			<b>Submit Date:</b>	7/14/2003
<b>No Other ID:</b>	3			<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	75956			<b>Contact ID:</b>	198789
<b>Report ID:</b>	160295			<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	PETER
<b>Report Year:</b>	2002			<b>Cont Last Name:</b>	MASON
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	MGR. CAN. PRODUCTION OPERATION
<b>Yr of Last Filed Rpt:</b>	2012			<b>Contact Fax:</b>	9058492082
<b>Fac ID:</b>	108650			<b>Contact Ph.:</b>	9058492036
<b>Fac Name:</b>	OAKVILLE LAMP PLANT			<b>Cont Area Code:</b>	905
<b>Fac Address1:</b>	420 SOUTH SERVICE ROAD			<b>Contact Tel.:</b>	58492036
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	L6J2X6			<b>Cont Fax Area Cde:</b>	905
<b>Facility Lat:</b>	43.4606			<b>Contact Fax:</b>	58492082
<b>Facility Long:</b>	-79.6797			<b>Contact Email:</b>	PETER.MASON@LIGHTING.GE.COM
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.4606
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.6797
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	False			<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>	468			<b>Waste Streams:</b>	Fals
<b>Parent Co.:</b>	Y			<b>No Streams:</b>	1
<b>No Parent Co.:</b>	1			<b>Waste Off Sites:</b>	Fals
<b>Pollut Prev Cmnts:</b>	False			<b>No Off Sites:</b>	8
<b>Stacks:</b>	False			<b>Shutdown:</b>	False
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	2
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	33				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3351				
<b>NAICS 4 Description:</b>	Electric lighting equipment manufacturing				
<b>NAICS Code (6 digit):</b>	335110				
<b>NAICS 6 Description:</b>	Electric lamp bulb and parts manufacturing				

**Substance Release Report**

<b>Category Type ID:</b>	1
<b>Category Type Desc:</b>	Stack / Point
<b>Category Type Desc (fr):</b>	Rejets de cheminée ou ponctuels

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		ASta			
<b>Chem:</b>		Volatile Organic Compounds (VOCs)			
<b>Chem (fr):</b>		Composés organiques volatils (COV)			
<b>Quantity:</b>		19.407			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		C			
<b>Basis of Estimate Desc:</b>		C- Mass Balance			
<b>Category Type ID:</b>		1			
<b>Category Type Desc:</b>		Stack / Point			
<b>Category Type Desc (fr):</b>		Rejets de cheminée ou ponctuels			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		ASta			
<b>Chem:</b>		Mercury (and its compounds)			
<b>Chem (fr):</b>		Mercuré (et ses composés)			
<b>Quantity:</b>		30.86			
<b>Unit:</b>		kg			
<b>Basis of Estimate Cd:</b>		M			
<b>Basis of Estimate Desc:</b>		M- Monitoring or Direct Measurement - In use from 1994 to 2002			
<b>Category Type ID:</b>		3			
<b>Category Type Desc:</b>		Fugitive			
<b>Category Type Desc (fr):</b>		Émissions fugitives			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCs			
<b>Chem:</b>		Lead (and its compounds)			
<b>Chem (fr):</b>		Plomb (et ses composés)			
<b>Quantity:</b>		3			
<b>Unit:</b>		kg			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		PM2.5 - Particulate Matter <= 2.5 Microns			
<b>Chem (fr):</b>		PM2,5 - Matière particulaire <= 2,5 microns			
<b>Quantity:</b>		.424			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>		1			
<b>Category Type Desc:</b>		Stack / Point			
<b>Category Type Desc (fr):</b>		Rejets de cheminée ou ponctuels			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		ASta			
<b>Chem:</b>		Lead (and its compounds)			
<b>Chem (fr):</b>		Plomb (et ses composés)			
<b>Quantity:</b>		36			
<b>Unit:</b>		kg			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		9			
<b>Category Type Desc:</b>		Leaks			
<b>Category Type Desc (fr):</b>		Fuites			
<b>Grouping:</b>		Total Water			
<b>Trans Code:</b>		WatL			
<b>Chem:</b>		Mercury (and its compounds)			
<b>Chem (fr):</b>		Mercuré (et ses composés)			
<b>Quantity:</b>		0			
<b>Unit:</b>		kg			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Basis of Estimate Cd:</b>		M			
<b>Basis of Estimate Desc:</b>		M- Monitoring or Direct Measurement - In use from 1994 to 2002			
<b>Category Type ID:</b>		10			
<b>Category Type Desc:</b>		Spills			
<b>Category Type Desc (fr):</b>		Déversements			
<b>Grouping:</b>		Total Land			
<b>Trans Code:</b>		LanS			
<b>Chem:</b>		Mercury (and its compounds)			
<b>Chem (fr):</b>		Mercure (et ses composés)			
<b>Quantity:</b>		.003			
<b>Unit:</b>		kg			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		3			
<b>Category Type Desc:</b>		Fugitive			
<b>Category Type Desc (fr):</b>		Émissions fugitives			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCs			
<b>Chem:</b>		Mercury (and its compounds)			
<b>Chem (fr):</b>		Mercure (et ses composés)			
<b>Quantity:</b>		.5			
<b>Unit:</b>		kg			
<b>Basis of Estimate Cd:</b>		M			
<b>Basis of Estimate Desc:</b>		M- Monitoring or Direct Measurement - In use from 1994 to 2002			
<b>Category Type ID:</b>		3			
<b>Category Type Desc:</b>		Fugitive			
<b>Category Type Desc (fr):</b>		Émissions fugitives			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCs			
<b>Chem:</b>		Volatile Organic Compounds (VOCs)			
<b>Chem (fr):</b>		Composés organiques volatils (COV)			
<b>Quantity:</b>		13.384			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		C			
<b>Basis of Estimate Desc:</b>		C- Mass Balance			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Copper (and its compounds)			
<b>Chem (fr):</b>		Cuivre (et ses composés)			
<b>Quantity:</b>		0			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		2			
<b>Category Type Desc:</b>		Storage / Handling			
<b>Category Type Desc (fr):</b>		Rejets de stockage ou manutention			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCg			
<b>Chem:</b>		Volatile Organic Compounds (VOCs)			
<b>Chem (fr):</b>		Composés organiques volatils (COV)			
<b>Quantity:</b>		.669			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		C			
<b>Basis of Estimate Desc:</b>		C- Mass Balance			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Nickel (and its compounds)			
<b>Chem (fr):</b>		Nickel (et ses composés)			
<b>Quantity:</b>		0			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<a href="#">95</a>	62 of 122	NNE/297.4	105.0 / 1.44	GE Consumer Product 420 South Service Rd E Oakville ON L6J 2X6	SCT
<b>Established:</b>		1948			
<b>Plant Size (ft²):</b>					
<b>Employment:</b>		500			
<b>--Details--</b>					
<b>Description:</b>		Lighting Fixture Manufacturing			
<b>SIC/NAICS Code:</b>		335120			
<a href="#">95</a>	63 of 122	NNE/297.4	105.0 / 1.44	GENERAL ELECTRIC CANADA CONSUMER & INDUSTRIAL 420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	NPRI
<b>NPRI ID:</b>		1281		<b>Org ID:</b> 49498	
<b>Other ID:</b>		Y		<b>Submit Date:</b> 6/1/2004	
<b>No Other ID:</b>		3		<b>Last Modified:</b> 5/29/2015 3:28:24 PM	
<b>Track ID:</b>		72628		<b>Contact ID:</b> 146400	
<b>Report ID:</b>		151859		<b>Cont Type:</b> MED	
<b>Report Type:</b>		NPRI		<b>Contact Title:</b>	
<b>Rpt Type ID:</b>		1		<b>Cont First Name:</b> ELIZABETH	
<b>Report Year:</b>		2003		<b>Cont Last Name:</b> SANCHEZ	
<b>Not-Current Rpt?:</b>		No		<b>Contact Position:</b> PLANT MANAGER	
<b>Yr of Last Filed Rpt:</b>		2012		<b>Contact Fax:</b>	
<b>Fac ID:</b>		108650		<b>Contact Ph.:</b> 9058492007	
<b>Fac Name:</b>		OAKVILLE LAMP PLANT		<b>Cont Area Code:</b> 905	
<b>Fac Address1:</b>		420 SOUTH SERVICE ROAD		<b>Contact Tel.:</b> 58492007	
<b>Fac Address2:</b>		NOT AVAILABLE		<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>		L6J2X6		<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>		43.4606		<b>Contact Fax:</b>	
<b>Facility Long:</b>		-79.6797		<b>Contact Email:</b> ELIZABETH.SANCHEZ@LIGHTING.GE.COM	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b> 43.4606	
<b>Facility DLS:</b>				<b>Longitude:</b> -79.6797	
<b>Datum:</b>		1983		<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>		False		<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>		428		<b>Waste Streams:</b> True¿	
<b>Parent Co.:</b>		Y		<b>No Streams:</b>	
<b>No Parent Co.:</b>		1		<b>Waste Off Sites:</b> Fals	
<b>Pollut Prev Cmnts:</b>		False		<b>No Off Sites:</b> 7	
<b>Stacks:</b>		True		<b>Shutdown:</b> True	
<b>No of Stacks:</b>				<b>No of Shutdown:</b> 2	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>		33			
<b>NAICS 2 Description:</b>		Manufacturing			
<b>NAICS Code (4 digit):</b>		3351			
<b>NAICS 4 Description:</b>		Electric lighting equipment manufacturing			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>NAICS Code (6 digit):</b>			335110		
<b>NAICS 6 Description:</b>			Electric lamp bulb and parts manufacturing		
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b>			3		
<b>Category Type Desc:</b>			Fugitive		
<b>Category Type Desc (fr):</b>			Émissions fugitives		
<b>Grouping:</b>			Total Air		
<b>Trans Code:</b>			VOCs		
<b>Chem:</b>			Lead (and its compounds)		
<b>Chem (fr):</b>			Plomb (et ses composés)		
<b>Quantity:</b>			2.63		
<b>Unit:</b>			kg		
<b>Basis of Estimate Cd:</b>			C		
<b>Basis of Estimate Desc:</b>			C- Mass Balance		
<b>Category Type ID:</b>			4		
<b>Category Type Desc:</b>			Spills		
<b>Category Type Desc (fr):</b>			Déversements		
<b>Grouping:</b>			Total Air		
<b>Trans Code:</b>					
<b>Chem:</b>			Mercury (and its compounds)		
<b>Chem (fr):</b>			Mercuré (et ses composés)		
<b>Quantity:</b>			.003		
<b>Unit:</b>			kg		
<b>Basis of Estimate Cd:</b>			O		
<b>Basis of Estimate Desc:</b>			O- Engineering Estimates		
<b>Category Type ID:</b>			13		
<b>Category Type Desc:</b>			All Media		
<b>Category Type Desc (fr):</b>			Rejets à tous les médias		
<b>Grouping:</b>			Total All Media<1t		
<b>Trans Code:</b>					
<b>Chem:</b>			PM2.5 - Particulate Matter <= 2.5 Microns		
<b>Chem (fr):</b>			PM2,5 - Matière particulaire <= 2,5 microns		
<b>Quantity:</b>			.452		
<b>Unit:</b>			tonnes		
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>			3		
<b>Category Type Desc:</b>			Fugitive		
<b>Category Type Desc (fr):</b>			Émissions fugitives		
<b>Grouping:</b>			Total Air		
<b>Trans Code:</b>			VOCs		
<b>Chem:</b>			Volatile Organic Compounds (VOCs)		
<b>Chem (fr):</b>			Composés organiques volatils (COV)		
<b>Quantity:</b>			.836		
<b>Unit:</b>			tonnes		
<b>Basis of Estimate Cd:</b>			C		
<b>Basis of Estimate Desc:</b>			C- Mass Balance		
<b>Category Type ID:</b>			2		
<b>Category Type Desc:</b>			Storage / Handling		
<b>Category Type Desc (fr):</b>			Rejets de stockage ou manutention		
<b>Grouping:</b>			Total Air		
<b>Trans Code:</b>			VOCg		
<b>Chem:</b>			Volatile Organic Compounds (VOCs)		
<b>Chem (fr):</b>			Composés organiques volatils (COV)		
<b>Quantity:</b>			16.72		
<b>Unit:</b>			tonnes		
<b>Basis of Estimate Cd:</b>			C		
<b>Basis of Estimate Desc:</b>			C- Mass Balance		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Category Type ID:</b>	1				
<b>Category Type Desc:</b>	Stack / Point				
<b>Category Type Desc (fr):</b>	Rejets de cheminée ou ponctuels				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	ASta				
<b>Chem:</b>	Lead (and its compounds)				
<b>Chem (fr):</b>	Plomb (et ses composés)				
<b>Quantity:</b>	70				
<b>Unit:</b>	kg				
<b>Basis of Estimate Cd:</b>	C				
<b>Basis of Estimate Desc:</b>	C- Mass Balance				
<b>Category Type ID:</b>	1				
<b>Category Type Desc:</b>	Stack / Point				
<b>Category Type Desc (fr):</b>	Rejets de cheminée ou ponctuels				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	ASta				
<b>Chem:</b>	Volatile Organic Compounds (VOCs)				
<b>Chem (fr):</b>	Composés organiques volatils (COV)				
<b>Quantity:</b>	24.24				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	C				
<b>Basis of Estimate Desc:</b>	C- Mass Balance				
<b>Category Type ID:</b>	1				
<b>Category Type Desc:</b>	Stack / Point				
<b>Category Type Desc (fr):</b>	Rejets de cheminée ou ponctuels				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	ASta				
<b>Chem:</b>	Mercury (and its compounds)				
<b>Chem (fr):</b>	Mercure (et ses composés)				
<b>Quantity:</b>	32.62				
<b>Unit:</b>	kg				
<b>Basis of Estimate Cd:</b>	M3				
<b>Basis of Estimate Desc:</b>	M3- Source Testing - In use from 2003 and onward				

95      64 of 122      **NNE/297.4**      **105.0 / 1.44**      **CANADIAN GENERAL ELECTRIC CO LTD**  
**420 SOUTH SERVICE ROAD OAKVILLE EAST**  
**LAMP PLANT**  
**Oakville ON**      **NPCB**

**Company Code:**            00701A  
**Industry:**                Electrical  
**Site Status:**             Stored for Disposal  
**Transaction Date:**      6/29/1994  
**Inspection Date:**      6/29/1994

**--Details--**

**Label:**  
**Serial No.:**  
**PCB Type/Code:**        Askarel/Askarel  
**Location:**                IN STORAGE  
**Item/State:**  
**No. of Items:**  
**Manufacturer:**  
**Status:**                    Stored for disposal  
**Contents:**

**Label:**  
**Serial No.:**  
**PCB Type/Code:**        Askarel/Askarel  
**Location:**                MOVED FROM WEST LAMP PLANT  
**Item/State:**  
**No. of Items:**



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Manufacturer:</b>					
<b>Status:</b>		Stored for disposal			
<b>Contents:</b>					
<b>Label:</b>					
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		Askarel/Pyranol			
<b>Location:</b>		IN STORAGE			
<b>Item/State:</b>					
<b>No. of Items:</b>					
<b>Manufacturer:</b>		Stored for disposal			
<b>Status:</b>		Stored for disposal			
<b>Contents:</b>					
<b>Label:</b>					
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		Askarel/Askarel			
<b>Location:</b>		FR. OR22929 & OR22930 (Approx)			
<b>Item/State:</b>					
<b>No. of Items:</b>					
<b>Manufacturer:</b>		Stored for disposal			
<b>Status:</b>		Stored for disposal			
<b>Contents:</b>					

<a href="#">95</a>	65 of 122	NNE/297.4	105.0 / 1.44	GENERAL ELECTRIC CANADA CONSUMER AND INDUSTRIAL 420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	NPRI
<b>NPRI ID:</b>		1281	<b>Org ID:</b> 49500		
<b>Other ID:</b>		Y	<b>Submit Date:</b> 6/13/2005		
<b>No Other ID:</b>		3	<b>Last Modified:</b> 5/29/2015 3:28:24 PM		
<b>Track ID:</b>		28597	<b>Contact ID:</b> 146404		
<b>Report ID:</b>		89051	<b>Cont Type:</b> MED		
<b>Report Type:</b>		NPRI	<b>Contact Title:</b>		
<b>Rpt Type ID:</b>		1	<b>Cont First Name:</b> ELIZABETH		
<b>Report Year:</b>		2004	<b>Cont Last Name:</b> SANCHEZ		
<b>Not-Current Rpt?:</b>		No	<b>Contact Position:</b> PLANT MANAGER		
<b>Yr of Last Filed Rpt:</b>		2012	<b>Contact Fax:</b>		
<b>Fac ID:</b>		108650	<b>Contact Ph.:</b> 9058492007		
<b>Fac Name:</b>		OAKVILLE LAMP PLANT	<b>Cont Area Code:</b> 905		
<b>Fac Address1:</b>		420 SOUTH SERVICE ROAD	<b>Contact Tel.:</b> 58492007		
<b>Fac Address2:</b>		NOT AVAILABLE	<b>Contact Ext.:</b>		
<b>Fac Postal Zip:</b>		L6J2X6	<b>Cont Fax Area Cde:</b>		
<b>Facility Lat:</b>		43.4606	<b>Contact Fax:</b>		
<b>Facility Long:</b>		-79.6797	<b>Contact Email:</b> ELIZABETH_SANCHEZ@GE.COM		
<b>DLS (Last Filed Rpt):</b>			<b>Latitude:</b> 43.4606		
<b>Facility DLS:</b>			<b>Longitude:</b> -79.6797		
<b>Datum:</b>		1983	<b>UTM Zone:</b>		
<b>Facility Cmnts:</b>		True	<b>UTM Northing:</b>		
<b>URL:</b>			<b>UTM Easting:</b>		
<b>No of Empl.:</b>		428	<b>Waste Streams:</b> False		
<b>Parent Co.:</b>		Y	<b>No Streams:</b>		
<b>No Parent Co.:</b>		1	<b>Waste Off Sites:</b> Fals		
<b>Pollut Prev Cmnts:</b>		True	<b>No Off Sites:</b> 7		
<b>Stacks:</b>		No	<b>Shutdown:</b>		
<b>No of Stacks:</b>			<b>No of Shutdown:</b>		
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>		33			
<b>NAICS 2 Description:</b>		Manufacturing			
<b>NAICS Code (4 digit):</b>		3351			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>NAICS 4 Description:</b>				Electric lighting equipment manufacturing	
<b>NAICS Code (6 digit):</b>			335110		
<b>NAICS 6 Description:</b>				Electric lamp bulb and parts manufacturing	
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b>			1		
<b>Category Type Desc:</b>			Stack / Point		
<b>Category Type Desc (fr):</b>			Rejets de cheminée ou ponctuels		
<b>Grouping:</b>			Total Air		
<b>Trans Code:</b>			ASta		
<b>Chem:</b>			Lead (and its compounds)		
<b>Chem (fr):</b>			Plomb (et ses composés)		
<b>Quantity:</b>			72.07		
<b>Unit:</b>			kg		
<b>Basis of Estimate Cd:</b>			C		
<b>Basis of Estimate Desc:</b>			C- Mass Balance		
<b>Category Type ID:</b>			3		
<b>Category Type Desc:</b>			Fugitive		
<b>Category Type Desc (fr):</b>			Émissions fugitives		
<b>Grouping:</b>			Total Air		
<b>Trans Code:</b>			VOCs		
<b>Chem:</b>			Lead (and its compounds)		
<b>Chem (fr):</b>			Plomb (et ses composés)		
<b>Quantity:</b>			.25		
<b>Unit:</b>			kg		
<b>Basis of Estimate Cd:</b>			C		
<b>Basis of Estimate Desc:</b>			C- Mass Balance		
<b>Category Type ID:</b>			1		
<b>Category Type Desc:</b>			Stack / Point		
<b>Category Type Desc (fr):</b>			Rejets de cheminée ou ponctuels		
<b>Grouping:</b>			Total Air		
<b>Trans Code:</b>			ASta		
<b>Chem:</b>			Mercury (and its compounds)		
<b>Chem (fr):</b>			Mercure (et ses composés)		
<b>Quantity:</b>			15.816		
<b>Unit:</b>			kg		
<b>Basis of Estimate Cd:</b>			M3		
<b>Basis of Estimate Desc:</b>			M3- Source Testing - In use from 2003 and onward		
<b>Category Type ID:</b>			4		
<b>Category Type Desc:</b>			Spills		
<b>Category Type Desc (fr):</b>			Déversements		
<b>Grouping:</b>			Total Air		
<b>Trans Code:</b>					
<b>Chem:</b>			Mercury (and its compounds)		
<b>Chem (fr):</b>			Mercure (et ses composés)		
<b>Quantity:</b>			.003		
<b>Unit:</b>			kg		
<b>Basis of Estimate Cd:</b>			O		
<b>Basis of Estimate Desc:</b>			O- Engineering Estimates		
<b>Category Type ID:</b>			13		
<b>Category Type Desc:</b>			All Media		
<b>Category Type Desc (fr):</b>			Rejets à tous les médias		
<b>Grouping:</b>			Total All Media<1t		
<b>Trans Code:</b>					
<b>Chem:</b>			PM2.5 - Particulate Matter <= 2.5 Microns		
<b>Chem (fr):</b>			PM2,5 - Matière particulaire <= 2,5 microns		
<b>Quantity:</b>			.476		
<b>Unit:</b>			tonnes		
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Category Type ID:</b>	3				
<b>Category Type Desc:</b>	Fugitive				
<b>Category Type Desc (fr):</b>	Émissions fugitives				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	VOCs				
<b>Chem:</b>	Volatile Organic Compounds (VOCs)				
<b>Chem (fr):</b>	Composés organiques volatils (COV)				
<b>Quantity:</b>	.719				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	C				
<b>Basis of Estimate Desc:</b>	C- Mass Balance				
<b>Category Type ID:</b>	2				
<b>Category Type Desc:</b>	Storage / Handling				
<b>Category Type Desc (fr):</b>	Rejets de stockage ou manutention				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	VOCg				
<b>Chem:</b>	Volatile Organic Compounds (VOCs)				
<b>Chem (fr):</b>	Composés organiques volatils (COV)				
<b>Quantity:</b>	14.37				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	C				
<b>Basis of Estimate Desc:</b>	C- Mass Balance				
<b>Category Type ID:</b>	1				
<b>Category Type Desc:</b>	Stack / Point				
<b>Category Type Desc (fr):</b>	Rejets de cheminée ou ponctuels				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	ASta				
<b>Chem:</b>	Volatile Organic Compounds (VOCs)				
<b>Chem (fr):</b>	Composés organiques volatils (COV)				
<b>Quantity:</b>	20.84				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	C				
<b>Basis of Estimate Desc:</b>	C- Mass Balance				

<a href="#">95</a>	66 of 122	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>GENERAL ELECTRIC CANADA CONSUMER AND INDUSTRIAL 420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6</b>	<b>NPRI</b>
<b>NPRI ID:</b>	1281	<b>Org ID:</b>	49500		
<b>Other ID:</b>	Y	<b>Submit Date:</b>	5/31/2006		
<b>No Other ID:</b>	3	<b>Last Modified:</b>	5/29/2015 3:28:24 PM		
<b>Track ID:</b>	39516	<b>Contact ID:</b>	146404		
<b>Report ID:</b>	99613	<b>Cont Type:</b>	MED		
<b>Report Type:</b>	NPRI	<b>Contact Title:</b>			
<b>Rpt Type ID:</b>	1	<b>Cont First Name:</b>	ELIZABETH		
<b>Report Year:</b>	2005	<b>Cont Last Name:</b>	SANCHEZ		
<b>Not-Current Rpt?:</b>	No	<b>Contact Position:</b>	PLANT MANAGER		
<b>Yr of Last Filed Rpt:</b>	2012	<b>Contact Fax:</b>			
<b>Fac ID:</b>	108650	<b>Contact Ph.:</b>	9058492007		
<b>Fac Name:</b>	OAKVILLE LAMP PLANT	<b>Cont Area Code:</b>	905		
<b>Fac Address1:</b>	420 SOUTH SERVICE ROAD	<b>Contact Tel.:</b>	58492007		
<b>Fac Address2:</b>	NOT AVAILABLE	<b>Contact Ext.:</b>			
<b>Fac Postal Zip:</b>	L6J2X6	<b>Cont Fax Area Cde:</b>			
<b>Facility Lat:</b>	43.4606	<b>Contact Fax:</b>			
<b>Facility Long:</b>	-79.6797	<b>Contact Email:</b>	ELIZABETH_SANCHEZ@GE.COM		
<b>DLS (Last Filed Rpt):</b>		<b>Latitude:</b>	43.4606		
<b>Facility DLS:</b>		<b>Longitude:</b>	-79.6797		
<b>Datum:</b>	1983	<b>UTM Zone:</b>			
<b>Facility Cmnts:</b>	False	<b>UTM Northing:</b>			
<b>URL:</b>		<b>UTM Easting:</b>			
<b>No of Empl.:</b>	428	<b>Waste Streams:</b>	False		

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Parent Co.:</b>	Y			<b>No Streams:</b>	
<b>No Parent Co.:</b>	1			<b>Waste Off Sites:</b>	Fals
<b>Pollut Prev Cmnts:</b>	False			<b>No Off Sites:</b>	8.00
<b>Stacks:</b>	False			<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>		33			
<b>NAICS 2 Description:</b>		Manufacturing			
<b>NAICS Code (4 digit):</b>		3351			
<b>NAICS 4 Description:</b>		Electric lighting equipment manufacturing			
<b>NAICS Code (6 digit):</b>		335110			
<b>NAICS 6 Description:</b>		Electric lamp bulb and parts manufacturing			

**Substance Release Report**

**Category Type ID:** 1  
**Category Type Desc:** Stack / Point  
**Category Type Desc (fr):** Rejets de cheminée ou ponctuels  
**Grouping:** Total Air  
**Trans Code:** ASta  
**Chem:** Mercury (and its compounds)  
**Chem (fr):** Mercure (et ses composés)  
**Quantity:** 18.47  
**Unit:** kg  
**Basis of Estimate Cd:** M3  
**Basis of Estimate Desc:** M3- Source Testing - In use from 2003 and onward

**Category Type ID:** 2  
**Category Type Desc:** Storage / Handling  
**Category Type Desc (fr):** Rejets de stockage ou manutention  
**Grouping:** Total Air  
**Trans Code:** VOCg  
**Chem:** Volatile Organic Compounds (VOCs)  
**Chem (fr):** Composés organiques volatils (COV)  
**Quantity:** 16.06  
**Unit:** tonnes  
**Basis of Estimate Cd:** C  
**Basis of Estimate Desc:** C- Mass Balance

**Category Type ID:** 3  
**Category Type Desc:** Fugitive  
**Category Type Desc (fr):** Émissions fugitives  
**Grouping:** Total Air  
**Trans Code:** VOCs  
**Chem:** Lead (and its compounds)  
**Chem (fr):** Plomb (et ses composés)  
**Quantity:** .31  
**Unit:** kg  
**Basis of Estimate Cd:** C  
**Basis of Estimate Desc:** C- Mass Balance

**Category Type ID:** 1  
**Category Type Desc:** Stack / Point  
**Category Type Desc (fr):** Rejets de cheminée ou ponctuels  
**Grouping:** Total Air  
**Trans Code:** ASta  
**Chem:** Lead (and its compounds)  
**Chem (fr):** Plomb (et ses composés)  
**Quantity:** 1.72  
**Unit:** kg  
**Basis of Estimate Cd:** C  
**Basis of Estimate Desc:** C- Mass Balance

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Category Type ID:</b> <b>Category Type Desc:</b> <b>Category Type Desc (fr):</b> <b>Grouping:</b> <b>Trans Code:</b> <b>Chem:</b> <b>Chem (fr):</b> <b>Quantity:</b> <b>Unit:</b> <b>Basis of Estimate Cd:</b> <b>Basis of Estimate Desc:</b>			13 All Media Rejets à tous les médias Total All Media<1t		
<b>Chem:</b> <b>Chem (fr):</b> <b>Quantity:</b> <b>Unit:</b> <b>Basis of Estimate Cd:</b> <b>Basis of Estimate Desc:</b>			PM2.5 - Particulate Matter <= 2.5 Microns PM2,5 - Matière particulaire <= 2,5 microns .489 tonnes		
<b>Category Type ID:</b> <b>Category Type Desc:</b> <b>Category Type Desc (fr):</b> <b>Grouping:</b> <b>Trans Code:</b> <b>Chem:</b> <b>Chem (fr):</b> <b>Quantity:</b> <b>Unit:</b> <b>Basis of Estimate Cd:</b> <b>Basis of Estimate Desc:</b>			4 Spills Déversements Total Air		
<b>Chem:</b> <b>Chem (fr):</b> <b>Quantity:</b> <b>Unit:</b> <b>Basis of Estimate Cd:</b> <b>Basis of Estimate Desc:</b>			Mercury (and its compounds) Mercure (et ses composés) .003 kg O O- Engineering Estimates		
<b>Category Type ID:</b> <b>Category Type Desc:</b> <b>Category Type Desc (fr):</b> <b>Grouping:</b> <b>Trans Code:</b> <b>Chem:</b> <b>Chem (fr):</b> <b>Quantity:</b> <b>Unit:</b> <b>Basis of Estimate Cd:</b> <b>Basis of Estimate Desc:</b>			13 All Media Rejets à tous les médias Total All Media<1t		
<b>Chem:</b> <b>Chem (fr):</b> <b>Quantity:</b> <b>Unit:</b> <b>Basis of Estimate Cd:</b> <b>Basis of Estimate Desc:</b>			Copper (and its compounds) Cuivre (et ses composés) 0 tonnes C C- Mass Balance		
<b>Category Type ID:</b> <b>Category Type Desc:</b> <b>Category Type Desc (fr):</b> <b>Grouping:</b> <b>Trans Code:</b> <b>Chem:</b> <b>Chem (fr):</b> <b>Quantity:</b> <b>Unit:</b> <b>Basis of Estimate Cd:</b> <b>Basis of Estimate Desc:</b>			1 Stack / Point Rejets de cheminée ou ponctuels Total Air		
<b>Chem:</b> <b>Chem (fr):</b> <b>Quantity:</b> <b>Unit:</b> <b>Basis of Estimate Cd:</b> <b>Basis of Estimate Desc:</b>			ASta Volatile Organic Compounds (VOCs) Composés organiques volatils (COV) 23.29 tonnes C C- Mass Balance		
<b>Category Type ID:</b> <b>Category Type Desc:</b> <b>Category Type Desc (fr):</b> <b>Grouping:</b> <b>Trans Code:</b> <b>Chem:</b> <b>Chem (fr):</b> <b>Quantity:</b> <b>Unit:</b> <b>Basis of Estimate Cd:</b> <b>Basis of Estimate Desc:</b>			3 Fugitive Émissions fugitives Total Air		
<b>Chem:</b> <b>Chem (fr):</b> <b>Quantity:</b> <b>Unit:</b> <b>Basis of Estimate Cd:</b> <b>Basis of Estimate Desc:</b>			VOCs Volatile Organic Compounds (VOCs) Composés organiques volatils (COV) .803 tonnes C C- Mass Balance		

[95](#)

67 of 122

*NNE/297.4*

*105.0 / 1.44*

*GE Consumer & Industrial  
420 South Service Rd E  
Oakville ON L6J 2X6*

*SCT*

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Established:		6/1/1948			
Plant Size (ft²):					
Employment:					
<b>--Details--</b>					
Description:		Lighting Fixture Manufacturing			
SIC/NAICS Code:		335120			
Description:		Lighting Fixture Manufacturing			
SIC/NAICS Code:		335120			

<a href="#">95</a>	68 of 122	NNE/297.4	105.0 / 1.44	420 South Service Road East Oakville ON L6J 2X6	EHS
Order No:	20070601007			Nearest Intersection:	South Service Road East and Chartwell Road
Status:	C			Municipality:	Halton
Report Type:	CAN - Complete Report			Client Prov/State:	
Report Date:	6/11/2007			Search Radius (km):	0.25
Date Received:	6/1/2007			X:	-79.679403
Previous Site Name:				Y:	43.463227
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps And /or Site Plans				

<a href="#">95</a>	69 of 122	NNE/297.4	105.0 / 1.44	GENERAL ELECTRIC CANADA HOME & BUSINESS SOLUTIONS 420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	NPRI
NPRI ID:	1281			Org ID:	49504
Other ID:	Y			Submit Date:	5/30/2007
No Other ID:	3			Last Modified:	5/29/2015 3:28:24 PM
Track ID:	47176			Contact ID:	146404
Report ID:	108880			Cont Type:	MED
Report Type:	NPRI			Contact Title:	
Rpt Type ID:	1			Cont First Name:	ELIZABETH
Report Year:	2006			Cont Last Name:	SANCHEZ
Not-Current Rpt?:	No			Contact Position:	PLANT MANAGER
Yr of Last Filed Rpt:	2012			Contact Fax:	
Fac ID:	108650			Contact Ph.:	9058492007
Fac Name:	OAKVILLE LAMP PLANT			Cont Area Code:	905
Fac Address1:	420 SOUTH SERVICE ROAD			Contact Tel.:	58492007
Fac Address2:	NOT AVAILABLE			Contact Ext.:	
Fac Postal Zip:	L6J2X6			Cont Fax Area Cde:	
Facility Lat:	43.4606			Contact Fax:	
Facility Long:	-79.6797			Contact Email:	ELIZABETH_SANCHEZ@GE.COM
DLS (Last Filed Rpt):				Latitude:	43.4606
Facility DLS:				Longitude:	-79.6797
Datum:	1983			UTM Zone:	
Facility Cmnts:	False			UTM Northing:	
URL:				UTM Easting:	
No of Empl.:	417			Waste Streams:	True
Parent Co.:	Y			No Streams:	
No Parent Co.:	1			Waste Off Sites:	False
Pollut Prev Cmnts:	False			No Off Sites:	9.00
Stacks:	True			Shutdown:	
No of Stacks:				No of Shutdown:	
Canadian SIC Code (2 digit):					
Canadian SIC Code:					
SIC Code Description:					
American SIC Code:					
NAICS Code (2 digit):	33				

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>NAICS 2 Description:</b>		Manufacturing			
<b>NAICS Code (4 digit):</b>		3351			
<b>NAICS 4 Description:</b>		Electric lighting equipment manufacturing			
<b>NAICS Code (6 digit):</b>		335110			
<b>NAICS 6 Description:</b>		Electric lamp bulb and parts manufacturing			
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Copper (and its compounds)			
<b>Chem (fr):</b>		Cuivre (et ses composés)			
<b>Quantity:</b>		0			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		C			
<b>Basis of Estimate Desc:</b>		C- Mass Balance			
<b>Category Type ID:</b>		3			
<b>Category Type Desc:</b>		Fugitive			
<b>Category Type Desc (fr):</b>		Émissions fugitives			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCs			
<b>Chem:</b>		Volatile Organic Compounds (VOCs)			
<b>Chem (fr):</b>		Composés organiques volatils (COV)			
<b>Quantity:</b>		.597			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		C			
<b>Basis of Estimate Desc:</b>		C- Mass Balance			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		PM2.5 - Particulate Matter <= 2.5 Microns			
<b>Chem (fr):</b>		PM2,5 - Matière particulaire <= 2,5 microns			
<b>Quantity:</b>		.467			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
<b>Category Type ID:</b>		2			
<b>Category Type Desc:</b>		Storage / Handling			
<b>Category Type Desc (fr):</b>		Rejets de stockage ou manutention			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCg			
<b>Chem:</b>		Volatile Organic Compounds (VOCs)			
<b>Chem (fr):</b>		Composés organiques volatils (COV)			
<b>Quantity:</b>		11.94			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		C			
<b>Basis of Estimate Desc:</b>		C- Mass Balance			
<b>Category Type ID:</b>		3			
<b>Category Type Desc:</b>		Fugitive			
<b>Category Type Desc (fr):</b>		Émissions fugitives			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCs			
<b>Chem:</b>		Lead (and its compounds)			
<b>Chem (fr):</b>		Plomb (et ses composés)			
<b>Quantity:</b>		.31			
<b>Unit:</b>		kg			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Basis of Estimate Cd:</b>		C			
<b>Basis of Estimate Desc:</b>		C- Mass Balance			
<b>Category Type ID:</b>		4			
<b>Category Type Desc:</b>		Spills			
<b>Category Type Desc (fr):</b>		Déversements			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>					
<b>Chem:</b>		Mercury (and its compounds)			
<b>Chem (fr):</b>		Mercure (et ses composés)			
<b>Quantity:</b>		.003			
<b>Unit:</b>		kg			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		1			
<b>Category Type Desc:</b>		Stack / Point			
<b>Category Type Desc (fr):</b>		Rejets de cheminée ou ponctuels			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		ASta			
<b>Chem:</b>		Volatile Organic Compounds (VOCs)			
<b>Chem (fr):</b>		Composés organiques volatils (COV)			
<b>Quantity:</b>		17.313			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		C			
<b>Basis of Estimate Desc:</b>		C- Mass Balance			
<b>Category Type ID:</b>		1			
<b>Category Type Desc:</b>		Stack / Point			
<b>Category Type Desc (fr):</b>		Rejets de cheminée ou ponctuels			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		ASta			
<b>Chem:</b>		Lead (and its compounds)			
<b>Chem (fr):</b>		Plomb (et ses composés)			
<b>Quantity:</b>		1.33			
<b>Unit:</b>		kg			
<b>Basis of Estimate Cd:</b>		C			
<b>Basis of Estimate Desc:</b>		C- Mass Balance			
<b>Category Type ID:</b>		1			
<b>Category Type Desc:</b>		Stack / Point			
<b>Category Type Desc (fr):</b>		Rejets de cheminée ou ponctuels			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		ASta			
<b>Chem:</b>		Mercury (and its compounds)			
<b>Chem (fr):</b>		Mercure (et ses composés)			
<b>Quantity:</b>		18.47			
<b>Unit:</b>		kg			
<b>Basis of Estimate Cd:</b>		M3			
<b>Basis of Estimate Desc:</b>		M3- Source Testing - In use from 2003 and onward			

[95](#)

70 of 122

NNE/297.4

105.0 / 1.44

GENERAL ELECTRIC CANADA HOME &  
BUSINESS SOLUTIONS  
420 SOUTH SERVICE ROAD NOT AVAILABLE  
OAKVILLE ON L6J2X6

NPRI

**NPRI ID:** 1281  
**Other ID:** Y  
**No Other ID:** 3.00  
**Track ID:** 54711  
**Report ID:** 118341  
**Report Type:** NPRI  
**Rpt Type ID:** 1  
**Report Year:** 2007  
**Not-Current Rpt?:** No

**Org ID:** 49504  
**Submit Date:** 5/28/2008  
**Last Modified:** 5/29/2015 3:28:24 PM  
**Contact ID:** 146404  
**Cont Type:** MED  
**Contact Title:**  
**Cont First Name:** ELIZABETH  
**Cont Last Name:** SANCHEZ  
**Contact Position:** PLANT MANAGER



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Yr of Last Filed Rpt:</b>	2012			<b>Contact Fax:</b>	
<b>Fac ID:</b>	108650			<b>Contact Ph.:</b>	9058492007
<b>Fac Name:</b>	OAKVILLE LAMP PLANT			<b>Cont Area Code:</b>	905
<b>Fac Address1:</b>	420 SOUTH SERVICE ROAD			<b>Contact Tel.:</b>	58492007
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	L6J2X6			<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	43.4606			<b>Contact Fax:</b>	
<b>Facility Long:</b>	-79.6797			<b>Contact Email:</b>	ELIZABETH_SANCHEZ@GE.COM
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.4606
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.6797
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	False			<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>	349			<b>Waste Streams:</b>	True
<b>Parent Co.:</b>	Y			<b>No Streams:</b>	
<b>No Parent Co.:</b>	1.00			<b>Waste Off Sites:</b>	True
<b>Pollut Prev Cmnts:</b>	False			<b>No Off Sites:</b>	8.00
<b>Stacks:</b>	True			<b>Shutdown:</b>	
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	33				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3351				
<b>NAICS 4 Description:</b>	Electric lighting equipment manufacturing				
<b>NAICS Code (6 digit):</b>	335110				
<b>NAICS 6 Description:</b>	Electric lamp bulb and parts manufacturing				

#### Substance Release Report

**Category Type ID:** 1  
**Category Type Desc:** Stack / Point  
**Category Type Desc (fr):** Rejets de cheminée ou ponctuels  
**Grouping:** Total Air  
**Trans Code:** ASta  
**Chem:** Volatile Organic Compounds (VOCs)  
**Chem (fr):** Composés organiques volatils (COV)  
**Quantity:** 21.761  
**Unit:** tonnes  
**Basis of Estimate Cd:** C  
**Basis of Estimate Desc:** C- Mass Balance

**Category Type ID:** 1  
**Category Type Desc:** Stack / Point  
**Category Type Desc (fr):** Rejets de cheminée ou ponctuels  
**Grouping:** Total Air  
**Trans Code:** ASta  
**Chem:** Lead (and its compounds)  
**Chem (fr):** Plomb (et ses composés)  
**Quantity:** 1.34  
**Unit:** kg  
**Basis of Estimate Cd:** C  
**Basis of Estimate Desc:** C- Mass Balance

**Category Type ID:** 2  
**Category Type Desc:** Storage / Handling  
**Category Type Desc (fr):** Rejets de stockage ou manutention  
**Grouping:** Total Air  
**Trans Code:** VOCg  
**Chem:** Volatile Organic Compounds (VOCs)  
**Chem (fr):** Composés organiques volatils (COV)  
**Quantity:** 15.008  
**Unit:** tonnes

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Basis of Estimate Cd:</b>		C			
<b>Basis of Estimate Desc:</b>		C- Mass Balance			
<b>Category Type ID:</b>	4				
<b>Category Type Desc:</b>		Spills			
<b>Category Type Desc (fr):</b>		Déversements			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>					
<b>Chem:</b>		Mercury (and its compounds)			
<b>Chem (fr):</b>		Mercure (et ses composés)			
<b>Quantity:</b>		.001			
<b>Unit:</b>		kg			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>	1				
<b>Category Type Desc:</b>		Stack / Point			
<b>Category Type Desc (fr):</b>		Rejets de cheminée ou ponctuels			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		ASta			
<b>Chem:</b>		Mercury (and its compounds)			
<b>Chem (fr):</b>		Mercure (et ses composés)			
<b>Quantity:</b>		15.568			
<b>Unit:</b>		kg			
<b>Basis of Estimate Cd:</b>		M3			
<b>Basis of Estimate Desc:</b>		M3- Source Testing - In use from 2003 and onward			
<b>Category Type ID:</b>	3				
<b>Category Type Desc:</b>		Fugitive			
<b>Category Type Desc (fr):</b>		Émissions fugitives			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCs			
<b>Chem:</b>		Volatile Organic Compounds (VOCs)			
<b>Chem (fr):</b>		Composés organiques volatils (COV)			
<b>Quantity:</b>		.75			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		C			
<b>Basis of Estimate Desc:</b>		C- Mass Balance			
<b>Category Type ID:</b>	13				
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		PM2.5 - Particulate Matter <= 2.5 Microns			
<b>Chem (fr):</b>		PM2,5 - Matière particulaire <= 2,5 microns			
<b>Quantity:</b>		.429			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		C			
<b>Basis of Estimate Desc:</b>		C- Mass Balance			
<b>Category Type ID:</b>	13				
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Copper (and its compounds)			
<b>Chem (fr):</b>		Cuivre (et ses composés)			
<b>Quantity:</b>		0			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		C			
<b>Basis of Estimate Desc:</b>		C- Mass Balance			
<b>Category Type ID:</b>	3				
<b>Category Type Desc:</b>		Fugitive			
<b>Category Type Desc (fr):</b>		Émissions fugitives			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Grouping:** Total Air  
**Trans Code:** VOCs  
**Chem:** Lead (and its compounds)  
**Chem (fr):** Plomb (et ses composés)  
**Quantity:** .26  
**Unit:** kg  
**Basis of Estimate Cd:** C  
**Basis of Estimate Desc:** C- Mass Balance

95      71 of 122      **NNE/297.4**      **105.0 / 1.44**      **General Electric Canada  
420 South Service Road East<UNOFFICIAL>  
Oakville ON L6J 2X6**      **SPL**

<b>Ref No:</b>	2328-7EVQ9C	<b>Discharger Report:</b>	
<b>Site No:</b>		<b>Material Group:</b>	
<b>Incident Dt:</b>		<b>Health/Env Conseq:</b>	
<b>Year:</b>		<b>Client Type:</b>	
<b>Incident Cause:</b>	Pipe Or Hose Leak	<b>Sector Type:</b>	
<b>Incident Event:</b>		<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	15	<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	HYDRAULIC OIL	<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	Halton-Peel
<b>Contam Limit Freq 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Region:</b>	
<b>Environment Impact:</b>	Possible	<b>Site Municipality:</b>	Oakville
<b>Nature of Impact:</b>	Soil Contamination	<b>Site Lot:</b>	
<b>Receiving Medium:</b>		<b>Site Conc:</b>	
<b>Receiving Env:</b>		<b>Northing:</b>	
<b>MOE Response:</b>	No Field Response	<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>		<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	5/22/2008	<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>		<b>SAC Action Class:</b>	Land Spills
<b>Incident Reason:</b>	Other - Reason not otherwise defined	<b>Source Type:</b>	
<b>Site Name:</b>	420 South Service Road East<UNOFFICIAL>		
<b>Site County/District:</b>			
<b>Site Geo Ref Meth:</b>			
<b>Incident Summary:</b>	Clean Harbours:1L hydraulic oil to ground from ruptured hose		
<b>Contaminant Qty:</b>	1 L		

95      72 of 122      **NNE/297.4**      **105.0 / 1.44**      **General Electric Canada  
420 South Service Rd E  
Oakville ON L6J 2X6**      **SPL**

<b>Ref No:</b>	3126-7HVNMH	<b>Discharger Report:</b>	
<b>Site No:</b>		<b>Material Group:</b>	
<b>Incident Dt:</b>		<b>Health/Env Conseq:</b>	
<b>Year:</b>		<b>Client Type:</b>	
<b>Incident Cause:</b>	Other Discharges	<b>Sector Type:</b>	Other
<b>Incident Event:</b>		<b>Agency Involved:</b>	
<b>Contaminant Code:</b>	24	<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	GLYCOL/WATER SOLUTION	<b>Site Address:</b>	
<b>Contaminant Limit 1:</b>		<b>Site District Office:</b>	Halton-Peel
<b>Contam Limit Freq 1:</b>		<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>		<b>Site Region:</b>	
<b>Environment Impact:</b>	Confirmed	<b>Site Municipality:</b>	Oakville
<b>Nature of Impact:</b>	Soil Contamination	<b>Site Lot:</b>	
<b>Receiving Medium:</b>		<b>Site Conc:</b>	
<b>Receiving Env:</b>		<b>Northing:</b>	NA
<b>MOE Response:</b>	No Field Response	<b>Easting:</b>	NA
<b>Dt MOE Arvl on Scn:</b>		<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	8/26/2008	<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>		<b>SAC Action Class:</b>	Land Spills
<b>Incident Reason:</b>	Equipment Failure	<b>Source Type:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Site Name:</b> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> <b>Contaminant Qty:</b>		General Electric Canada  GE Canada - 250mL to pavement 250 mL			
<a href="#">95</a>	73 of 122	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>CANADIAN GENERAL ELECTRIC 420 SOUTH SERVICE RD OAKVILLE ON L6J 5E2</b>	<b>NPCB</b>
<b>Company Code:</b> <b>Industry:</b> <b>Site Status:</b> <b>Transaction Date:</b> <b>Inspection Date:</b>		F1008 UNDEFINED   --Details-- <b>Label:</b> <b>Serial No.:</b> <b>PCB Type/Code:</b> <b>Location:</b> <b>Item/State:</b> <b>No. of Items:</b> <b>Manufacturer:</b> <b>Status:</b> <b>Contents:</b>			
		F100800 OTHER WASTE/LOW CTNR DEBRIS, ETC/FULL 1 STORED FOR DISPOSAL 100 KG			
<a href="#">95</a>	74 of 122	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>GENERAL ELECTRIC CANADA (GENERAL ELECTRIC LIGHTING CANADA) 420 SOUTH SERVICE RD. E. OAKVILLE ON L6J 2X6</b>	<b>NPCB</b>
<b>Company Code:</b> <b>Industry:</b> <b>Site Status:</b> <b>Transaction Date:</b> <b>Inspection Date:</b>		O005181 ELECTRICAL NO MORE PCB'S ON THIS SITE			
<a href="#">95</a>	75 of 122	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>GENERAL ELECTRIC CANADA HOME &amp; BUSINESS SOLUTIONS 420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6</b>	<b>NPRI</b>
<b>NPRI ID:</b> <b>Other ID:</b> <b>No Other ID:</b> <b>Track ID:</b> <b>Report ID:</b> <b>Report Type:</b> <b>Rpt Type ID:</b> <b>Report Year:</b> <b>Not-Current Rpt?:</b> <b>Yr of Last Filed Rpt:</b> <b>Fac ID:</b> <b>Fac Name:</b> <b>Fac Address1:</b> <b>Fac Address2:</b> <b>Fac Postal Zip:</b> <b>Facility Lat:</b> <b>Facility Long:</b>		1281 Y 3 71448 132085 NPRI 1 2008 No 2012 108650 OAKVILLE LAMP PLANT 420 SOUTH SERVICE ROAD NOT AVAILABLE L6J2X6 43.4606 -79.6797		<b>Org ID:</b> <b>Submit Date:</b> <b>Last Modified:</b> <b>Contact ID:</b> <b>Cont Type:</b> <b>Contact Title:</b> <b>Cont First Name:</b> <b>Cont Last Name:</b> <b>Contact Position:</b> <b>Contact Fax:</b> <b>Contact Ph.:</b> <b>Cont Area Code:</b> <b>Contact Tel.:</b> <b>Contact Ext.:</b> <b>Cont Fax Area Cde:</b> <b>Contact Fax:</b> <b>Contact Email:</b>	49504 7/28/2009 5/29/2015 3:28:24 PM 173325 MED  KEITH SAPIANO PLANT MANAGER  9058492065 905 58492065  KEITH.SAPIANO@GE.COM

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.4606
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.6797
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	No			<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>	333			<b>Waste Streams:</b>	No
<b>Parent Co.:</b>	Y			<b>No Streams:</b>	
<b>No Parent Co.:</b>	1			<b>Waste Off Sites:</b>	Yes
<b>Pollut Prev Cmnts:</b>	No			<b>No Off Sites:</b>	7
<b>Stacks:</b>	No			<b>Shutdown:</b>	Yes
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	2
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>					
		33			
<b>NAICS 2 Description:</b>					
		Manufacturing			
<b>NAICS Code (4 digit):</b>					
		3351			
<b>NAICS 4 Description:</b>					
		Electric lighting equipment manufacturing			
<b>NAICS Code (6 digit):</b>					
		335110			
<b>NAICS 6 Description:</b>					
		Electric lamp bulb and parts manufacturing			
 <b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b>					
		1			
<b>Category Type Desc:</b>					
		Stack / Point			
<b>Category Type Desc (fr):</b>					
		Rejets de cheminée ou ponctuels			
<b>Grouping:</b>					
		Total Air			
<b>Trans Code:</b>					
		ASta			
<b>Chem:</b>					
		Volatile Organic Compounds (VOCs)			
<b>Chem (fr):</b>					
		Composés organiques volatils (COV)			
<b>Quantity:</b>					
		15.411			
<b>Unit:</b>					
		tonnes			
<b>Basis of Estimate Cd:</b>					
		C			
<b>Basis of Estimate Desc:</b>					
		C- Mass Balance			
 <b>Category Type ID:</b>					
		2			
<b>Category Type Desc:</b>					
		Storage / Handling			
<b>Category Type Desc (fr):</b>					
		Rejets de stockage ou manutention			
<b>Grouping:</b>					
		Total Air			
<b>Trans Code:</b>					
		VOCg			
<b>Chem:</b>					
		Volatile Organic Compounds (VOCs)			
<b>Chem (fr):</b>					
		Composés organiques volatils (COV)			
<b>Quantity:</b>					
		10.628			
<b>Unit:</b>					
		tonnes			
<b>Basis of Estimate Cd:</b>					
		C			
<b>Basis of Estimate Desc:</b>					
		C- Mass Balance			
 <b>Category Type ID:</b>					
		13			
<b>Category Type Desc:</b>					
		All Media			
<b>Category Type Desc (fr):</b>					
		Rejets à tous les médias			
<b>Grouping:</b>					
		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>					
		Lead (and its compounds)			
<b>Chem (fr):</b>					
		Plomb (et ses composés)			
<b>Quantity:</b>					
		.881			
<b>Unit:</b>					
		kg			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					
 <b>Category Type ID:</b>					
		1			
<b>Category Type Desc:</b>					
		Stack / Point			
<b>Category Type Desc (fr):</b>					
		Rejets de cheminée ou ponctuels			
<b>Grouping:</b>					
		Total Air			
<b>Trans Code:</b>					
		ASta			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Chem:</b>		Mercury (and its compounds)			
<b>Chem (fr):</b>		Mercure (et ses composés)			
<b>Quantity:</b>		12.679			
<b>Unit:</b>		kg			
<b>Basis of Estimate Cd:</b>		M3			
<b>Basis of Estimate Desc:</b>		M3- Source Testing - In use from 2003 and onward			
<b>Category Type ID:</b>		4			
<b>Category Type Desc:</b>		Spills			
<b>Category Type Desc (fr):</b>		Déversements			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>					
<b>Chem:</b>		Mercury (and its compounds)			
<b>Chem (fr):</b>		Mercure (et ses composés)			
<b>Quantity:</b>		.001			
<b>Unit:</b>		kg			
<b>Basis of Estimate Cd:</b>		O			
<b>Basis of Estimate Desc:</b>		O- Engineering Estimates			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		Copper (and its compounds)			
<b>Chem (fr):</b>		Cuivre (et ses composés)			
<b>Quantity:</b>		0			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		C			
<b>Basis of Estimate Desc:</b>		C- Mass Balance			
<b>Category Type ID:</b>		3			
<b>Category Type Desc:</b>		Fugitive			
<b>Category Type Desc (fr):</b>		Émissions fugitives			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCs			
<b>Chem:</b>		Volatile Organic Compounds (VOCs)			
<b>Chem (fr):</b>		Composés organiques volatils (COV)			
<b>Quantity:</b>		.531			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		C			
<b>Basis of Estimate Desc:</b>		C- Mass Balance			
<b>Category Type ID:</b>		13			
<b>Category Type Desc:</b>		All Media			
<b>Category Type Desc (fr):</b>		Rejets à tous les médias			
<b>Grouping:</b>		Total All Media<1t			
<b>Trans Code:</b>					
<b>Chem:</b>		PM2.5 - Particulate Matter <= 2.5 Microns			
<b>Chem (fr):</b>		PM2,5 - Matière particulaire <= 2,5 microns			
<b>Quantity:</b>		.37			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>					
<b>Basis of Estimate Desc:</b>					

[95](#)

76 of 122

NNE/297.4

105.0 / 1.44

General Electric Canada  
420 South Service Rd E  
Oakville ON L6J 2X6

SPL

**Ref No:** 8208-7VGQGM  
**Site No:**  
**Incident Dt:**  
**Year:**  
**Incident Cause:** Pipe Or Hose Leak  
**Incident Event:**

**Discharger Report:**  
**Material Group:**  
**Health/Env Conseq:**  
**Client Type:**  
**Sector Type:** Other  
**Agency Involved:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contaminant Code:</b> <b>Contaminant Name:</b> TREATED COATER WATER <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> Possible <b>Nature of Impact:</b> Soil Contamination <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>MOE Response:</b> Deferred Field Response <b>Dt MOE Arvl on Scn:</b> 9/10/2009 <b>MOE Reported Dt:</b> 9/1/2009 <b>Dt Document Closed:</b> 11/19/2009 <b>Incident Reason:</b> Error- Operator error <b>Site Name:</b> General Electric Canada <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> GE Lighting, 5000L treated coater water and sani swg to soil <b>Contaminant Qty:</b> 5000 L				<b>Nearest Watercourse:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> NA <b>Easting:</b> NA <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> Land Spills <b>Source Type:</b>	

<a href="#">95</a>	77 of 122	NNE/297.4	105.0 / 1.44	General Electric Canada 420 South Service Rd E Oakville ON L6J 2X6	SPL
<b>Ref No:</b> 4406-7NUKFC <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> Pipe Or Hose Leak <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> GLYCOL/WATER SOLUTION <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> Confirmed <b>Nature of Impact:</b> Soil Contamination <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>MOE Response:</b> No Field Response <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 2/1/2009 <b>Dt Document Closed:</b> <b>Incident Reason:</b> Equipment Failure <b>Site Name:</b> General Electric Canada <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> GE Canada - 922.5 L of water/glycol to ditch <b>Contaminant Qty:</b> 922.5 L				<b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b> <b>Client Type:</b> <b>Sector Type:</b> Miscellaneous <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> Oakville <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> NA <b>Easting:</b> NA <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> Land Spills <b>Source Type:</b>	

<a href="#">95</a>	78 of 122	NNE/297.4	105.0 / 1.44	General Electric Canada 420 South Service Rd E Oakville ON L6J 2X6	SPL
<b>Ref No:</b> 5008-7VAQTU <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> Other Discharges <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> WATER				<b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b> <b>Client Type:</b> <b>Sector Type:</b> Other <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> Not Anticipated <b>Nature of Impact:</b> Soil Contamination <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>MOE Response:</b> No Field Response <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 8/26/2009 <b>Dt Document Closed:</b> <b>Incident Reason:</b> Equipment Failure <b>Site Name:</b> General Electric Canada <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> GE Canada: HVAC water to grnd, cntd, evaporated <b>Contaminant Qty:</b> 50 gal-Imp				<b>Site District Office:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> Oakville <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> NA <b>Easting:</b> NA <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> Land Spills <b>Source Type:</b>	
<a href="#">95</a>	79 of 122	NNE/297.4	105.0 / 1.44	General Electric Canada 420 South Service Rd E Oakville ON L6J 2X6	SPL
<b>Ref No:</b> 8407-7U8MVW <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> Pipe Or Hose Leak <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> SEWAGE,RAW UNCHLORINATED <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> Not Anticipated <b>Nature of Impact:</b> Soil Contamination <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>MOE Response:</b> Deferred Field Response <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 7/23/2009 <b>Dt Document Closed:</b> <b>Incident Reason:</b> <b>Site Name:</b> General Electric Canada <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> GE Canada: spill 10 L sewage to trench, cleaning <b>Contaminant Qty:</b> 10 L				<b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b> <b>Client Type:</b> <b>Sector Type:</b> Sewer <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> Oakville <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> NA <b>Easting:</b> NA <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> Land Spills <b>Source Type:</b>	
<a href="#">95</a>	80 of 122	NNE/297.4	105.0 / 1.44	General Electric Canada 420 South Service Rd E Oakville ON L6J 2X6	SPL
<b>Ref No:</b> 8758-7SQRT5 <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> Other Discharges <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> HYDRAULIC OIL <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b>				<b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b> <b>Client Type:</b> <b>Sector Type:</b> Motor Vehicle <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site Postal Code:</b>	



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contaminant UN No 1:</b> <b>Environment Impact:</b> Confirmed <b>Nature of Impact:</b> Soil Contamination <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>MOE Response:</b> Deferred Field Response <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> 6/5/2009 <b>Dt Document Closed:</b> <b>Incident Reason:</b> Equipment Failure - Malfunction of system components <b>Site Name:</b> General Electric Canada <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> GE Canada: 1 L hydraulic fluid to parking lot from backhoe <b>Contaminant Qty:</b> 1 L					
<b>Site Region:</b> <b>Site Municipality:</b> Oakville <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> NA <b>Easting:</b> NA <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> Land Spills <b>Source Type:</b>					
<a href="#">95</a>	81 of 122	NNE/297.4	105.0 / 1.44	420 South Service Road East Oakville ON L6J 2X6	EHS
<b>Order No:</b> 20100115025 <b>Status:</b> C <b>Report Type:</b> Site Report <b>Report Date:</b> 1/18/2010 <b>Date Received:</b> 1/15/2010 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b>					
<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> 0.25 <b>X:</b> -79.67999 <b>Y:</b> 43.463557					
<a href="#">95</a>	82 of 122	NNE/297.4	105.0 / 1.44	420 South Service Road East Oakville ON L6J 2X6	EHS
<b>Order No:</b> 20100914022 <b>Status:</b> C <b>Report Type:</b> Custom Report <b>Report Date:</b> 9/20/2010 <b>Date Received:</b> 9/14/2010 <b>Previous Site Name:</b> <b>Lot/Building Size:</b> <b>Additional Info Ordered:</b> Fire Insur. Maps and/or Site Plans; Title Searches; Aerial Photos					
<b>Nearest Intersection:</b> <b>Municipality:</b> <b>Client Prov/State:</b> ON <b>Search Radius (km):</b> 0.25 <b>X:</b> -79.678685 <b>Y:</b> 43.463373					
<a href="#">95</a>	83 of 122	NNE/297.4	105.0 / 1.44	General Electric Canada Inc. 420 South Service Rd E Oakville ON L6J 2X6	CA
<b>Certificate #:</b> 1410-7P6SVV <b>Application Year:</b> 2009 <b>Issue Date:</b> 2/11/2009 <b>Approval Type:</b> Air <b>Status:</b> Revoked and/or Replaced <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">95</a>	84 of 122	NNE/297.4	105.0 / 1.44	General Electric Canada Inc. 420 South Service Road East Oakville ON L6J 2X6	CA
<p><b>Certificate #:</b> 4005-5LJPGF  <b>Application Year:</b> 2003  <b>Issue Date:</b> 4/16/2003  <b>Approval Type:</b> Air  <b>Status:</b> Revoked and/or Replaced  <b>Application Type:</b>  <b>Client Name:</b>  <b>Client Address:</b>  <b>Client City:</b>  <b>Client Postal Code:</b>  <b>Project Description:</b>  <b>Contaminants:</b>  <b>Emission Control:</b></p>					
<a href="#">95</a>	85 of 122	NNE/297.4	105.0 / 1.44	General Electric Canada Inc. Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L6J 2X6	CA
<p><b>Certificate #:</b> 4092-5GRQLP  <b>Application Year:</b> 2002  <b>Issue Date:</b> 12/16/2002  <b>Approval Type:</b> Air  <b>Status:</b> Revoked and/or Replaced  <b>Application Type:</b>  <b>Client Name:</b>  <b>Client Address:</b>  <b>Client City:</b>  <b>Client Postal Code:</b>  <b>Project Description:</b>  <b>Contaminants:</b>  <b>Emission Control:</b></p>					
<a href="#">95</a>	86 of 122	NNE/297.4	105.0 / 1.44	General Electric Canada Inc. 420 South Service Road East Oakville ON L6J 2X6	CA
<p><b>Certificate #:</b> 4582-5NEPZL  <b>Application Year:</b> 2003  <b>Issue Date:</b> 7/2/2003  <b>Approval Type:</b> Air  <b>Status:</b> Approved  <b>Application Type:</b>  <b>Client Name:</b>  <b>Client Address:</b>  <b>Client City:</b>  <b>Client Postal Code:</b>  <b>Project Description:</b>  <b>Contaminants:</b>  <b>Emission Control:</b></p>					
<a href="#">95</a>	87 of 122	NNE/297.4	105.0 / 1.44	General Electric Canada Inc. 420 South Service Rd E Oakville ON L6J 2X6	CA
<p><b>Certificate #:</b> 5876-85ULQH  <b>Application Year:</b> 2010  <b>Issue Date:</b> 6/8/2010</p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Approval Type:</b> <b>Status:</b> <b>Application Type:</b> <b>Client Name:</b> <b>Client Address:</b> <b>Client City:</b> <b>Client Postal Code:</b> <b>Project Description:</b> <b>Contaminants:</b> <b>Emission Control:</b>		Air Approved			

[95](#)      88 of 122      **NNE/297.4**      **105.0 / 1.44**      **General Electric Canada Inc.  
420 South Service Road East  
Oakville ON L6J 2X6**      **CA**

**Certificate #:** 6490-5VDTYR  
**Application Year:** 2004  
**Issue Date:** 2/11/2004  
**Approval Type:** Air  
**Status:** Revoked and/or Replaced  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

[95](#)      89 of 122      **NNE/297.4**      **105.0 / 1.44**      **GENERAL ELECTRIC CANADA HOME &  
BUSINESS SOLUTIONS  
420 SOUTH SERVICE ROAD NOT AVAILABLE  
OAKVILLE ON L6J2X6**      **NPRI**

<b>NPRI ID:</b>	1281	<b>Org ID:</b>	49504
<b>Other ID:</b>	Y	<b>Submit Date:</b>	5/31/2010
<b>No Other ID:</b>	3	<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	80752	<b>Contact ID:</b>	173325
<b>Report ID:</b>	134494	<b>Cont Type:</b>	MED
<b>Report Type:</b>	NPRI	<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1	<b>Cont First Name:</b>	KEITH
<b>Report Year:</b>	2009	<b>Cont Last Name:</b>	SAPIANO
<b>Not-Current Rpt?:</b>	No	<b>Contact Position:</b>	PLANT MANAGER
<b>Yr of Last Filed Rpt:</b>	2012	<b>Contact Fax:</b>	
<b>Fac ID:</b>	108650	<b>Contact Ph.:</b>	9058492065
<b>Fac Name:</b>	OAKVILLE LAMP PLANT	<b>Cont Area Code:</b>	905
<b>Fac Address1:</b>	420 SOUTH SERVICE ROAD	<b>Contact Tel.:</b>	58492065
<b>Fac Address2:</b>	NOT AVAILABLE	<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	L6J2X6	<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	43.4606	<b>Contact Fax:</b>	
<b>Facility Long:</b>	-79.6797	<b>Contact Email:</b>	KEITH.SAPIANO@GE.COM
<b>DLS (Last Filed Rpt):</b>		<b>Latitude:</b>	43.4606
<b>Facility DLS:</b>		<b>Longitude:</b>	-79.6797
<b>Datum:</b>	1983	<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	No	<b>UTM Northing:</b>	
<b>URL:</b>		<b>UTM Easting:</b>	
<b>No of Empl.:</b>	200	<b>Waste Streams:</b>	No
<b>Parent Co.:</b>	Y	<b>No Streams:</b>	
<b>No Parent Co.:</b>	1	<b>Waste Off Sites:</b>	Yes
<b>Pollut Prev Cmnts:</b>	No	<b>No Off Sites:</b>	9
<b>Stacks:</b>	No	<b>Shutdown:</b>	Yes
<b>No of Stacks:</b>		<b>No of Shutdown:</b>	3

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	33				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3351				
<b>NAICS 4 Description:</b>	Electric lighting equipment manufacturing				
<b>NAICS Code (6 digit):</b>	335110				
<b>NAICS 6 Description:</b>	Electric lamp bulb and parts manufacturing				
<b><u>Substance Release Report</u></b>					
<b>Category Type ID:</b>	1				
<b>Category Type Desc:</b>	Stack / Point				
<b>Category Type Desc (fr):</b>	Rejets de cheminée ou ponctuels				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	ASta				
<b>Chem:</b>	Volatile Organic Compounds (VOCs)				
<b>Chem (fr):</b>	Composés organiques volatils (COV)				
<b>Quantity:</b>	8.657				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	C				
<b>Basis of Estimate Desc:</b>	C- Mass Balance				
<b>Category Type ID:</b>	3				
<b>Category Type Desc:</b>	Fugitive				
<b>Category Type Desc (fr):</b>	Émissions fugitives				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	VOCs				
<b>Chem:</b>	Volatile Organic Compounds (VOCs)				
<b>Chem (fr):</b>	Composés organiques volatils (COV)				
<b>Quantity:</b>	.298				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	C				
<b>Basis of Estimate Desc:</b>	C- Mass Balance				
<b>Category Type ID:</b>	1				
<b>Category Type Desc:</b>	Stack / Point				
<b>Category Type Desc (fr):</b>	Rejets de cheminée ou ponctuels				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	ASta				
<b>Chem:</b>	Lead (and its compounds)				
<b>Chem (fr):</b>	Plomb (et ses composés)				
<b>Quantity:</b>	6.289				
<b>Unit:</b>	kg				
<b>Basis of Estimate Cd:</b>	C				
<b>Basis of Estimate Desc:</b>	C- Mass Balance				
<b>Category Type ID:</b>	2				
<b>Category Type Desc:</b>	Storage / Handling				
<b>Category Type Desc (fr):</b>	Rejets de stockage ou manutention				
<b>Grouping:</b>	Total Air				
<b>Trans Code:</b>	VOCg				
<b>Chem:</b>	Volatile Organic Compounds (VOCs)				
<b>Chem (fr):</b>	Composés organiques volatils (COV)				
<b>Quantity:</b>	5.97				
<b>Unit:</b>	tonnes				
<b>Basis of Estimate Cd:</b>	C				
<b>Basis of Estimate Desc:</b>	C- Mass Balance				
<b>Category Type ID:</b>	13				
<b>Category Type Desc:</b>	All Media				
<b>Category Type Desc (fr):</b>	Rejets à tous les médias				
<b>Grouping:</b>	Total All Media<1t				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Trans Code:</b>					
<b>Chem:</b>		Copper (and its compounds)			
<b>Chem (fr):</b>		Cuivre (et ses composés)			
<b>Quantity:</b>		.005			
<b>Unit:</b>		tonnes			
<b>Basis of Estimate Cd:</b>		C			
<b>Basis of Estimate Desc:</b>		C- Mass Balance			
<b>Category Type ID:</b>		1			
<b>Category Type Desc:</b>		Stack / Point			
<b>Category Type Desc (fr):</b>		Rejets de cheminée ou ponctuels			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		ASta			
<b>Chem:</b>		Mercury (and its compounds)			
<b>Chem (fr):</b>		Mercure (et ses composés)			
<b>Quantity:</b>		4.8			
<b>Unit:</b>		kg			
<b>Basis of Estimate Cd:</b>		M3			
<b>Basis of Estimate Desc:</b>		M3- Source Testing - In use from 2003 and onward			
<b>Category Type ID:</b>		3			
<b>Category Type Desc:</b>		Fugitive			
<b>Category Type Desc (fr):</b>		Émissions fugitives			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		VOCs			
<b>Chem:</b>		Lead (and its compounds)			
<b>Chem (fr):</b>		Plomb (et ses composés)			
<b>Quantity:</b>		1.306			
<b>Unit:</b>		kg			
<b>Basis of Estimate Cd:</b>		C			
<b>Basis of Estimate Desc:</b>		C- Mass Balance			
<hr/>					
<a href="#">95</a>	90 of 122	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>General Electric Canada Inc. 420 South Service Rd E Oakville ON L6J 2X6</b>	<b>SCT</b>
<b>Established:</b>					
<b>Plant Size (ft²):</b>					
<b>Employment:</b>					
<b>--Details--</b>					
<b>Description:</b>		Electrical Wiring and Construction Supplies Wholesaler-Distributors			
<b>SIC/NAICS Code:</b>		416110			
<hr/>					
<a href="#">95</a>	91 of 122	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>Iron Mountain Canada Corporation 420 South Service Rd E Oakville ON L6J 2X6</b>	<b>SPL</b>
<b>Ref No:</b>		5388-8EELAF		<b>Discharger Report:</b>	
<b>Site No:</b>				<b>Material Group:</b>	
<b>Incident Dt:</b>		2/25/2011		<b>Health/Env Conseq:</b>	
<b>Year:</b>				<b>Client Type:</b>	
<b>Incident Cause:</b>		Pipe Or Hose Leak		<b>Sector Type:</b> Motor Vehicle	
<b>Incident Event:</b>				<b>Agency Involved:</b>	
<b>Contaminant Code:</b>		15		<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>		HYDRAULIC OIL		<b>Site Address:</b> 420 South Service Rd E	
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>		Not Anticipated		<b>Site Municipality:</b> Oakville	
<b>Nature of Impact:</b>		Soil Contamination		<b>Site Lot:</b>	
<b>Receiving Medium:</b>		Sewage - Municipal/Private and Commercial		<b>Site Conc:</b>	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Receiving Env:</b>				<b>Northing:</b>	NA
<b>MOE Response:</b>	No Field Response			<b>Easting:</b>	NA
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	2/25/2011			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	Land Spills
<b>Incident Reason:</b>	Equipment Failure - Malfunction of system components			<b>Source Type:</b>	
<b>Site Name:</b>	General Electric Canada				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	Iron Mountain: Hyd Oil to grnd, cln				
<b>Contaminant Qty:</b>	125 L				

<a href="#">95</a>	92 of 122	NNE/297.4	105.0 / 1.44	<b>GENERAL ELECTRIC CANADA CO. 420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6</b>	<b>NPRI</b>
<b>NPRI ID:</b>	1281			<b>Org ID:</b>	102276
<b>Other ID:</b>	Y			<b>Submit Date:</b>	6/16/2011
<b>No Other ID:</b>	5			<b>Last Modified:</b>	5/29/2015 3:28:24 PM
<b>Track ID:</b>	90596			<b>Contact ID:</b>	
<b>Report ID:</b>	144654			<b>Cont Type:</b>	
<b>Report Type:</b>	NPRI			<b>Contact Title:</b>	
<b>Rpt Type ID:</b>	1			<b>Cont First Name:</b>	
<b>Report Year:</b>	2010			<b>Cont Last Name:</b>	
<b>Not-Current Rpt?:</b>	No			<b>Contact Position:</b>	
<b>Yr of Last Filed Rpt:</b>	2012			<b>Contact Fax:</b>	
<b>Fac ID:</b>	108650			<b>Contact Ph.:</b>	
<b>Fac Name:</b>	OAKVILLE LAMP PLANT			<b>Cont Area Code:</b>	
<b>Fac Address1:</b>	420 SOUTH SERVICE ROAD			<b>Contact Tel.:</b>	
<b>Fac Address2:</b>	NOT AVAILABLE			<b>Contact Ext.:</b>	
<b>Fac Postal Zip:</b>	L6J2X6			<b>Cont Fax Area Cde:</b>	
<b>Facility Lat:</b>	43.4606			<b>Contact Fax:</b>	
<b>Facility Long:</b>	-79.6797			<b>Contact Email:</b>	
<b>DLS (Last Filed Rpt):</b>				<b>Latitude:</b>	43.4606
<b>Facility DLS:</b>				<b>Longitude:</b>	-79.6797
<b>Datum:</b>	1983			<b>UTM Zone:</b>	
<b>Facility Cmnts:</b>	Yes			<b>UTM Northing:</b>	
<b>URL:</b>				<b>UTM Easting:</b>	
<b>No of Empl.:</b>	200			<b>Waste Streams:</b>	No
<b>Parent Co.:</b>	Y			<b>No Streams:</b>	
<b>No Parent Co.:</b>	3			<b>Waste Off Sites:</b>	Yes
<b>Pollut Prev Cmnts:</b>	No			<b>No Off Sites:</b>	7
<b>Stacks:</b>	No			<b>Shutdown:</b>	Yes
<b>No of Stacks:</b>				<b>No of Shutdown:</b>	6
<b>Canadian SIC Code (2 digit):</b>					
<b>Canadian SIC Code:</b>					
<b>SIC Code Description:</b>					
<b>American SIC Code:</b>					
<b>NAICS Code (2 digit):</b>	33				
<b>NAICS 2 Description:</b>	Manufacturing				
<b>NAICS Code (4 digit):</b>	3351				
<b>NAICS 4 Description:</b>	Electric lighting equipment manufacturing				
<b>NAICS Code (6 digit):</b>	335110				
<b>NAICS 6 Description:</b>	Electric lamp bulb and parts manufacturing				

#### Substance Release Report

<b>Category Type ID:</b>	3
<b>Category Type Desc:</b>	Fugitive
<b>Category Type Desc (fr):</b>	Émissions fugitives
<b>Grouping:</b>	Total Air
<b>Trans Code:</b>	VOCs

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Chem:</b>		Lead (and its compounds)			
<b>Chem (fr):</b>		Plomb (et ses composés)			
<b>Quantity:</b>		.317			
<b>Unit:</b>		kg			
<b>Basis of Estimate Cd:</b>		C			
<b>Basis of Estimate Desc:</b>		C- Mass Balance			
<b>Category Type ID:</b>		1			
<b>Category Type Desc:</b>		Stack / Point			
<b>Category Type Desc (fr):</b>		Rejets de cheminée ou ponctuels			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		ASta			
<b>Chem:</b>		Lead (and its compounds)			
<b>Chem (fr):</b>		Plomb (et ses composés)			
<b>Quantity:</b>		6.872			
<b>Unit:</b>		kg			
<b>Basis of Estimate Cd:</b>		C			
<b>Basis of Estimate Desc:</b>		C- Mass Balance			
<b>Category Type ID:</b>		1			
<b>Category Type Desc:</b>		Stack / Point			
<b>Category Type Desc (fr):</b>		Rejets de cheminée ou ponctuels			
<b>Grouping:</b>		Total Air			
<b>Trans Code:</b>		ASta			
<b>Chem:</b>		Mercury (and its compounds)			
<b>Chem (fr):</b>		Mercure (et ses composés)			
<b>Quantity:</b>		2.15			
<b>Unit:</b>		kg			
<b>Basis of Estimate Cd:</b>		M3			
<b>Basis of Estimate Desc:</b>		M3- Source Testing - In use from 2003 and onward			

[95](#)

93 of 122

**NNE/297.4**

**105.0 / 1.44**

**General Electric Canada  
420 South Service Rd East  
Oakville ON L6J 2X6**

**GEN**

**Generator No:** ON0046804  
**SIC Code:** 335110  
**SIC Description:** Electric Lamp Bulb and Parts Manufacturing  
**Approval Years:** 2009  
**PO Box No:**  
**Country:**

**Status:**  
**Co Admin:**  
**Choice of Contact:**  
**Phone No Admin:**  
**Contam. Facility:**  
**MHSW Facility:**

Detail(s)

**Waste Class:** 211  
**Waste Class Desc:** AROMATIC SOLVENTS

**Waste Class:** 212  
**Waste Class Desc:** ALIPHATIC SOLVENTS

**Waste Class:** 213  
**Waste Class Desc:** PETROLEUM DISTILLATES

**Waste Class:** 232  
**Waste Class Desc:** POLYMERIC RESINS

**Waste Class:** 241  
**Waste Class Desc:** HALOGENATED SOLVENTS

**Waste Class:** 243  
**Waste Class Desc:** PCBS

**Waste Class:** 252  
**Waste Class Desc:** WASTE OILS & LUBRICANTS

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Class:</b>		253			
<b>Waste Class Desc:</b>		EMULSIFIED OILS			
<b>Waste Class:</b>		263			
<b>Waste Class Desc:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		267			
<b>Waste Class Desc:</b>		ORGANIC ACIDS			
<b>Waste Class:</b>		268			
<b>Waste Class Desc:</b>		AMINES			
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<b>Waste Class:</b>		331			
<b>Waste Class Desc:</b>		WASTE COMPRESSED GASES			
<b>Waste Class:</b>		122			
<b>Waste Class Desc:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Class:</b>		112			
<b>Waste Class Desc:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Class:</b>		113			
<b>Waste Class Desc:</b>		ACID WASTE - OTHER METALS			
<b>Waste Class:</b>		121			
<b>Waste Class Desc:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Class:</b>		123			
<b>Waste Class Desc:</b>		ALKALINE PHOSPHATES			
<b>Waste Class:</b>		132			
<b>Waste Class Desc:</b>		NEUTRALIZED WASTES - OTHER METALS			
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Class:</b>		148			
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		150			
<b>Waste Class Desc:</b>		INERT INORGANIC WASTES			

[95](#)

94 of 122

**NNE/297.4**

**105.0 / 1.44**

**General Electric Canada  
420 South Service Rd East  
Oakville ON L6J 2X6**

**GEN**

**Generator No:** ON0046804  
**SIC Code:** 335110  
**SIC Description:** Electric Lamp Bulb and Parts Manufacturing  
**Approval Years:** 2010  
**PO Box No:**  
**Country:**

**Status:**  
**Co Admin:**  
**Choice of Contact:**  
**Phone No Admin:**  
**Contam. Facility:**  
**MHSW Facility:**

**Detail(s)**

**Waste Class:** 122  
**Waste Class Desc:** ALKALINE WASTES - OTHER METALS



<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Class:</b>		243			
<b>Waste Class Desc:</b>		PCBS			
<b>Waste Class:</b>		232			
<b>Waste Class Desc:</b>		POLYMERIC RESINS			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		241			
<b>Waste Class Desc:</b>		HALOGENATED SOLVENTS			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Class:</b>		267			
<b>Waste Class Desc:</b>		ORGANIC ACIDS			
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<b>Waste Class:</b>		148			
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		268			
<b>Waste Class Desc:</b>		AMINES			
<b>Waste Class:</b>		253			
<b>Waste Class Desc:</b>		EMULSIFIED OILS			
<b>Waste Class:</b>		131			
<b>Waste Class Desc:</b>		NEUTRALIZED WASTES - HEAVY METALS			
<b>Waste Class:</b>		113			
<b>Waste Class Desc:</b>		ACID WASTE - OTHER METALS			
<b>Waste Class:</b>		132			
<b>Waste Class Desc:</b>		NEUTRALIZED WASTES - OTHER METALS			
<b>Waste Class:</b>		331			
<b>Waste Class Desc:</b>		WASTE COMPRESSED GASES			
<b>Waste Class:</b>		263			
<b>Waste Class Desc:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		211			
<b>Waste Class Desc:</b>		AROMATIC SOLVENTS			
<b>Waste Class:</b>		112			
<b>Waste Class Desc:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Class:</b>		242			
<b>Waste Class Desc:</b>		HALOGENATED PESTICIDES			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		121			
<b>Waste Class Desc:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		123			
<b>Waste Class Desc:</b>		ALKALINE PHOSPHATES			
<b>Waste Class:</b>		150			
<b>Waste Class Desc:</b>		INERT INORGANIC WASTES			

<a href="#">95</a>	95 of 122	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>General Electric Canada 420 South Service Rd East Oakville ON L6J 2X6</b>	<b>GEN</b>
<b>Generator No:</b>	ON0046804			<b>Status:</b>	
<b>SIC Code:</b>	335110			<b>Co Admin:</b>	
<b>SIC Description:</b>	Electric Lamp Bulb and Parts Manufacturing			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	2011			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	

**Detail(s)**

<b>Waste Class:</b>	131
<b>Waste Class Desc:</b>	NEUTRALIZED WASTES - HEAVY METALS
<b>Waste Class:</b>	268
<b>Waste Class Desc:</b>	AMINES
<b>Waste Class:</b>	232
<b>Waste Class Desc:</b>	POLYMERIC RESINS
<b>Waste Class:</b>	331
<b>Waste Class Desc:</b>	WASTE COMPRESSED GASES
<b>Waste Class:</b>	241
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS
<b>Waste Class:</b>	122
<b>Waste Class Desc:</b>	ALKALINE WASTES - OTHER METALS
<b>Waste Class:</b>	148
<b>Waste Class Desc:</b>	INORGANIC LABORATORY CHEMICALS
<b>Waste Class:</b>	146
<b>Waste Class Desc:</b>	OTHER SPECIFIED INORGANICS
<b>Waste Class:</b>	112
<b>Waste Class Desc:</b>	ACID WASTE - HEAVY METALS
<b>Waste Class:</b>	121
<b>Waste Class Desc:</b>	ALKALINE WASTES - HEAVY METALS
<b>Waste Class:</b>	113
<b>Waste Class Desc:</b>	ACID WASTE - OTHER METALS
<b>Waste Class:</b>	213
<b>Waste Class Desc:</b>	PETROLEUM DISTILLATES
<b>Waste Class:</b>	252
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS
<b>Waste Class:</b>	123
<b>Waste Class Desc:</b>	ALKALINE PHOSPHATES
<b>Waste Class:</b>	132
<b>Waste Class Desc:</b>	NEUTRALIZED WASTES - OTHER METALS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<b>Waste Class:</b>		242			
<b>Waste Class Desc:</b>		HALOGENATED PESTICIDES			
<b>Waste Class:</b>		243			
<b>Waste Class Desc:</b>		PCBS			
<b>Waste Class:</b>		267			
<b>Waste Class Desc:</b>		ORGANIC ACIDS			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		150			
<b>Waste Class Desc:</b>		INERT INORGANIC WASTES			
<b>Waste Class:</b>		253			
<b>Waste Class Desc:</b>		EMULSIFIED OILS			
<b>Waste Class:</b>		211			
<b>Waste Class Desc:</b>		AROMATIC SOLVENTS			
<b>Waste Class:</b>		263			
<b>Waste Class Desc:</b>		ORGANIC LABORATORY CHEMICALS			

[95](#)

96 of 122

**NNE/297.4**

**105.0 / 1.44**

**General Electric Canada  
420 South Service Rd East  
Oakville ON L6J 2X6**

**GEN**

**Generator No:** ON0046804  
**SIC Code:** 335110  
**SIC Description:** Electric Lamp Bulb and Parts Manufacturing  
**Approval Years:** 2012  
**PO Box No:**  
**Country:**

**Status:**  
**Co Admin:**  
**Choice of Contact:**  
**Phone No Admin:**  
**Contam. Facility:**  
**MHSW Facility:**

Detail(s)

<b>Waste Class:</b>	241
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS
<b>Waste Class:</b>	122
<b>Waste Class Desc:</b>	ALKALINE WASTES - OTHER METALS
<b>Waste Class:</b>	145
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES
<b>Waste Class:</b>	131
<b>Waste Class Desc:</b>	NEUTRALIZED WASTES - HEAVY METALS
<b>Waste Class:</b>	252
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS
<b>Waste Class:</b>	112
<b>Waste Class Desc:</b>	ACID WASTE - HEAVY METALS
<b>Waste Class:</b>	331
<b>Waste Class Desc:</b>	WASTE COMPRESSED GASES

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Class:</b>		123			
<b>Waste Class Desc:</b>		ALKALINE PHOSPHATES			
<b>Waste Class:</b>		132			
<b>Waste Class Desc:</b>		NEUTRALIZED WASTES - OTHER METALS			
<b>Waste Class:</b>		150			
<b>Waste Class Desc:</b>		INERT INORGANIC WASTES			
<b>Waste Class:</b>		148			
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		232			
<b>Waste Class Desc:</b>		POLYMERIC RESINS			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		312			
<b>Waste Class Desc:</b>		PATHOLOGICAL WASTES			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Class:</b>		267			
<b>Waste Class Desc:</b>		ORGANIC ACIDS			
<b>Waste Class:</b>		268			
<b>Waste Class Desc:</b>		AMINES			
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			
<b>Waste Class:</b>		113			
<b>Waste Class Desc:</b>		ACID WASTE - OTHER METALS			
<b>Waste Class:</b>		253			
<b>Waste Class Desc:</b>		EMULSIFIED OILS			
<b>Waste Class:</b>		211			
<b>Waste Class Desc:</b>		AROMATIC SOLVENTS			
<b>Waste Class:</b>		242			
<b>Waste Class Desc:</b>		HALOGENATED PESTICIDES			
<b>Waste Class:</b>		263			
<b>Waste Class Desc:</b>		ORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		243			
<b>Waste Class Desc:</b>		PCBS			
<b>Waste Class:</b>		121			
<b>Waste Class Desc:</b>		ALKALINE WASTES - HEAVY METALS			

[95](#)

97 of 122

**NNE/297.4**

**105.0 / 1.44**

**General Electric Canada Company  
420 South Service Road East  
Oakville ON**

**SPL**

**Ref No:** 5616-9CDNKZ  
**Site No:**  
**Incident Dt:** 2013/10/11  
**Year:**  
**Incident Cause:** Leak/Break  
**Incident Event:**

**Discharger Report:**  
**Material Group:**  
**Health/Env Conseq:**  
**Client Type:**  
**Sector Type:** Tank - Underground  
**Agency Involved:**

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Contaminant Code:</b>	13			<b>Nearest Watercourse:</b>	
<b>Contaminant Name:</b>	FUEL OIL			<b>Site Address:</b>	420 South Service Road East
<b>Contaminant Limit 1:</b>				<b>Site District Office:</b>	
<b>Contam Limit Freq 1:</b>				<b>Site Postal Code:</b>	
<b>Contaminant UN No 1:</b>				<b>Site Region:</b>	
<b>Environment Impact:</b>	Confirmed			<b>Site Municipality:</b>	Oakville
<b>Nature of Impact:</b>	Soil Contamination			<b>Site Lot:</b>	
<b>Receiving Medium:</b>				<b>Site Conc:</b>	
<b>Receiving Env:</b>				<b>Northing:</b>	
<b>MOE Response:</b>	No Field Response			<b>Easting:</b>	
<b>Dt MOE Arvl on Scn:</b>				<b>Site Geo Ref Accu:</b>	
<b>MOE Reported Dt:</b>	2013/10/11			<b>Site Map Datum:</b>	
<b>Dt Document Closed:</b>				<b>SAC Action Class:</b>	Land Spills
<b>Incident Reason:</b>	Unknown / N/A			<b>Source Type:</b>	
<b>Site Name:</b>	General Electric Canada vacant property<UNOFFICIAL>				
<b>Site County/District:</b>					
<b>Site Geo Ref Meth:</b>					
<b>Incident Summary:</b>	Historic soil contamination from fuel tanks on GE property				
<b>Contaminant Qty:</b>	0 other - see incident description				

[95](#)      98 of 122      **NNE/297.4**      **105.0 / 1.44**      **General Electric Canada  
420 South Service Rd East  
Oakville ON**      **GEN**

<b>Generator No:</b>	ON0046804	<b>Status:</b>	
<b>SIC Code:</b>	335110	<b>Co Admin:</b>	
<b>SIC Description:</b>	ELECTRIC LAMP BULB AND PARTS MANUFACTURING	<b>Choice of Contact:</b>	
<b>Approval Years:</b>	2013	<b>Phone No Admin:</b>	
<b>PO Box No:</b>		<b>Contam. Facility:</b>	
<b>Country:</b>		<b>MHSW Facility:</b>	

**Detail(s)**

<b>Waste Class:</b>	123
<b>Waste Class Desc:</b>	ALKALINE PHOSPHATES
<b>Waste Class:</b>	150
<b>Waste Class Desc:</b>	INERT INORGANIC WASTES
<b>Waste Class:</b>	211
<b>Waste Class Desc:</b>	AROMATIC SOLVENTS
<b>Waste Class:</b>	113
<b>Waste Class Desc:</b>	ACID WASTE - OTHER METALS
<b>Waste Class:</b>	212
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS
<b>Waste Class:</b>	267
<b>Waste Class Desc:</b>	ORGANIC ACIDS
<b>Waste Class:</b>	146
<b>Waste Class Desc:</b>	OTHER SPECIFIED INORGANICS
<b>Waste Class:</b>	253
<b>Waste Class Desc:</b>	EMULSIFIED OILS
<b>Waste Class:</b>	252
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS
<b>Waste Class:</b>	232
<b>Waste Class Desc:</b>	POLYMERIC RESINS

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Waste Class:</i>		241			
<i>Waste Class Desc:</i>		HALOGENATED SOLVENTS			
<i>Waste Class:</i>		263			
<i>Waste Class Desc:</i>		ORGANIC LABORATORY CHEMICALS			
<i>Waste Class:</i>		131			
<i>Waste Class Desc:</i>		NEUTRALIZED WASTES - HEAVY METALS			
<i>Waste Class:</i>		312			
<i>Waste Class Desc:</i>		PATHOLOGICAL WASTES			
<i>Waste Class:</i>		221			
<i>Waste Class Desc:</i>		LIGHT FUELS			
<i>Waste Class:</i>		121			
<i>Waste Class Desc:</i>		ALKALINE WASTES - HEAVY METALS			
<i>Waste Class:</i>		242			
<i>Waste Class Desc:</i>		HALOGENATED PESTICIDES			
<i>Waste Class:</i>		251			
<i>Waste Class Desc:</i>		OIL SKIMMINGS & SLUDGES			
<i>Waste Class:</i>		112			
<i>Waste Class Desc:</i>		ACID WASTE - HEAVY METALS			
<i>Waste Class:</i>		268			
<i>Waste Class Desc:</i>		AMINES			
<i>Waste Class:</i>		114			
<i>Waste Class Desc:</i>		OTHER INORGANIC ACID WASTES			
<i>Waste Class:</i>		148			
<i>Waste Class Desc:</i>		INORGANIC LABORATORY CHEMICALS			
<i>Waste Class:</i>		132			
<i>Waste Class Desc:</i>		NEUTRALIZED WASTES - OTHER METALS			
<i>Waste Class:</i>		122			
<i>Waste Class Desc:</i>		ALKALINE WASTES - OTHER METALS			
<i>Waste Class:</i>		145			
<i>Waste Class Desc:</i>		PAINT/PIGMENT/COATING RESIDUES			
<i>Waste Class:</i>		213			
<i>Waste Class Desc:</i>		PETROLEUM DISTILLATES			
<i>Waste Class:</i>		243			
<i>Waste Class Desc:</i>		PCBS			
<i>Waste Class:</i>		331			
<i>Waste Class Desc:</i>		WASTE COMPRESSED GASES			

[95](#)

99 of 122

*NNE/297.4*

*105.0 / 1.44*

*420 SOUTH SERVICE ROAD EAST, OAKVILLE ON*

*INC*

*Incident No:* 1262584  
*Incident ID:*  
*Instance No:*  
*Status Code:*  
*Attribute Category:* FS-Perform L1 Incident Insp  
*Context:*  
*Date of Occurrence:* 2013/10/11 00:00:00

*Any Health Impact:* No  
*Any Enviro Impact:* No  
*Service Interrupted:* No  
*Was Prop Damaged:* No  
*Reside App. Type:*  
*Commer App. Type:*  
*Indus App. Type:*

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Time of Occurrence:</b> <b>Incident Created On:</b> <b>Instance Creation Dt:</b> <b>Instance Install Dt:</b> <b>Occur Insp Start Date:</b> <b>Approx Quant Rel:</b> <b>Tank Capacity:</b> <b>Fuels Occur Type:</b> <b>Fuel Type Involved:</b> <b>Enforcement Policy:</b> <b>Prc Escalation Req:</b> <b>Tank Material Type:</b> <b>Tank Storage Type:</b> <b>Tank Location Type:</b> <b>Pump Flow Rate Cap:</b> <b>Task No:</b> <b>Notes:</b> <b>Drainage System:</b> <b>Sub Surface Contam.:</b> <b>Aff Prop Use Water:</b> <b>Contam. Migrated:</b> <b>Contact Natural Env:</b> <b>Incident Location:</b> <b>Occurrence Narrative:</b> <b>Operation Type Involved:</b> <b>Item:</b> <b>Item Description:</b> <b>Device Installed Location:</b>	NULL    2013/10/15 00:00:00  NULL  NULL  Discovery of a Petroleum Product Fuel Oil NULL NULL  4680066  420 SOUTH SERVICE ROAD EAST, OAKVILLE - DISCOVERY OF PRODUCTS contractor found old buried tanks Private Fuel Outlet	<b>Institut App. Type:</b> <b>Venting Type:</b> <b>Vent Conn Mater:</b> <b>Vent Chimney Mater:</b> <b>Pipeline Type:</b> <b>Pipeline Involved:</b> <b>Pipe Material:</b> <b>Depth Ground Cover:</b> <b>Regulator Location:</b> <b>Regulator Type:</b> <b>Operation Pressure:</b> <b>Liquid Prop Make:</b> <b>Liquid Prop Model:</b> <b>Liquid Prop Serial No:</b> <b>Liquid Prop Notes:</b> <b>Equipment Type:</b> <b>Equipment Model:</b> <b>Serial No:</b> <b>Cylinder Capacity:</b> <b>Cylinder Cap Units:</b> <b>Cylinder Mat Type:</b> <b>Near Body of Water:</b>			

<a href="#">95</a>	100 of 122	NNE/297.4	105.0 / 1.44	<b>GE Canada Commercial, Insurance &amp; Credit Investments G.P.</b> <b>420 South Service Rd E</b> <b>Oakville ON L6J 2X6</b>	SPL
<b>Ref No:</b> <b>Site No:</b> <b>Incident Dt:</b> <b>Year:</b> <b>Incident Cause:</b> <b>Incident Event:</b> <b>Contaminant Code:</b> <b>Contaminant Name:</b> <b>Contaminant Limit 1:</b> <b>Contam Limit Freq 1:</b> <b>Contaminant UN No 1:</b> <b>Environment Impact:</b> <b>Nature of Impact:</b> <b>Receiving Medium:</b> <b>Receiving Env:</b> <b>MOE Response:</b> <b>Dt MOE Arvl on Scn:</b> <b>MOE Reported Dt:</b> <b>Dt Document Closed:</b> <b>Incident Reason:</b>  <b>Site Name:</b> <b>Site County/District:</b> <b>Site Geo Ref Meth:</b> <b>Incident Summary:</b> <b>Contaminant Qty:</b>	1166-9TNS4D 2053-6NZPCC 2/12/2015  Leak/Break  15 HYDRAULIC OIL    Land   N  2/12/2015 4/28/2015 Material Failure - Poor Design/Substandard Material  General Electric Canada  NA GE Canada: 3 L Hyd. Oil to Grnd- Clnd. 3 L	<b>Discharger Report:</b> <b>Material Group:</b> <b>Health/Env Conseq:</b> <b>Client Type:</b> <b>Sector Type:</b> <b>Agency Involved:</b> <b>Nearest Watercourse:</b> <b>Site Address:</b> <b>Site District Office:</b> <b>Site Postal Code:</b> <b>Site Region:</b> <b>Site Municipality:</b> <b>Site Lot:</b> <b>Site Conc:</b> <b>Northing:</b> <b>Easting:</b> <b>Site Geo Ref Accu:</b> <b>Site Map Datum:</b> <b>SAC Action Class:</b> <b>Source Type:</b>	420 South Service Rd E  L6J 2X6  Oakville  NA NA NA NA Land Spills		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">95</a>	101 of 122	NNE/297.4	105.0 / 1.44	GENERAL ELECTRIC CANADA CO. 420 SOUTH SERVICE ROAD NOT AVAILABLE OAKVILLE ON L6J2X6	NPRI
<b>NPRI ID:</b> 1281 <b>Other ID:</b> <b>No Other ID:</b> <b>Track ID:</b> 127634 <b>Report ID:</b> 51823 <b>Report Type:</b> NPRI <b>Rpt Type ID:</b> 1 <b>Report Year:</b> 2011 <b>Not-Current Rpt?:</b> No <b>Yr of Last Filed Rpt:</b> 2012 <b>Fac ID:</b> 223286 <b>Fac Name:</b> OAKVILLE LAMP PLANT <b>Fac Address1:</b> 420 SOUTH SERVICE ROAD <b>Fac Address2:</b> NOT AVAILABLE <b>Fac Postal Zip:</b> L6J2X6 <b>Facility Lat:</b> 43.4606 <b>Facility Long:</b> -79.6797 <b>DLS (Last Filed Rpt):</b> <b>Facility DLS:</b> <b>Datum:</b> 1983 <b>Facility Cmnts:</b> <b>URL:</b> <b>No of Empl.:</b> 31 <b>Parent Co.:</b> <b>No Parent Co.:</b> <b>Pollut Prev Cmnts:</b> <b>Stacks:</b> <b>No of Stacks:</b> <b>Canadian SIC Code (2 digit):</b> <b>Canadian SIC Code:</b> <b>SIC Code Description:</b> <b>American SIC Code:</b> <b>NAICS Code (2 digit):</b> 33 <b>NAICS 2 Description:</b> Manufacturing <b>NAICS Code (4 digit):</b> 3351 <b>NAICS 4 Description:</b> Electric lighting equipment manufacturing <b>NAICS Code (6 digit):</b> 335110 <b>NAICS 6 Description:</b> Electric lamp bulb and parts manufacturing		<b>Org ID:</b> 102276 <b>Submit Date:</b> 5/21/2015 <b>Last Modified:</b> 6/10/2015 10:59:04 AM <b>Contact ID:</b> <b>Cont Type:</b> <b>Contact Title:</b> <b>Cont First Name:</b> <b>Cont Last Name:</b> <b>Contact Position:</b> <b>Contact Fax:</b> <b>Contact Ph.:</b> <b>Cont Area Code:</b> <b>Contact Tel.:</b> <b>Contact Ext.:</b> <b>Cont Fax Area Cde:</b> <b>Contact Fax:</b> <b>Contact Email:</b> <b>Latitude:</b> 43.4606 <b>Longitude:</b> -79.6797 <b>UTM Zone:</b> <b>UTM Northing:</b> <b>UTM Easting:</b> <b>Waste Streams:</b> <b>No Streams:</b> <b>Waste Off Sites:</b> <b>No Off Sites:</b> <b>Shutdown:</b> <b>No of Shutdown:</b>			
<a href="#">95</a>	102 of 122	NNE/297.4	105.0 / 1.44	General Electric Canada Inc. 420 South Service Road East Oakville ON L5N 5P9	ECA
<b>Approval No:</b> 4005-5LJPGF <b>Approval Date:</b> 2003-04-16 <b>Status:</b> Revoked and/or Replaced <b>Record Type:</b> ECA <b>Link Source:</b> IDS <b>SWP Area Name:</b> Halton <b>Approval Type:</b> ECA-AIR <b>Project Type:</b> AIR <b>Business Name:</b> General Electric Canada Inc. <b>Address:</b> 420 South Service Road East <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/3884-5GNLX7-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/3884-5GNLX7-14.pdf</a> <b>PDF Site Location:</b>		<b>MOE District:</b> Halton-Peel <b>City:</b> <b>Longitude:</b> -79.68116 <b>Latitude:</b> 43.463238 <b>Geometry X:</b> <b>Geometry Y:</b>			
<a href="#">95</a>	103 of 122	NNE/297.4	105.0 / 1.44	General Electric Canada Inc. Oakville Lamp Plant, 420 South Service Rd. East	ECA



Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Oakville ON L5N 5P9</b>					
<b>Approval No:</b>	4092-5GRQLP			<b>MOE District:</b>	Halton-Peel
<b>Approval Date:</b>	2002-12-16			<b>City:</b>	
<b>Status:</b>	Revoked and/or Replaced			<b>Longitude:</b>	-79.68116
<b>Record Type:</b>	ECA			<b>Latitude:</b>	43.463238
<b>Link Source:</b>	IDS			<b>Geometry X:</b>	
<b>SWP Area Name:</b>	Halton			<b>Geometry Y:</b>	
<b>Approval Type:</b>	ECA-AIR				
<b>Project Type:</b>	AIR				
<b>Business Name:</b>	General Electric Canada Inc.				
<b>Address:</b>	Oakville Lamp Plant, 420 South Service Rd. East				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/8292-5CLGHU-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/8292-5CLGHU-14.pdf</a>				
<b>PDF Site Location:</b>					
<a href="#"><u>95</u></a>	104 of 122	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>General Electric Canada Inc. Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L5N 5P9</b>	<b>ECA</b>
<b>Approval No:</b>	6765-4JBS4K			<b>MOE District:</b>	Halton-Peel
<b>Approval Date:</b>	2000-04-25			<b>City:</b>	
<b>Status:</b>	Revoked and/or Replaced			<b>Longitude:</b>	-79.68116
<b>Record Type:</b>	ECA			<b>Latitude:</b>	43.463238
<b>Link Source:</b>	IDS			<b>Geometry X:</b>	
<b>SWP Area Name:</b>	Halton			<b>Geometry Y:</b>	
<b>Approval Type:</b>	ECA-AIR				
<b>Project Type:</b>	AIR				
<b>Business Name:</b>	General Electric Canada Inc.				
<b>Address:</b>	Oakville Lamp Plant, 420 South Service Rd. East				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/7383-4G3LGQ-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/7383-4G3LGQ-14.pdf</a>				
<b>PDF Site Location:</b>					
<a href="#"><u>95</u></a>	105 of 122	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>General Electric Canada Inc. Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L5N 5P9</b>	<b>ECA</b>
<b>Approval No:</b>	4195-5ATJ6V			<b>MOE District:</b>	Halton-Peel
<b>Approval Date:</b>	2002-06-14			<b>City:</b>	
<b>Status:</b>	Revoked and/or Replaced			<b>Longitude:</b>	-79.68116
<b>Record Type:</b>	ECA			<b>Latitude:</b>	43.463238
<b>Link Source:</b>	IDS			<b>Geometry X:</b>	
<b>SWP Area Name:</b>	Halton			<b>Geometry Y:</b>	
<b>Approval Type:</b>	ECA-AIR				
<b>Project Type:</b>	AIR				
<b>Business Name:</b>	General Electric Canada Inc.				
<b>Address:</b>	Oakville Lamp Plant, 420 South Service Rd. East				
<b>Full Address:</b>					
<b>Full PDF Link:</b>	<a href="https://www.accessenvironment.ene.gov.on.ca/instruments/5564-58VQNP-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/5564-58VQNP-14.pdf</a>				
<b>PDF Site Location:</b>					
<a href="#"><u>95</u></a>	106 of 122	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>General Electric Canada Inc. 420 South Service Rd E Oakville ON L5N 5P9</b>	<b>ECA</b>
<b>Approval No:</b>	5876-85ULQH			<b>MOE District:</b>	Halton-Peel
<b>Approval Date:</b>	2010-06-08			<b>City:</b>	
<b>Status:</b>	Approved			<b>Longitude:</b>	-79.68116
<b>Record Type:</b>	ECA			<b>Latitude:</b>	43.463238

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Link Source:</b> <b>SWP Area Name:</b> <b>Approval Type:</b> <b>Project Type:</b> <b>Business Name:</b> <b>Address:</b> <b>Full Address:</b> <b>Full PDF Link:</b> <b>PDF Site Location:</b>	IDS Halton	ECA-AIR AIR	General Electric Canada Inc. 420 South Service Rd E	<b>Geometry X:</b> <b>Geometry Y:</b>	
<a href="#">95</a>	107 of 122	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>General Electric Canada Inc.</b> <b>420 South Service Rd</b> <b>Oakville ON L5N 5P9</b>	<b>ECA</b>
<b>Approval No:</b> <b>Approval Date:</b> <b>Status:</b> <b>Record Type:</b> <b>Link Source:</b> <b>SWP Area Name:</b> <b>Approval Type:</b> <b>Project Type:</b> <b>Business Name:</b> <b>Address:</b> <b>Full Address:</b> <b>Full PDF Link:</b> <b>PDF Site Location:</b>	5486-58KLSN 2002-04-18 Revoked and/or Replaced ECA IDS Halton	ECA-AIR AIR	General Electric Canada Inc. 420 South Service Rd	<b>MOE District:</b> <b>City:</b> <b>Longitude:</b> <b>Latitude:</b> <b>Geometry X:</b> <b>Geometry Y:</b>	Halton-Peel -79.68178 43.46268
<a href="#">95</a>	108 of 122	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>General Electric Canada Inc.</b> <b>Oakville Lamp Plant, 420 South Service Rd. East</b> <b>Oakville ON L5N 5P9</b>	<b>ECA</b>
<b>Approval No:</b> <b>Approval Date:</b> <b>Status:</b> <b>Record Type:</b> <b>Link Source:</b> <b>SWP Area Name:</b> <b>Approval Type:</b> <b>Project Type:</b> <b>Business Name:</b> <b>Address:</b> <b>Full Address:</b> <b>Full PDF Link:</b> <b>PDF Site Location:</b>	7820-5ASRHX 2002-06-14 Revoked and/or Replaced ECA IDS Halton	ECA-AIR AIR	General Electric Canada Inc. Oakville Lamp Plant, 420 South Service Rd. East	<b>MOE District:</b> <b>City:</b> <b>Longitude:</b> <b>Latitude:</b> <b>Geometry X:</b> <b>Geometry Y:</b>	Halton-Peel -79.68116 43.463238
<a href="#">95</a>	109 of 122	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>General Electric Canada Inc.</b> <b>420 South Service Rd</b> <b>Oakville ON L5N 5P9</b>	<b>ECA</b>
<b>Approval No:</b> <b>Approval Date:</b> <b>Status:</b> <b>Record Type:</b> <b>Link Source:</b> <b>SWP Area Name:</b> <b>Approval Type:</b> <b>Project Type:</b> <b>Business Name:</b> <b>Address:</b>	6128-542HRK 2001-11-26 Revoked and/or Replaced ECA IDS Halton	ECA-AIR AIR	General Electric Canada Inc. 420 South Service Rd	<b>MOE District:</b> <b>City:</b> <b>Longitude:</b> <b>Latitude:</b> <b>Geometry X:</b> <b>Geometry Y:</b>	Halton-Peel -79.68178 43.46268

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/1063-52APQY-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/1063-52APQY-14.pdf</a> <b>PDF Site Location:</b>					
<a href="#">95</a>	110 of 122	NNE/297.4	105.0 / 1.44	General Electric Canada Inc. 420 South Service Road East Oakville ON L5N 5P9	ECA
<b>Approval No:</b> 4582-5NEPZL <b>Approval Date:</b> 2003-07-02 <b>Status:</b> Approved <b>Record Type:</b> ECA <b>Link Source:</b> IDS <b>SWP Area Name:</b> Halton <b>Approval Type:</b> ECA-AIR <b>Project Type:</b> AIR <b>Business Name:</b> General Electric Canada Inc. <b>Address:</b> 420 South Service Road East <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/0711-5MGSCZ-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/0711-5MGSCZ-14.pdf</a> <b>PDF Site Location:</b>					
<a href="#">95</a>	111 of 122	NNE/297.4	105.0 / 1.44	General Electric Canada Inc. Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L5N 5P9	ECA
<b>Approval No:</b> 3874-4K5QL5 <b>Approval Date:</b> 2000-05-09 <b>Status:</b> Revoked and/or Replaced <b>Record Type:</b> ECA <b>Link Source:</b> IDS <b>SWP Area Name:</b> Halton <b>Approval Type:</b> ECA-AIR <b>Project Type:</b> AIR <b>Business Name:</b> General Electric Canada Inc. <b>Address:</b> Oakville Lamp Plant, 420 South Service Rd. East <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/0372-4GDSFW-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/0372-4GDSFW-14.pdf</a> <b>PDF Site Location:</b>					
<a href="#">95</a>	112 of 122	NNE/297.4	105.0 / 1.44	General Electric Canada Inc. Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L5N 5P9	ECA
<b>Approval No:</b> 2682-5BQQKG <b>Approval Date:</b> 2002-07-24 <b>Status:</b> Revoked and/or Replaced <b>Record Type:</b> ECA <b>Link Source:</b> IDS <b>SWP Area Name:</b> Halton <b>Approval Type:</b> ECA-AIR <b>Project Type:</b> AIR <b>Business Name:</b> General Electric Canada Inc. <b>Address:</b> Oakville Lamp Plant, 420 South Service Rd. East <b>Full Address:</b> <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/4159-59HLLC-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/4159-59HLLC-14.pdf</a> <b>PDF Site Location:</b>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<a href="#">95</a>	113 of 122	NNE/297.4	105.0 / 1.44	General Electric Canada Inc. 420 South Service Rd E Oakville ON L5N 5P9	ECA
<p><b>Approval No:</b> 1410-7P6SVV  <b>Approval Date:</b> 2009-02-11  <b>Status:</b> Revoked and/or Replaced  <b>Record Type:</b> ECA  <b>Link Source:</b> IDS  <b>SWP Area Name:</b> Halton  <b>Approval Type:</b> ECA-AIR  <b>Project Type:</b> AIR  <b>Business Name:</b> General Electric Canada Inc.  <b>Address:</b> 420 South Service Rd E  <b>Full Address:</b>  <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/8984-7JHNUW-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/8984-7JHNUW-14.pdf</a>  <b>PDF Site Location:</b></p> <p><b>MOE District:</b> Halton-Peel  <b>City:</b>  <b>Longitude:</b> -79.68116  <b>Latitude:</b> 43.463238  <b>Geometry X:</b>  <b>Geometry Y:</b></p>					
<a href="#">95</a>	114 of 122	NNE/297.4	105.0 / 1.44	General Electric Canada Inc. 420 South Service Road East Oakville ON L5N 5P9	ECA
<p><b>Approval No:</b> 6490-5VDTYR  <b>Approval Date:</b> 2004-02-11  <b>Status:</b> Revoked and/or Replaced  <b>Record Type:</b> ECA  <b>Link Source:</b> IDS  <b>SWP Area Name:</b> Halton  <b>Approval Type:</b> ECA-AIR  <b>Project Type:</b> AIR  <b>Business Name:</b> General Electric Canada Inc.  <b>Address:</b> 420 South Service Road East  <b>Full Address:</b>  <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/8314-5MGSQQ-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/8314-5MGSQQ-14.pdf</a>  <b>PDF Site Location:</b></p> <p><b>MOE District:</b> Halton-Peel  <b>City:</b>  <b>Longitude:</b> -79.68116  <b>Latitude:</b> 43.463238  <b>Geometry X:</b>  <b>Geometry Y:</b></p>					
<a href="#">95</a>	115 of 122	NNE/297.4	105.0 / 1.44	General Electric Canada Inc. Oakville Lamp Plant, 420 South Service Rd. East Oakville ON L5N 5P9	ECA
<p><b>Approval No:</b> 2170-4UKPP2  <b>Approval Date:</b> 2002-04-18  <b>Status:</b> Revoked and/or Replaced  <b>Record Type:</b> ECA  <b>Link Source:</b> IDS  <b>SWP Area Name:</b> Halton  <b>Approval Type:</b> ECA-AIR  <b>Project Type:</b> AIR  <b>Business Name:</b> General Electric Canada Inc.  <b>Address:</b> Oakville Lamp Plant, 420 South Service Rd. East  <b>Full Address:</b>  <b>Full PDF Link:</b> <a href="https://www.accessenvironment.ene.gov.on.ca/instruments/0570-4T9KJC-14.pdf">https://www.accessenvironment.ene.gov.on.ca/instruments/0570-4T9KJC-14.pdf</a>  <b>PDF Site Location:</b></p> <p><b>MOE District:</b> Halton-Peel  <b>City:</b>  <b>Longitude:</b> -79.68116  <b>Latitude:</b> 43.463238  <b>Geometry X:</b>  <b>Geometry Y:</b></p>					
<a href="#">95</a>	116 of 122	NNE/297.4	105.0 / 1.44	FIRST GULF REAL ESTATE CORPORATION 420 SOUTH SERVICE ROAD EAST OAKVILLE ON L6J 2X6	GEN
<p><b>Generator No:</b> ON6452101  <b>SIC Code:</b> 551113  <b>SIC Description:</b> HOLDING COMPANIES</p> <p><b>Status:</b>  <b>Co Admin:</b>  <b>Choice of Contact:</b> CO_OFFICIAL</p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Years:	2015			Phone No Admin:	
PO Box No:				Contam. Facility:	No
Country:	Canada			MHSW Facility:	No

**Detail(s)**

Waste Class: 150  
Waste Class Desc: INERT INORGANIC WASTES

<a href="#">95</a>	117 of 122	NNE/297.4	105.0 / 1.44	General Electric Canada 420 South Service Rd East Oakville ON L6J 2X6	GEN
--------------------	------------	-----------	--------------	---	-----

Generator No: ON0046804  
SIC Code: 335110  
SIC Description: ELECTRIC LAMP BULB AND PARTS  
MANUFACTURING  
Approval Years: 2016  
PO Box No:  
Country: Canada  
Status:  
Co Admin: Tanisha Monster  
Choice of Contact: CO\_OFFICIAL  
Phone No Admin: 416-583-4219 Ext.  
Contam. Facility: No  
MHSW Facility: No

**Detail(s)**

Waste Class: 253  
Waste Class Desc: EMULSIFIED OILS  
Waste Class: 263  
Waste Class Desc: ORGANIC LABORATORY CHEMICALS  
Waste Class: 132  
Waste Class Desc: NEUTRALIZED WASTES - OTHER METALS  
Waste Class: 150  
Waste Class Desc: INERT INORGANIC WASTES  
Waste Class: 112  
Waste Class Desc: ACID WASTE - HEAVY METALS  
Waste Class: 242  
Waste Class Desc: HALOGENATED PESTICIDES  
Waste Class: 232  
Waste Class Desc: POLYMERIC RESINS  
Waste Class: 267  
Waste Class Desc: ORGANIC ACIDS  
Waste Class: 145  
Waste Class Desc: PAINT/PIGMENT/COATING RESIDUES  
Waste Class: 312  
Waste Class Desc: PATHOLOGICAL WASTES  
Waste Class: 211  
Waste Class Desc: AROMATIC SOLVENTS  
Waste Class: 213  
Waste Class Desc: PETROLEUM DISTILLATES  
Waste Class: 221  
Waste Class Desc: LIGHT FUELS  
Waste Class: 148

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		268			
<b>Waste Class Desc:</b>		AMINES			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		121			
<b>Waste Class Desc:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		331			
<b>Waste Class Desc:</b>		WASTE COMPRESSED GASES			
<b>Waste Class:</b>		131			
<b>Waste Class Desc:</b>		NEUTRALIZED WASTES - HEAVY METALS			
<b>Waste Class:</b>		123			
<b>Waste Class Desc:</b>		ALKALINE PHOSPHATES			
<b>Waste Class:</b>		243			
<b>Waste Class Desc:</b>		PCBS			
<b>Waste Class:</b>		241			
<b>Waste Class Desc:</b>		HALOGENATED SOLVENTS			
<b>Waste Class:</b>		251			
<b>Waste Class Desc:</b>		OIL SKIMMINGS & SLUDGES			
<b>Waste Class:</b>		122			
<b>Waste Class Desc:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Class:</b>		113			
<b>Waste Class Desc:</b>		ACID WASTE - OTHER METALS			
<b>Waste Class:</b>		114			
<b>Waste Class Desc:</b>		OTHER INORGANIC ACID WASTES			

[95](#)

118 of 122

NNE/297.4

105.0 / 1.44

General Electric Canada  
420 South Service Rd East  
Oakville ON L6J 2X6

GEN

**Generator No:** ON0046804  
**SIC Code:** 335110  
**SIC Description:** ELECTRIC LAMP BULB AND PARTS  
 MANUFACTURING  
**Approval Years:** 2015  
**PO Box No:**  
**Country:** Canada

**Status:**  
**Co Admin:** Tanisha Monster  
**Choice of Contact:** CO\_OFFICIAL  
**Phone No Admin:** 416-583-4219 Ext.  
**Contam. Facility:** No  
**MHSW Facility:** No

Detail(s)

**Waste Class:** 148  
**Waste Class Desc:** INORGANIC LABORATORY CHEMICALS

**Waste Class:** 252  
**Waste Class Desc:** WASTE OILS & LUBRICANTS

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Class:</b>			131		
<b>Waste Class Desc:</b>			NEUTRALIZED WASTES - HEAVY METALS		
<b>Waste Class:</b>			132		
<b>Waste Class Desc:</b>			NEUTRALIZED WASTES - OTHER METALS		
<b>Waste Class:</b>			241		
<b>Waste Class Desc:</b>			HALOGENATED SOLVENTS		
<b>Waste Class:</b>			267		
<b>Waste Class Desc:</b>			ORGANIC ACIDS		
<b>Waste Class:</b>			146		
<b>Waste Class Desc:</b>			OTHER SPECIFIED INORGANICS		
<b>Waste Class:</b>			212		
<b>Waste Class Desc:</b>			ALIPHATIC SOLVENTS		
<b>Waste Class:</b>			221		
<b>Waste Class Desc:</b>			LIGHT FUELS		
<b>Waste Class:</b>			232		
<b>Waste Class Desc:</b>			POLYMERIC RESINS		
<b>Waste Class:</b>			122		
<b>Waste Class Desc:</b>			ALKALINE WASTES - OTHER METALS		
<b>Waste Class:</b>			251		
<b>Waste Class Desc:</b>			OIL SKIMMINGS & SLUDGES		
<b>Waste Class:</b>			113		
<b>Waste Class Desc:</b>			ACID WASTE - OTHER METALS		
<b>Waste Class:</b>			123		
<b>Waste Class Desc:</b>			ALKALINE PHOSPHATES		
<b>Waste Class:</b>			242		
<b>Waste Class Desc:</b>			HALOGENATED PESTICIDES		
<b>Waste Class:</b>			114		
<b>Waste Class Desc:</b>			OTHER INORGANIC ACID WASTES		
<b>Waste Class:</b>			145		
<b>Waste Class Desc:</b>			PAINT/PIGMENT/COATING RESIDUES		
<b>Waste Class:</b>			243		
<b>Waste Class Desc:</b>			PCBS		
<b>Waste Class:</b>			150		
<b>Waste Class Desc:</b>			INERT INORGANIC WASTES		
<b>Waste Class:</b>			121		
<b>Waste Class Desc:</b>			ALKALINE WASTES - HEAVY METALS		
<b>Waste Class:</b>			331		
<b>Waste Class Desc:</b>			WASTE COMPRESSED GASES		
<b>Waste Class:</b>			253		
<b>Waste Class Desc:</b>			EMULSIFIED OILS		
<b>Waste Class:</b>			263		
<b>Waste Class Desc:</b>			ORGANIC LABORATORY CHEMICALS		
<b>Waste Class:</b>			312		
<b>Waste Class Desc:</b>			PATHOLOGICAL WASTES		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		112			
<b>Waste Class Desc:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			
<b>Waste Class:</b>		211			
<b>Waste Class Desc:</b>		AROMATIC SOLVENTS			
<b>Waste Class:</b>		268			
<b>Waste Class Desc:</b>		AMINES			

<a href="#">95</a>	119 of 122	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>General Electric Canada 420 South Service Rd East Oakville ON L6J 2X6</b>	<b>GEN</b>
<b>Generator No:</b>	ON0046804	<b>Status:</b>			
<b>SIC Code:</b>	335110	<b>Co Admin:</b>	Tanisha Monster		
<b>SIC Description:</b>	ELECTRIC LAMP BULB AND PARTS MANUFACTURING	<b>Choice of Contact:</b>	CO_OFFICIAL		
<b>Approval Years:</b>	2014	<b>Phone No Admin:</b>	416-583-4219 Ext.		
<b>PO Box No:</b>		<b>Contam. Facility:</b>	No		
<b>Country:</b>	Canada	<b>MHSW Facility:</b>	No		

Detail(s)

<b>Waste Class:</b>	251
<b>Waste Class Desc:</b>	OIL SKIMMINGS & SLUDGES
<b>Waste Class:</b>	145
<b>Waste Class Desc:</b>	PAINT/PIGMENT/COATING RESIDUES
<b>Waste Class:</b>	241
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS
<b>Waste Class:</b>	243
<b>Waste Class Desc:</b>	PCBS
<b>Waste Class:</b>	253
<b>Waste Class Desc:</b>	EMULSIFIED OILS
<b>Waste Class:</b>	331
<b>Waste Class Desc:</b>	WASTE COMPRESSED GASES
<b>Waste Class:</b>	150
<b>Waste Class Desc:</b>	INERT INORGANIC WASTES
<b>Waste Class:</b>	263
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS
<b>Waste Class:</b>	122
<b>Waste Class Desc:</b>	ALKALINE WASTES - OTHER METALS
<b>Waste Class:</b>	132
<b>Waste Class Desc:</b>	NEUTRALIZED WASTES - OTHER METALS
<b>Waste Class:</b>	212
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS
<b>Waste Class:</b>	123
<b>Waste Class Desc:</b>	ALKALINE PHOSPHATES
<b>Waste Class:</b>	121
<b>Waste Class Desc:</b>	ALKALINE WASTES - HEAVY METALS



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Waste Class:</i>		112			
<i>Waste Class Desc:</i>		ACID WASTE - HEAVY METALS			
<i>Waste Class:</i>		312			
<i>Waste Class Desc:</i>		PATHOLOGICAL WASTES			
<i>Waste Class:</i>		146			
<i>Waste Class Desc:</i>		OTHER SPECIFIED INORGANICS			
<i>Waste Class:</i>		148			
<i>Waste Class Desc:</i>		INORGANIC LABORATORY CHEMICALS			
<i>Waste Class:</i>		232			
<i>Waste Class Desc:</i>		POLYMERIC RESINS			
<i>Waste Class:</i>		131			
<i>Waste Class Desc:</i>		NEUTRALIZED WASTES - HEAVY METALS			
<i>Waste Class:</i>		113			
<i>Waste Class Desc:</i>		ACID WASTE - OTHER METALS			
<i>Waste Class:</i>		252			
<i>Waste Class Desc:</i>		WASTE OILS & LUBRICANTS			
<i>Waste Class:</i>		267			
<i>Waste Class Desc:</i>		ORGANIC ACIDS			
<i>Waste Class:</i>		213			
<i>Waste Class Desc:</i>		PETROLEUM DISTILLATES			
<i>Waste Class:</i>		242			
<i>Waste Class Desc:</i>		HALOGENATED PESTICIDES			
<i>Waste Class:</i>		114			
<i>Waste Class Desc:</i>		OTHER INORGANIC ACID WASTES			
<i>Waste Class:</i>		211			
<i>Waste Class Desc:</i>		AROMATIC SOLVENTS			
<i>Waste Class:</i>		221			
<i>Waste Class Desc:</i>		LIGHT FUELS			
<i>Waste Class:</i>		268			
<i>Waste Class Desc:</i>		AMINES			

[95](#)    120 of 122    *NNE/297.4*    105.0 / 1.44    **General Electric Canada GE HOME & BUSINESS SOLUTIONS, OAKVILLE**    **GEN**  
**420 South Service Rd East**  
**Oakville ON L6J 2X6**

<b>Generator No:</b>	ON0046804	<b>Status:</b>	Registered
<b>SIC Code:</b>		<b>Co Admin:</b>	
<b>SIC Description:</b>		<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Dec 2018	<b>Phone No Admin:</b>	
<b>PO Box No:</b>		<b>Contam. Facility:</b>	
<b>Country:</b>	Canada	<b>MHSW Facility:</b>	

**Detail(s)**

<b>Waste Class:</b>	146 L
<b>Waste Class Desc:</b>	Other specified inorganic sludges, slurries or solids
<b>Waste Class:</b>	146 T

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class Desc:</b>		Other specified inorganic sludges, slurries or solids			
<b>Waste Class:</b>		150 L			
<b>Waste Class Desc:</b>		Inert organic wastes			
<b>Waste Class:</b>		221 I			
<b>Waste Class Desc:</b>		Light fuels			
<b>Waste Class:</b>		221 L			
<b>Waste Class Desc:</b>		Light fuels			
<b>Waste Class:</b>		243 D			
<b>Waste Class Desc:</b>		PCB			
<b>Waste Class:</b>		251 L			
<b>Waste Class Desc:</b>		Waste oils/sludges (petroleum based)			

[95](#)    121 of 122    **NNE/297.4**    **105.0 / 1.44**    **General Electric Canada GE HOME & BUSINESS SOLUTIONS, OAKVILLE  
420 South Service Rd East  
Oakville ON L6J 2X6**    **GEN**

<b>Generator No:</b>	ON0046804	<b>Status:</b>	Registered
<b>SIC Code:</b>		<b>Co Admin:</b>	
<b>SIC Description:</b>		<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Oct 2019	<b>Phone No Admin:</b>	
<b>PO Box No:</b>		<b>Contam. Facility:</b>	
<b>Country:</b>	Canada	<b>MHSW Facility:</b>	

**Detail(s)**

<b>Waste Class:</b>	243 D
<b>Waste Class Desc:</b>	PCB
<b>Waste Class:</b>	221 L
<b>Waste Class Desc:</b>	Light fuels
<b>Waste Class:</b>	221 I
<b>Waste Class Desc:</b>	Light fuels
<b>Waste Class:</b>	150 L
<b>Waste Class Desc:</b>	Inert organic wastes
<b>Waste Class:</b>	146 T
<b>Waste Class Desc:</b>	Other specified inorganic sludges, slurries or solids
<b>Waste Class:</b>	251 L
<b>Waste Class Desc:</b>	Waste oils/sludges (petroleum based)
<b>Waste Class:</b>	146 L
<b>Waste Class Desc:</b>	Other specified inorganic sludges, slurries or solids

[95](#)    122 of 122    **NNE/297.4**    **105.0 / 1.44**    **CANADIAN GENERAL ELECTRIC  
420 SOUTH SERVICE RD.  
OAKVILLE ON**    **REC**

<b>ID:</b>		<b>Phone No:</b>	
<b>Company ID:</b>		<b>Province In:</b>	ONTARIO
<b>Receiver No:</b>	302-87A008	<b>Province Out:</b>	
<b>County Out:</b>		<b>Co Admin:</b>	
<b>Mail Addr:</b>		<b>Choice of Contact:</b>	
<b>Site PO Box:</b>			
<b>Rec Div:</b>			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Rec Op Div:</b> <b>Rec Op Name:</b> <b>Site Bldg:</b> <b>Facility Type:</b> PCB STORAGE SITE <b>Approval Yrs:</b> 1987; 1988; 1989; 1990; 1992; 1994; 1995; 1996; 1997; 1998; 1999; 2000; 2001; 2002; 2003; 2004; 2005; 2006; 2007; 2008					
<b><u>1995 Receiver Manifest Details</u></b>					
<b>Gen Dist:</b> 100 <b>Gen District Office Name:</b> LONDON, ONT <b>Gen Region Code:</b> 01 <b>Gen Region Office Name:</b> SOUTHWESTERN REGION <b>Gen Sic:</b> 9999 <b>NAICS Desc:</b> OTHER SERVICES <b>Waste Code:</b> 243 <b>Waste Class:</b> PCB'S <b>Waste Chara:</b> D <b>Char Desc:</b> PCB WASTE <b>Waste Count:</b> 1 <b>Qty Recvd:</b> 600					
<b><u>1999 Receiver Waste Information Details</u></b>					
<b>Waste Code:</b> 243 <b>Waste Desc:</b> PCB'S					
<a href="#">96</a>	1 of 10	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>CANADIAN GENERAL ELECTRIC 420 SOUTH SERVICE RD. OAKVILLE ON L6J 5C1</b>	<b>NPCB</b>
<b>Company Code:</b> F1090 <b>Industry:</b> <b>Site Status:</b> <b>Transaction Date:</b> 1/29/1996 <b>Inspection Date:</b>					
<b><u>--Details--</u></b>					
<b>Label:</b> <b>Serial No.:</b> <b>PCB Type/Code:</b> Askarel <b>Location:</b> <b>Item/State:</b> <b>No. of Items:</b> <b>Manufacturer:</b> <b>Status:</b> Stored for Disposal <b>Contents:</b> 104558.00 KG					
<b>Label:</b> <b>Serial No.:</b> <b>PCB Type/Code:</b> Unknown concentration <b>Location:</b> <b>Item/State:</b> <b>No. of Items:</b> <b>Manufacturer:</b> <b>Status:</b> Stored for Disposal <b>Contents:</b> 222754.00 KG					
<a href="#">96</a>	2 of 10	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>CANADIAN GENERAL ELECTRIC 420 SOUTH SERVICE RD.</b>	<b>OPCB</b>

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

OAKVILLE ON L6J 5C1

Year: 1998  
 Site Number: 30287A008  
 Name Owner:  
 Additional Site Information:

--Details--

Quantity: 2240.00  
 Address Site:  
 Description: Weight of Bulk Liquid with High Level PCBs (>1000 ppm) kg

Quantity: 3.00  
 Address Site:  
 Description: Number of Transformers with High Level PCBs (>1000 ppm)

Quantity: 12.00  
 Address Site:  
 Description: Number of Drums of Ballasts with High Level PCBs (>1000 ppm)

Quantity: 2400.00  
 Address Site:  
 Description: Calculated Weight (Kg) of Drums of Ballasts with High Level PCBs (>1000 ppm)

Quantity: 11.00  
 Address Site:  
 Description: Number of Capacitors with High Level PCBs (>1000 ppm)

Quantity: 8.00  
 Address Site:  
 Description: Number of Transformers with Low Level PCBs (< 1000 ppm) kg

Quantity: 17.00  
 Address Site:  
 Description: Number of Drums of Soil with Low Level PCBs (< 1000 ppm) kg

Quantity: 6800.00  
 Address Site:  
 Description: Calculated Weight (Kg) of Drums of Soil with Low Level PCBs (< 1000 ppm) kg

Quantity: 3.00  
 Address Site:  
 Description: Number of Drums of Other Material with Low Level PCBs (< 1000 ppm) kg

Quantity: 450.00  
 Address Site:  
 Description: Calculated Weight of Drums of Other Material with Low Level PCBs (< 1000 ppm) kg

<a href="#">96</a>	3 of 10	NNE/297.4	105.0 / 1.44	CANADIAN GENERAL ELECTRIC 420 SOUTH SERVICE RD. OAKVILLE ON L6J 5C1	OPCB
--------------------	---------	-----------	--------------	---	------

Year: 1999  
 Site Number: 30287A008  
 Name Owner:  
 Additional Site Information:

--Details--

Quantity: 4.00  
 Address Site:  
 Description: Number of Transformers with High Level PCBs (>1000 ppm)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p><b>Quantity:</b> 8.00  <b>Address Site:</b>  <b>Description:</b> Number of Transformers with Low Level PCBs (&lt; 1000 ppm) kg</p> <p><b>Quantity:</b> 100.00  <b>Address Site:</b>  <b>Description:</b> Weight of Other Material Not in Drums with Low Level PCBs (&lt; 1000 ppm) kg</p>					
<a href="#">96</a>	4 of 10	NNE/297.4	105.0 / 1.44	CANADIAN GENERAL ELECTRIC 420 SOUTH SERVICE RD. OAKVILLE ON L6J 5C1	OPCB
<p><b>Year:</b> 2000  <b>Site Number:</b> 30287A008  <b>Name Owner:</b>  <b>Additional Site Information:</b></p> <p><b>--Details--</b>  <b>Quantity:</b> 100.00  <b>Address Site:</b>  <b>Description:</b> Weight of Other Material Not in Drums with Low Level PCBs (&lt; 1000 ppm) kg</p>					
<a href="#">96</a>	5 of 10	NNE/297.4	105.0 / 1.44	CANADIAN GENERAL ELECTRIC 420 SOUTH SERVICE RD. OAKVILLE ON L6J 5C1	OPCB
<p><b>Year:</b> 1995  <b>Site Number:</b> 30287A008  <b>Name Owner:</b>  <b>Additional Site Information:</b></p> <p><b>--Details--</b>  <b>Quantity:</b> 29.00  <b>Address Site:</b>  <b>Description:</b> Number of Drums of Soil with High Level PCBs (&gt;1000 ppm)</p> <p><b>Quantity:</b> 11600.00  <b>Address Site:</b>  <b>Description:</b> Weight of Drums of Soil with High Level PCBs (&gt;1000 ppm) kg</p> <p><b>Quantity:</b> 6.00  <b>Address Site:</b>  <b>Description:</b> Number of Transformers with Low Level PCBs (&lt; 1000 ppm) kg</p>					
<a href="#">96</a>	6 of 10	NNE/297.4	105.0 / 1.44	CANADIAN GENERAL ELECTRIC CO. LTD. 420 SOUTH SERVICE ROAD OAKVILLE ON L6J 5C1	GEN
<p><b>Generator No:</b> ON0046804  <b>SIC Code:</b> 3333  <b>SIC Description:</b> LAMP (BULB &amp; TUBE)  <b>Approval Years:</b> 86,87  <b>PO Box No:</b>  <b>Country:</b></p> <p><b>Status:</b>  <b>Co Admin:</b>  <b>Choice of Contact:</b>  <b>Phone No Admin:</b>  <b>Contam. Facility:</b>  <b>MHSW Facility:</b></p> <p><b>Detail(s)</b></p> <p><b>Waste Class:</b> 112</p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class Desc:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Class:</b>		121			
<b>Waste Class Desc:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Class:</b>		122			
<b>Waste Class Desc:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			

[96](#)      7 of 10      **NNE/297.4**      **105.0 / 1.44**      **CANADIAN GENERAL ELECTRIC CO. LTD.  
420 SOUTH SERVICE ROAD  
OAKVILLE ON L6J 5C1**      **GEN**

<b>Generator No:</b>	ON0046804	<b>Status:</b>	
<b>SIC Code:</b>	3333	<b>Co Admin:</b>	
<b>SIC Description:</b>	LAMP (BULB & TUBE)	<b>Choice of Contact:</b>	
<b>Approval Years:</b>	88	<b>Phone No Admin:</b>	
<b>PO Box No:</b>		<b>Contam. Facility:</b>	
<b>Country:</b>		<b>MHSW Facility:</b>	

**Detail(s)**

<b>Waste Class:</b>	112
<b>Waste Class Desc:</b>	ACID WASTE - HEAVY METALS
<b>Waste Class:</b>	121
<b>Waste Class Desc:</b>	ALKALINE WASTES - HEAVY METALS
<b>Waste Class:</b>	122
<b>Waste Class Desc:</b>	ALKALINE WASTES - OTHER METALS
<b>Waste Class:</b>	146
<b>Waste Class Desc:</b>	OTHER SPECIFIED INORGANICS
<b>Waste Class:</b>	212
<b>Waste Class Desc:</b>	ALIPHATIC SOLVENTS
<b>Waste Class:</b>	252
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS

[96](#)      8 of 10      **NNE/297.4**      **105.0 / 1.44**      **GE LIGHTING CANADA  
DIV. OF GE CANADA 420 SOUTH SERVICE RD.  
OAKVILLE ON L6J 5C1**      **GEN**

<b>Generator No:</b>	ON0046804	<b>Status:</b>	
<b>SIC Code:</b>	3333	<b>Co Admin:</b>	
<b>SIC Description:</b>	LAMP (BULB & TUBE)	<b>Choice of Contact:</b>	
<b>Approval Years:</b>	89,90	<b>Phone No Admin:</b>	
<b>PO Box No:</b>		<b>Contam. Facility:</b>	
<b>Country:</b>		<b>MHSW Facility:</b>	

**Detail(s)**

<b>Waste Class:</b>	112
<b>Waste Class Desc:</b>	ACID WASTE - HEAVY METALS

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			
<b>Waste Class:</b>		241			
<b>Waste Class Desc:</b>		HALOGENATED SOLVENTS			
<b>Waste Class:</b>		252			
<b>Waste Class Desc:</b>		WASTE OILS & LUBRICANTS			
<b>Waste Class:</b>		121			
<b>Waste Class Desc:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Class:</b>		122			
<b>Waste Class Desc:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			

<a href="#"><u>96</u></a>	9 of 10	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>General Electric Canada 420 South Service Rd East Oakville ON</b>	<b>GEN</b>
<b>Generator No:</b>	ON0046804			<b>Status:</b>	
<b>SIC Code:</b>	335110			<b>Co Admin:</b>	
<b>SIC Description:</b>	Electric Lamp Bulb & Parts Mfg.			<b>Choice of Contact:</b>	
<b>Approval Years:</b>	03,04,05,06,07,08			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>				<b>MHSW Facility:</b>	

**Detail(s)**

<b>Waste Class:</b>	241
<b>Waste Class Desc:</b>	HALOGENATED SOLVENTS
<b>Waste Class:</b>	243
<b>Waste Class Desc:</b>	PCB'S
<b>Waste Class:</b>	252
<b>Waste Class Desc:</b>	WASTE OILS & LUBRICANTS
<b>Waste Class:</b>	253
<b>Waste Class Desc:</b>	EMULSIFIED OILS
<b>Waste Class:</b>	263
<b>Waste Class Desc:</b>	ORGANIC LABORATORY CHEMICALS
<b>Waste Class:</b>	268
<b>Waste Class Desc:</b>	AMINES
<b>Waste Class:</b>	312
<b>Waste Class Desc:</b>	PATHOLOGICAL WASTES
<b>Waste Class:</b>	267
<b>Waste Class Desc:</b>	ORGANIC ACIDS
<b>Waste Class:</b>	132
<b>Waste Class Desc:</b>	NEUTRALIZED WASTES - OTHER METALS
<b>Waste Class:</b>	331
<b>Waste Class Desc:</b>	WASTE COMPRESSED GASES

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Waste Class:</b>		112			
<b>Waste Class Desc:</b>		ACID WASTE - HEAVY METALS			
<b>Waste Class:</b>		113			
<b>Waste Class Desc:</b>		ACID WASTE - OTHER METALS			
<b>Waste Class:</b>		121			
<b>Waste Class Desc:</b>		ALKALINE WASTES - HEAVY METALS			
<b>Waste Class:</b>		122			
<b>Waste Class Desc:</b>		ALKALINE WASTES - OTHER METALS			
<b>Waste Class:</b>		123			
<b>Waste Class Desc:</b>		ALKALINE PHOSPHATES			
<b>Waste Class:</b>		145			
<b>Waste Class Desc:</b>		PAINT/PIGMENT/COATING RESIDUES			
<b>Waste Class:</b>		146			
<b>Waste Class Desc:</b>		OTHER SPECIFIED INORGANICS			
<b>Waste Class:</b>		148			
<b>Waste Class Desc:</b>		INORGANIC LABORATORY CHEMICALS			
<b>Waste Class:</b>		150			
<b>Waste Class Desc:</b>		INERT INORGANIC WASTES			
<b>Waste Class:</b>		211			
<b>Waste Class Desc:</b>		AROMATIC SOLVENTS			
<b>Waste Class:</b>		212			
<b>Waste Class Desc:</b>		ALIPHATIC SOLVENTS			
<b>Waste Class:</b>		213			
<b>Waste Class Desc:</b>		PETROLEUM DISTILLATES			
<b>Waste Class:</b>		232			
<b>Waste Class Desc:</b>		POLYMERIC RESINS			

<a href="#">96</a>	10 of 10	<b>NNE/297.4</b>	<b>105.0 / 1.44</b>	<b>GENERAL ELECTRIC CANADA (CANADIAN GENERAL ELECTRIC CO LTD) OAKVILLE EAST LAMP PLANT 420 SOUTH SERVICE ROAD OAKVILLE ON L6J 2X6</b>	<b>NPCB</b>
--------------------	----------	------------------	---------------------	---	-------------

**Company Code:** O0701A  
**Industry:** ELECTRICAL  
**Site Status:** NO MORE PCB'S ON THIS SITE  
**Transaction Date:** 10/7/1996  
**Inspection Date:** 6/29/1994

**--Details--**

**Label:** OR59441  
**Serial No.:** 7335117  
**PCB Type/Code:** ASKAREL/ASKAREL  
**Location:**  
**Item/State:** CAPACITOR/FULL  
**No. of Items:** 1  
**Manufacturer:**  
**Status:** STORED FOR DISPOSAL  
**Contents:** 7 L  
  
**Label:** OR59439



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Serial No.:</b>		7341503			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>		CAPACITOR/FULL			
<b>Item/State:</b>		1			
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		1,6 L			
<b>Label:</b>		OR59438			
<b>Serial No.:</b>		7341425			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>		CAPACITOR/FULL			
<b>Item/State:</b>		1			
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		1.6 L			
<b>Label:</b>		OR59443			
<b>Serial No.:</b>		7340517			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>		CAPACITOR/FULL			
<b>Item/State:</b>		1			
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.2 L			
<b>Label:</b>		OR59435			
<b>Serial No.:</b>		7341436			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>		CAPACITOR/FULL			
<b>Item/State:</b>		1			
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		1.6 L			
<b>Label:</b>		OR59436			
<b>Serial No.:</b>		7346297			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>		CAPACITOR/FULL			
<b>Item/State:</b>		1			
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		1.6 L			
<b>Label:</b>		OR59434			
<b>Serial No.:</b>		7341504			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>		CAPACITOR/FULL			
<b>Item/State:</b>		1			
<b>No. of Items:</b>					
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		1.6 L			
<b>Label:</b>		OR00370			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>		CAPACITOR/FULL			
<b>Item/State:</b>		1			
<b>No. of Items:</b>					
<b>Manufacturer:</b>					

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Status:</b>				STORED FOR DISPOSAL	
<b>Contents:</b>			7.14 L		
<b>Label:</b>				OR00359	
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>				ASKAREL/ASKAREL	
<b>Location:</b>					
<b>Item/State:</b>				CAPACITOR/FULL	
<b>No. of Items:</b>				1	
<b>Manufacturer:</b>					
<b>Status:</b>				STORED FOR DISPOSAL	
<b>Contents:</b>			7.14 L		
<b>Label:</b>				OR00360	
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>				ASKAREL/ASKAREL	
<b>Location:</b>					
<b>Item/State:</b>				CAPACITOR/FULL	
<b>No. of Items:</b>				1	
<b>Manufacturer:</b>					
<b>Status:</b>				STORED FOR DISPOSAL	
<b>Contents:</b>			7.14 L		
<b>Label:</b>				OR00361	
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>				ASKAREL/ASKAREL	
<b>Location:</b>					
<b>Item/State:</b>				CAPACITOR/FULL	
<b>No. of Items:</b>				1	
<b>Manufacturer:</b>					
<b>Status:</b>				STORED FOR DISPOSAL	
<b>Contents:</b>			7.14 L		
<b>Label:</b>				OR00385	
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>				ASKAREL/ASKAREL	
<b>Location:</b>					
<b>Item/State:</b>				CAPACITOR/FULL	
<b>No. of Items:</b>				1	
<b>Manufacturer:</b>					
<b>Status:</b>				STORED FOR DISPOSAL	
<b>Contents:</b>			8.7 L		
<b>Label:</b>				OR00357	
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>				ASKAREL/ASKAREL	
<b>Location:</b>					
<b>Item/State:</b>				CAPACITOR/FULL	
<b>No. of Items:</b>				1	
<b>Manufacturer:</b>					
<b>Status:</b>				STORED FOR DISPOSAL	
<b>Contents:</b>			7.14 L		
<b>Label:</b>				OR00389	
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>				ASKAREL/ASKAREL	
<b>Location:</b>					
<b>Item/State:</b>				CAPACITOR/FULL	
<b>No. of Items:</b>				1	
<b>Manufacturer:</b>					
<b>Status:</b>				STORED FOR DISPOSAL	
<b>Contents:</b>			4.5 L		
<b>Label:</b>				OR00355	
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>				ASKAREL/ASKAREL	

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		7.14 L			
<b>Label:</b>		OR00354			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		7.14 L			
<b>Label:</b>		OR00353			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		7.14 L			
<b>Label:</b>		OR00352			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		7.14 L			
<b>Label:</b>		OR00351			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		7.14 L			
<b>Label:</b>		DO03821			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		BARREL PCB ASKAREL/FULL			
<b>No. of Items:</b>		11			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		2200 L			
<b>Label:</b>		OR00371			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		7.14 L			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Label:</b>		OR00372			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		7.14 L			
<b>Label:</b>		OR00373			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		7.14 L			
<b>Label:</b>		OR58092			
<b>Serial No.:</b>		7447531			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		3.5 L			
<b>Label:</b>		OR58091			
<b>Serial No.:</b>		G020490			
<b>PCB Type/Code:</b>		ASKAREL/PYRANOL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR00358			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		7.14 L			
<b>Label:</b>		OR00378			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		8.7 L			
<b>Label:</b>		OR00375			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			

<b>Map Key</b>	<b>Number of Records</b>	<b>Direction/ Distance (m)</b>	<b>Elev/Diff (m)</b>	<b>Site</b>	<b>DB</b>
<b>No. of Items:</b>	1				
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		8.7 L			
<b>Label:</b>		OR00376			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>	1				
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		8.7 L			
<b>Label:</b>		OR00362			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>	1				
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		7.14 L			
<b>Label:</b>		OR00377			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>	1				
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		8.7 L			
<b>Label:</b>		OR58089			
<b>Serial No.:</b>		7346295			
<b>PCB Type/Code:</b>		ASKAREL/PYRANOL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>	1				
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		3.5 L			
<b>Label:</b>		OR53260			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>	1				
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4,5 L			
<b>Label:</b>		OR58090			
<b>Serial No.:</b>		7341509			
<b>PCB Type/Code:</b>		ASKAREL/PYRANOL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>	1				
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		3,5 L			
<b>Label:</b>		OR00384			

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>		CAPACITOR/FULL			
<b>Item/State:</b>					
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		8,7 L			
<b>Label:</b>		OR00379			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>		CAPACITOR/FULL			
<b>Item/State:</b>					
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		8,7 L			
<b>Label:</b>		OR53360			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>		IN STORAGE			
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>		CGE			
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		6.95 L			
<b>Label:</b>		OR53361			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>		IN STORAGE			
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>		CGE			
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		6.95 L			
<b>Label:</b>		OR55541			
<b>Serial No.:</b>		7341444			
<b>PCB Type/Code:</b>		ASKAREL/PYRANOL			
<b>Location:</b>		CAPACITOR/FULL			
<b>Item/State:</b>					
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		1.58 L			
<b>Label:</b>		OR00364			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>		CAPACITOR/FULL			
<b>Item/State:</b>					
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		7.14 L			
<b>Label:</b>		OR55540			
<b>Serial No.:</b>		586L826-2			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>		CAPACITOR/FULL			
<b>Item/State:</b>					
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Status:</b>				STORED FOR DISPOSAL	
<b>Contents:</b>			6.95 L		
<b>Label:</b>			OR58088		
<b>Serial No.:</b>			7447532		
<b>PCB Type/Code:</b>			ASKAREL/PYRANOL		
<b>Location:</b>					
<b>Item/State:</b>			CAPACITOR/FULL		
<b>No. of Items:</b>			1		
<b>Manufacturer:</b>					
<b>Status:</b>				STORED FOR DISPOSAL	
<b>Contents:</b>			3.5 L		
<b>Label:</b>			OR00356		
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>			ASKAREL/ASKAREL		
<b>Location:</b>					
<b>Item/State:</b>			CAPACITOR/FULL		
<b>No. of Items:</b>			1		
<b>Manufacturer:</b>					
<b>Status:</b>				STORED FOR DISPOSAL	
<b>Contents:</b>			7.14 L		
<b>Label:</b>			OR00386		
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>			ASKAREL/ASKAREL		
<b>Location:</b>					
<b>Item/State:</b>			CAPACITOR/FULL		
<b>No. of Items:</b>			1		
<b>Manufacturer:</b>					
<b>Status:</b>				STORED FOR DISPOSAL	
<b>Contents:</b>			4.5 L		
<b>Label:</b>			OR00387		
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>			ASKAREL/ASKAREL		
<b>Location:</b>					
<b>Item/State:</b>			CAPACITOR/FULL		
<b>No. of Items:</b>			1		
<b>Manufacturer:</b>					
<b>Status:</b>				STORED FOR DISPOSAL	
<b>Contents:</b>			4.5 L		
<b>Label:</b>			OR00391		
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>			ASKAREL/ASKAREL		
<b>Location:</b>					
<b>Item/State:</b>			CAPACITOR/FULL		
<b>No. of Items:</b>			1		
<b>Manufacturer:</b>					
<b>Status:</b>				STORED FOR DISPOSAL	
<b>Contents:</b>			4.5 L		
<b>Label:</b>			OR53359		
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>			ASKAREL/ASKAREL		
<b>Location:</b>			IN STORAGE		
<b>Item/State:</b>			CAPACITOR/FULL		
<b>No. of Items:</b>			1		
<b>Manufacturer:</b>			CGE		
<b>Status:</b>				STORED FOR DISPOSAL	
<b>Contents:</b>			6.95 L		
<b>Label:</b>			OR00363		
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>			ASKAREL/ASKAREL		

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		6.95 L			
<b>Label:</b>		OR53261			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4.5 L			
<b>Label:</b>		OR00368			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		7.14 L			
<b>Label:</b>		OR00369			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		7.14 L			
<b>Label:</b>		OR00374			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		8,7 L			
<b>Label:</b>		OR00380			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		8,7 L			
<b>Label:</b>		OR00381			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		8,7 L			



<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<b>Label:</b>		OR00366			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		7,14 L			
<b>Label:</b>		OR00383			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		8,7 L			
<b>Label:</b>		OR00365			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		4,15 L			
<b>Label:</b>		OR00367			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		7,14 L			
<b>Label:</b>		OR00382			
<b>Serial No.:</b>					
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		8,7 L			
<b>Label:</b>		OR59440			
<b>Serial No.:</b>		7335103			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			
<b>No. of Items:</b>		1			
<b>Manufacturer:</b>					
<b>Status:</b>		STORED FOR DISPOSAL			
<b>Contents:</b>		7 L			
<b>Label:</b>		OR59442			
<b>Serial No.:</b>		7334516			
<b>PCB Type/Code:</b>		ASKAREL/ASKAREL			
<b>Location:</b>					
<b>Item/State:</b>		CAPACITOR/FULL			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<p><b>No. of Items:</b> 1</p> <p><b>Manufacturer:</b></p> <p><b>Status:</b> STORED FOR DISPOSAL</p> <p><b>Contents:</b> 7 L</p> <p><b>Label:</b> OR59433</p> <p><b>Serial No.:</b> 7341443</p> <p><b>PCB Type/Code:</b> ASKAREL/ASKAREL</p> <p><b>Location:</b></p> <p><b>Item/State:</b> CAPACITOR/FULL</p> <p><b>No. of Items:</b> 1</p> <p><b>Manufacturer:</b></p> <p><b>Status:</b> STORED FOR DISPOSAL</p> <p><b>Contents:</b> 1,6 L</p> <p><b>Label:</b> OR59437</p> <p><b>Serial No.:</b> 7341445</p> <p><b>PCB Type/Code:</b> ASKAREL/ASKAREL</p> <p><b>Location:</b></p> <p><b>Item/State:</b> CAPACITOR/FULL</p> <p><b>No. of Items:</b> 1</p> <p><b>Manufacturer:</b></p> <p><b>Status:</b> STORED FOR DISPOSAL</p> <p><b>Contents:</b> 1,6 L</p>					
<a href="#">97</a>	1 of 2	S/297.5	100.0 / -3.58	TACO BELL OF CANADA 546 TRAFALGAR ROAD OAKVILLE TOWN ON L6J 3J2	CA
<p><b>Certificate #:</b> 8-3451-94-</p> <p><b>Application Year:</b> 94</p> <p><b>Issue Date:</b> 9/29/1994</p> <p><b>Approval Type:</b> Industrial air</p> <p><b>Status:</b> Approved</p> <p><b>Application Type:</b></p> <p><b>Client Name:</b></p> <p><b>Client Address:</b></p> <p><b>Client City:</b></p> <p><b>Client Postal Code:</b></p> <p><b>Project Description:</b> CONDENSATE HOOD &amp; FRYER EXHAUST HOOD</p> <p><b>Contaminants:</b> Nitrogen Oxides, Odour/Fumes</p> <p><b>Emission Control:</b> No Controls</p>					
<a href="#">97</a>	2 of 2	S/297.5	100.0 / -3.58	BEAVER LUMBER CO LTD 546 TRAFALGAR RD OAKVILLE ON L6J 3J2	PES
<p><b>Detail Licence No:</b></p> <p><b>Licence No:</b></p> <p><b>Status:</b></p> <p><b>Approval Date:</b></p> <p><b>Report Source:</b></p> <p><b>Licence Type:</b> Vendor</p> <p><b>Licence Type Code:</b></p> <p><b>Licence Class:</b></p> <p><b>Licence Control:</b></p> <p><b>Latitude:</b></p> <p><b>Longitude:</b></p> <p><b>Lot:</b></p> <p><b>Concession:</b></p> <p><b>Region:</b></p> <p><b>District:</b></p> <p><b>Operator Box:</b></p> <p><b>Operator Class:</b></p> <p><b>Operator No:</b></p> <p><b>Operator Type:</b></p> <p><b>Oper Area Code:</b></p> <p><b>Oper Phone No:</b></p> <p><b>Operator Ext:</b></p> <p><b>Operator Lot:</b></p> <p><b>Oper Concession:</b></p> <p><b>Operator Region:</b></p> <p><b>Operator District:</b></p> <p><b>Operator County:</b></p> <p><b>Op Municipality:</b></p> <p><b>Post Office Box:</b></p> <p><b>MOE District:</b></p>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
County: Trade Name: PDF Link: PDF Site Location:				SWP Area Name:	
<a href="#">98</a>	1 of 5	WSW/297.5	104.9 / 1.29	Regional Municipality of Halton 232 South Service Road Unit B Oakville ON L6J 2X5	GEN
<b>Generator No:</b>	ON5902620			<b>Status:</b>	
<b>SIC Code:</b>	621499			<b>Co Admin:</b>	Melanie A Reffell
<b>SIC Description:</b>	ALL OTHER OUT-PATIENT CARE CENTRES			<b>Choice of Contact:</b>	CO_ADMIN
<b>Approval Years:</b>	2016			<b>Phone No Admin:</b>	905 825 6000 Ext.3509
<b>PO Box No:</b>				<b>Contam. Facility:</b>	No
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	No
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	312				
<b>Waste Class Desc:</b>	PATHOLOGICAL WASTES				
<b>Waste Class:</b>	261				
<b>Waste Class Desc:</b>	PHARMACEUTICALS				
<a href="#">98</a>	2 of 5	WSW/297.5	104.9 / 1.29	Regional Municipality of Halton 232 South Service Road Unit B Oakville ON L6J 2X5	GEN
<b>Generator No:</b>	ON5902620			<b>Status:</b>	
<b>SIC Code:</b>	621499			<b>Co Admin:</b>	Melanie A Reffell
<b>SIC Description:</b>	ALL OTHER OUT-PATIENT CARE CENTRES			<b>Choice of Contact:</b>	CO_ADMIN
<b>Approval Years:</b>	2015			<b>Phone No Admin:</b>	905 825 6000 Ext.3509
<b>PO Box No:</b>				<b>Contam. Facility:</b>	No
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	No
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	312				
<b>Waste Class Desc:</b>	PATHOLOGICAL WASTES				
<b>Waste Class:</b>	261				
<b>Waste Class Desc:</b>	PHARMACEUTICALS				
<a href="#">98</a>	3 of 5	WSW/297.5	104.9 / 1.29	Regional Municipality of Halton Health Department 232 South Service Road Unit B Oakville ON L6J 2X5	GEN
<b>Generator No:</b>	ON5902620			<b>Status:</b>	Registered
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Dec 2018			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	
<b><u>Detail(s)</u></b>					
<b>Waste Class:</b>	261 A				
<b>Waste Class Desc:</b>	Pharmaceuticals				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<b>Waste Class:</b>		312 P			
<b>Waste Class Desc:</b>		Pathological wastes			

<a href="#">98</a>	4 of 5	WSW/297.5	104.9 / 1.29	Regional Municipality of Halton Health Department 232 South Service Road Unit B Oakville ON L6J 2X5	GEN
<b>Generator No:</b>	ON5902620			<b>Status:</b> Registered	
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Jul 2020			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	

**Detail(s)**

<b>Waste Class:</b>	312 P
<b>Waste Class Desc:</b>	Pathological wastes
<b>Waste Class:</b>	261 A
<b>Waste Class Desc:</b>	Pharmaceuticals

<a href="#">98</a>	5 of 5	WSW/297.5	104.9 / 1.29	Regional Municipality of Halton Health Department 232 South Service Road Unit B Oakville ON L6J 2X5	GEN
<b>Generator No:</b>	ON5902620			<b>Status:</b> Registered	
<b>SIC Code:</b>				<b>Co Admin:</b>	
<b>SIC Description:</b>				<b>Choice of Contact:</b>	
<b>Approval Years:</b>	As of Jan 2021			<b>Phone No Admin:</b>	
<b>PO Box No:</b>				<b>Contam. Facility:</b>	
<b>Country:</b>	Canada			<b>MHSW Facility:</b>	

**Detail(s)**

<b>Waste Class:</b>	312 P
<b>Waste Class Desc:</b>	Pathological wastes
<b>Waste Class:</b>	261 A
<b>Waste Class Desc:</b>	Pharmaceuticals

# Unplottable Summary

Total: **30** Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	OAKVILLE TOWN	CORNWALL RD.	OAKVILLE TOWN ON	
CA	R.M. OF HALTON	TRAFALGAR RD.	OAKVILLE TOWN ON	
CA	TOWN	CORNWALL RD.	OAKVILLE ON	
CA	CANADIAN GENERAL ELECTRIC		OAKVILLE TOWN ON	
CA		Trafalgar Road	Oakville ON	
CA		Trafalgar Road	Oakville ON	
CA		Trafalgar Road	Oakville ON	
CA	Trafalgar Road Townhouse Development	Trafalgar Road	Oakville ON	
CA	The Regional Municipality of Halton	Davis Rd	Oakville ON	
CA	The Regional Municipality of Halton	Trafalgar Rd	Oakville ON	
CA	R.M. OF HALTON	TRAFALGAR RD.	OAKVILLE TOWN ON	
CA	OAKVILLE TOWN	CORNWALL RD.	OAKVILLE TOWN ON	
CONV	PUROLATOR COURIER LTD.		ON	
CONV	ST. LAWRENCE CEMENT INC.		ON	
EBR	General Electric Canada Inc.	Part lot 12, Concession 3, SDS, Lots 113 & 114, RP #1009 TOWN OF OAKVILLE	ON	
EBR	General Electric Canada Inc.	Pt Lt 12, Conc 3 SDS, Lot 113, 114 Oakville Ontario L6J 2X6 Oakville	ON	
ECA	The Regional Municipality of Halton	Davis Rd	Oakville ON	L6M 3L1

ECA	The Regional Municipality of Halton	Davis Rd	Oakville ON	L6M 3L1
EHS		Trafalgar	Oakville ON	
GEN	Trans-Northern Pipelines Inc.	Trafalgar South of Dundas	Oakville ON	L6J 3J1
GEN	Trans Northern Pipelines Inc.	Lot 13, Concession 3	Oakville ON	L6J 3J1
GEN	Trans-Northern Pipelines Inc.	Trafalgar South of Dundas	Oakville ON	L6J 3J1
GEN	Trans Northern Pipelines Inc.	Lot 13, Concession 3, South of Dundas	Oakville ON	L6J 2W6
LIMO	Brian Best Park The Corporation of the Town of Milton Town of Milton	Lot 12, Concession 3 Halton	ON	
ORD	Ferro Industrial Products Limited	TOWN OF OAKVILLE	ON	
SPL	ESSO PETROLEUM	SERVICE STATION	OAKVILLE TOWN ON	
SPL	PRIVATE OWNER	LOWER BASE LINE/TRAFALGAR RD. MOTOR VEHICLE (OPERATING FLUID)	OAKVILLE TOWN ON	
SPL	PUROLATOR COURIER LTD.	TRANSPORT TRUCK (CARGO)	OAKVILLE TOWN ON	
SPL	PRIVATE OWNER	TRAFALGAR ROAD SOUTH OF BURNHAMTHORPE MOTOR VEHICLE (OPERATING FLUID)	OAKVILLE TOWN ON	
SPL	UNKNOWN	LAKE ONTARIO VIA STORM SEWER TRAFALGAR ROAD/LAKESHORE ROAD EAST	OAKVILLE TOWN ON	

# Unplottable Report

---

**Site:** OAKVILLE TOWN  
CORNWALL RD. OAKVILLE TOWN ON

**Database:**  
CA

**Certificate #:** 3-1628-88-  
**Application Year:** 88  
**Issue Date:** 9/15/1988  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** R.M. OF HALTON  
TRAFALGAR RD. OAKVILLE TOWN ON

**Database:**  
CA

**Certificate #:** 7-1043-89-  
**Application Year:** 89  
**Issue Date:** 7/7/1989  
**Approval Type:** Municipal water  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** TOWN  
CORNWALL RD. OAKVILLE ON

**Database:**  
CA

**Certificate #:** 3-1152-85-006  
**Application Year:** 85  
**Issue Date:** 10/15/85  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** CANADIAN GENERAL ELECTRIC  
OAKVILLE TOWN ON

**Database:**  
CA

**Certificate #:** 8-3075-85-000

**Application Year:** 85  
**Issue Date:** 8/26/85  
**Approval Type:** Industrial air  
**Status:** Application Cancelled  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** **Trafalgar Road Oakville ON**

**Database:**  
**CA**

**Certificate #:** 8127-4RXP7  
**Application Year:** 00  
**Issue Date:** 12/21/00  
**Approval Type:** Municipal & Private sewage  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Longboat Development (1986) Corporation  
**Client Address:** 228 Lakewood Drive  
**Client City:** Oakville  
**Client Postal Code:** L6K 1B2  
**Project Description:** This is an application for Municipal and Private Sewage Works Certificate of Approval to construct a sanitary sewer.  
**Contaminants:**  
**Emission Control:**

---

**Site:** **Trafalgar Road Oakville ON**

**Database:**  
**CA**

**Certificate #:** 4501-4RXKUF  
**Application Year:** 00  
**Issue Date:** 12/21/00  
**Approval Type:** Municipal & Private water  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Longboat Development (1986) Corporation  
**Client Address:** 228 Lakewood Drive  
**Client City:** Oakville  
**Client Postal Code:** L6K 1B2  
**Project Description:** This is an application for Municipal and Private Water Works Certificate of Approval to construct a watermain.  
**Contaminants:**  
**Emission Control:**

---

**Site:** **Trafalgar Road Oakville ON**

**Database:**  
**CA**

**Certificate #:** 3206-53FKG3  
**Application Year:** 01  
**Issue Date:** 10/15/01  
**Approval Type:** Municipal & Private water  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** The Corporation of the Regional Municipality of Halton  
**Client Address:** 1151 Bronte Road  
**Client City:** Oakville  
**Client Postal Code:** L6M 3L1  
**Project Description:** This application is for the construction of watermains on Trafalgar Road.  
**Contaminants:**  
**Emission Control:**



---

**Site:** *Trafalgar Road Townhouse Development*  
*Trafalgar Road Oakville ON*

**Database:**  
*CA*

**Certificate #:** 1210-5DETKS  
**Application Year:** 02  
**Issue Date:** 8/29/02  
**Approval Type:** Municipal & Private sewage  
**Status:** Approved  
**Application Type:** New Certificate of Approval  
**Client Name:** Manor Hill Properties Inc.  
**Client Address:** 115 Sheppard Avenue West  
**Client City:** Toronto  
**Client Postal Code:** M2N 1M7  
**Project Description:** Approval is sought for the construction of storm and sanitary sewers on Street A.  
**Contaminants:**  
**Emission Control:**

---

**Site:** *The Regional Municipality of Halton*  
*Davis Rd Oakville ON*

**Database:**  
*CA*

**Certificate #:** 0664-732LVG  
**Application Year:** 2007  
**Issue Date:** 5/22/2007  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *The Regional Municipality of Halton*  
*Trafalgar Rd Oakville ON*

**Database:**  
*CA*

**Certificate #:** 9290-74AH77  
**Application Year:** 2007  
**Issue Date:** 6/25/2007  
**Approval Type:** Municipal and Private Sewage Works  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** *R.M. OF HALTON*  
*TRAFALGAR RD. OAKVILLE TOWN ON*

**Database:**  
*CA*

**Certificate #:** 3-1237-89-  
**Application Year:** 89  
**Issue Date:** 7/7/1989  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name:**

**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** OAKVILLE TOWN  
CORNWALL RD. OAKVILLE TOWN ON

**Database:**  
CA

**Certificate #:** 3-1493-87-  
**Application Year:** 87  
**Issue Date:** 9/4/1987  
**Approval Type:** Municipal sewage  
**Status:** Approved  
**Application Type:**  
**Client Name:**  
**Client Address:**  
**Client City:**  
**Client Postal Code:**  
**Project Description:**  
**Contaminants:**  
**Emission Control:**

---

**Site:** PUROLATOR COURIER LTD.  
ON

**Database:**  
CONV

**File No:**  
**Crown Brief No:** 99-0022-0138  
**Court Location:**  
**Publication City:**  
**Publication Title:**  
**Act:**  
**Act(s):**  
**First Matter:**  
**Second Matter:**  
**Investigation 1:**  
**Investigation 2:**  
**Penalty Imposed:**  
**Description:** FAILURE TO NOTIFY THE MINISTRY OF A DISCHARGE OF DIESEL FUEL, OUT OF THE NORMAL COURSE OF EVENTS, INTO THE NATURAL ENVIRONMENT.  
**Background:**  
**URL:**

**Location:**  
**Region:** CENTRAL REGION  
**Ministry District:** METRO

**Additional Details**

**Publication Date:**  
**Count:** 1  
**Act:** EPA  
**Regulation:**  
**Section:** 15(1)  
**Act/Regulation/Section:** EPA- -15(1)  
**Date of Offence:**  
**Date of Conviction:**  
**Date Charged:** 10/13/99  
**Charge Disposition:** SUSPENDED SENTENCE  
**Fine:** \$1,800.00  
**Synopsis:**

---

**Site:** ST. LAWRENCE CEMENT INC.  
ON

**Database:**  
CONV

**File No:**  
**Crown Brief No:** 99-0055-0106  
**Location:**  
**Region:** CENTRAL REGION

**Court Location:**  
**Publication City:**  
**Publication Title:**  
**Act:**  
**Act(s):**  
**First Matter:**  
**Second Matter:**  
**Investigation 1:**  
**Investigation 2:**  
**Penalty Imposed:**  
**Description:**  
**Background:**  
**URL:**

**Ministry District:** HALTON PEEL

OPERATE HEAVY DIESEL-FUELLED MOTOR VEHICLE THAT CONTRAVENES EMISSION STANDARDS

**Additional Details**

**Publication Date:**  
**Count:** 1  
**Act:** EPA  
**Regulation:** 361/98  
**Section:** 12(5)  
**Act/Regulation/Section:** EPA-361/98-12(5)  
**Date of Offence:**  
**Date of Conviction:**  
**Date Charged:** 12/17/02  
**Charge Disposition:** SUSPENDED SENTENCE  
**Fine:** \$425.00  
**Synopsis:**

**Site:** **General Electric Canada Inc.**  
**Part lot 12, Concession 3, SDS, Lots 113 & 114, RP #1009 TOWN OF OAKVILLE ON**

**Database:**  
**EBR**

**EBR Registry No:** IA8E1188  
**Ministry Ref No:** 8361295 RE1  
**Notice Type:** Instrument Decision  
**Notice Stage:**  
**Notice Date:** August 30, 2001  
**Proposal Date:** August 19, 1998  
**Year:** 1998  
**Instrument Type:** (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)  
**Off Instrument Name:**  
**Posted By:**  
**Company Name:** General Electric Canada Inc.  
**Site Address:**  
**Location Other:**  
**Proponent Name:**  
**Proponent Address:** 420 S.Service Rd.E., Oakville Ontario, L6J 2X6  
**Comment Period:**  
**URL:**

**Decision Posted:**  
**Exception Posted:**  
**Section:**  
**Act 1:**  
**Act 2:**  
**Site Location Map:**

**Site Location Details:**

Part lot 12, Concession 3, SDS, Lots 113 & 114, RP #1009 TOWN OF OAKVILLE

**Site:** **General Electric Canada Inc.**  
**Pt Lt 12, Conc 3 SDS, Lot 113, 114 Oakville Ontario L6J 2X6 Oakville ON**

**Database:**  
**EBR**

**EBR Registry No:** IA01E1281  
**Ministry Ref No:** 1063-52APQY  
**Notice Type:** Instrument Decision  
**Notice Stage:**  
**Notice Date:** November 29, 2001  
**Proposal Date:** September 06, 2001  
**Year:** 2001  
**Instrument Type:** (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)

**Decision Posted:**  
**Exception Posted:**  
**Section:**  
**Act 1:**  
**Act 2:**  
**Site Location Map:**

**Off Instrument Name:**

**Posted By:**

**Company Name:** General Electric Canada Inc.

**Site Address:**

**Location Other:**

**Proponent Name:**

**Proponent Address:** 2300 Meadowvale Blvd., Mississauga Ontario, L5N 5P9

**Comment Period:**

**URL:**

**Site Location Details:**

Pt Lt 12, Conc 3 SDS, Lot 113, 114 Oakville Ontario L6J 2X6 Oakville

---

**Site:** *The Regional Municipality of Halton  
Davis Rd Oakville ON L6M 3L1*

**Database:**  
*ECA*

**Approval No:** 0664-732LVG

**Approval Date:** 2007-05-22

**Status:** Approved

**Record Type:** ECA

**Link Source:** IDS

**SWP Area Name:**

**Approval Type:** ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS

**Project Type:** MUNICIPAL AND PRIVATE SEWAGE WORKS

**Business Name:** The Regional Municipality of Halton

**Address:** Davis Rd

**Full Address:**

**Full PDF Link:** <https://www.accessenvironment.ene.gov.on.ca/instruments/0394-72ZRVV-14.pdf>

**PDF Site Location:**

**MOE District:**

**City:**

**Longitude:**

**Latitude:**

**Geometry X:**

**Geometry Y:**

---

**Site:** *The Regional Municipality of Halton  
Davis Rd Oakville ON L6M 3L1*

**Database:**  
*ECA*

**Approval No:** 8461-732L84

**Approval Date:** 2007-05-22

**Status:** Approved

**Record Type:** ECA

**Link Source:** IDS

**SWP Area Name:**

**Approval Type:** ECA-Municipal Drinking Water Systems

**Project Type:** Municipal Drinking Water Systems

**Business Name:** The Regional Municipality of Halton

**Address:** Davis Rd

**Full Address:**

**Full PDF Link:**

**PDF Site Location:**

**MOE District:**

**City:**

**Longitude:**

**Latitude:**

**Geometry X:**

**Geometry Y:**

---

**Site:** *Trafalgar Oakville ON*

**Database:**  
*EHS*

**Order No:** 20130228001

**Status:** C

**Report Type:** Standard Report

**Report Date:** 08-MAR-13

**Date Received:** 28-FEB-13

**Previous Site Name:**

**Lot/Building Size:**

**Additional Info Ordered:**

**Nearest Intersection:**

**Municipality:** Oakville

**Client Prov/State:** ON

**Search Radius (km):** .25

**X:** 0

**Y:** 0

---

**Site:** *Trans-Northern Pipelines Inc.*

**Database:**  
*GEN*

**Trafalgar South of Dundas Oakville ON L6J 3J1**

**Generator No:** ON8394203 **Status:** Registered  
**SIC Code:** **Co Admin:**  
**SIC Description:** **Choice of Contact:**  
**Approval Years:** As of Dec 2018 **Phone No Admin:**  
**PO Box No:** **Contam. Facility:**  
**Country:** Canada **MHSW Facility:**

**Detail(s)**

**Waste Class:** 251 L  
**Waste Class Desc:** Waste oils/sludges (petroleum based)

---

**Site:** **Trans Northern Pipelines Inc.** **Database:**  
**Lot 13, Concession 3 Oakville ON L6J 3J1** **GEN**

**Generator No:** ON7902633 **Status:** Registered  
**SIC Code:** **Co Admin:**  
**SIC Description:** **Choice of Contact:**  
**Approval Years:** As of Jul 2020 **Phone No Admin:**  
**PO Box No:** **Contam. Facility:**  
**Country:** Canada **MHSW Facility:**

**Detail(s)**

**Waste Class:** 146 L  
**Waste Class Desc:** Other specified inorganic sludges, slurries or solids

---

**Site:** **Trans-Northern Pipelines Inc.** **Database:**  
**Trafalgar South of Dundas Oakville ON L6J 3J1** **GEN**

**Generator No:** ON8394203 **Status:** Registered  
**SIC Code:** **Co Admin:**  
**SIC Description:** **Choice of Contact:**  
**Approval Years:** As of Jul 2020 **Phone No Admin:**  
**PO Box No:** **Contam. Facility:**  
**Country:** Canada **MHSW Facility:**

**Detail(s)**

**Waste Class:** 251 L  
**Waste Class Desc:** Waste oils/sludges (petroleum based)

---

**Site:** **Trans Northern Pipelines Inc.** **Database:**  
**Lot 13, Concession 3, South of Dundas Oakville ON L6J 2W6** **GEN**

**Generator No:** ON4924650 **Status:** Registered  
**SIC Code:** **Co Admin:**  
**SIC Description:** **Choice of Contact:**  
**Approval Years:** As of Nov 2021 **Phone No Admin:**  
**PO Box No:** **Contam. Facility:**  
**Country:** Canada **MHSW Facility:**

**Detail(s)**

**Waste Class:** 146 L  
**Waste Class Desc:** Other specified inorganic sludges, slurries or solids

**Waste Class:** 251 L  
**Waste Class Desc:** Waste oils/sludges (petroleum based)

---

**Site:** **Brian Best Park The Corporation of the Town of Milton Town of Milton** **Database:**  
**LIMO**

Lot 12, Concession 3 Halton ON

**ECA/Instrument No:** A210302  
**Oper Status 2016:** Closed  
**C of A Issue Date:**  
**C of A Issued to:**  
**Lndfl Gas Mgmt (P):**  
**Lndfl Gas Mgmt (F):**  
**Lndfl Gas Mgmt (E):**  
**Lndfl Gas Mgmt Sys:**  
**Landfill Gas Mntr:**  
**Leachate Coll Sys:**  
**ERC Est Vol (m3):**  
**ERC Volume Unit:**  
**ERC Dt Last Det:**  
**Landfill Type:**  
**Source File Type:**  
**Fill Rate:**  
**Fill Rate Unit:**  
**Tot Fill Area (ha):**  
**Tot Site Area (ha):**  
**Footprint:**  
**Tot Apprv Cap (m3):**  
**Contam Atten Zone:**  
**Grndwtr Mntr:**  
**Surf Wtr Mntr:**  
**Air Emis Monitor:**  
**Approved Waste Type:**  
**Client Site Name:**  
**ERC Methodology:**  
**Site Name:**

Brian Best Park  
The Corporation of the Town of Milton  
Town of Milton

**Natural Attenuation:**  
**Liners:**  
**Cover Material:**  
**Leachate Off-Site:**  
**Leachate On Site:**  
**Req Coll Lndfl Gas:**  
**Lndfl Gas Coll:**  
**Total Waste Rec:**  
**TWR Methodology:**  
**TWR Unit:**  
**Tot Aprv Cap Unit:**  
**Financial Assurance:**  
**Last Report Year:**  
**MOE Region:**  
**MOE District:**  
**Site County:**  
**Lot:**  
**Concession:**  
**Latitude:**  
**Longitude:**  
**Easting:**  
**Northing:**  
**UTM Zone:**  
**Data Source:**

**Site Location Details:**  
**Service Area:**  
**Page URL:**

---

**Site:** **Ferro Industrial Products Limited**  
**TOWN OF OAKVILLE ON**

**Database:**  
**ORD**

**EBR Registry No:** IA6E0689  
**Ministry Ref No:** CR96001  
**Notice Type:** Instrument Decision  
**Notice Stage:**  
**Notice Date:** October 03, 1996  
**Proposal Date:** May 06, 1996  
**Year:** 1996  
**Instrument Type:** (EPA s. 18) - Order for preventative measures.  
**Off Instrument Name:**  
**Posted By:**  
**Company Name:** Ferro Industrial Products Limited  
**Site Address:**  
**Location Other:**  
**Proponent Name:**  
**Proponent Address:** 354 Davis Road, Oakville Ontario, L6J 2X1  
**Comment Period:**  
**URL:**

**Decision Posted:**  
**Exception Posted:**  
**Section:**  
**Act 1:**  
**Act 2:**  
**Site Location Map:**

**Site Location Details:**  
TOWN OF OAKVILLE

---

**Site:** **ESSO PETROLEUM**  
**SERVICE STATION OAKVILLE TOWN ON**

**Database:**  
**SPL**

**Ref No:** 37818  
**Site No:**  
**Incident Dt:** 6/26/1990  
**Year:**  
**Incident Cause:** CONTAINER OVERFLOW  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Environment Impact:** POSSIBLE  
**Nature of Impact:** Water course or lake  
**Receiving Medium:** LAND  
**Receiving Env:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 6/26/1990  
**Dt Document Closed:**  
**Incident Reason:** NEGLIGENCE (APPARENT)  
**Site Name:**  
**Site County/District:**  
**Site Geo Ref Meth:**  
**Incident Summary:** BACKENTRY - ESSO GAS STA.50L DIESEL FUEL TO GROUND10 L TO STORM SEWER.  
**Contaminant Qty:**

**Discharger Report:**  
**Material Group:**  
**Health/Env Conseq:**  
**Client Type:**  
**Sector Type:**  
**Agency Involved:**  
**Nearest Watercourse:**  
**Site Address:**  
**Site District Office:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 14403  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Map Datum:**  
**SAC Action Class:**  
**Source Type:**

**Site:** PRIVATE OWNER  
 LOWER BASE LINE/TRAFALGAR RD. MOTOR VEHICLE (OPERATING FLUID) OAKVILLE TOWN ON

**Database:**  
 SPL

**Ref No:** 133636  
**Site No:**  
**Incident Dt:** 10/29/1996  
**Year:**  
**Incident Cause:** OTHER TRANSPORTATION ACCIDENT  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Environment Impact:** POSSIBLE  
**Nature of Impact:** Water course or lake  
**Receiving Medium:** LAND / WATER  
**Receiving Env:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 10/29/1996  
**Dt Document Closed:**  
**Incident Reason:** UNKNOWN  
**Site Name:**  
**Site County/District:**  
**Site Geo Ref Meth:**  
**Incident Summary:** PRIVATE OWNER-20 L DIESEL TO GROUND & DITCH, MVA, FD WILL CLEANUP.  
**Contaminant Qty:**

**Discharger Report:**  
**Material Group:**  
**Health/Env Conseq:**  
**Client Type:**  
**Sector Type:**  
**Agency Involved:**  
**Nearest Watercourse:**  
**Site Address:**  
**Site District Office:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 14403  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:** FD  
**Site Geo Ref Accu:**  
**Site Map Datum:**  
**SAC Action Class:**  
**Source Type:**

**Site:** PUROLATOR COURIER LTD.  
 TRANSPORT TRUCK (CARGO) OAKVILLE TOWN ON

**Database:**  
 SPL

**Ref No:** 13591  
**Site No:**  
**Incident Dt:** 1/9/1989  
**Year:**  
**Incident Cause:** OTHER CONTAINER LEAK  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**

**Discharger Report:**  
**Material Group:**  
**Health/Env Conseq:**  
**Client Type:**  
**Sector Type:**  
**Agency Involved:**  
**Nearest Watercourse:**  
**Site Address:**

**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Environment Impact:** POSSIBLE  
**Nature of Impact:** Soil contamination  
**Receiving Medium:** LAND  
**Receiving Env:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 1/9/1989  
**Dt Document Closed:**  
**Incident Reason:** UNKNOWN  
**Site Name:**  
**Site County/District:**  
**Site Geo Ref Meth:**  
**Incident Summary:** PUROLATOR - 4 L INK TO GROUND FROM DAMAGED CONTAINER.  
**Contaminant Qty:**

**Site District Office:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 14403  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:** CANUTEC  
**Site Geo Ref Accu:**  
**Site Map Datum:**  
**SAC Action Class:**  
**Source Type:**

**Site:** PRIVATE OWNER  
**TRAFALGAR ROAD SOUTH OF BURNHAMTHORPE MOTOR VEHICLE (OPERATING FLUID) OAKVILLE TOWN ON**
**Database:**  
SPL

**Ref No:** 121269  
**Site No:**  
**Incident Dt:** 11/27/1995  
**Year:**  
**Incident Cause:** OTHER TRANSPORTATION ACCIDENT  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Environment Impact:** NOT ANTICIPATED  
**Nature of Impact:**  
**Receiving Medium:** LAND  
**Receiving Env:**  
**MOE Response:**  
**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:** 11/27/1995  
**Dt Document Closed:**  
**Incident Reason:** ERROR  
**Site Name:**  
**Site County/District:**  
**Site Geo Ref Meth:**  
**Incident Summary:** PRIVATE OWNER-40 L OF GASOLINE TO ROAD.  
**Contaminant Qty:**

**Discharger Report:**  
**Material Group:**  
**Health/Env Conseq:**  
**Client Type:**  
**Sector Type:**  
**Agency Involved:**  
**Nearest Watercourse:**  
**Site Address:**  
**Site District Office:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 14403  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:**  
**Site Geo Ref Accu:**  
**Site Map Datum:**  
**SAC Action Class:**  
**Source Type:**

**Site:** UNKNOWN  
**LAKE ONTARIO VIA STORM SEWER TRAFALGAR ROAD/LAKESHORE ROAD EAST OAKVILLE TOWN ON**
**Database:**  
SPL

**Ref No:** 116795  
**Site No:**  
**Incident Dt:** 8/5/1995  
**Year:**  
**Incident Cause:** UNKNOWN  
**Incident Event:**  
**Contaminant Code:**  
**Contaminant Name:**  
**Contaminant Limit 1:**  
**Contam Limit Freq 1:**  
**Contaminant UN No 1:**  
**Environment Impact:** POSSIBLE  
**Nature of Impact:** Water course or lake  
**Receiving Medium:** LAND / WATER  
**Receiving Env:**  
**MOE Response:**

**Discharger Report:**  
**Material Group:**  
**Health/Env Conseq:**  
**Client Type:**  
**Sector Type:**  
**Agency Involved:**  
**Nearest Watercourse:**  
**Site Address:**  
**Site District Office:**  
**Site Postal Code:**  
**Site Region:**  
**Site Municipality:** 14403  
**Site Lot:**  
**Site Conc:**  
**Northing:**  
**Easting:** FD, HALTON REG.



**Dt MOE Arvl on Scn:**  
**MOE Reported Dt:**  
**Dt Document Closed:**  
**Incident Reason:**  
**Site Name:**  
**Site County/District:**  
**Site Geo Ref Meth:**  
**Incident Summary:**  
**Contaminant Qty:**

8/5/1995

UNKNOWN

**Site Geo Ref Accu:**  
**Site Map Datum:**  
**SAC Action Class:**  
**Source Type:**

DIESEL FUEL IN SEWER SYS-TEM,OUTFALL & LAKE ONT. FD, WORKS, SOURCE UNKNOWN

# Appendix: Database Descriptions

Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " \* " indicates that the database will no longer be updated. See the individual database description for more information.

## **Abandoned Aggregate Inventory:**

Provincial [AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.\*

**Government Publication Date: Sept 2002\***

## **Aggregate Inventory:**

Provincial [AGR](#)

The Ontario Ministry of Natural Resources maintains a database of all active pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

**Government Publication Date: Up to Nov 2021**

## **Abandoned Mine Information System:**

Provincial [AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

**Government Publication Date: 1800-Oct 2018**

## **Anderson's Waste Disposal Sites:**

Private [ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

**Government Publication Date: 1860s-Present**

## **Aboveground Storage Tanks:**

Provincial [AST](#)

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

**Government Publication Date: May 31, 2014**

## **Automobile Wrecking & Supplies:**

Private [AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

**Government Publication Date: 1999-Sep 30, 2021**

## **Borehole:**

Provincial [BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

**Government Publication Date: 1875-Jul 2018**

**Certificates of Approval:**

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

**Government Publication Date: 1985-Oct 30, 2011\***

**Dry Cleaning Facilities:**

Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

**Government Publication Date: Jan 2004-Dec 2019**

**Commercial Fuel Oil Tanks:**

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

**Government Publication Date: Feb 28, 2022**

**Chemical Manufacturers and Distributors:**

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

**Government Publication Date: 1999-Jan 31, 2020**

**Chemical Register:**

Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

**Government Publication Date: 1999-Sep 30, 2021**

**Compressed Natural Gas Stations:**

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

**Government Publication Date: Dec 2012 -Nov 2021**

**Inventory of Coal Gasification Plants and Coal Tar Sites:**

Provincial COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.\*

**Government Publication Date: Apr 1987 and Nov 1988\***

**Compliance and Convictions:**

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

**Government Publication Date: 1989-Jan 2022**

**Certificates of Property Use:**

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

**Government Publication Date: 1994 - Feb 28, 2022**

**Drill Hole Database:**

Provincial [DRL](#)

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

**Government Publication Date: 1886 - Sep 2020**

**Delisted Fuel Tanks:**

Provincial [DTNK](#)

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

**Government Publication Date: May 31, 2021**

**Environmental Activity and Sector Registry:**

Provincial [EASR](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval), Please see our ECA database.

**Government Publication Date: Oct 2011- Feb 28, 2022**

**Environmental Registry:**

Provincial [EBR](#)

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

**Government Publication Date: 1994 - Feb 28, 2022**

**Environmental Compliance Approval:**

Provincial [ECA](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

**Government Publication Date: Oct 2011- Feb 28, 2022**

**Environmental Effects Monitoring:**

Federal [EEM](#)

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

**Government Publication Date: 1992-2007\***

**ERIS Historical Searches:**

Private [EHS](#)

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

**Government Publication Date: 1999-Nov 30, 2021**

**Environmental Issues Inventory System:**

Federal [EIIS](#)

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

**Government Publication Date: 1992-2001\***

**Emergency Management Historical Event:**

Provincial **EMHE**

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

**Government Publication Date: Dec 31, 2016**

**Environmental Penalty Annual Report:**

Provincial **EPAR**

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land / water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

**Government Publication Date: Jan 1, 2011 - Dec 31, 2020**

**List of Expired Fuels Safety Facilities:**

Provincial **EXP**

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

**Government Publication Date: May 31, 2020**

**Federal Convictions:**

Federal **FCON**

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

**Government Publication Date: 1988-Jun 2007\***

**Contaminated Sites on Federal Land:**

Federal **FCS**

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

**Government Publication Date: Jun 2000-Nov 2021**

**Fisheries & Oceans Fuel Tanks:**

Federal **FOFT**

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

**Government Publication Date: 1964-Sep 2019**

**Federal Identification Registry for Storage Tank Systems (FIRSTS):**

Federal **FRST**

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

**Government Publication Date: May 31, 2018**

**Fuel Storage Tank:**

Provincial **FST**

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

**Government Publication Date: May 31, 2021**

**Fuel Storage Tank - Historic:**

Provincial

[FSTH](#)

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

**Government Publication Date: Pre-Jan 2010\***

**Ontario Regulation 347 Waste Generators Summary:**

Provincial

[GEN](#)

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

**Government Publication Date: 1986-Nov 30, 2021**

**Greenhouse Gas Emissions from Large Facilities:**

Federal

[GHG](#)

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO<sub>2</sub> eq).

**Government Publication Date: 2013-Dec 2019**

**TSSA Historic Incidents:**

Provincial

[HINC](#)

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

**Government Publication Date: 2006-June 2009\***

**Indian & Northern Affairs Fuel Tanks:**

Federal

[IAFT](#)

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

**Government Publication Date: 1950-Aug 2003\***

**Fuel Oil Spills and Leaks:**

Provincial

[INC](#)

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing is a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

**Government Publication Date: Feb 28, 2022**

**Landfill Inventory Management Ontario:**

Provincial

[LIMO](#)

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

**Government Publication Date: Feb 28, 2019**

**Canadian Mine Locations:**

Private

[MINE](#)

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

**Government Publication Date: 1998-2009\***

**Mineral Occurrences:**

Provincial

[MNR](#)

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

**Government Publication Date: 1846-Feb 2022**

**National Analysis of Trends in Emergencies System (NATES):**

Federal

[NATE](#)

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

**Government Publication Date: 1974-1994\***

**Non-Compliance Reports:**

Provincial

[NCPL](#)

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

**Government Publication Date: Dec 31, 2020**

**National Defense & Canadian Forces Fuel Tanks:**

Federal

[NDFT](#)

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

**Government Publication Date: Up to May 2001\***

**National Defense & Canadian Forces Spills:**

Federal

[NDSP](#)

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

**Government Publication Date: Mar 1999-Apr 2018**

**National Defence & Canadian Forces Waste Disposal Sites:**

Federal

[NDWD](#)

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

**Government Publication Date: 2001-Apr 2007\***

**National Energy Board Pipeline Incidents:**

Federal

[NEBI](#)

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

**Government Publication Date: 2008-Jun 30, 2021**

**National Energy Board Wells:**

Federal

[NEBP](#)

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

**Government Publication Date: 1920-Feb 2003\***

**National Environmental Emergencies System (NEES):**

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

**Government Publication Date: 1974-2003\***

**National PCB Inventory:**

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

**Government Publication Date: 1988-2008\***

**National Pollutant Release Inventory:**

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

**Government Publication Date: 1993-May 2017**

**Oil and Gas Wells:**

Private

OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at [www.nickles.com](http://www.nickles.com).

**Government Publication Date: 1988-Feb 28, 2022**

**Ontario Oil and Gas Wells:**

Provincial

OOGW

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

**Government Publication Date: 1800-Jan 2021**

**Inventory of PCB Storage Sites:**

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

**Government Publication Date: 1987-Oct 2004; 2012-Dec 2013**

**Orders:**

Provincial

ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

**Government Publication Date: 1994 - Feb 28, 2022**

**Canadian Pulp and Paper:**

Private

PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

**Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014**

**Parks Canada Fuel Storage Tanks:**

Federal

PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

**Government Publication Date: 1920-Jan 2005\***



**Pesticide Register:**

Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

**Government Publication Date: Oct 2011- 28 Feb 2022**

**Pipeline Incidents:**

Provincial PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing in an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

**Government Publication Date: May 31, 2021**

**Private and Retail Fuel Storage Tanks:**

Provincial PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

**Government Publication Date: 1989-1996\***

**Permit to Take Water:**

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include all PTTW's on the registry such as OWRA s. 34 - Permit to take water.

**Government Publication Date: 1994 - Feb 28, 2022**

**Ontario Regulation 347 Waste Receivers Summary:**

Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

**Government Publication Date: 1986-1990, 1992-2019**

**Record of Site Condition:**

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

**Government Publication Date: 1997-Sept 2001, Oct 2004-Feb 2022**

**Retail Fuel Storage Tanks:**

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

**Government Publication Date: 1999-Sep 30, 2021**

**Scott's Manufacturing Directory:**

Private SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

**Government Publication Date: 1992-Mar 2011\***

**Ontario Spills:**

Provincial SPL

List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X. The Ministry of the Environment, Conservation and Parks cites the coronavirus pandemic as an explanation for delays in releasing data pursuant to requests.

**Government Publication Date: 1988-Sep 2020; Dec 2020-Mar 2021**

**Wastewater Discharger Registration Database:**

Provincial [SRDS](#)

Information under this heading is combination of the following 2 programs. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment maintained a database of all direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation; Mining; Petroleum Refining; Organic Chemicals; Inorganic Chemicals; Pulp & Paper; Metal Casting; Iron & Steel; and Quarries. All sampling information is now collected and stored within the Sample Result Data Store (SRDS).

**Government Publication Date: 1990-Dec 31, 2019**

**Anderson's Storage Tanks:**

Private [TANK](#)

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

**Government Publication Date: 1915-1953\***

**Transport Canada Fuel Storage Tanks:**

Federal [TCFT](#)

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

**Government Publication Date: 1970 - Dec 2020**

**Variations for Abandonment of Underground Storage Tanks:**

Provincial [VAR](#)

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

**Government Publication Date: Feb 28, 2022**

**Waste Disposal Sites - MOE CA Inventory:**

Provincial [WDS](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

**Government Publication Date: Oct 2011- Feb 28, 2022**

**Waste Disposal Sites - MOE 1991 Historical Approval Inventory:**

Provincial [WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30th, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

**Government Publication Date: Up to Oct 1990\***

**Water Well Information System:**

Provincial [WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

**Government Publication Date: Sep 30, 2021**

# Definitions

**Database Descriptions:** This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

**Detail Report:** This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

**Distance:** The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

**Direction:** The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

**Elevation:** The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

**Executive Summary:** This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

**Map Key:** The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

**Unplottables:** These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

### **Appendix 'G'**

1. 1954 Aerial Photograph;
2. 1960 Aerial Photograph;
3. 1979 Aerial Photograph;
4. 1995 Aerial Photograph;
5. 1999 Aerial Photograph;
6. 2009 Aerial Photograph;
7. 2012 Aerial Photograph;
8. 2013 Aerial Photograph, and;
9. 2019 Aerial Photograph.

# Aerial Photo – 1954



Site

QEW

Davis Drive

Trafalgar Road

Scale – 1: 6,600

# Aerial Photo – 1960



Scale – 1: 4,200

# Aerial Photo – 1979



Scale – 1: 2,600

# Aerial Photo – 1995



Site

QEW


Davis Drive

Trafalgar Road

Scale – 1: 3,200



# Aerial Photo – 1999



QEW


Site

Davis Drive

Trafalgar Road

Scale – 1: 3,150

# Aerial Photo – 2009



QEW


Site

Davis Drive

Trafalgar Road

Scale – 1: 3,250

# Aerial Photo – 2012



QEW


Site

Davis Drive

Trafalgar Road

Scale – 1: 3,100

# Aerial Photo – 2013



Scale – 1: 3,300

# Aerial Photo – 2019



QEW

Site

Davis Drive

Trafalgar Road

Scale – 1: 3,100

### **Appendix 'H'**

1. 1909 Topographic Map;
2. 1938 Topographic Map;
3. 1968 Topographic Map, and;
4. 1999 Topographic Map;



**LEGEND**

★ = Site Location

**NOTES:**

1. This drawing should be read in conjunction with Soil-Mat Engineers and Consultants Ltd. Report No.: SM 220059-E
2. Topographic Map of Ontario, Hamilton Sheet 33.
3. Base map provided by "Department of Militia and Defense, 1909".

**Soil-Mat**  
Engineers & Consultants Ltd.

**CLIENT**

1539059 ONTARIO INC.

**PROJECT TITLE**

Phase One Environmental Site Assessment  
349 Davis Road  
Oakville, Ontario

**DRAWING TITLE**

Topographic Map 1909

PROJECT No. SM 220059-E

SCALE 1: 63,360

DATE March 2022


CHECKED KG

DRAWN PM


FILE NAME  
220059 Topo 1909.vsd

**DRAWING No. 4A**





**LEGEND**

 = Site Location

**NOTES:**

1. This drawing should be read in conjunction with Soil-Mat Engineers and Consultants Ltd. Report No.: SM 220059-E
2. Topographic Map of Ontario, Hamilton Sheet 30 M/5.
3. Base map provided by the "Geographical Section, General Staff; Department of National Defence, 1938".

**Soil-Mat**  
Engineers & Consultants Ltd.

**CLIENT**

1539059 ONTARIO INC.

**PROJECT TITLE**

Phase One Environmental Site Assessment  
349 Davis Road  
Oakville, Ontario

**DRAWING TITLE**

Topographic Map 1938

**PROJECT No.** SM 220059-E

**SCALE** 1: 63,360

**DATE** March 2022

**CHECKED** KG


**DRAWN** PM

**FILE NAME**  
220059 Topo 1938.vsd


**DRAWING No. 4B**







**LEGEND**

 = Site Location

**NOTES:**

1. This drawing should be read in conjunction with Soil-Mat Engineers and Consultants Ltd. Report No.: SM 220059-E
2. Topographic Map of Ontario, Hamilton Sheet 30 M/5 W, Edition 5.
3. Base map provided by the "Mapping and Charting Establishment, Department of National Defence, 1968".

**Soil-Mat**  
Engineers & Consultants Ltd.

**CLIENT**

1539059 ONTARIO INC.

**PROJECT TITLE**

Phase One Environmental Site Assessment  
349 Davis Road  
Oakville, Ontario

**DRAWING TITLE**

Topographic Map 1968

PROJECT No. SM 220059-E

SCALE 1: 50,000

DATE March 2022


CHECKED KG

DRAWN PM


FILE NAME  
220059 Topo 1968.vsd

**DRAWING No. 4C**





**LEGEND**

 = Site Location

**NOTES:**

1. This drawing should be read in conjunction with Soil-Mat Engineers and Consultants Ltd. Report No.: SM 220059-E
2. Topographic Map of Ontario, Hamilton - Burlington Sheet 30 M/5, Edition 10.
3. Base map provided by "©1999, Her Majesty The Queen in Right of Canada".

**Soil-Mat**  
*Engineers & Consultants Ltd.*

**CLIENT**

1539059 ONTARIO INC.

**PROJECT TITLE**

Phase One Environmental Site Assessment  
 349 Davis Road  
 Oakville, Ontario

**DRAWING TITLE**

Topographic Map 1999

**PROJECT No.** SM 220059-E

**SCALE** 1: 50,000

**DATE** March 2022

**CHECKED** KG

**DRAWN** PM

**FILE NAME**  
 220059 Topo 1999.vsd



**DRAWING No. 4D**

## **Appendix 'I'**

1. Table of Current and Past Uses




Year	Name of Owner	Description of Property Use	Property Use	Other Observations from Aerial Photographs, Fire Insurance Plans, Etc.
2004 to Present	1539059 Ontario Inc.	The property was comprised of commercial use lands.	Commercial	<ul style="list-style-type: none"> <li>Aerial photographs from 2009, 2012, 2013, and 2019 illustrate the property in its current state [as observed during the Site reconnaissance]</li> </ul>
2004 to 2004	Widex Canada Ltd.	The property was comprised of commercial use lands.	Commercial	<ul style="list-style-type: none"> <li>There were no readily available visual aids for the Phase One Property for this time period.</li> </ul>
2004 to 2004	International Hearing Aids Ltd.	The property was comprised of commercial use lands.	Commercial	<ul style="list-style-type: none"> <li>There were no readily available visual aids for the Phase One Property for this time period.</li> </ul>
2002 to 2004	Widex Canada Ltd.	The property was comprised of commercial use lands.	Commercial	<ul style="list-style-type: none"> <li>There were no readily available visual aids for the Phase One Property for this time period.</li> </ul>
1989 to 2002	International Hearing Aids Ltd.	The property was comprised of commercial use lands.	Commercial	<ul style="list-style-type: none"> <li>Aerial photographs from 1995 and 1999 illustrate the property in its current state [as observed during the Site reconnaissance]</li> <li>A topographic map from 1999 illustrates the property as developed land.</li> </ul>
1984 to 1989	Robert B. Johnston Holdings Ltd.	The property was comprised of commercial use lands.	Commercial	<ul style="list-style-type: none"> <li>There were no readily available visual aids for the Phase One Property for this time period.</li> </ul>
1983 to 1984	Robert B. Johnston	The property was comprised of commercial use lands.	Commercial	<ul style="list-style-type: none"> <li>There were no readily available visual aids for the Phase One Property for this time period.</li> </ul>
1976 to 1983	Walsh Manufacturing (Mississauga) Limited	The property was comprised of commercial use lands.	Commercial	<ul style="list-style-type: none"> <li>An aerial photograph from 1960 illustrates the existing structure on the southern portion of the Site.</li> </ul>
1966 to 1976	Aire Mathys Van Ekeris	The property was comprised of commercial use lands.	Commercial	<ul style="list-style-type: none"> <li>A fire insurance plan from 1967 illustrates the Phase One Property as commercial lands. The northeast portion of the existing structure was identified as storage areas for tires and batteries.</li> <li>A topographic map from 1968 illustrates the Phase One Property as developed lands.</li> </ul>

Year	Name of Owner	Description of Property Use	Property Use	Other Observations from Aerial Photographs, Fire Insurance Plans, Etc.
1954 to 1966	Levi Gordon Snyder & Gilbrae Dairy Limited	The property was comprised of commercial use lands.	Commercial	<ul style="list-style-type: none"> <li>An aerial photograph from 1960 illustrates the existing structure on the southern portion of the Site.</li> </ul>
1953 to 1954	Levi Gordon Snyder	The property was comprised of commercial use lands.	Commercial	<ul style="list-style-type: none"> <li>An aerial photograph from 1954 illustrates the existing structure on the southern portion of the Site.</li> </ul>
1952 to 1953	John D. H. Groothand	The property was developed as commercial lands sometime between 1938 and 1954	Commercial	<ul style="list-style-type: none"> <li>There were no readily available visual aids for the Phase One Property for this time period.</li> </ul>
1939 to 1952	Wesley John Herod	The property was developed as commercial lands sometime between 1938 and 1954	Commercial	<ul style="list-style-type: none"> <li>There were no readily available visual aids for the Phase One Property for this time period.</li> </ul>
1912 to 1939	William Sinclair Davis	The property was comprised undeveloped land.	Agriculture or Other	<ul style="list-style-type: none"> <li>A topographic map from 1938 illustrates the Phase One Property as vacant undeveloped lands.</li> </ul>
1911 to 1912	Cumberland Land Co. Ltd.	The property was comprised undeveloped land.	Agriculture or Other	<ul style="list-style-type: none"> <li>There were no readily available visual aids for the Phase One Property for this time period.</li> </ul>
1907 to 1911	Emerson Bartlett	The property was comprised undeveloped land.	Agriculture or Other	<ul style="list-style-type: none"> <li>A topographic map from 1909 illustrates the Phase One Property as vacant undeveloped lands.</li> </ul>
1903 to 1907	The Bank of Hamilton	The property was comprised undeveloped land.	Agriculture or Other	<ul style="list-style-type: none"> <li>There were no readily available visual aids for the Phase One Property for this time period.</li> </ul>
1879 to 1903	Cyrus W. Anderson	The property was comprised undeveloped land.	Agriculture or Other	<ul style="list-style-type: none"> <li>There were no readily available visual aids for the Phase One Property for this time period.</li> </ul>
1830 to 1979	Joseph B. Anderson	The property was comprised undeveloped land.	Agriculture or Other	<ul style="list-style-type: none"> <li>There were no readily available visual aids for the Phase One Property for this time period.</li> </ul>
1810 to 1830	Charles Anderson	The property was comprised undeveloped land.	Agriculture or Other	<ul style="list-style-type: none"> <li>There were no readily available visual aids for the Phase One Property for this time period.</li> </ul>
1809 to 1810	Samuel Fraser	The property was comprised undeveloped land.	Agriculture or Other	<ul style="list-style-type: none"> <li>There were no readily available visual aids for the Phase One Property for this time period.</li> </ul>
Up to 1809	Crown	The property was comprised undeveloped land.	Agriculture or Other	<ul style="list-style-type: none"> <li>There were no readily available visual aids for the Phase One Property for this time period.</li> </ul>



## **Appendix 'J'**

1. Phase One Conceptual Site Model;



**LEGEND**

- = Phase One ESA Property Boundaries
- = Phase One ESA Study Area
- = Commercial Properties
- = Vacant Properties
- = Rail Lines

**NOTES:**

1. This map should be read in conjunction with Soil-Mat Engineers and Consultants Ltd. Report No.: SM 220059-E

**Soil-Mat**  
Engineers & Consultants Ltd.

**CLIENT**  
**CANLIGHT**

**PROJECT TITLE**  
Phase One Environmental Site Assessment  
349 Davis Road  
Burlington, Ontario

**DRAWING TITLE**  
Phase One  
Conceptual Site Model

**PROJECT No.** SM 220226-E

**DATE** April 2022

**CHECKED** KG

**DRAWN** PM

**FILE NAME**  
220226 Phase One CSM.vsd

**DRAWING No. 1**

**Conceptual Site Model Notes**

CSM Off-Site Property Number	Current Occupant	Potential Contaminating Activity	Contaminants of Potential Concern	Qualified Person Specific Comments
1	Animal Hospital of Oakville	None	Not Applicable	Operations are limited to commercial services that are not considered a potential contaminating activity.
	Elle Physio	None	Not Applicable	Operations are limited to commercial services that are not considered a potential contaminating activity.
2	Oak-Land Ford Lincoln	Yes	Metals, PHCs, VOCS, PAHs, and BTEX	Operations on this property include auto sales, servicing and repair operations. This operation is located approximately 250 metres southwest of the Site and is located trans-gradient to the Site with respect to the inferred local and regional groundwater flow direction. Based on the above this property is not considered a significant environmental liability to the Phase One Property.
3	ESSO Retail Fuel Outlet	Yes	PHCs and BTEX	Operations on this property include a retail fuel outlet. This operation is located approximately 290 metres south-southwest of the Site and is located down-gradient to the Site with respect to the inferred local and regional groundwater flow direction. Based on the above this property is not considered a significant environmental liability to the Phase One Property.
	Circle K	None	Not Applicable	Operations are limited to retail commercial services that are not considered a potential contaminating activity.
4	Enterprise Rent a Car	None	Not Applicable	Operations are limited to commercial services that are not considered a potential contaminating activity.
	Gears	None	Not Applicable	Operations are limited to retail commercial services that are not considered a potential contaminating activity.
	Trafalgar Carstar	Yes	Metals, PHCs, VOCS, PAHs, and BTEX	Operations on this property include auto repair operations. This operation is located approximately 130 metres south-southwest of the Site and is located trans-gradient to the Site with respect to the inferred local and regional groundwater flow direction. Based on the above this property is not considered a significant environmental liability to the Phase One Property.
5	Region of Halton Booster Station	None	Not Applicable	Operations are limited to municipal services that are not considered a potential contaminating activity.
6	PWC	None	Not Applicable	Operations are limited to commercial services that are not considered a potential contaminating activity.



	Historically: Ferro Industrial Products Ltd.	Yes	Metals, PHCs, VOCS, ABNs, and BTEX	Operations on this property include enamel and fibreglass manufacturing operations. This operation is located approximately 30 metres southeast of the Site. Although this property is considered down-gradient with respect to the inferred groundwater flow direction, given the close proximity of this property to the Site, the operations conducted on this property are considered PCAs likely to cause an APEC on the Site.
7	Oaktown Collision Centre	Yes	Metals, PHCs, VOCS, PAHs, and BTEX	Operations on this property include auto repair operations. This operation is located adjacent to the east of the Site. Given this, the operations conducted on this property are considered PCAs likely to cause an APEC on the Site.
8	Peter's Welding & Mechanical Services	Yes	Metals, PHCs, VOCS, PAHs, and BTEX	Operations on this property include metal fabrication operations. This operation is located approximately 80 metres northeast of the Site and is located trans-gradient to the Site with respect to the inferred local and regional groundwater flow direction. Based on the above this property is not considered a significant environmental liability to the Phase One Property.
	Balletomane Inc.	None	Not Applicable	Operations are limited to commercial services that are not considered a potential contaminating activity.
	JTM Tooling Co. Ltd.	Yes	Metals, PHCs, VOCS, PAHs, and BTEX	Operations on this property include metal fabrication operations. This operation is located approximately 80 metres northeast of the Site and is located trans-gradient to the Site with respect to the inferred local and regional groundwater flow direction. Based on the above this property is not considered a significant environmental liability to the Phase One Property.
9	Showtech Merchandising Inc.	None	Not Applicable	Operations are limited to commercial services that are not considered a potential contaminating activity.
	R-Metrics Ltd.	None	Not Applicable	Operations are limited to commercial services that are not considered a potential contaminating activity.
10	Monte Carlo Inn	None	Not Applicable	Operations are limited to retail commercial services that are not considered a potential contaminating activity.
11	Vacant	None	Not Applicable	No operations are currently taking place on the property. Given this, there are no potential contaminating activities on this Site.
	Historically: Canadian General Electric Co. Ltd.	Yes	Metals, PHCs, VOCS, ABNs, and BTEX	Operations on this property historically included lamp manufacturing operations. This operation is located approximately 250 metres northeast of the Site and is located trans-gradient to the Site with

				respect to the inferred local and regional groundwater flow direction. Based on the above this property is not considered a significant environmental liability to the Phase One Property.
12	Rail Line	None	Not Applicable	Operations are limited to rail line operations and are located approximately 250 southeast of the Site and is located down-gradient to the Site with respect to the inferred local and regional groundwater flow direction. Based on the above this property is not considered a significant environmental liability to the Phase One Property.

### SUPPORTING INFORMATION TO SATISFY TABLE 1, SCHEDULE D, PART VI OF THE RSC REGULATION

- Based on the findings of the Phase One Environmental Site Assessment [ESA], one potentially contaminating activity [PCA] was identified on the Phase One Property and six [6] PCAs were identified in the Phase One Study Area that resulted in an area of potential environmental concern [APEC] on the Phase One Property. The remaining properties identified in the Phase One Study Area were not considered significant environmental liabilities to the Phase One Property. The PCAs are listed below in Table format. The Phase One Property boundaries are illustrated on the attached Drawing No.: 1. The APECs associated with the PCAs on the Phase One Property is illustrated on the attached Drawing No.: 1A.

Area of Potential Environmental Concern	Location of Area of Potential Environmental Concern on Phase One Property	Potentially Contaminating Activity	Locations of PCA (on-site or off-site)	Contaminants of Potential Concern	Media Potentially Impacted (Groundwater, soil and/or sediment)
APEC #1	The northeast portion of the existing structure.	6. Battery Manufacturing, Recycling and Bulk Storage	On-Site	Metals, As, Sb, Se, BHWS, CN, Electrical Conductivity, Cr (VI), Hg and SAR, pH	Soil
APEC #2	The eastern limit of the Phase One Property.	28. Gasoline and Associated Products Storage in Fixed Tanks.	Off-Site	Metals, PHCs, VOCs, and BTEX	Soil and groundwater
APEC #3	The eastern limit of the Phase One Property.	10. Commercial Autobody Shops	Off-Site	Metals, As, Sb, Se, BHWS, CN, Electrical Conductivity, Cr (VI), Hg, SAR, PHCs, VOCs, BTEX, and PAHs.	Soil and groundwater
APEC #4	The eastern limit of the Phase One Property.	39. Paints Manufacturing, Processing and Bulk Storage	Off-Site	Metals, As, Sb, Se, BHWS, CN, Electrical Conductivity, Cr (VI), Hg, SAR, and VOCs	Soil and groundwater

Area of Potential Environmental Concern	Location of Area of Potential Environmental Concern on Phase One Property	Potentially Contaminating Activity	Locations of PCA (on-site or off-site)	Contaminants of Potential Concern	Media Potentially Impacted (Groundwater, soil and/or sediment)
APEC #5	The southern limit of the Phase One Property.	33. Metal Treatment, Coating, Plating and Finishing	Off-Site	Metals, As, Sb, Se, BHWS, CN, Electrical Conductivity, Cr (VI), Hg, SAR, PHCs, VOCs, ABNs, and BTEX.	Soil and groundwater
		43. Plastics (including Fibreglass) Manufacturing and Processing	Off-Site	Metals, As, Sb, Se, BHWS, CN, Electrical Conductivity, Cr (VI), Hg, SAR, PHCs, VOCs, ABNs, and BTEX.	Soil and groundwater
		58. Waste Disposal and Waste Management, including thermal treatment, landfilling and transfer of waste, other than the use of biosoils as soil containers.	Off-Site	Metals, As, Sb, Se, BHWS, CN, Electrical Conductivity, Cr (VI), Hg, SAR, PHCs, VOCs, ABNs, and BTEX.	Soil and groundwater

2. With the exception of Morrison Creek, located approximately 250 metres southeast of the Site, there are no water bodies in whole or in part on the Phase One Property or within the Phase One Study Area. The local and regional groundwater flow direction is inferred to the southeast toward Lake Ontario.
3. There are no areas of natural significance located in whole or in part on the Phase One Property or in the Phase One Study Area.
4. The reconnaissance of the Site did not reveal any obvious visual evidence of a suspected groundwater well or cistern. However, the reconnaissance of the Site revealed two [2] monitoring wells on the southern portion of the Site. The monitoring wells are reportedly associated with the environmental assessment activities undertaken on the Site by Geo-Canada in 2004. It is noted that that the third monitoring well, noted in Geo-Canada's 2004 Phase Two ESA, was not observed or located during the Site reconnaissance.
5. A review of the Ministry of the Environment, Conservation and Parks water well records revealed no potable groundwater wells and fifty [50] groundwater monitoring wells in the Phase One Study Area. The groundwater monitoring wells terminate between 4.0 to 20.1 metres below the present ground surface and are located between approximately 20 to 250 metres from the Phase One Property.

6. The proposed redevelopment on the Phase One Property will be serviced with buried utilities, including storm and sanitary sewers, a municipal water supply, hydro and other soft services. The depth and location of these service trenches are not anticipated to affect, direct or alter the migration of any potential off-site contaminants.
7. SOIL-MAT ENGINEERS & CONSULTANTS LTD. did not undertake a site specific geotechnical investigation on the Property. A review of the Ministry of Northern Development and Mine's "Quaternary Geology of the Hamilton Area, Southern Ontario Sheet Map M2509" and "Paleozoic Geology of Hamilton Area, Southern Ontario Sheet Map M2336", indicates that the Site is located in an 'outcrop' area of Georgian Bay Formation Shale bedrock [Upper Ordovician]. The depth to bedrock is anticipated to be 2.1 to 2.6 metres below ground surface. The depth to the groundwater table is anticipated to be approximately 1.5 to 2.5 metres below the ground surface elevation based on information ferreted out from Geo-Canada's 2004 Phase Two ESA.
8. The validity of the CSM may be affected if the future use of the Phase One Property diverts from the current understanding of the proposed development to include the installation of multi-level basements or deep groundwater wells that may artificially alter or redirect local groundwater toward the Phase One Property. In this scenario, given the distance of the limited potential contaminating activities with relation to the Site, these activities are not considered a significant liability to the Phase One Property, and as a result it is recommended that intrusive soil and/or groundwater sampling and monitoring would not be required in this scenario.
9. Based on the results of the Phase One ESA, it is the opinion of SOIL-MAT ENGINEERS & CONSULTANTS LTD. that a Phase Two ESA is required for the Site.

## **Appendix 'K'**

1. Site Reconnaissance Photographs;



Photo of the front of the Site building, taken from the south side of Davis Road, facing northwest.



Photo of flush mount monitoring well located just south from the southeast corner of the Site building, facing southeast.



Photo of adjacent auto collision repair facility to the east of the Site, taken from the southeast corner of the Site, facing north-northwest.



Photo of grassed over concrete pad at the north end of the Site, facing west.



Photo from the southwest corner of the Site, facing northeast, with a stick up monitoring well in the foreground.



Photo taken from the north end of the Site, facing southeast.



## **Appendix 'L'**

### 1. Qualifications of Assessor



## **COMPANY BACKGROUND**

SOIL-MAT ENGINEERS & CONSULTANTS LTD. [SOIL-MAT ENGINEERS] is a Canadian Consulting Engineering firm owned by its senior staff. Over the past thirty years the principals of SOIL-MAT ENGINEERS have undertaken geotechnical investigations in all areas of Hamilton and surrounding area and are familiar with the distinct geology of the area and therefore well-versed with the various soil, bedrock and groundwater conditions. SOIL-MAT ENGINEERS has a staff of over twenty-five engineers and technical staff who specialize in geotechnical assignments, environmental assessments, hydrogeological investigations and construction quality control/assurance projects. The company commenced operation on June 15, 1992 and has undertaken over 5,000 projects since its inception. The firm and all professional staff are in good standing with Professional Engineers Ontario. The company has maintained a current Certificate of Authorisation since it was granted on April 28, 1992. The firm's office and laboratory facilities are located at 130 Lancing Drive in Hamilton, Ontario.

## **REPORT AUTHORS**

### **Peter Markesic, B.Sc.**

Project Manager

Mr. Markesic has over ten years of experience in conducting Phase I ESA research and Phase II ESA fieldwork, including soil and groundwater sampling. Mr. Markesic has also been a key project member on a number of Phase III Environmental Site Assessment projects, including the decommissioning of underground fuel storage tanks and both in-situ and ex-situ remediation projects.

### **Stephen R. Sears, B. Eng. Mgmt., P. Eng.**

[Director/ Senior Professional]

Mr. Sears has over twenty-two years of experience in the geotechnical and geo-environmental fields. Mr. Sears holds current Consulting Engineer designations with the Professional Engineers Ontario and the Association of Professional Engineers and Geoscientists of Saskatchewan and has supervised the geotechnical investigations for numerous industrial, commercial and residential development projects in Southern Ontario, slope stability assignments associated with Hamilton Conservation Authority, Conservation Halton and Niagara Peninsula Conservation Authority requirements, and several high rise developments throughout Ontario. Mr. Sears has also been involved in geotechnical and hydrogeological investigations for industrial park developments in the Greater Toronto Area and Niagara Peninsula. Some of Mr. Sears' projects have included the decommissioning and reconstruction of underground and above ground fuel oil storage tanks in Ontario and Saskatchewan, the study of the containment structures at a number of Petroleum Storage Facilities in Ontario and and numerous 'dig and dump' remediation projects.



**Keith Gleadall, B.A., EA Dipl.**

Vice-President [Senior Professional]

Mr. Gleadall has over fourteen years of experience in conducting Phase I, II and III Environmental Site Assessments and has successfully completed the requirements of the Associated Environmental Site Assessors of Canada and a Post Graduate Diploma in Environmental Site Assessment from Niagara College. Mr. Gleadall is responsible for undertaking numerous hydrogeological investigations, primarily within the City of Hamilton, associated with the development of residential and commercial subdivision projects, together with Phase I, II and III Environmental Site Assessments. Projects have included the decommissioning of underground and above ground fuel oil storage tanks, the implementation of in-situ and ex-situ remediation programmes, the decommissioning of a former dry cleaning facility and numerous 'dig and dump' remediation projects.